




MBA

Housings - Bearing - Flanged - Miniature



Chromic Anodised Aluminium double or single flanged housings.

For standard radial ball bearings.

Housings - Bearing - Flanged - Miniature

Part Number	Housing Bore (B) mm	Top Housing to Back Flange (D) mm	Outside Diameter Housing (A) mm	Housing Type	Hole Type	Base Housing - Back Flange (E) mm	Flange Length (C) mm	Bolt Hole Radius Lie (R)	Space Between Circlips (F) mm
	<i>inches</i>	<i>inches</i>	<i>inches</i>			<i>inches</i>	<i>inches</i>		<i>inches</i>
# HSGS-09.525-19.050-T	9.525 <i>0.375</i>	19.050 <i>0.750</i>	19.050 <i>0.750</i>	Single	Tapped		38.100 <i>1.500</i>	14.275	4.725 <i>0.186</i>
# HSGD-09.525-19.050-T	9.525 <i>0.375</i>	19.050 <i>0.750</i>	19.050 <i>0.750</i>	Double	Tapped	19.050 <i>0.750</i>	38.100 <i>1.500</i>	14.275	4.725 <i>0.186</i>
# HSGD-09.525-19.050-C	9.525 <i>0.375</i>	19.050 <i>0.750</i>	19.050 <i>0.750</i>	Double	Clearance	19.050 <i>0.750</i>	38.100 <i>1.500</i>	14.275	4.725 <i>0.186</i>
# HSGS-09.525-19.050-C	9.525 <i>0.375</i>	19.050 <i>0.750</i>	19.050 <i>0.750</i>	Single	Clearance		38.100 <i>1.500</i>	14.275	4.725 <i>0.186</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Housings - Bearing - Flanged - Miniature

Part Number	Housing Bore (B) mm	Top Housing to Back Flange (D) mm	Outside Diameter Housing (A) mm	Housing Type	Hole Type	Base Housing - Back Flange (E) mm	Flange Length (C) mm	Bolt Hole Radius Lie (R)	Space Between Circlips (F) mm
	<i>inches</i>	<i>inches</i>	<i>inches</i>			<i>inches</i>	<i>inches</i>		<i>inches</i>
# HSGD-09.525-25.400-T	9.525 <i>0.375</i>	25.400 <i>1.000</i>	19.050 <i>0.750</i>	Double	Tapped	25.400 <i>1.000</i>	38.100 <i>1.500</i>	14.275	4.725 <i>0.186</i>
# HSGS-09.525-25.400-C	9.525 <i>0.375</i>	25.400 <i>1.000</i>	19.050 <i>0.750</i>	Single	Clearance		38.100 <i>1.500</i>	14.275	4.725 <i>0.186</i>
# HSGS-09.525-25.400-T	9.525 <i>0.375</i>	25.400 <i>1.000</i>	19.050 <i>0.750</i>	Single	Tapped		38.100 <i>1.500</i>	14.275	4.725 <i>0.186</i>
# HSGD-09.525-25.400-C	9.525 <i>0.375</i>	25.400 <i>1.000</i>	19.050 <i>0.750</i>	Double	Clearance	25.400 <i>1.000</i>	38.100 <i>1.500</i>	14.275	4.725 <i>0.186</i>
# HSGD-09.525-38.100-C	9.525 <i>0.375</i>	38.100 <i>1.500</i>	19.050 <i>0.750</i>	Double	Clearance	38.400 <i>1.512</i>	38.100 <i>1.500</i>	14.275	4.725 <i>0.186</i>
# HSGD-09.525-38.100-T	9.525 <i>0.375</i>	38.100 <i>1.500</i>	19.050 <i>0.750</i>	Double	Tapped	38.400 <i>1.512</i>	38.100 <i>1.500</i>	14.275	4.725 <i>0.186</i>
# HSGS-09.525-38.100-C	9.525 <i>0.375</i>	38.100 <i>1.500</i>	19.050 <i>0.750</i>	Single	Clearance		38.100 <i>1.500</i>	14.275	4.725 <i>0.186</i>
# HSGS-09.525-38.100-T	9.525 <i>0.375</i>	38.100 <i>1.500</i>	19.050 <i>0.750</i>	Single	Tapped		38.100 <i>1.500</i>	14.275	4.725 <i>0.186</i>
# HSGD-12.700-19.050-T	12.700 <i>0.500</i>	19.050 <i>0.750</i>	22.225 <i>0.875</i>	Double	Tapped	19.050 <i>0.750</i>	41.275 <i>1.625</i>	15.875	6.604 <i>0.260</i>
# HSGD-12.700-19.050-C	12.700 <i>0.500</i>	19.050 <i>0.750</i>	22.225 <i>0.875</i>	Double	Clearance	19.050 <i>0.750</i>	41.275 <i>1.625</i>	15.875	6.604 <i>0.260</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Housings - Bearing - Flanged - Miniature

Part Number	Housing Bore (B) mm	Top Housing to Back Flange (D) mm	Outside Diameter Housing (A) mm	Housing Type	Hole Type	Base Housing - Back Flange (E) mm	Flange Length (C) mm	Bolt Hole Radius Lie (R)	Space Between Circlips (F) mm
	<i>inches</i>	<i>inches</i>	<i>inches</i>			<i>inches</i>	<i>inches</i>		<i>inches</i>
# HSGS-12.700-19.050-C	12.700 <i>0.500</i>	19.050 <i>0.750</i>	22.225 <i>0.875</i>	Single	Clearance		41.275 <i>1.625</i>	15.875	6.604 <i>0.260</i>
# HSGS-12.700-19.050-T	12.700 <i>0.500</i>	19.050 <i>0.750</i>	22.225 <i>0.875</i>	Single	Tapped		41.275 <i>1.625</i>	15.875	6.604 <i>0.260</i>
# HSGS-12.700-25.400-C	12.700 <i>0.500</i>	25.400 <i>1.000</i>	22.225 <i>0.875</i>	Single	Clearance		41.275 <i>1.625</i>	15.875	6.604 <i>0.260</i>
# HSGD-12.700-25.400-T	12.700 <i>0.500</i>	25.400 <i>1.000</i>	22.225 <i>0.875</i>	Double	Tapped	25.400 <i>1.000</i>	41.275 <i>1.625</i>	15.875	6.604 <i>0.260</i>
# HSGD-12.700-25.400-C	12.700 <i>0.500</i>	25.400 <i>1.000</i>	22.225 <i>0.875</i>	Double	Clearance	25.400 <i>1.000</i>	41.275 <i>1.625</i>	15.875	6.604 <i>0.260</i>
# HSGS-12.700-25.400-T	12.700 <i>0.500</i>	25.400 <i>1.000</i>	22.225 <i>0.875</i>	Single	Tapped		41.275 <i>1.625</i>	15.875	6.604 <i>0.260</i>
# HSGS-12.700-38.100-T	12.700 <i>0.500</i>	38.100 <i>1.500</i>	22.225 <i>0.875</i>	Single	Tapped		41.275 <i>1.625</i>	15.875	6.604 <i>0.260</i>
# HSGS-12.700-38.100-C	12.700 <i>0.500</i>	38.100 <i>1.500</i>	22.225 <i>0.875</i>	Single	Clearance		41.275 <i>1.625</i>	15.875	6.604 <i>0.260</i>
# HSGD-12.700-38.100-T	12.700 <i>0.500</i>	38.100 <i>1.500</i>	22.225 <i>0.875</i>	Double	Tapped	38.400 <i>1.512</i>	41.275 <i>1.625</i>	15.875	6.604 <i>0.260</i>
# HSGD-12.700-38.100-C	12.700 <i>0.500</i>	38.100 <i>1.500</i>	22.225 <i>0.875</i>	Double	Clearance	38.100 <i>1.500</i>	41.275 <i>1.625</i>	15.875	6.604 <i>0.260</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Housings - Bearing - Flanged - Miniature

Part Number	Housing Bore (B) mm	Top Housing to Back Flange (D) mm	Outside Diameter Housing (A) mm	Housing Type	Hole Type	Base Housing - Back Flange (E) mm	Flange Length (C) mm	Bolt Hole Radius Lie (R)	Space Between Circlips (F) mm
	<i>inches</i>	<i>inches</i>	<i>inches</i>			<i>inches</i>	<i>inches</i>		<i>inches</i>
# HSGS-15.875-19.050-C	15.875 <i>0.625</i>	19.050 <i>0.750</i>	23.813 <i>0.938</i>	Single	Clearance		44.450 <i>1.750</i>	17.450	6.604 <i>0.260</i>
# HSGS-15.875-19.050-T	15.875 <i>0.625</i>	19.050 <i>0.750</i>	23.813 <i>0.938</i>	Single	Tapped		44.450 <i>1.750</i>	17.450	6.604 <i>0.260</i>
# HSGD-15.875-19.050-T	15.875 <i>0.625</i>	19.050 <i>0.750</i>	23.813 <i>0.938</i>	Double	Tapped	19.050 <i>0.750</i>	44.450 <i>1.750</i>	17.450	6.604 <i>0.260</i>
# HSGD-15.875-19.050-C	15.875 <i>0.625</i>	19.050 <i>0.750</i>	23.813 <i>0.938</i>	Double	Clearance	19.050 <i>0.750</i>	44.450 <i>1.750</i>	17.450	6.604 <i>0.260</i>
# HSGS-15.875-25.400-C	15.875 <i>0.625</i>	25.400 <i>1.000</i>	23.813 <i>0.938</i>	Single	Clearance		44.450 <i>1.750</i>	17.450	6.604 <i>0.260</i>
# HSGD-15.875-25.400-C	15.875 <i>0.625</i>	25.400 <i>1.000</i>	23.813 <i>0.938</i>	Double	Clearance	25.400 <i>1.000</i>	44.450 <i>1.750</i>	17.450	6.604 <i>0.260</i>
# HSGS-15.875-25.400-T	15.875 <i>0.625</i>	25.400 <i>1.000</i>	23.813 <i>0.938</i>	Single	Tapped		44.450 <i>1.750</i>	17.450	6.604 <i>0.260</i>
# HSGD-15.875-25.400-T	15.875 <i>0.625</i>	25.400 <i>1.000</i>	23.813 <i>0.938</i>	Double	Tapped	25.400 <i>1.000</i>	44.450 <i>1.750</i>	17.450	6.604 <i>0.260</i>
# HSGD-15.875-38.100-T	15.875 <i>0.625</i>	38.100 <i>1.500</i>	23.813 <i>0.938</i>	Double	Tapped	38.400 <i>1.512</i>	44.450 <i>1.750</i>	17.450	6.604 <i>0.260</i>
# HSGS-15.875-38.100-T	15.875 <i>0.625</i>	38.100 <i>1.500</i>	23.813 <i>0.938</i>	Single	Tapped		44.450 <i>1.750</i>	17.450	6.604 <i>0.260</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Housings - Bearing - Flanged - Miniature

Part Number	Housing Bore (B) mm	Top Housing to Back Flange (D) mm	Outside Diameter Housing (A) mm	Housing Type	Hole Type	Base Housing - Back Flange (E) mm	Flange Length (C) mm	Bolt Hole Radius Lie (R)	Space Between Circlips (F) mm
	<i>inches</i>	<i>inches</i>	<i>inches</i>			<i>inches</i>	<i>inches</i>		<i>inches</i>
# HSGS-15.875-38.100-C	15.875 <i>0.625</i>	38.100 <i>1.500</i>	23.813 <i>0.938</i>	Single	Clearance		44.450 <i>1.750</i>	17.450	6.604 <i>0.260</i>
# HSGD-15.875-38.100-C	15.875 <i>0.625</i>	38.100 <i>1.500</i>	23.813 <i>0.938</i>	Double	Clearance	38.400 <i>1.512</i>	44.450 <i>1.750</i>	17.450	6.604 <i>0.260</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to catalogues@minibearings.com.au
