




MBA

Housings - Linear - Pillow Block



Includes Bearings.

Housing: Aluminium - carbon steel and engineered polymer bearing fitted.

Super Smart Ball Bushing™ Bearing fitted.

Designed for use with Hard Linear Shafting (h6 Tolerance).

Housings - Linear - Pillow Block

Part Number	Bore Diameter mm	Centre Height mm	Height mm	Width mm	Length mm	Distance Between Bolts / Width mm	Bolt Size mm	Dynamic Load	Load Limit	Type
# LSB-8	8.0 <i>0.315</i>	15.0 <i>0.591</i>	28.0 <i>1.102</i>	35.0 <i>1.378</i>	32.0 <i>1.260</i>	20 / 25	M4	310	340	Closed - Fixed
# LSB-8AJ	8.0 <i>0.315</i>	15.0 <i>0.591</i>	28.0 <i>1.102</i>	35.0 <i>1.378</i>	32.0 <i>1.260</i>	20 / 25	M4	310	340	Closed - Adjustable
# LSB-12OP	12.0 <i>0.472</i>	18.0 <i>0.709</i>	28.0 <i>1.102</i>	43.0 <i>1.693</i>	39.0 <i>1.535</i>	23 / 32	M5	750	825	Open - Fixed

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Housings - Linear - Pillow Block

Part Number	Bore Diameter mm	Centre Height mm	Height mm	Width mm	Length mm	Distance Between Bolts / Width mm	Bolt Size mm	Dynamic Load	Load Limit	Type
# LSB-12OPAJ	12.0 <i>0.472</i>	18.0 <i>0.709</i>	28.0 <i>1.102</i>	43.0 <i>1.693</i>	39.0 <i>1.535</i>	23 / 32	M5	750	825	Open - Adjustable
# LSB-12AJ	12.0 <i>0.472</i>	18.0 <i>0.709</i>	35.0 <i>1.378</i>	43.0 <i>1.693</i>	39.0 <i>1.535</i>	23 / 32	M5	650	715	Closed - Adjustable
# LSB-12	12.0 <i>0.472</i>	18.0 <i>0.709</i>	35.0 <i>1.378</i>	43.0 <i>1.693</i>	39.0 <i>1.535</i>	23 / 32	M5	650	715	Closed - Fixed
# LSB-16OP	16.0 <i>0.630</i>	22.0 <i>0.866</i>	35.0 <i>1.378</i>	53.0 <i>2.087</i>	43.0 <i>1.693</i>	26 / 40	M6	2200	2400	Open - Fixed
# LSB-16OPAJ	16.0 <i>0.630</i>	22.0 <i>0.866</i>	35.0 <i>1.378</i>	53.0 <i>2.087</i>	43.0 <i>1.693</i>	26 / 40	M6	2200	2400	Open - Adjustable
# LSB-16AJ	16.0 <i>0.630</i>	22.0 <i>0.866</i>	42.0 <i>1.654</i>	53.0 <i>2.087</i>	43.0 <i>1.693</i>	26 / 40	M6	2200	2400	Closed - Adjustable
# LSB-16	16.0 <i>0.630</i>	22.0 <i>0.866</i>	42.0 <i>1.654</i>	53.0 <i>2.087</i>	43.0 <i>1.693</i>	26 / 40	M6	2200	2400	Closed - Fixed
# LSB-20OPAJ	20.0 <i>0.787</i>	25.0 <i>0.984</i>	42.0 <i>1.654</i>	60.0 <i>2.362</i>	54.0 <i>2.126</i>	32 / 45	M8	4000	4400	Open - Adjustable
# LSB-20OP	20.0 <i>0.787</i>	25.0 <i>0.984</i>	42.0 <i>1.654</i>	60.0 <i>2.362</i>	54.0 <i>2.126</i>	32 / 45	M8	4000	4400	Open - Fixed

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Housings - Linear - Pillow Block

Part Number	Bore Diameter mm	Centre Height mm	Height mm	Width mm	Length mm	Distance Between Bolts / Width mm	Bolt Size mm	Dynamic Load	Load Limit	Type
# LSB-20AJ	20.0 <i>0.787</i>	25.0 <i>0.984</i>	50.0 <i>1.969</i>	60.0 <i>2.362</i>	54.0 <i>2.126</i>	32 / 45	M8	4000	4400	Closed - Adjustable
# LSB-20	20.0 <i>0.787</i>	25.0 <i>0.984</i>	50.0 <i>1.969</i>	60.0 <i>2.362</i>	54.0 <i>2.126</i>	32 / 45	M8	4000	4400	Closed - Fixed
# LSB-25OPAJ	25.0 <i>0.984</i>	30.0 <i>1.181</i>	51.0 <i>2.008</i>	78.0 <i>3.071</i>	67.0 <i>2.638</i>	40 / 60	M10	6700	7300	Open - Adjustable
# LSB-25OP	25.0 <i>0.984</i>	30.0 <i>1.181</i>	51.0 <i>2.008</i>	78.0 <i>3.071</i>	67.0 <i>2.638</i>	40 / 60	M10	6700	7300	Open - Fixed
# LSB-25AJ	25.0 <i>0.984</i>	30.0 <i>1.181</i>	60.0 <i>2.362</i>	78.0 <i>3.071</i>	67.0 <i>2.638</i>	40 / 60	M10	6700	7300	Closed - Adjustable
# LSB-25	25.0 <i>0.984</i>	30.0 <i>1.181</i>	60.0 <i>2.362</i>	78.0 <i>3.071</i>	67.0 <i>2.638</i>	40 / 60	M10	6700	7300	Closed - Fixed
# LSB-30OP	30.0 <i>1.181</i>	35.0 <i>1.378</i>	60.0 <i>2.362</i>	87.0 <i>3.425</i>	79.0 <i>3.110</i>	45 / 68	M10	8300	9100	Open - Fixed
# LSB-30OPAJ	30.0 <i>1.181</i>	35.0 <i>1.378</i>	60.0 <i>2.362</i>	87.0 <i>3.425</i>	79.0 <i>3.110</i>	45 / 68	M10	8300	9100	Open - Adjustable
# LSB-30	30.0 <i>1.181</i>	35.0 <i>1.378</i>	71.0 <i>2.795</i>	87.0 <i>3.425</i>	79.0 <i>3.110</i>	45 / 68	M10	8300	9100	Closed - Fixed

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Housings - Linear - Pillow Block

Part Number	Bore Diameter mm	Centre Height mm	Height mm	Width mm	Length mm	Distance Between Bolts / Width mm	Bolt Size mm	Dynamic Load	Load Limit	Type
# LSB-30AJ	30.0 <i>1.181</i>	35.0 <i>1.378</i>	71.0 <i>2.795</i>	87.0 <i>3.425</i>	79.0 <i>3.110</i>	45 / 68	M10	8300	9100	Closed - Adjustable
# LSB-40OP	40.0 <i>1.575</i>	45.0 <i>1.772</i>	77.0 <i>3.031</i>	108.0 <i>4.252</i>	91.0 <i>3.583</i>	58 / 86	M12	13700	15000	Open - Fixed
# LSB-40PAJ	40.0 <i>1.575</i>	45.0 <i>1.772</i>	77.0 <i>3.031</i>	108.0 <i>4.252</i>	91.0 <i>3.583</i>	58 / 86	M12	13700	15000	Open - Adjustable
# LSB-40	40.0 <i>1.575</i>	45.0 <i>1.772</i>	91.0 <i>3.583</i>	108.0 <i>4.252</i>	91.0 <i>3.583</i>	58 / 86	M12	13700	15000	Closed - Fixed
# LSB-40AJ	40.0 <i>1.575</i>	45.0 <i>1.772</i>	91.0 <i>3.583</i>	108.0 <i>4.252</i>	91.0 <i>3.583</i>	58 / 86	M12	13700	15000	Closed - Adjustable

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to catalogues@minibearings.com.au

