




# MBA

## Inserts - Expansion



Material : Brass.

Easiest inserts to install - simply push into a pre-moulded hole.

Used with plastics or other materials. Material must be strong enough to withstand the expansion of the insert.

The insertion of the screw locks the external knurls into the wall of the hole.

Provides excellent thread durability but where maximum strength is required other inserts shown in this catalogue should be preferred.

### Inserts - Expansion

Part Number	Thread Size	A±0.1	L±0.25	Recommended Hole Diameter mm
				<i>inches</i>
EX15-M3	M 3.0 x 0.5	4.22	4.77	3.96 <i>0.156</i>
EX15-M3.5	M 3.5 x 0.6	5.05	6.35	4.77 <i>0.188</i>
EX15-M4	M 4.0 x 0.7	5.84	7.95	5.56 <i>0.219</i>

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Inserts - Expansion

Part Number	Thread Size	A±0.1	L±0.25	Recommended Hole Diameter	
				mm	<i>inches</i>
EX15-M5	M 5.0 x 0.8	6.65	9.52	6.35	<i>0.250</i>
EX15-M6	M 6.0 x 1.0	8.28	12.70	7.95	<i>0.313</i>
EX15-M8	M 8.0 x 1.25	9.88	14.30	9.52	<i>0.375</i>

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to [catalogues@minibearings.com.au](mailto:catalogues@minibearings.com.au)

