




MBA

Insulators - Screw



- Nonconductive.
- Noncorrosive.
- Lightweight.
- Self-sealing.
- Self-locking.

Insulators - Screw

Part Number	Thread Size	Shank Length mm	Bore Size mm	Shank Diameter mm	Head Diameter mm	Thickness of Head mm	Material
		<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	
# SCINS-02.29x03.18	2 UNC/UNF (2.184mm)	3.175	2.286	3.048	4.597	1.191	Nylon (Zytel 101)
		<i>0.125</i>	<i>0.090</i>	<i>0.120</i>	<i>0.181</i>	<i>0.047</i>	
# SCINS-02.29x04.78	2 UNC/UNF (2.184mm)	4.775	2.286	3.048	4.597	1.191	Nylon (Zytel 101)
		<i>0.188</i>	<i>0.090</i>	<i>0.120</i>	<i>0.181</i>	<i>0.047</i>	

Indicates item not stocked at time of printing - Please enquire for lead time
 E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
 MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Insulators - Screw

Part Number	Thread Size	Shank Length mm	Bore Size mm	Shank Diameter mm	Head Diameter mm	Thickness of Head mm	Material
		<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	
# SCINS-02.29x06.35	2 UNC/UNF (2.184mm)	6.350 <i>0.250</i>	2.286 <i>0.090</i>	3.048 <i>0.120</i>	4.597 <i>0.181</i>	1.191 <i>0.047</i>	Nylon (Zytel 101)
SCINS-02.29x09.53	2 UNC/UNF (2.184mm)	9.525 <i>0.375</i>	2.286 <i>0.090</i>	3.048 <i>0.120</i>	4.597 <i>0.181</i>	1.191 <i>0.047</i>	Nylon (Zytel 101)
# SCINS-02.92x00.80	4 UNC/UNF (2.845mm)	0.795 <i>0.031</i>	2.921 <i>0.115</i>	3.683 <i>0.145</i>	5.969 <i>0.235</i>	1.191 <i>0.047</i>	Nylon (Zytel 101)
# SCINS-02.92x02.38	4 UNC/UNF (2.845mm)	2.383 <i>0.094</i>	2.921 <i>0.115</i>	3.683 <i>0.145</i>	5.969 <i>0.235</i>	1.191 <i>0.047</i>	Nylon (Zytel 101)
# SCINS-02.92x03.18	4 UNC/UNF (2.845mm)	3.175 <i>0.125</i>	2.921 <i>0.115</i>	3.683 <i>0.145</i>	5.969 <i>0.235</i>	1.191 <i>0.047</i>	Nylon (Zytel 101)
# SCINS-02.92x04.78	4 UNC/UNF (2.845mm)	4.775 <i>0.188</i>	2.921 <i>0.115</i>	3.683 <i>0.145</i>	5.969 <i>0.235</i>	1.191 <i>0.047</i>	Nylon (Zytel 101)
# SCINS-02.92x09.53	4 UNC/UNF (2.845mm)	9.525 <i>0.375</i>	2.921 <i>0.115</i>	3.683 <i>0.145</i>	5.969 <i>0.235</i>	1.191 <i>0.047</i>	Nylon (Zytel 101)
SCINS-02.92x12.70	4 UNC/UNF (2.845mm)	12.700 <i>0.500</i>	2.921 <i>0.115</i>	3.683 <i>0.145</i>	5.969 <i>0.235</i>	1.191 <i>0.047</i>	Nylon (Zytel 101)

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Insulators - Screw

Part Number	Thread Size	Shank Length mm	Bore Size mm	Shank Diameter mm	Head Diameter mm	Thickness of Head mm	Material
		<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	
# SCINS-03.56x03.18	6 UNC/UNF (3.5mm)	3.175 <i>0.125</i>	3.556 <i>0.140</i>	4.318 <i>0.170</i>	7.366 <i>0.290</i>	1.191 <i>0.047</i>	Nylon (Zytel 101)
# SCINS-03.56x04.78	6 UNC/UNF (3.5mm)	4.775 <i>0.188</i>	3.556 <i>0.140</i>	4.318 <i>0.170</i>	7.366 <i>0.290</i>	1.191 <i>0.047</i>	Nylon (Zytel 101)
# SCINS-03.56x06.35	6 UNC/UNF (3.5mm)	6.350 <i>0.250</i>	3.556 <i>0.140</i>	4.318 <i>0.170</i>	7.366 <i>0.290</i>	1.191 <i>0.047</i>	Nylon (Zytel 101)
# SCINS-03.56x09.53	6 UNC/UNF (3.5mm)	9.525 <i>0.375</i>	3.556 <i>0.140</i>	4.318 <i>0.170</i>	7.366 <i>0.290</i>	1.191 <i>0.047</i>	Nylon (Zytel 101)
# SCINS-03.56x12.70	6 UNC/UNF (3.5mm)	12.700 <i>0.500</i>	3.556 <i>0.140</i>	4.318 <i>0.170</i>	7.366 <i>0.290</i>	1.191 <i>0.047</i>	Nylon (Zytel 101)
# SCINS-04.39x03.58	8 UNC/UNF (4.166mm)	3.581 <i>0.141</i>	4.394 <i>0.173</i>	5.207 <i>0.205</i>	8.738 <i>0.344</i>	1.588 <i>0.063</i>	Nylon (Zytel 101)
# SCINS-04.39x06.35	8 UNC/UNF (4.166mm)	6.350 <i>0.250</i>	4.394 <i>0.173</i>	5.207 <i>0.205</i>	8.738 <i>0.344</i>	1.588 <i>0.063</i>	Nylon (Zytel 101)
# SCINS-04.39x09.53	8 UNC/UNF (4.166mm)	9.525 <i>0.375</i>	4.394 <i>0.173</i>	5.207 <i>0.205</i>	8.738 <i>0.344</i>	1.588 <i>0.063</i>	Nylon (Zytel 101)
# SCINS-04.39x12.70	8 UNC/UNF (4.166mm)	12.700 <i>0.500</i>	4.394 <i>0.173</i>	5.207 <i>0.205</i>	8.738 <i>0.344</i>	1.588 <i>0.063</i>	Nylon (Zytel 101)

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Insulators - Screw

Part Number	Thread Size	Shank Length mm	Bore Size mm	Shank Diameter mm	Head Diameter mm	Thickness of Head mm	Material
		<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	
# SCINS-04.39x15.88	8 UNC/UNF (4.166mm)	15.875	4.394	5.207	8.738	1.588	Nylon (Zytel 101)
		<i>0.625</i>	<i>0.173</i>	<i>0.205</i>	<i>0.344</i>	<i>0.063</i>	
# SCINS-04.39x19.05	8 UNC/UNF (4.166mm)	19.050	4.394	5.207	8.738	1.588	Nylon (Zytel 101)
		<i>0.750</i>	<i>0.173</i>	<i>0.205</i>	<i>0.344</i>	<i>0.063</i>	
# SCINS-05.08x06.35	10 UNC/UNF (4.762mm)	6.350	5.080	6.604	10.135	1.588	Nylon (Zytel 101)
		<i>0.250</i>	<i>0.200</i>	<i>0.260</i>	<i>0.399</i>	<i>0.063</i>	
SCINS-05.08x09.53	10 UNC/UNF (4.762mm)	9.525	5.080	6.604	10.135	1.588	Nylon (Zytel 101)
		<i>0.375</i>	<i>0.200</i>	<i>0.260</i>	<i>0.399</i>	<i>0.063</i>	
# SCINS-05.08x12.70	10 UNC/UNF (4.762mm)	12.700	5.080	6.604	10.135	1.588	Nylon (Zytel 101)
		<i>0.500</i>	<i>0.200</i>	<i>0.260</i>	<i>0.399</i>	<i>0.063</i>	
# SCINS-05.08x15.88	10 UNC/UNF (4.762mm)	15.875	5.080	6.604	10.135	1.588	Nylon (Zytel 101)
		<i>0.625</i>	<i>0.200</i>	<i>0.260</i>	<i>0.399</i>	<i>0.063</i>	
# SCINS-05.08x19.05	10 UNC/UNF (4.762mm)	19.050	5.080	6.604	10.135	1.588	Nylon (Zytel 101)
		<i>0.750</i>	<i>0.200</i>	<i>0.260</i>	<i>0.399</i>	<i>0.063</i>	
# SCINS-06.60x04.78	1/4 in. (6.35mm)	4.775	6.604	7.925	13.030	1.588	Nylon (Zytel 101)
		<i>0.188</i>	<i>0.260</i>	<i>0.312</i>	<i>0.513</i>	<i>0.063</i>	
# SCINS-06.60x06.35	1/4 in. (6.35mm)	6.350	6.604	7.925	13.030	1.588	Nylon (Zytel 101)
		<i>0.250</i>	<i>0.260</i>	<i>0.312</i>	<i>0.513</i>	<i>0.063</i>	

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Insulators - Screw

Part Number	Thread Size	Shank Length mm	Bore Size mm	Shank Diameter mm	Head Diameter mm	Thickness of Head mm	Material
		<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	
# SCINS-06.60x09.53	1/4 in. (6.35mm)	9.525 <i>0.375</i>	6.604 <i>0.260</i>	7.925 <i>0.312</i>	13.030 <i>0.513</i>	1.588 <i>0.063</i>	Nylon (Zytel 101)
# SCINS-06.60x12.70	1/4 in. (6.35mm)	12.700 <i>0.500</i>	6.604 <i>0.260</i>	7.925 <i>0.312</i>	13.030 <i>0.513</i>	1.588 <i>0.063</i>	Nylon (Zytel 101)
SCINS-06.60x15.88	1/4 in. (6.35mm)	15.875 <i>0.625</i>	6.604 <i>0.260</i>	7.925 <i>0.312</i>	13.030 <i>0.513</i>	1.588 <i>0.063</i>	Nylon (Zytel 101)
# SCINS-06.60x19.05	1/4 in. (6.35mm)	19.050 <i>0.750</i>	6.604 <i>0.260</i>	7.925 <i>0.312</i>	13.030 <i>0.513</i>	1.588 <i>0.063</i>	Nylon (Zytel 101)

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to catalogues@minibearings.com.au

