




MBA

Keys - Gib Head - Steel



Tapered 3.000 mm per 300 mm (1:100)

Keys - Gib Head - Steel

Part Number	Nominal Key Height (h1) mm	Width (W) mm	Length (L) mm	Head Height (h2) Approx. mm	Approx (B)	Approx (H3)	Material	Taper	Standard	Head Length (Approx) (A) mm
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>						<i>inches</i>
GHK0476-0476-076	4.763	4.763	76.2	7.9	5.08	5.56	Cold Finished Steel	1:100	BS46	6.35
	<i>0.188</i>	<i>0.188</i>	<i>3.000</i>	<i>0.311</i>						<i>0.250</i>
GHK0476-0476-102	4.763	4.763	101.6	7.9	5.08	5.56	Cold Finished Steel	1:100	BS46	6.35
	<i>0.188</i>	<i>0.188</i>	<i>4.000</i>	<i>0.311</i>						<i>0.250</i>
# GHK0476-0635-127	4.763	6.350	127	7.9	5.08	5.56	Cold Finished Steel	1:100	BS46	7.94
	<i>0.188</i>	<i>0.250</i>	<i>5.000</i>	<i>0.311</i>						<i>0.313</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Keys - Gib Head - Steel

Part Number	Nominal Key Height (h1) mm	Width (W) mm	Length (L) mm	Head Height (h2) Approx. mm	Approx (B)	Approx (H3)	Material	Taper	Standard	Head Length (Approx) (A) mm
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>						<i>inches</i>
# GHK0476-0635-152	4.763	6.350	152.4	7.9	5.08	5.56	Cold Finished Steel	1:100	BS46	7.94
	<i>0.188</i>	<i>0.250</i>	<i>6.000</i>	<i>0.311</i>						<i>0.313</i>
# GHK0476-0794-102	4.763	7.938	101.6	7.9	5.08	5.56	Cold Finished Steel	1:100	BS46	9.53
	<i>0.188</i>	<i>0.313</i>	<i>4.000</i>	<i>0.311</i>						<i>0.375</i>
# GHK0600-1400-120	6.000	14.000	120	14.0			Cold Finished Steel	1:100	DIN6887	14.000
	<i>0.236</i>	<i>0.551</i>	<i>4.724</i>	<i>0.551</i>						<i>0.551</i>
GHK0635-0635-064	6.350	6.350	63.5	11.1	5.08	7.14	Cold Finished Steel	1:100	BS46	7.94
	<i>0.250</i>	<i>0.250</i>	<i>2.500</i>	<i>0.437</i>						<i>0.313</i>
GHK0635-0635-076	6.350	6.350	76.2	11.1	5.08	7.14	Cold Finished Steel	1:100	BS46	7.94
	<i>0.250</i>	<i>0.250</i>	<i>3.000</i>	<i>0.437</i>						<i>0.313</i>
GHK0635-0635-102	6.350	6.350	101.6	11.1	5.08	7.14	Cold Finished Steel	1:100	BS46	7.94
	<i>0.250</i>	<i>0.250</i>	<i>4.000</i>	<i>0.437</i>						<i>0.313</i>
# GHK0635-0635-127	6.350	6.350	127	11.1	5.08	7.14	Cold Finished Steel	1:100	BS46	7.94
	<i>0.250</i>	<i>0.250</i>	<i>5.000</i>	<i>0.437</i>						<i>0.313</i>
GHK0635-0635-152	6.350	6.350	152.4	11.1	5.08	7.14	Cold Finished Steel	1:100	BS46	7.94
	<i>0.250</i>	<i>0.250</i>	<i>6.000</i>	<i>0.437</i>						<i>0.313</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Keys - Gib Head - Steel

Part Number	Nominal Key Height (h1) mm	Width (W) mm	Length (L) mm	Head Height (h2) Approx. mm	Approx (B)	Approx (H3)	Material	Taper	Standard	Head Length (Approx) (A) mm
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>						<i>inches</i>
# GHK0635-0794-076	6.350	7.938	76.2	11.1	5.08	7.14	Cold Finished Steel	1:100	BS46	9.53
	<i>0.250</i>	<i>0.313</i>	<i>3.000</i>	<i>0.437</i>						<i>0.375</i>
# GHK0635-0794-127	6.350	7.938	127	11.1	5.08	7.14	Cold Finished Steel	1:100	BS46	9.53
	<i>0.250</i>	<i>0.313</i>	<i>5.000</i>	<i>0.437</i>						<i>0.375</i>
# GHK0635-0794-152	6.350	7.938	152.4	11.1	5.08	7.14	Cold Finished Steel	1:100	BS46	9.53
	<i>0.250</i>	<i>0.313</i>	<i>6.000</i>	<i>0.437</i>						<i>0.375</i>
# GHK0635-0953-064	6.350	9.525	63.5	11.1	5.08	7.14	Cold Finished Steel	1:100	BS46	11.113
	<i>0.250</i>	<i>0.375</i>	<i>2.500</i>	<i>0.437</i>						<i>0.438</i>
# GHK0635-0953-127	6.350	9.525	127	11.1	5.08	7.14	Cold Finished Steel	1:100	BS46	11.113
	<i>0.250</i>	<i>0.375</i>	<i>5.000</i>	<i>0.437</i>						<i>0.438</i>
# GHK0635-0953-152	6.350	9.525	152.4	11.1	5.08	7.14	Cold Finished Steel	1:100	BS46	11.113
	<i>0.250</i>	<i>0.375</i>	<i>6.000</i>	<i>0.437</i>						<i>0.438</i>
# GHK0635-1270-152	6.350	12.700	152.4	11.1	5.08	7.14	Cold Finished Steel	1:100	BS46	14.29
	<i>0.250</i>	<i>0.500</i>	<i>6.000</i>	<i>0.437</i>						<i>0.563</i>
# GHK0700-0800-040	7.000	8.000	40	11.0			Cold Finished Steel	1:100	DIN6887	8.000
	<i>0.276</i>	<i>0.315</i>	<i>1.575</i>	<i>0.433</i>						<i>0.315</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Keys - Gib Head - Steel

Part Number	Nominal Key Height (h1) mm	Width (W) mm	Length (L) mm	Head Height (h2) Approx. mm	Approx (B)	Approx (H3)	Material	Taper	Standard	Head Length (Approx) (A) mm
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>						<i>inches</i>
# GHK0700-0800-050	7.000	8.000	50	11.0			Cold Finished Steel	1:100	DIN6887	8.000
	<i>0.276</i>	<i>0.315</i>	<i>1.969</i>	<i>0.433</i>						<i>0.315</i>
# GHK0700-0800-060	7.000	8.000	60	11.0			Cold Finished Steel	1:100	DIN6887	8.000
	<i>0.276</i>	<i>0.315</i>	<i>2.362</i>	<i>0.433</i>						<i>0.315</i>
# GHK0700-0800-070	7.000	8.000	70	11.0			Cold Finished Steel	1:100	DIN6887	8.000
	<i>0.276</i>	<i>0.315</i>	<i>2.756</i>	<i>0.433</i>						<i>0.315</i>
# GHK0700-0800-080	7.000	8.000	80	11.0			Cold Finished Steel	1:100	DIN6887	8.000
	<i>0.276</i>	<i>0.315</i>	<i>3.150</i>	<i>0.433</i>						<i>0.315</i>
# GHK0700-1600-120	7.000	16.000	120	16.0			Cold Finished Steel	1:100	DIN6887	16.000
	<i>0.276</i>	<i>0.630</i>	<i>4.724</i>	<i>0.630</i>						<i>0.630</i>
# GHK0700-1800-160	7.000	18.000	160	18.0			Cold Finished Steel	1:100	DIN6887	18.000
	<i>0.276</i>	<i>0.709</i>	<i>6.299</i>	<i>0.709</i>						<i>0.709</i>
GHK0794-0794-076	7.938	7.938	76.2	12.7	7.62	8.73	Cold Finished Steel	1:100	BS46	9.53
	<i>0.313</i>	<i>0.313</i>	<i>3.000</i>	<i>0.500</i>						<i>0.375</i>
GHK0794-0794-102	7.938	7.938	101.6	12.7	7.62	8.73	Cold Finished Steel	1:100	BS46	9.53
	<i>0.313</i>	<i>0.313</i>	<i>4.000</i>	<i>0.500</i>						<i>0.375</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Keys - Gib Head - Steel

Part Number	Nominal Key Height (h1) mm	Width (W) mm	Length (L) mm	Head Height (h2) Approx. mm	Approx (B)	Approx (H3)	Material	Taper	Standard	Head Length (Approx) (A) mm
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>						<i>inches</i>
GHK0794-0794-127	7.938	7.938	127	12.7	7.62	8.73	Cold Finished Steel	1:100	BS46	9.53
	<i>0.313</i>	<i>0.313</i>	<i>5.000</i>	<i>0.500</i>						<i>0.375</i>
# GHK0794-0794-152	7.938	7.938	152.4	12.7	7.62	8.73	Cold Finished Steel	1:100	BS46	9.53
	<i>0.313</i>	<i>0.313</i>	<i>6.000</i>	<i>0.500</i>						<i>0.375</i>
# GHK0794-0953-076	7.938	9.525	76.2	12.7	7.62	8.73	Cold Finished Steel	1:100	BS46	11.113
	<i>0.313</i>	<i>0.375</i>	<i>3.000</i>	<i>0.500</i>						<i>0.438</i>
# GHK0794-0953-102	7.938	9.525	101.6	12.7	7.62	8.73	Cold Finished Steel	1:100	BS46	11.113
	<i>0.313</i>	<i>0.375</i>	<i>4.000</i>	<i>0.500</i>						<i>0.438</i>
GHK0794-0953-152	7.938	9.525	152.4	12.7	7.62	8.73	Cold Finished Steel	1:100	BS46	11.113
	<i>0.313</i>	<i>0.375</i>	<i>6.000</i>	<i>0.500</i>						<i>0.438</i>
# GHK0794-1111-102	7.938	11.113	101.6	12.7	7.62	8.73	Cold Finished Steel	1:100	BS46	12.70
	<i>0.313</i>	<i>0.438</i>	<i>4.000</i>	<i>0.500</i>						<i>0.500</i>
# GHK0794-1111-127	7.938	11.113	127	12.7	7.62	8.73	Cold Finished Steel	1:100	BS46	12.70
	<i>0.313</i>	<i>0.438</i>	<i>5.000</i>	<i>0.500</i>						<i>0.500</i>
# GHK0794-1111-152	7.938	11.113	152.4	12.7	7.62	8.73	Cold Finished Steel	1:100	BS46	12.70
	<i>0.313</i>	<i>0.438</i>	<i>6.000</i>	<i>0.500</i>						<i>0.500</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Keys - Gib Head - Steel

Part Number	Nominal Key Height (h1) mm	Width (W) mm	Length (L) mm	Head Height (h2) Approx. mm	Approx (B)	Approx (H3)	Material	Taper	Standard	Head Length (Approx) (A) mm
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>						<i>inches</i>
# GHK0794-1270-076	7.938	12.700	76.2	12.7	7.62	8.73	Cold Finished Steel	1:100	BS46	14.29
	<i>0.313</i>	<i>0.500</i>	<i>3.000</i>	<i>0.500</i>						<i>0.563</i>
# GHK0794-1270-102	7.938	12.700	101.6	12.7	7.62	8.73	Cold Finished Steel	1:100	BS46	14.29
	<i>0.313</i>	<i>0.500</i>	<i>4.000</i>	<i>0.500</i>						<i>0.563</i>
# GHK0794-1270-127	7.938	12.700	127	12.7	7.62	8.73	Cold Finished Steel	1:100	BS46	14.29
	<i>0.313</i>	<i>0.500</i>	<i>5.000</i>	<i>0.500</i>						<i>0.563</i>
# GHK0800-1000-040	8.000	10.000	40	12.0			Cold Finished Steel	1:100	DIN6887	10.000
	<i>0.315</i>	<i>0.394</i>	<i>1.575</i>	<i>0.472</i>						<i>0.394</i>
# GHK0800-1000-050	8.000	10.000	50	12.0			Cold Finished Steel	1:100	DIN6887	10.000
	<i>0.315</i>	<i>0.394</i>	<i>1.969</i>	<i>0.472</i>						<i>0.394</i>
# GHK0800-1000-060	8.000	10.000	60	12.0			Cold Finished Steel	1:100	DIN6887	10.000
	<i>0.315</i>	<i>0.394</i>	<i>2.362</i>	<i>0.472</i>						<i>0.394</i>
# GHK0800-1000-070	8.000	10.000	70	12.0			Cold Finished Steel	1:100	DIN6887	10.000
	<i>0.315</i>	<i>0.394</i>	<i>2.756</i>	<i>0.472</i>						<i>0.394</i>
# GHK0800-1000-080	8.000	10.000	80	12.0			Cold Finished Steel	1:100	DIN6887	10.000
	<i>0.315</i>	<i>0.394</i>	<i>3.150</i>	<i>0.472</i>						<i>0.394</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Keys - Gib Head - Steel

Part Number	Nominal Key Height (h1) mm	Width (W) mm	Length (L) mm	Head Height (h2) Approx. mm	Approx (B)	Approx (H3)	Material	Taper	Standard	Head Length (Approx) (A) mm
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>						<i>inches</i>
# GHK0800-1000-090	8.000	10.000	90	12.0			Cold Finished Steel	1:100	DIN6887	10.000
	<i>0.315</i>	<i>0.394</i>	<i>3.543</i>	<i>0.472</i>						<i>0.394</i>
# GHK0800-1000-100	8.000	10.000	100	12.0			Cold Finished Steel	1:100	DIN6887	10.000
	<i>0.315</i>	<i>0.394</i>	<i>3.937</i>	<i>0.472</i>						<i>0.394</i>
# GHK0800-1200-040	8.000	12.000	40	12.0			Cold Finished Steel	1:100	DIN6887	12.000
	<i>0.315</i>	<i>0.472</i>	<i>1.575</i>	<i>0.472</i>						<i>0.472</i>
# GHK0800-1200-050	8.000	12.000	50	12.0			Cold Finished Steel	1:100	DIN6887	12.000
	<i>0.315</i>	<i>0.472</i>	<i>1.969</i>	<i>0.472</i>						<i>0.472</i>
# GHK0800-1200-060	8.000	12.000	60	12.0			Cold Finished Steel	1:100	DIN6887	12.000
	<i>0.315</i>	<i>0.472</i>	<i>2.362</i>	<i>0.472</i>						<i>0.472</i>
# GHK0800-1200-070	8.000	12.000	70	12.0			Cold Finished Steel	1:100	DIN6887	12.000
	<i>0.315</i>	<i>0.472</i>	<i>2.756</i>	<i>0.472</i>						<i>0.472</i>
# GHK0800-1200-080	8.000	12.000	80	12.0			Cold Finished Steel	1:100	DIN6887	12.000
	<i>0.315</i>	<i>0.472</i>	<i>3.150</i>	<i>0.472</i>						<i>0.472</i>
# GHK0800-1200-090	8.000	12.000	90	12.0			Cold Finished Steel	1:100	DIN6887	12.000
	<i>0.315</i>	<i>0.472</i>	<i>3.543</i>	<i>0.472</i>						<i>0.472</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Keys - Gib Head - Steel

Part Number	Nominal Key Height (h1) mm	Width (W) mm	Length (L) mm	Head Height (h2) Approx. mm	Approx (B)	Approx (H3)	Material	Taper	Standard	Head Length (Approx) (A) mm
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>						<i>inches</i>
# GHK0800-1200-100	8.000	12.000	100	12.0			Cold Finished Steel	1:100	DIN6887	12.000
	<i>0.315</i>	<i>0.472</i>	<i>3.937</i>	<i>0.472</i>						<i>0.472</i>
# GHK0900-1400-050	9.000	14.000	50	14.0			Cold Finished Steel	1:100	DIN6887	14.000
	<i>0.354</i>	<i>0.551</i>	<i>1.969</i>	<i>0.551</i>						<i>0.551</i>
# GHK0900-1400-060	9.000	14.000	60	14.0			Cold Finished Steel	1:100	DIN6887	14.000
	<i>0.354</i>	<i>0.551</i>	<i>2.362</i>	<i>0.551</i>						<i>0.551</i>
# GHK0900-1400-070	9.000	14.000	70	14.0			Cold Finished Steel	1:100	DIN6887	14.000
	<i>0.354</i>	<i>0.551</i>	<i>2.756</i>	<i>0.551</i>						<i>0.551</i>
# GHK0900-1400-080	9.000	14.000	80	14.0			Cold Finished Steel	1:100	DIN6887	14.000
	<i>0.354</i>	<i>0.551</i>	<i>3.150</i>	<i>0.551</i>						<i>0.551</i>
# GHK0900-1400-090	9.000	14.000	90	14.0			Cold Finished Steel	1:100	DIN6887	14.000
	<i>0.354</i>	<i>0.551</i>	<i>3.543</i>	<i>0.551</i>						<i>0.551</i>
# GHK0900-1400-100	9.000	14.000	100	14.0			Cold Finished Steel	1:100	DIN6887	14.000
	<i>0.354</i>	<i>0.551</i>	<i>3.937</i>	<i>0.551</i>						<i>0.551</i>
# GHK0900-1400-120	9.000	14.000	120	14.0			Cold Finished Steel	1:100	DIN6887	14.000
	<i>0.354</i>	<i>0.551</i>	<i>4.724</i>	<i>0.551</i>						<i>0.551</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Keys - Gib Head - Steel

Part Number	Nominal Key Height (h1) mm	Width (W) mm	Length (L) mm	Head Height (h2) Approx. mm	Approx (B)	Approx (H3)	Material	Taper	Standard	Head Length (Approx) (A) mm
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>						<i>inches</i>
# GHK0953-0953-064	9.525	9.525	63.5	15.9	7.62	10.31	Cold Finished Steel	1:100	BS46	11.113
	<i>0.375</i>	<i>0.375</i>	<i>2.500</i>	<i>0.626</i>						<i>0.438</i>
GHK0953-0953-076	9.525	9.525	76.2	15.9	7.62	10.31	Cold Finished Steel	1:100	BS46	11.113
	<i>0.375</i>	<i>0.375</i>	<i>3.000</i>	<i>0.626</i>						<i>0.438</i>
GHK0953-0953-102	9.525	9.525	101.6	15.9	7.62	10.31	Cold Finished Steel	1:100	BS46	11.113
	<i>0.375</i>	<i>0.375</i>	<i>4.000</i>	<i>0.626</i>						<i>0.438</i>
GHK0953-0953-127	9.525	9.525	127	15.9	7.62	10.31	Cold Finished Steel	1:100	BS46	11.113
	<i>0.375</i>	<i>0.375</i>	<i>5.000</i>	<i>0.626</i>						<i>0.438</i>
# GHK0953-1111-076	9.525	11.113	76.2	15.9	7.62	10.31	Cold Finished Steel	1:100	BS46	12.70
	<i>0.375</i>	<i>0.438</i>	<i>3.000</i>	<i>0.626</i>						<i>0.500</i>
# GHK0953-1111-102	9.525	11.113	101.6	15.9	7.62	10.31	Cold Finished Steel	1:100	BS46	12.70
	<i>0.375</i>	<i>0.438</i>	<i>4.000</i>	<i>0.626</i>						<i>0.500</i>
# GHK0953-1111-127	9.525	11.113	127	15.9	7.62	10.31	Cold Finished Steel	1:100	BS46	12.70
	<i>0.375</i>	<i>0.438</i>	<i>5.000</i>	<i>0.626</i>						<i>0.500</i>
# GHK0953-1111-152	9.525	11.113	152.4	15.9	7.62	10.31	Cold Finished Steel	1:100	BS46	12.70
	<i>0.375</i>	<i>0.438</i>	<i>6.000</i>	<i>0.626</i>						<i>0.500</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Keys - Gib Head - Steel

Part Number	Nominal Key Height (h1) mm	Width (W) mm	Length (L) mm	Head Height (h2) Approx. mm	Approx (B)	Approx (H3)	Material	Taper	Standard	Head Length (Approx) (A) mm
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>						<i>inches</i>
GHK0953-1270-076	9.525	12.700	76.2	15.9	7.62	10.31	Cold Finished Steel	1:100	BS46	14.29
	<i>0.375</i>	<i>0.500</i>	<i>3.000</i>	<i>0.626</i>						<i>0.563</i>
# GHK0953-1588-152	9.525	15.875	152.4	15.9	7.62	10.31	Cold Finished Steel	1:100	BS46	17.463
	<i>0.375</i>	<i>0.625</i>	<i>6.000</i>	<i>0.626</i>						<i>0.688</i>
# GHK0953-1905-102	9.525	19.050	101.6	15.9	7.62	10.31	Cold Finished Steel	1:100	BS46	20.64
	<i>0.375</i>	<i>0.750</i>	<i>4.000</i>	<i>0.626</i>						<i>0.813</i>
# GHK1000-1600-060	10.000	16.000	60	16.0			Cold Finished Steel	1:100	DIN6887	16.000
	<i>0.394</i>	<i>0.630</i>	<i>2.362</i>	<i>0.630</i>						<i>0.630</i>
# GHK1000-1600-070	10.000	16.000	70	16.0			Cold Finished Steel	1:100	DIN6887	16.000
	<i>0.394</i>	<i>0.630</i>	<i>2.756</i>	<i>0.630</i>						<i>0.630</i>
# GHK1000-1600-080	10.000	16.000	80	16.0			Cold Finished Steel	1:100	DIN6887	16.000
	<i>0.394</i>	<i>0.630</i>	<i>3.150</i>	<i>0.630</i>						<i>0.630</i>
# GHK1000-1600-090	10.000	16.000	90	16.0			Cold Finished Steel	1:100	DIN6887	16.000
	<i>0.394</i>	<i>0.630</i>	<i>3.543</i>	<i>0.630</i>						<i>0.630</i>
# GHK1000-1600-100	10.000	16.000	100	16.0			Cold Finished Steel	1:100	DIN6887	16.000
	<i>0.394</i>	<i>0.630</i>	<i>3.937</i>	<i>0.630</i>						<i>0.630</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Keys - Gib Head - Steel

Part Number	Nominal Key Height (h1) mm	Width (W) mm	Length (L) mm	Head Height (h2) Approx. mm	Approx (B)	Approx (H3)	Material	Taper	Standard	Head Length (Approx) (A) mm
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>						<i>inches</i>
# GHK1000-1600-120	10.000	16.000	120	16.0			Cold Finished Steel	1:100	DIN6887	16.000
	<i>0.394</i>	<i>0.630</i>	<i>4.724</i>	<i>0.630</i>						<i>0.630</i>
# GHK1100-1800-060	11.000	18.000	60	18.0			Cold Finished Steel	1:100	DIN6887	18.000
	<i>0.433</i>	<i>0.709</i>	<i>2.362</i>	<i>0.709</i>						<i>0.709</i>
# GHK1100-1800-070	11.000	18.000	70	18.0			Cold Finished Steel	1:100	DIN6887	18.000
	<i>0.433</i>	<i>0.709</i>	<i>2.756</i>	<i>0.709</i>						<i>0.709</i>
# GHK1100-1800-080	11.000	18.000	80	18.0			Cold Finished Steel	1:100	DIN6887	18.000
	<i>0.433</i>	<i>0.709</i>	<i>3.150</i>	<i>0.709</i>						<i>0.709</i>
# GHK1100-1800-090	11.000	18.000	90	18.0			Cold Finished Steel	1:100	DIN6887	18.000
	<i>0.433</i>	<i>0.709</i>	<i>3.543</i>	<i>0.709</i>						<i>0.709</i>
# GHK1100-1800-100	11.000	18.000	100	18.0			Cold Finished Steel	1:100	DIN6887	18.000
	<i>0.433</i>	<i>0.709</i>	<i>3.937</i>	<i>0.709</i>						<i>0.709</i>
# GHK1100-1800-140	11.000	18.000	140	18.0			Cold Finished Steel	1:100	DIN6887	18.000
	<i>0.433</i>	<i>0.709</i>	<i>5.512</i>	<i>0.709</i>						<i>0.709</i>
# GHK1100-1800-160	11.000	18.000	160	18.0			Cold Finished Steel	1:100	DIN6887	18.000
	<i>0.433</i>	<i>0.709</i>	<i>6.299</i>	<i>0.709</i>						<i>0.709</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Keys - Gib Head - Steel

Part Number	Nominal Key Height (h1) mm	Width (W) mm	Length (L) mm	Head Height (h2) Approx. mm	Approx (B)	Approx (H3)	Material	Taper	Standard	Head Length (Approx) (A) mm
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>						<i>inches</i>
# GHK1111-1111-102	11.113	11.113	101.6	17.5	10.16	11.91	Cold Finished Steel	1:100	BS46	12.70
	<i>0.438</i>	<i>0.438</i>	<i>4.000</i>	<i>0.689</i>						<i>0.500</i>
# GHK1111-1111-127	11.113	11.113	127	17.5	10.16	11.91	Cold Finished Steel	1:100	BS46	12.70
	<i>0.438</i>	<i>0.438</i>	<i>5.000</i>	<i>0.689</i>						<i>0.500</i>
# GHK1111-1111-152	11.113	11.113	152.4	17.5	10.16	11.91	Cold Finished Steel	1:100	BS46	12.70
	<i>0.438</i>	<i>0.438</i>	<i>6.000</i>	<i>0.689</i>						<i>0.500</i>
# GHK1111-1270-076	11.113	12.700	76.2	17.5	10.16	11.91	Cold Finished Steel	1:100	BS46	14.29
	<i>0.438</i>	<i>0.500</i>	<i>3.000</i>	<i>0.689</i>						<i>0.563</i>
# GHK1111-1270-089	11.113	12.700	88.9	17.5	10.16	11.91	Cold Finished Steel	1:100	BS46	14.29
	<i>0.438</i>	<i>0.500</i>	<i>3.500</i>	<i>0.689</i>						<i>0.563</i>
# GHK1111-1270-127	11.113	12.700	127	17.5	10.16	11.91	Cold Finished Steel	1:100	BS46	14.29
	<i>0.438</i>	<i>0.500</i>	<i>5.000</i>	<i>0.689</i>						<i>0.563</i>
# GHK1111-1270-152	11.113	12.700	152.4	17.5	10.16	11.91	Cold Finished Steel	1:100	BS46	14.29
	<i>0.438</i>	<i>0.500</i>	<i>6.000</i>	<i>0.689</i>						<i>0.563</i>
# GHK1111-1588-127	11.113	15.875	127	17.5	10.16	11.91	Cold Finished Steel	1:100	BS46	17.463
	<i>0.438</i>	<i>0.625</i>	<i>5.000</i>	<i>0.689</i>						<i>0.688</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Keys - Gib Head - Steel

Part Number	Nominal Key Height (h1) mm	Width (W) mm	Length (L) mm	Head Height (h2) Approx. mm	Approx (B)	Approx (H3)	Material	Taper	Standard	Head Length (Approx) (A) mm
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>						<i>inches</i>
# GHK1111-1588-178	11.113	15.875	177.8	17.5	10.16	11.91	Cold Finished Steel	1:100	BS46	17.463
	<i>0.438</i>	<i>0.625</i>	<i>7.000</i>	<i>0.689</i>						<i>0.688</i>
# GHK1111-1905-152	11.113	19.050	152.4	17.5	10.16	11.91	Cold Finished Steel	1:100	BS46	20.64
	<i>0.438</i>	<i>0.750</i>	<i>6.000</i>	<i>0.689</i>						<i>0.813</i>
GHK1270-1270-076	12.700	12.700	76.2	19.1	10.16	13.49	Cold Finished Steel	1:100	BS46	14.29
	<i>0.500</i>	<i>0.500</i>	<i>3.000</i>	<i>0.752</i>						<i>0.563</i>
# GHK1270-1270-102	12.700	12.700	101.6	19.1	10.16	13.49	Cold Finished Steel	1:100	BS46	14.29
	<i>0.500</i>	<i>0.500</i>	<i>4.000</i>	<i>0.752</i>						<i>0.563</i>
# GHK1270-1270-152	12.700	12.700	152.4	19.1	10.16	13.49	Cold Finished Steel	1:100	BS46	14.29
	<i>0.500</i>	<i>0.500</i>	<i>6.000</i>	<i>0.752</i>						<i>0.563</i>
# GHK1588-1588-102	15.875	15.875	101.6	25.4	12.70	16.67	Cold Finished Steel	1:100	BS46	17.463
	<i>0.625</i>	<i>0.625</i>	<i>4.000</i>	<i>1.000</i>						<i>0.688</i>
GHK1588-1588-152	15.875	15.875	152.4	25.4	12.70	16.67	Cold Finished Steel	1:100	BS46	17.463
	<i>0.625</i>	<i>0.625</i>	<i>6.000</i>	<i>1.000</i>						<i>0.688</i>
# GHK1588-1905-102	15.875	19.050	101.6	25.4	12.70	16.67	Cold Finished Steel	1:100	BS46	20.64
	<i>0.625</i>	<i>0.750</i>	<i>4.000</i>	<i>1.000</i>						<i>0.813</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Keys - Gib Head - Steel

Part Number	Nominal Key Height (h1) mm	Width (W) mm	Length (L) mm	Head Height (h2) Approx. mm	Approx (B)	Approx (H3)	Material	Taper	Standard	Head Length (Approx) (A) mm
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>						<i>inches</i>
# GHK1588-2223-178	15.875	22.225	177.8	25.4	12.70	16.67	Cold Finished Steel	1:100	BS46	23.81
	<i>0.625</i>	<i>0.875</i>	<i>7.000</i>	<i>1.000</i>						<i>0.937</i>
# GHK1588-2223-229	15.875	22.225	228.6	25.4	12.70	16.67	Cold Finished Steel	1:100	BS46	23.81
	<i>0.625</i>	<i>0.875</i>	<i>9.000</i>	<i>1.000</i>						<i>0.937</i>
GHK1905-1905-127	19.050	19.050	127	28.5	12.70	19.84	Cold Finished Steel	1:100	BS46	20.64
	<i>0.750</i>	<i>0.750</i>	<i>5.000</i>	<i>1.122</i>						<i>0.813</i>
# GHK1905-1905-152	19.050	19.050	152.4	28.5	12.70	19.84	Cold Finished Steel	1:100	BS46	20.64
	<i>0.750</i>	<i>0.750</i>	<i>6.000</i>	<i>1.122</i>						<i>0.813</i>
# GHK2223-2540-178	22.225	25.400	177.8	33.2	15.24	23.02	Cold Finished Steel	1:100	BS46	26.99
	<i>0.875</i>	<i>1.000</i>	<i>7.000</i>	<i>1.307</i>						<i>1.063</i>
# GHK2540-2540-152	25.400	25.400	152.4	38.0	15.24	26.19	Cold Finished Steel	1:100	BS46	26.99
	<i>1.000</i>	<i>1.000</i>	<i>6.000</i>	<i>1.496</i>						<i>1.063</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to catalogues@minibearings.com.au

