



MBA

Knobs - Ball - Threaded - Phenolic



Moulded from black or red phenolic resin.

Light Weight.

Thermal insulating.

Non corrosive.

Knobs - Ball - Threaded - Phenolic

Part Number	Ball Diameter mm <i>inches</i>	Mounting Type	Thread Size	Colour
712-001	10 <i>0.394</i>	Threaded - No Insert	M3x0.50 (3mm)	Black
712-002	12 <i>0.472</i>	Threaded - No Insert	M4x0.70 (4mm)	Black
KNBL-16-M04	16 <i>0.630</i>	Threaded - No Insert	M4x0.70 (4mm)	Black
# 712-003	16 <i>0.630</i>	Threaded - No Insert	M4x0.70 (4mm)	Black

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Knobs - Ball - Threaded - Phenolic

Part Number	Ball Diameter mm <i>inches</i>	Mounting Type	Thread Size	Colour
# 712-007	16 <i>0.630</i>	Threaded - Insert	M4x0.70 (4mm)	Black
# B-1RS	19.05 <i>0.750</i>	Threaded - Insert	10-32 UNF (4.762mm)	Black
# B-22RS	19.05 <i>0.750</i>	Threaded - Insert	1/4-20 UNC (6.35mm)	Black
# B-60RS	19.05 <i>0.750</i>	Threaded - Insert	6-32 UNC (3.5mm)	Black
# B-62RS	19.05 <i>0.750</i>	Threaded - Insert	8-32 UNC (4.166mm)	Black
# B-64RS	19.05 <i>0.750</i>	Threaded - Insert	10-24 UNC (4.762mm)	Black
# R-1RS	19.05 <i>0.750</i>	Threaded - Brass Insert	10-32 UNF (4.762mm)	Red
# R-22RS	19.05 <i>0.750</i>	Threaded - Brass Insert	1/4-20 UNC (6.35mm)	Red
KNBL-20-M04	20 <i>0.787</i>	Threaded - No Insert	M4x0.70 (4mm)	Black
# 712-004	20 <i>0.787</i>	Threaded - No Insert	M5x0.80 (5mm)	Black

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Knobs - Ball - Threaded - Phenolic

Part Number	Ball Diameter mm <i>inches</i>	Mounting Type	Thread Size	Colour
# 712-008	20 <i>0.787</i>	Threaded - Insert	M5x0.80 (5mm)	Black
KNBL-20-M06	20 <i>0.787</i>	Threaded - No Insert	M6x1.00 (6mm)	Black
KNBL-20-14BSW	20 <i>0.787</i>	Threaded - No Insert	1/4-20 BSW (6.35mm)	Black
# MBK-1RS	25 <i>0.984</i>	Threaded - Brass Insert	M5x0.80 (5mm)	Black
712-005	25 <i>0.984</i>	Threaded - No Insert	M6x1.00 (6mm)	Black
712-009	25 <i>0.984</i>	Threaded - Insert	M6x1.00 (6mm)	Black
MBK-3RS	25 <i>0.984</i>	Threaded - Brass Insert	M8x1.25 (8mm)	Black
# MBK-4RS	25 <i>0.984</i>	Threaded - Brass Insert	M10x1.5 (10mm)	Black
# B-2RS	25.4 <i>1.000</i>	Threaded - Insert	10-32 UNF (4.762mm)	Black
# R-2RS	25.4 <i>1.000</i>	Threaded - Brass Insert	10-32 UNF (4.762mm)	Red

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Knobs - Ball - Threaded - Phenolic

Part Number	Ball Diameter mm <i>inches</i>	Mounting Type	Thread Size	Colour
# R-3RS	25.4 <i>1.000</i>	Threaded - Brass Insert	1/4-20 UNC (6.35mm)	Red
# B-5RS	25.4 <i>1.000</i>	Threaded - Brass Insert	5/16-24 UNF (7.938mm)	Black
# B-4RS	25.4 <i>1.000</i>	Threaded - Brass Insert	5/16-18 UNC (7.938mm)	Black
# B-36RS	25.4 <i>1.000</i>	Threaded - Insert	3/8-24 UNF (9.525mm)	Black
# R-36RS	25.4 <i>1.000</i>	Threaded - Brass Insert	3/8-24 UNF (9.525mm)	Red
# B-23RS	25.4 <i>1.000</i>	Threaded - Insert	3/8-16 UNC (9.525mm)	Black
# R-4RS	25.4 <i>1.000</i>	Threaded - Brass Insert	5/16-18 UNC (7.938mm)	Red
# B-21RS	25.4 <i>1.000</i>	Threaded - Insert	1/4-28 UNF (6.35mm)	Black
R-5RS	25.4 <i>1.000</i>	Threaded - Brass Insert	5/16-24 UNF (7.938mm)	Red
# B-3RS	25.4 <i>1.000</i>	Threaded - Insert	1/4-20 UNC (6.35mm)	Black

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Knobs - Ball - Threaded - Phenolic

Part Number	Ball Diameter mm <i>inches</i>	Mounting Type	Thread Size	Colour
# R-21RS	25.4 <i>1.000</i>	Threaded - Brass Insert	1/4-28 UNF (6.35mm)	Red
# R-23RS	25.4 <i>1.000</i>	Threaded - Brass Insert	3/8-16 UNC (9.525mm)	Red
# B-27RS	30.16 <i>1.187</i>	Threaded - Brass Insert	3/8-16 UNC (9.525mm)	Black
# B-24RS	30.16 <i>1.187</i>	Threaded - Insert	1/4-20 UNC (6.35mm)	Black
# R-24RS	30.16 <i>1.187</i>	Threaded - Brass Insert	1/4-20 UNC (6.35mm)	Red
# R-28RS	30.16 <i>1.187</i>	Threaded - Brass Insert	3/8-24 UNF (9.525mm)	Red
# R-25RS	30.16 <i>1.187</i>	Threaded - Brass Insert	5/16-18 UNC (7.938mm)	Red
# R-27RS	30.16 <i>1.187</i>	Threaded - Brass Insert	3/8-16 UNC (9.525mm)	Red
# B-28RS	30.16 <i>1.187</i>	Threaded - Insert	3/8-24 UNF (9.525mm)	Black
# B-25RS	30.16 <i>1.187</i>	Threaded - Brass Insert	5/16-18 UNC (7.938mm)	Black

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Knobs - Ball - Threaded - Phenolic

Part Number	Ball Diameter mm <i>inches</i>	Mounting Type	Thread Size	Colour
KNBL-32-14BSW	32 <i>1.260</i>	Threaded - No Insert	1/4-20 BSW (6.35mm)	Black
KNBL-32-M08	32 <i>1.260</i>	Threaded - No Insert	M8x1.25 (8mm)	Black
# 712-006	32 <i>1.260</i>	Threaded - No Insert	M8x1.25 (8mm)	Black
712-010	32 <i>1.260</i>	Threaded - Insert	M8x1.25 (8mm)	Black
KNBL-32-38BSW	32 <i>1.260</i>	Threaded - No Insert	3/8-16 BSW (9.525mm)	Black
KNBL-32-M10	32 <i>1.260</i>	Threaded - No Insert	M10x1.5 (10mm)	Black
# B-12RS	34.93 <i>1.375</i>	Threaded - Insert	1/4-20 UNC (6.35mm)	Black
# B-8RS	34.93 <i>1.375</i>	Threaded - Insert	1/2-13 UNC (12.7mm)	Black
B-15RS	34.93 <i>1.375</i>	Threaded - Insert	3/8-24 UNF (9.525mm)	Black
# R-15RS	34.93 <i>1.375</i>	Threaded - Brass Insert	3/8-24 UNF (9.525mm)	Red

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Knobs - Ball - Threaded - Phenolic

Part Number	Ball Diameter mm <i>inches</i>	Mounting Type	Thread Size	Colour
# R-13RS	34.93 <i>1.375</i>	Threaded - Brass Insert	5/16-18 UNC (7.938mm)	Red
# R-12RS	34.93 <i>1.375</i>	Threaded - Brass Insert	1/4-20 UNC (6.35mm)	Red
# B-13RS	34.93 <i>1.375</i>	Threaded - Insert	5/16-18 UNC (7.938mm)	Black
# R-6RS	34.93 <i>1.375</i>	Threaded - Brass Insert	3/8-16 UNC (9.525mm)	Red
# B-9RS	34.93 <i>1.375</i>	Threaded - Insert	1/2-20 UNF (12.7mm)	Black
# R-9RS	34.93 <i>1.375</i>	Threaded - Brass Insert	1/2-20 UNF (12.7mm)	Red
# R-8RS	34.93 <i>1.375</i>	Threaded - Brass Insert	1/2-13 UNC (12.7mm)	Red
# R-7RS	34.93 <i>1.375</i>	Threaded - Brass Insert	7/16-20 UNF (11.113mm)	Red
# B-6RS	34.93 <i>1.375</i>	Threaded - Insert	3/8-16 UNC (9.525mm)	Black
# B-7RS	34.93 <i>1.375</i>	Threaded - Brass Insert	7/16-20 UNF (11.113mm)	Black

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Knobs - Ball - Threaded - Phenolic

Part Number	Ball Diameter mm <i>inches</i>	Mounting Type	Thread Size	Colour
# MBK-5RS	35 <i>1.378</i>	Threaded - Brass Insert	M6x1.00 (6mm)	Black
# MBK-6RS	35 <i>1.378</i>	Threaded - Brass Insert	M8x1.25 (8mm)	Black
# MBK-7RS	35 <i>1.378</i>	Threaded - Brass Insert	M10x1.5 (10mm)	Black
# MBK-8RS	35 <i>1.378</i>	Threaded - Brass Insert	M12x1.75 (12mm)	Black
KNBL-38-516BSW	38 <i>1.496</i>	Threaded - No Insert	5/16-18 BSW (7.938mm)	Black
# B-50RS	38.1 <i>1.500</i>	Threaded - No Insert - Tapped	1/4-20 UNC (6.35mm)	Black
# B-52RS	38.1 <i>1.500</i>	Threaded - Insert	5/16-18 UNC (7.938mm)	Black
# B-54RS	38.1 <i>1.500</i>	Threaded - Insert	3/8-16 UNC (9.525mm)	Black
# B-56RS	38.1 <i>1.500</i>	Threaded - No Insert - Moulded	1/2-13 UNC (12.7mm)	Black
# R-29RS	41.28 <i>1.625</i>	Threaded - Brass Insert	5/16-18 UNC (7.938mm)	Red

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Knobs - Ball - Threaded - Phenolic

Part Number	Ball Diameter mm <i>inches</i>	Mounting Type	Thread Size	Colour
# R-31RS	41.28 <i>1.625</i>	Threaded - Brass Insert	3/8-16 UNC (9.525mm)	Red
# R-32RS	41.28 <i>1.625</i>	Threaded - Brass Insert	3/8-24 UNF (9.525mm)	Red
# B-31RS	41.28 <i>1.625</i>	Threaded - Insert	3/8-16 UNC (9.525mm)	Black
# B-32RS	41.28 <i>1.625</i>	Threaded - Insert	3/8-24 UNF (9.525mm)	Black
# B-33RS	41.28 <i>1.625</i>	Threaded - Brass Insert	7/16-20 UNF (11.113mm)	Black
# R-35RS	41.28 <i>1.625</i>	Threaded - Brass Insert	1/2-20 UNF (12.7mm)	Red
# B-35RS	41.28 <i>1.625</i>	Threaded - Insert	1/2-20 UNF (12.7mm)	Black
# R-33RS	41.28 <i>1.625</i>	Threaded - Brass Insert	7/16-20 UNF (11.113mm)	Red
R-34RS	41.28 <i>1.625</i>	Threaded - Brass Insert	1/2-13 UNC (12.7mm)	Red
# B-29RS	41.28 <i>1.625</i>	Threaded - Brass Insert	5/16-18 UNC (7.938mm)	Black

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Knobs - Ball - Threaded - Phenolic

Part Number	Ball Diameter mm <i>inches</i>	Mounting Type	Thread Size	Colour
# B-34RS	41.28 <i>1.625</i>	Threaded - Insert	1/2-13 UNC (12.7mm)	Black
KNBL-44-M10	44 <i>1.732</i>	Threaded - No Insert	M10x1.5 (10mm)	Black
# R-19RS	47.62 <i>1.875</i>	Threaded - Brass Insert	3/8-16 UNC (9.525mm)	Red
# R-10RS	47.62 <i>1.875</i>	Threaded - Brass Insert	1/2-13 UNC (12.7mm)	Red
# R-11RS	47.62 <i>1.875</i>	Threaded - Moulded	5/8-18 UNF (15.875mm)	Red
# B-10RS	47.62 <i>1.875</i>	Threaded - Insert	1/2-13 UNC (12.7mm)	Black
# B-11RS	47.62 <i>1.875</i>	Threaded - No Insert - Moulded	5/8-18 UNF (15.875mm)	Black
# R-18RS	47.62 <i>1.875</i>	Threaded - Brass Insert	1/2-20 UNF (12.7mm)	Red
# B-16RS	47.62 <i>1.875</i>	Threaded - No Insert - Tapped	3/8-16 UNC (9.525mm)	Black
# B-17RS	47.62 <i>1.875</i>	Threaded - No Insert - Tapped	3/8-24 UNF (9.525mm)	Black

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Knobs - Ball - Threaded - Phenolic

Part Number	Ball Diameter mm <i>inches</i>	Mounting Type	Thread Size	Colour
# B-18RS	47.62 <i>1.875</i>	Threaded - Insert	1/2-20 UNF (12.7mm)	Black
# B-19RS	47.62 <i>1.875</i>	Threaded - Insert	3/8-16 UNC (9.525mm)	Black
B-20RS	47.62 <i>1.875</i>	Threaded - Insert	3/8-24 UNF (9.525mm)	Black
# R-20RS	47.62 <i>1.875</i>	Threaded - Brass Insert	3/8-24 UNF (9.525mm)	Red
# R-16RS	47.62 <i>1.875</i>	Threaded - Tapped in Plastic	3/8-16 UNC (9.525mm)	Red
# MBK-9RS	48 <i>1.890</i>	Threaded - Brass Insert	M10x1.5 (10mm)	Black
# MBK-10RS	48 <i>1.890</i>	Threaded - Brass Insert	M12x1.75 (12mm)	Black
# MBK-11RS	48 <i>1.890</i>	Threaded - Brass Insert	M16x2.00 (16mm)	Black
KNBL-50-12BSW	50 <i>1.969</i>	Threaded - No Insert	1/2-12 BSW (12.7mm)	Black

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to catalogues@minibearings.com.au

