




MBA

Knobs - Star - Female - Plastic



Plastic (high grade gloss black phenolic) knob with steel insert.

Temperature Range: -30°C to +140°C.

Knobs - Star - Female - Plastic

Part Number	Diameter (D) mm <i>inches</i>	Thread Size (T) mm <i>inches</i>	Thread Depth (L) mm <i>inches</i>	Shank Diameter (A) mm <i>inches</i>	Height (H) mm <i>inches</i>
# SK4F	20.0 <i>0.787</i>	M4	8.0 <i>0.315</i>	10.0 <i>0.394</i>	17.0 <i>0.669</i>
# SK10F	25.0 <i>0.984</i>	M5	9.0 <i>0.354</i>	12.0 <i>0.472</i>	16.0 <i>0.630</i>
SK15F	32.0 <i>1.260</i>	M6	13.50 <i>0.531</i>	14.0 <i>0.551</i>	20.0 <i>0.787</i>
SK20F	40.0 <i>1.575</i>	M8	16.0 <i>0.630</i>	16.0 <i>0.630</i>	25.0 <i>0.984</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Knobs - Star - Female - Plastic

Part Number	Diameter (D) mm	Thread Size (T) mm	Thread Depth (L) mm	Shank Diameter (A) mm	Height (H) mm
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>
# SK30F	50.0 <i>1.969</i>	M10	21.0 <i>0.827</i>	21.0 <i>0.827</i>	32.0 <i>1.260</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to catalogues@minibearings.com.au
