




# MBA

## Knobs - Thumb - With Cap Screw



Four types and four colours.

Complete with high tensile alloy steel screw.

If stainless steel screws required please order cap screws separately and knobs without screw.

### Knobs - Thumb - With Cap Screw

Part Number	Major Diameter (A) mm <i>inches</i>	Screw Size	Screw Length mm <i>inches</i>	Colour	Style
KNAS-07.94-No4x06.35-Knu-G	7.94 <i>0.313</i>	4-40 UNC (2.845mm)	6.35 <i>0.250</i>	Grey	Knurled
# KNAS-07.94-No4x06.35-Knu-R	7.94 <i>0.313</i>	4-40 UNC (2.845mm)	6.35 <i>0.250</i>	Red	Knurled
# KNAS-07.94-No4x06.35-Knu-Y	7.94 <i>0.313</i>	4-40 UNC (2.845mm)	6.35 <i>0.250</i>	Yellow	Knurled
# KNAS-07.94-No4x06.35-Knu-B	7.94 <i>0.313</i>	4-40 UNC (2.845mm)	6.35 <i>0.250</i>	Black	Knurled

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Knobs - Thumb - With Cap Screw

Part Number	Major Diameter (A) mm	Screw Size	Screw Length mm	Colour	Style
	<i>inches</i>		<i>inches</i>		
KNAS-07.94-No4x12.70-Knu-B	7.94 <i>0.313</i>	4-40 UNC (2.845mm)	12.70 <i>0.500</i>	Black	Knurled
# KNAS-07.94-No4x12.70-Knu-G	7.94 <i>0.313</i>	4-40 UNC (2.845mm)	12.70 <i>0.500</i>	Grey	Knurled
# KNAS-07.94-No4x12.70-Knu-R	7.94 <i>0.313</i>	4-40 UNC (2.845mm)	12.70 <i>0.500</i>	Red	Knurled
# KNAS-07.94-No4x12.70-Knu-Y	7.94 <i>0.313</i>	4-40 UNC (2.845mm)	12.70 <i>0.500</i>	Yellow	Knurled
KNAS-07.94-No4x19.05-Knu-B	7.94 <i>0.313</i>	4-40 UNC (2.845mm)	19.05 <i>0.750</i>	Black	Knurled
# KNAS-07.94-No4x19.05-Knu-Y	7.94 <i>0.313</i>	4-40 UNC (2.845mm)	19.05 <i>0.750</i>	Yellow	Knurled
# KNAS-07.94-No4x19.05-Knu-G	7.94 <i>0.313</i>	4-40 UNC (2.845mm)	19.05 <i>0.750</i>	Grey	Knurled
# KNAS-07.94-No4x19.05-Knu-R	7.94 <i>0.313</i>	4-40 UNC (2.845mm)	19.05 <i>0.750</i>	Red	Knurled
# KNAS-09.53-No6x06.35-Knu-B	9.53 <i>0.375</i>	6-32 UNC (3.500mm)	6.35 <i>0.250</i>	Black	Knurled
# KNAS-09.53-No6x06.35-Knu-G	9.53 <i>0.375</i>	6-32 UNC (3.500mm)	6.35 <i>0.250</i>	Grey	Knurled

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Knobs - Thumb - With Cap Screw

Part Number	Major Diameter (A) mm	Screw Size	Screw Length mm	Colour	Style
	<i>inches</i>		<i>inches</i>		
# KNAS-09.53-No6x06.35-Knu-R	9.53 <i>0.375</i>	6-32 UNC (3.500mm)	6.35 <i>0.250</i>	Red	Knurled
# KNAS-09.53-No6x06.35-Knu-Y	9.53 <i>0.375</i>	6-32 UNC (3.500mm)	6.35 <i>0.250</i>	Yellow	Knurled
# KNAS-09.53-No6x12.70-Knu-Y	9.53 <i>0.375</i>	6-32 UNC (3.500mm)	12.70 <i>0.500</i>	Yellow	Knurled
# KNAS-09.53-No6x12.70-Knu-B	9.53 <i>0.375</i>	6-32 UNC (3.500mm)	12.70 <i>0.500</i>	Black	Knurled
# KNAS-09.53-No6x12.70-Knu-G	9.53 <i>0.375</i>	6-32 UNC (3.500mm)	12.70 <i>0.500</i>	Grey	Knurled
# KNAS-09.53-No6x12.70-Knu-R	9.53 <i>0.375</i>	6-32 UNC (3.500mm)	12.70 <i>0.500</i>	Red	Knurled
# KNAS-09.53-No6x19.05-Knu-B	9.53 <i>0.375</i>	6-32 UNC (3.500mm)	19.05 <i>0.750</i>	Black	Knurled
# KNAS-09.53-No6x19.05-Knu-G	9.53 <i>0.375</i>	6-32 UNC (3.500mm)	19.05 <i>0.750</i>	Grey	Knurled
# KNAS-09.53-No6x19.05-Knu-R	9.53 <i>0.375</i>	6-32 UNC (3.500mm)	19.05 <i>0.750</i>	Red	Knurled
# KNAS-09.53-No6x19.05-Knu-Y	9.53 <i>0.375</i>	6-32 UNC (3.500mm)	19.05 <i>0.750</i>	Yellow	Knurled

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Knobs - Thumb - With Cap Screw

Part Number	Major Diameter (A) mm <i>inches</i>	Screw Size	Screw Length mm <i>inches</i>	Colour	Style
# KNAS-12.70-No8x09.53-Knu-G	12.70 <i>0.500</i>	8-32 UNC (4.166mm)	9.53 <i>0.375</i>	Grey	Knurled
# KNAS-12.70-No8x09.53-Knu-R	12.70 <i>0.500</i>	8-32 UNC (4.166mm)	9.53 <i>0.375</i>	Red	Knurled
KNAS-12.70-No8x09.53-Knu-B	12.70 <i>0.500</i>	8-32 UNC (4.166mm)	9.53 <i>0.375</i>	Black	Knurled
# KNAS-12.70-No8x09.53-Knu-Y	12.70 <i>0.500</i>	8-32 UNC (4.166mm)	9.53 <i>0.375</i>	Yellow	Knurled
# KNAS-12.70-No8x12.70-Knu-B	12.70 <i>0.500</i>	8-32 UNC (4.166mm)	12.70 <i>0.500</i>	Black	Knurled
# KNAS-12.70-No8x12.70-Knu-G	12.70 <i>0.500</i>	8-32 UNC (4.166mm)	12.70 <i>0.500</i>	Grey	Knurled
# KNAS-12.70-No8x12.70-Knu-R	12.70 <i>0.500</i>	8-32 UNC (4.166mm)	12.70 <i>0.500</i>	Red	Knurled
# KNAS-12.70-No8x12.70-Knu-Y	12.70 <i>0.500</i>	8-32 UNC (4.166mm)	12.70 <i>0.500</i>	Yellow	Knurled
# KNAS-12.70-No8x19.05-Knu-Y	12.70 <i>0.500</i>	8-32 UNC (4.166mm)	19.05 <i>0.750</i>	Yellow	Knurled
# KNAS-12.70-No8x19.05-Knu-R	12.70 <i>0.500</i>	8-32 UNC (4.166mm)	19.05 <i>0.750</i>	Red	Knurled

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Knobs - Thumb - With Cap Screw

Part Number	Major Diameter (A) mm	Screw Size	Screw Length mm	Colour	Style
	<i>inches</i>		<i>inches</i>		
# KNAS-12.70-No8x19.05-Knu-G	12.70 <i>0.500</i>	8-32 UNC (4.166mm)	19.05 <i>0.750</i>	Grey	Knurled
# KNAS-12.70-No8x19.05-Knu-B	12.70 <i>0.500</i>	8-32 UNC (4.166mm)	19.05 <i>0.750</i>	Black	Knurled
# KNAS-12.70-No8x25.40-Knu-G	12.70 <i>0.500</i>	8-32 UNC (4.166mm)	25.40 <i>1.000</i>	Grey	Knurled
# KNAS-12.70-No8x25.40-Knu-R	12.70 <i>0.500</i>	8-32 UNC (4.166mm)	25.40 <i>1.000</i>	Red	Knurled
# KNAS-12.70-No8x25.40-Knu-Y	12.70 <i>0.500</i>	8-32 UNC (4.166mm)	25.40 <i>1.000</i>	Yellow	Knurled
# KNAS-12.70-No8x25.40-Knu-B	12.70 <i>0.500</i>	8-32 UNC (4.166mm)	25.40 <i>1.000</i>	Black	Knurled
# KNAS-14.29-No10x09.53-L-Y	14.29 <i>0.563</i>	10-24 UNC (4.762mm)	9.53 <i>0.375</i>	Yellow	L
# KNAS-14.29-No10x09.53-L-B	14.29 <i>0.563</i>	10-24 UNC (4.762mm)	9.53 <i>0.375</i>	Black	L
# KNAS-14.29-No10x09.53-L-G	14.29 <i>0.563</i>	10-24 UNC (4.762mm)	9.53 <i>0.375</i>	Grey	L
# KNAS-14.29-No10x09.53-L-R	14.29 <i>0.563</i>	10-24 UNC (4.762mm)	9.53 <i>0.375</i>	Red	L

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Knobs - Thumb - With Cap Screw

Part Number	Major Diameter (A) mm	Screw Size	Screw Length mm	Colour	Style
	<i>inches</i>		<i>inches</i>		
# KNAS-14.29-No10x12.70-L-Y	14.29 <i>0.563</i>	10-24 UNC (4.762mm)	12.70 <i>0.500</i>	Yellow	L
# KNAS-14.29-No10x12.70-L-R	14.29 <i>0.563</i>	10-24 UNC (4.762mm)	12.70 <i>0.500</i>	Red	L
# KNAS-14.29-No10x12.70-L-B	14.29 <i>0.563</i>	10-24 UNC (4.762mm)	12.70 <i>0.500</i>	Black	L
# KNAS-14.29-No10x12.70-L-G	14.29 <i>0.563</i>	10-24 UNC (4.762mm)	12.70 <i>0.500</i>	Grey	L
# KNAS-14.29-No10x19.05-L-Y	14.29 <i>0.563</i>	10-24 UNC (4.762mm)	19.05 <i>0.750</i>	Yellow	L
# KNAS-14.29-No10x19.05-L-B	14.29 <i>0.563</i>	10-24 UNC (4.762mm)	19.05 <i>0.750</i>	Black	L
# KNAS-14.29-No10x19.05-L-G	14.29 <i>0.563</i>	10-24 UNC (4.762mm)	19.05 <i>0.750</i>	Grey	L
# KNAS-14.29-No10x19.05-L-R	14.29 <i>0.563</i>	10-24 UNC (4.762mm)	19.05 <i>0.750</i>	Red	L
# KNAS-14.29-No10x25.40-L-Y	14.29 <i>0.563</i>	10-24 UNC (4.762mm)	25.40 <i>1.000</i>	Yellow	L
# KNAS-14.29-No10x25.40-L-R	14.29 <i>0.563</i>	10-24 UNC (4.762mm)	25.40 <i>1.000</i>	Red	L

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Knobs - Thumb - With Cap Screw

Part Number	Major Diameter (A) mm	Screw Size	Screw Length mm	Colour	Style
	<i>inches</i>		<i>inches</i>		
# KNAS-14.29-No10x25.40-L-G	14.29 <i>0.563</i>	10-24 UNC (4.762mm)	25.40 <i>1.000</i>	Grey	L
# KNAS-14.29-No10x25.40-L-B	14.29 <i>0.563</i>	10-24 UNC (4.762mm)	25.40 <i>1.000</i>	Black	L
KNAS-15.88-No10x09.53-Knu-B	15.88 <i>0.625</i>	10-24 UNC (4.762mm)	9.53 <i>0.375</i>	Black	Knurled
# KNAS-15.88-No10x09.53-Knu-G	15.88 <i>0.625</i>	10-24 UNC (4.762mm)	9.53 <i>0.375</i>	Grey	Knurled
# KNAS-15.88-No10x09.53-Knu-R	15.88 <i>0.625</i>	10-24 UNC (4.762mm)	9.53 <i>0.375</i>	Red	Knurled
# KNAS-15.88-No10x09.53-Knu-Y	15.88 <i>0.625</i>	10-24 UNC (4.762mm)	9.53 <i>0.375</i>	Yellow	Knurled
# KNAS-15.88-No10x12.70-Knu-G	15.88 <i>0.625</i>	10-24 UNC (4.762mm)	12.70 <i>0.500</i>	Grey	Knurled
# KNAS-15.88-No10x12.70-Knu-R	15.88 <i>0.625</i>	10-24 UNC (4.762mm)	12.70 <i>0.500</i>	Red	Knurled
# KNAS-15.88-No10x12.70-Knu-B	15.88 <i>0.625</i>	10-24 UNC (4.762mm)	12.70 <i>0.500</i>	Black	Knurled
# KNAS-15.88-No10x12.70-Knu-Y	15.88 <i>0.625</i>	10-24 UNC (4.762mm)	12.70 <i>0.500</i>	Yellow	Knurled

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Knobs - Thumb - With Cap Screw

Part Number	Major Diameter (A) mm	Screw Size	Screw Length mm	Colour	Style
	<i>inches</i>		<i>inches</i>		
KNAS-15.88-No10x19.05-Knu-B	15.88 <i>0.625</i>	10-24 UNC (4.762mm)	19.05 <i>0.750</i>	Black	Knurled
# KNAS-15.88-No10x19.05-Knu-G	15.88 <i>0.625</i>	10-24 UNC (4.762mm)	19.05 <i>0.750</i>	Grey	Knurled
# KNAS-15.88-No10x19.05-Knu-R	15.88 <i>0.625</i>	10-24 UNC (4.762mm)	19.05 <i>0.750</i>	Red	Knurled
# KNAS-15.88-No10x19.05-Knu-Y	15.88 <i>0.625</i>	10-24 UNC (4.762mm)	19.05 <i>0.750</i>	Yellow	Knurled
# KNAS-15.88-No10x25.40-Knu-G	15.88 <i>0.625</i>	10-24 UNC (4.762mm)	25.40 <i>1.000</i>	Grey	Knurled
# KNAS-15.88-No10x25.40-Knu-R	15.88 <i>0.625</i>	10-24 UNC (4.762mm)	25.40 <i>1.000</i>	Red	Knurled
# KNAS-15.88-No10x25.40-Knu-B	15.88 <i>0.625</i>	10-24 UNC (4.762mm)	25.40 <i>1.000</i>	Black	Knurled
# KNAS-15.88-No10x25.40-Knu-Y	15.88 <i>0.625</i>	10-24 UNC (4.762mm)	25.40 <i>1.000</i>	Yellow	Knurled
# KNAS-17.46-14x12.70-L-B	17.46 <i>0.687</i>	1/4-20 UNC (6.350mm)	12.70 <i>0.500</i>	Black	L
# KNAS-17.46-14x12.70-L-G	17.46 <i>0.687</i>	1/4-20 UNC (6.350mm)	12.70 <i>0.500</i>	Grey	L

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Knobs - Thumb - With Cap Screw

Part Number	Major Diameter (A) mm	Screw Size	Screw Length mm	Colour	Style
	<i>inches</i>		<i>inches</i>		
# KNAS-17.46-14x12.70-L-R	17.46 <i>0.687</i>	1/4-20 UNC (6.350mm)	12.70 <i>0.500</i>	Red	L
# KNAS-17.46-14x12.70-L-Y	17.46 <i>0.687</i>	1/4-20 UNC (6.350mm)	12.70 <i>0.500</i>	Yellow	L
# KNAS-17.46-14x19.05-L-Y	17.46 <i>0.687</i>	1/4-20 UNC (6.350mm)	19.05 <i>0.750</i>	Yellow	L
# KNAS-17.46-14x19.05-L-B	17.46 <i>0.687</i>	1/4-20 UNC (6.350mm)	19.05 <i>0.750</i>	Black	L
# KNAS-17.46-14x19.05-L-G	17.46 <i>0.687</i>	1/4-20 UNC (6.350mm)	19.05 <i>0.750</i>	Grey	L
# KNAS-17.46-14x19.05-L-R	17.46 <i>0.687</i>	1/4-20 UNC (6.350mm)	19.05 <i>0.750</i>	Red	L
# KNAS-17.46-14x25.40-L-Y	17.46 <i>0.687</i>	1/4-20 UNC (6.350mm)	25.40 <i>1.000</i>	Yellow	L
# KNAS-17.46-14x25.40-L-R	17.46 <i>0.687</i>	1/4-20 UNC (6.350mm)	25.40 <i>1.000</i>	Red	L
KNAS-17.46-14x25.40-L-B	17.46 <i>0.687</i>	1/4-20 UNC (6.350mm)	25.40 <i>1.000</i>	Black	L
# KNAS-17.46-14x25.40-L-G	17.46 <i>0.687</i>	1/4-20 UNC (6.350mm)	25.40 <i>1.000</i>	Grey	L

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Knobs - Thumb - With Cap Screw

Part Number	Major Diameter (A) mm	Screw Size	Screw Length mm	Colour	Style
	<i>inches</i>		<i>inches</i>		
# KNAS-17.46-14x38.10-L-B	17.46 <i>0.687</i>	1/4-20 UNC (6.350mm)	38.10 <i>1.500</i>	Black	L
# KNAS-17.46-14x38.10-L-G	17.46 <i>0.687</i>	1/4-20 UNC (6.350mm)	38.10 <i>1.500</i>	Grey	L
# KNAS-17.46-14x38.10-L-R	17.46 <i>0.687</i>	1/4-20 UNC (6.350mm)	38.10 <i>1.500</i>	Red	L
# KNAS-17.46-14x38.10-L-Y	17.46 <i>0.687</i>	1/4-20 UNC (6.350mm)	38.10 <i>1.500</i>	Yellow	L
# KNAS-19.05-14x12.70-Knu-G	19.05 <i>0.750</i>	1/4-20 UNC (6.350mm)	12.70 <i>0.500</i>	Grey	Knurled
# KNAS-19.05-14x12.70-Knu-Y	19.05 <i>0.750</i>	1/4-20 UNC (6.350mm)	12.70 <i>0.500</i>	Yellow	Knurled
# KNAS-19.05-14x12.70-Knu-B	19.05 <i>0.750</i>	1/4-20 UNC (6.350mm)	12.70 <i>0.500</i>	Black	Knurled
# KNAS-19.05-14x12.70-Knu-R	19.05 <i>0.750</i>	1/4-20 UNC (6.350mm)	12.70 <i>0.500</i>	Red	Knurled
# KNAS-19.05-14x19.05-Knu-Y	19.05 <i>0.750</i>	1/4-20 UNC (6.350mm)	19.05 <i>0.750</i>	Yellow	Knurled
# KNAS-19.05-14x19.05-Knu-R	19.05 <i>0.750</i>	1/4-20 UNC (6.350mm)	19.05 <i>0.750</i>	Red	Knurled

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Knobs - Thumb - With Cap Screw

Part Number	Major Diameter (A) mm <i>inches</i>	Screw Size	Screw Length mm <i>inches</i>	Colour	Style
# KNAS-19.05-14x19.05-Knu-G	19.05 <i>0.750</i>	1/4-20 UNC (6.350mm)	19.05 <i>0.750</i>	Grey	Knurled
# KNAS-19.05-14x19.05-Knu-B	19.05 <i>0.750</i>	1/4-20 UNC (6.350mm)	19.05 <i>0.750</i>	Black	Knurled
# KNAS-19.05-14x25.40-Knu-Y	19.05 <i>0.750</i>	1/4-20 UNC (6.350mm)	25.40 <i>1.000</i>	Yellow	Knurled
# KNAS-19.05-14x25.40-Knu-R	19.05 <i>0.750</i>	1/4-20 UNC (6.350mm)	25.40 <i>1.000</i>	Red	Knurled
# KNAS-19.05-14x25.40-Knu-G	19.05 <i>0.750</i>	1/4-20 UNC (6.350mm)	25.40 <i>1.000</i>	Grey	Knurled
KNAS-19.05-14x25.40-Knu-B	19.05 <i>0.750</i>	1/4-20 UNC (6.350mm)	25.40 <i>1.000</i>	Black	Knurled
# KNAS-19.05-14x38.10-Knu-Y	19.05 <i>0.750</i>	1/4-20 UNC (6.350mm)	38.10 <i>1.500</i>	Yellow	Knurled
# KNAS-19.05-14x38.10-Knu-R	19.05 <i>0.750</i>	1/4-20 UNC (6.350mm)	38.10 <i>1.500</i>	Red	Knurled
KNAS-19.05-14x38.10-Knu-B	19.05 <i>0.750</i>	1/4-20 UNC (6.350mm)	38.10 <i>1.500</i>	Black	Knurled
KNAS-19.05-14x38.10-Knu-G	19.05 <i>0.750</i>	1/4-20 UNC (6.350mm)	38.10 <i>1.500</i>	Grey	Knurled

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Knobs - Thumb - With Cap Screw

Part Number	Major Diameter (A) mm	Screw Size	Screw Length mm	Colour	Style
	<i>inches</i>		<i>inches</i>		
# KNAS-21.43-516x12.70-L-G	21.43 <i>0.844</i>	5/16-18 UNC (7.938mm)	12.70 <i>0.500</i>	Grey	L
# KNAS-21.43-516x12.70-L-R	21.43 <i>0.844</i>	5/16-18 UNC (7.938mm)	12.70 <i>0.500</i>	Red	L
# KNAS-21.43-516x12.70-L-B	21.43 <i>0.844</i>	5/16-18 UNC (7.938mm)	12.70 <i>0.500</i>	Black	L
# KNAS-21.43-516x12.70-L-Y	21.43 <i>0.844</i>	5/16-18 UNC (7.938mm)	12.70 <i>0.500</i>	Yellow	L
# KNAS-21.43-516x19.05-L-B	21.43 <i>0.844</i>	5/16-18 UNC (7.938mm)	19.05 <i>0.750</i>	Black	L
# KNAS-21.43-516x19.05-L-Y	21.43 <i>0.844</i>	5/16-18 UNC (7.938mm)	19.05 <i>0.750</i>	Yellow	L
# KNAS-21.43-516x19.05-L-R	21.43 <i>0.844</i>	5/16-18 UNC (7.938mm)	19.05 <i>0.750</i>	Red	L
# KNAS-21.43-516x19.05-L-G	21.43 <i>0.844</i>	5/16-18 UNC (7.938mm)	19.05 <i>0.750</i>	Grey	L
# KNAS-21.43-516x25.40-L-R	21.43 <i>0.844</i>	5/16-18 UNC (7.938mm)	25.40 <i>1.000</i>	Red	L
# KNAS-21.43-516x25.40-L-G	21.43 <i>0.844</i>	5/16-18 UNC (7.938mm)	25.40 <i>1.000</i>	Grey	L

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Knobs - Thumb - With Cap Screw

Part Number	Major Diameter (A) mm	Screw Size	Screw Length mm	Colour	Style
	<i>inches</i>		<i>inches</i>		
# KNAS-21.43-516x25.40-L-Y	21.43 <i>0.844</i>	5/16-18 UNC (7.938mm)	25.40 <i>1.000</i>	Yellow	L
# KNAS-21.43-516x25.40-L-B	21.43 <i>0.844</i>	5/16-18 UNC (7.938mm)	25.40 <i>1.000</i>	Black	L
# KNAS-21.43-516x38.10-L-B	21.43 <i>0.844</i>	5/16-18 UNC (7.938mm)	38.10 <i>1.500</i>	Black	L
# KNAS-21.43-516x38.10-L-G	21.43 <i>0.844</i>	5/16-18 UNC (7.938mm)	38.10 <i>1.500</i>	Grey	L
# KNAS-21.43-516x38.10-L-R	21.43 <i>0.844</i>	5/16-18 UNC (7.938mm)	38.10 <i>1.500</i>	Red	L
# KNAS-21.43-516x38.10-L-Y	21.43 <i>0.844</i>	5/16-18 UNC (7.938mm)	38.10 <i>1.500</i>	Yellow	L
# KNAS-25.40-No10x09.53-Tee-Y	25.40 <i>1.000</i>	10-24 UNC (4.762mm)	9.53 <i>0.375</i>	Yellow	Tee
# KNAS-25.40-No10x09.53-Tee-R	25.40 <i>1.000</i>	10-24 UNC (4.762mm)	9.53 <i>0.375</i>	Red	Tee
# KNAS-25.40-No10x09.53-Tee-B	25.40 <i>1.000</i>	10-24 UNC (4.762mm)	9.53 <i>0.375</i>	Black	Tee
# KNAS-25.40-No10x09.53-Tee-G	25.40 <i>1.000</i>	10-24 UNC (4.762mm)	9.53 <i>0.375</i>	Grey	Tee

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Knobs - Thumb - With Cap Screw

Part Number	Major Diameter (A) mm	Screw Size	Screw Length mm	Colour	Style
	<i>inches</i>		<i>inches</i>		
# KNAS-25.40-No10x12.70-Tee-R	25.40 <i>1.000</i>	10-24 UNC (4.762mm)	12.70 <i>0.500</i>	Red	Tee
# KNAS-25.40-No10x12.70-Tee-B	25.40 <i>1.000</i>	10-24 UNC (4.762mm)	12.70 <i>0.500</i>	Black	Tee
# KNAS-25.40-No10x12.70-Tee-G	25.40 <i>1.000</i>	10-24 UNC (4.762mm)	12.70 <i>0.500</i>	Grey	Tee
# KNAS-25.40-No10x12.70-Tee-Y	25.40 <i>1.000</i>	10-24 UNC (4.762mm)	12.70 <i>0.500</i>	Yellow	Tee
# KNAS-25.40-No10x19.05-Tee-R	25.40 <i>1.000</i>	10-24 UNC (4.762mm)	19.05 <i>0.750</i>	Red	Tee
# KNAS-25.40-No10x19.05-Tee-B	25.40 <i>1.000</i>	10-24 UNC (4.762mm)	19.05 <i>0.750</i>	Black	Tee
# KNAS-25.40-No10x19.05-Tee-G	25.40 <i>1.000</i>	10-24 UNC (4.762mm)	19.05 <i>0.750</i>	Grey	Tee
# KNAS-25.40-No10x19.05-Tee-Y	25.40 <i>1.000</i>	10-24 UNC (4.762mm)	19.05 <i>0.750</i>	Yellow	Tee
# KNAS-25.40-No10x25.40-Tee-G	25.40 <i>1.000</i>	10-24 UNC (4.762mm)	25.40 <i>1.000</i>	Grey	Tee
# KNAS-25.40-No10x25.40-Tee-R	25.40 <i>1.000</i>	10-24 UNC (4.762mm)	25.40 <i>1.000</i>	Red	Tee

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Knobs - Thumb - With Cap Screw

Part Number	Major Diameter (A) mm	Screw Size	Screw Length mm	Colour	Style
	<i>inches</i>		<i>inches</i>		
# KNAS-25.40-No10x25.40-Tee-B	25.40 <i>1.000</i>	10-24 UNC (4.762mm)	25.40 <i>1.000</i>	Black	Tee
# KNAS-25.40-No10x25.40-Tee-Y	25.40 <i>1.000</i>	10-24 UNC (4.762mm)	25.40 <i>1.000</i>	Yellow	Tee
# KNAS-25.40-14x12.70-Knu-R	25.40 <i>1.000</i>	1/4-20 UNC (6.350mm)	12.70 <i>0.500</i>	Red	Knurled
# KNAS-25.40-14x12.70-Knu-G	25.40 <i>1.000</i>	1/4-20 UNC (6.350mm)	12.70 <i>0.500</i>	Grey	Knurled
# KNAS-25.40-14x12.70-Knu-B	25.40 <i>1.000</i>	1/4-20 UNC (6.350mm)	12.70 <i>0.500</i>	Black	Knurled
# KNAS-25.40-14x12.70-Knu-Y	25.40 <i>1.000</i>	1/4-20 UNC (6.350mm)	12.70 <i>0.500</i>	Yellow	Knurled
# KNAS-25.40-14x19.05-Knu-Y	25.40 <i>1.000</i>	1/4-20 UNC (6.350mm)	19.05 <i>0.750</i>	Yellow	Knurled
# KNAS-25.40-14x19.05-Knu-G	25.40 <i>1.000</i>	1/4-20 UNC (6.350mm)	19.05 <i>0.750</i>	Grey	Knurled
# KNAS-25.40-14x19.05-Knu-R	25.40 <i>1.000</i>	1/4-20 UNC (6.350mm)	19.05 <i>0.750</i>	Red	Knurled
KNAS-25.40-14x19.05-Knu-B	25.40 <i>1.000</i>	1/4-20 UNC (6.350mm)	19.05 <i>0.750</i>	Black	Knurled

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Knobs - Thumb - With Cap Screw

Part Number	Major Diameter (A) mm	Screw Size	Screw Length mm	Colour	Style
	<i>inches</i>		<i>inches</i>		
# KNAS-25.40-14x25.40-Knu-B	25.40 <i>1.000</i>	1/4-20 UNC (6.350mm)	25.40 <i>1.000</i>	Black	Knurled
# KNAS-25.40-14x25.40-Knu-G	25.40 <i>1.000</i>	1/4-20 UNC (6.350mm)	25.40 <i>1.000</i>	Grey	Knurled
# KNAS-25.40-14x25.40-Knu-R	25.40 <i>1.000</i>	1/4-20 UNC (6.350mm)	25.40 <i>1.000</i>	Red	Knurled
# KNAS-25.40-14x25.40-Knu-Y	25.40 <i>1.000</i>	1/4-20 UNC (6.350mm)	25.40 <i>1.000</i>	Yellow	Knurled
# KNAS-25.40-14x38.10-Knu-B	25.40 <i>1.000</i>	1/4-20 UNC (6.350mm)	38.10 <i>1.500</i>	Black	Knurled
KNAS-25.40-14x38.10-Knu-G	25.40 <i>1.000</i>	1/4-20 UNC (6.350mm)	38.10 <i>1.500</i>	Grey	Knurled
# KNAS-25.40-14x38.10-Knu-R	25.40 <i>1.000</i>	1/4-20 UNC (6.350mm)	38.10 <i>1.500</i>	Red	Knurled
# KNAS-25.40-14x38.10-Knu-Y	25.40 <i>1.000</i>	1/4-20 UNC (6.350mm)	38.10 <i>1.500</i>	Yellow	Knurled
# KNAS-25.40-516x12.70-Knu-R	25.40 <i>1.000</i>	5/16-18 UNC (7.938mm)	12.70 <i>0.500</i>	Red	Knurled
# KNAS-25.40-516x12.70-Knu-Y	25.40 <i>1.000</i>	5/16-18 UNC (7.938mm)	12.70 <i>0.500</i>	Yellow	Knurled

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Knobs - Thumb - With Cap Screw

Part Number	Major Diameter (A) mm	Screw Size	Screw Length mm	Colour	Style
	<i>inches</i>		<i>inches</i>		
# KNAS-25.40-516x12.70-Knu-G	25.40 <i>1.000</i>	5/16-18 UNC (7.938mm)	12.70 <i>0.500</i>	Grey	Knurled
# KNAS-25.40-516x12.70-Knu-B	25.40 <i>1.000</i>	5/16-18 UNC (7.938mm)	12.70 <i>0.500</i>	Black	Knurled
# KNAS-25.40-516x19.05-Knu-G	25.40 <i>1.000</i>	5/16-18 UNC (7.938mm)	19.05 <i>0.750</i>	Grey	Knurled
# KNAS-25.40-516x19.05-Knu-R	25.40 <i>1.000</i>	5/16-18 UNC (7.938mm)	19.05 <i>0.750</i>	Red	Knurled
# KNAS-25.40-516x19.05-Knu-Y	25.40 <i>1.000</i>	5/16-18 UNC (7.938mm)	19.05 <i>0.750</i>	Yellow	Knurled
# KNAS-25.40-516x19.05-Knu-B	25.40 <i>1.000</i>	5/16-18 UNC (7.938mm)	19.05 <i>0.750</i>	Black	Knurled
# KNAS-25.40-516x25.40-Knu-G	25.40 <i>1.000</i>	5/16-18 UNC (7.938mm)	25.40 <i>1.000</i>	Grey	Knurled
# KNAS-25.40-516x25.40-Knu-R	25.40 <i>1.000</i>	5/16-18 UNC (7.938mm)	25.40 <i>1.000</i>	Red	Knurled
# KNAS-25.40-516x25.40-Knu-B	25.40 <i>1.000</i>	5/16-18 UNC (7.938mm)	25.40 <i>1.000</i>	Black	Knurled
# KNAS-25.40-516x25.40-Knu-Y	25.40 <i>1.000</i>	5/16-18 UNC (7.938mm)	25.40 <i>1.000</i>	Yellow	Knurled

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Knobs - Thumb - With Cap Screw

Part Number	Major Diameter (A) mm	Screw Size	Screw Length mm	Colour	Style
	<i>inches</i>		<i>inches</i>		
KNAS-25.40-516x38.10-Knu-B	25.40 <i>1.000</i>	5/16-18 UNC (7.938mm)	38.10 <i>1.500</i>	Black	Knurled
# KNAS-25.40-516x38.10-Knu-G	25.40 <i>1.000</i>	5/16-18 UNC (7.938mm)	38.10 <i>1.500</i>	Grey	Knurled
# KNAS-25.40-516x38.10-Knu-R	25.40 <i>1.000</i>	5/16-18 UNC (7.938mm)	38.10 <i>1.500</i>	Red	Knurled
# KNAS-25.40-516x38.10-Knu-Y	25.40 <i>1.000</i>	5/16-18 UNC (7.938mm)	38.10 <i>1.500</i>	Yellow	Knurled
KNAS-31.75-14x12.70-Tee-B	31.75 <i>1.250</i>	1/4-20 UNC (6.350mm)	12.70 <i>0.500</i>	Black	Tee
# KNAS-31.75-14x12.70-Tee-Y	31.75 <i>1.250</i>	1/4-20 UNC (6.350mm)	12.70 <i>0.500</i>	Yellow	Tee
# KNAS-31.75-14x12.70-Tee-G	31.75 <i>1.250</i>	1/4-20 UNC (6.350mm)	12.70 <i>0.500</i>	Grey	Tee
# KNAS-31.75-14x12.70-Tee-R	31.75 <i>1.250</i>	1/4-20 UNC (6.350mm)	12.70 <i>0.500</i>	Red	Tee
# KNAS-31.75-14x19.05-Tee-B	31.75 <i>1.250</i>	1/4-20 UNC (6.350mm)	19.05 <i>0.750</i>	Black	Tee
# KNAS-31.75-14x19.05-Tee-G	31.75 <i>1.250</i>	1/4-20 UNC (6.350mm)	19.05 <i>0.750</i>	Grey	Tee

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Knobs - Thumb - With Cap Screw

Part Number	Major Diameter (A) mm	Screw Size	Screw Length mm	Colour	Style
	<i>inches</i>		<i>inches</i>		
# KNAS-31.75-14x19.05-Tee-R	31.75 <i>1.250</i>	1/4-20 UNC (6.350mm)	19.05 <i>0.750</i>	Red	Tee
# KNAS-31.75-14x19.05-Tee-Y	31.75 <i>1.250</i>	1/4-20 UNC (6.350mm)	19.05 <i>0.750</i>	Yellow	Tee
# KNAS-31.75-14x25.40-Tee-G	31.75 <i>1.250</i>	1/4-20 UNC (6.350mm)	25.40 <i>1.000</i>	Grey	Tee
# KNAS-31.75-14x25.40-Tee-R	31.75 <i>1.250</i>	1/4-20 UNC (6.350mm)	25.40 <i>1.000</i>	Red	Tee
# KNAS-31.75-14x25.40-Tee-B	31.75 <i>1.250</i>	1/4-20 UNC (6.350mm)	25.40 <i>1.000</i>	Black	Tee
# KNAS-31.75-14x25.40-Tee-Y	31.75 <i>1.250</i>	1/4-20 UNC (6.350mm)	25.40 <i>1.000</i>	Yellow	Tee
# KNAS-31.75-14x38.10-Tee-Y	31.75 <i>1.250</i>	1/4-20 UNC (6.350mm)	38.10 <i>1.500</i>	Yellow	Tee
# KNAS-31.75-14x38.10-Tee-B	31.75 <i>1.250</i>	1/4-20 UNC (6.350mm)	38.10 <i>1.500</i>	Black	Tee
# KNAS-31.75-14x38.10-Tee-G	31.75 <i>1.250</i>	1/4-20 UNC (6.350mm)	38.10 <i>1.500</i>	Grey	Tee
# KNAS-31.75-14x38.10-Tee-R	31.75 <i>1.250</i>	1/4-20 UNC (6.350mm)	38.10 <i>1.500</i>	Red	Tee

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Knobs - Thumb - With Cap Screw

Part Number	Major Diameter (A) mm	Screw Size	Screw Length mm	Colour	Style
	<i>inches</i>		<i>inches</i>		
# KNAS-38.10-14x12.70-Ros-Y	38.10 <i>1.500</i>	1/4-20 UNC (6.350mm)	12.70 <i>0.500</i>	Yellow	Rosette
# KNAS-38.10-14x12.70-Ros-R	38.10 <i>1.500</i>	1/4-20 UNC (6.350mm)	12.70 <i>0.500</i>	Red	Rosette
KNAS-38.10-14x12.70-Ros-B	38.10 <i>1.500</i>	1/4-20 UNC (6.350mm)	12.70 <i>0.500</i>	Black	Rosette
# KNAS-38.10-14x12.70-Ros-G	38.10 <i>1.500</i>	1/4-20 UNC (6.350mm)	12.70 <i>0.500</i>	Grey	Rosette
KNAS-38.10-14x19.05-Ros-B	38.10 <i>1.500</i>	1/4-20 UNC (6.350mm)	19.05 <i>0.750</i>	Black	Rosette
# KNAS-38.10-14x19.05-Ros-G	38.10 <i>1.500</i>	1/4-20 UNC (6.350mm)	19.05 <i>0.750</i>	Grey	Rosette
# KNAS-38.10-14x19.05-Ros-R	38.10 <i>1.500</i>	1/4-20 UNC (6.350mm)	19.05 <i>0.750</i>	Red	Rosette
# KNAS-38.10-14x19.05-Ros-Y	38.10 <i>1.500</i>	1/4-20 UNC (6.350mm)	19.05 <i>0.750</i>	Yellow	Rosette
# KNAS-38.10-14x25.40-Ros-B	38.10 <i>1.500</i>	1/4-20 UNC (6.350mm)	25.40 <i>1.000</i>	Black	Rosette
# KNAS-38.10-14x25.40-Ros-G	38.10 <i>1.500</i>	1/4-20 UNC (6.350mm)	25.40 <i>1.000</i>	Grey	Rosette

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Knobs - Thumb - With Cap Screw

Part Number	Major Diameter (A) mm	Screw Size	Screw Length mm	Colour	Style
	<i>inches</i>		<i>inches</i>		
# KNAS-38.10-14x25.40-Ros-R	38.10 <i>1.500</i>	1/4-20 UNC (6.350mm)	25.40 <i>1.000</i>	Red	Rosette
# KNAS-38.10-14x25.40-Ros-Y	38.10 <i>1.500</i>	1/4-20 UNC (6.350mm)	25.40 <i>1.000</i>	Yellow	Rosette
KNAS-38.10-14x38.10-Ros-G	38.10 <i>1.500</i>	1/4-20 UNC (6.350mm)	38.10 <i>1.500</i>	Grey	Rosette
# KNAS-38.10-14x38.10-Ros-R	38.10 <i>1.500</i>	1/4-20 UNC (6.350mm)	38.10 <i>1.500</i>	Red	Rosette
# KNAS-38.10-14x38.10-Ros-Y	38.10 <i>1.500</i>	1/4-20 UNC (6.350mm)	38.10 <i>1.500</i>	Yellow	Rosette
KNAS-38.10-14x38.10-Ros-B	38.10 <i>1.500</i>	1/4-20 UNC (6.350mm)	38.10 <i>1.500</i>	Black	Rosette
# KNAS-38.10-516x12.70-Tee-Y	38.10 <i>1.500</i>	5/16-18 UNC (7.938mm)	12.70 <i>0.500</i>	Yellow	Tee
# KNAS-38.10-516x12.70-Ros-R	38.10 <i>1.500</i>	5/16-18 UNC (7.938mm)	12.70 <i>0.500</i>	Red	Rosette
# KNAS-38.10-516x12.70-Ros-G	38.10 <i>1.500</i>	5/16-18 UNC (7.938mm)	12.70 <i>0.500</i>	Grey	Rosette
# KNAS-38.10-516x12.70-Ros-B	38.10 <i>1.500</i>	5/16-18 UNC (7.938mm)	12.70 <i>0.500</i>	Black	Rosette

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Knobs - Thumb - With Cap Screw

Part Number	Major Diameter (A) mm	Screw Size	Screw Length mm	Colour	Style
	<i>inches</i>		<i>inches</i>		
# KNAS-38.10-516x12.70-Tee-B	38.10 <i>1.500</i>	5/16-18 UNC (7.938mm)	12.70 <i>0.500</i>	Black	Tee
# KNAS-38.10-516x12.70-Tee-G	38.10 <i>1.500</i>	5/16-18 UNC (7.938mm)	12.70 <i>0.500</i>	Grey	Tee
# KNAS-38.10-516x12.70-Tee-R	38.10 <i>1.500</i>	5/16-18 UNC (7.938mm)	12.70 <i>0.500</i>	Red	Tee
# KNAS-38.10-516x12.70-Ros-Y	38.10 <i>1.500</i>	5/16-18 UNC (7.938mm)	12.70 <i>0.500</i>	Yellow	Rosette
# KNAS-38.10-516x19.05-Ros-G	38.10 <i>1.500</i>	5/16-18 UNC (7.938mm)	19.05 <i>0.750</i>	Grey	Rosette
# KNAS-38.10-516x19.05-Tee-R	38.10 <i>1.500</i>	5/16-18 UNC (7.938mm)	19.05 <i>0.750</i>	Red	Tee
# KNAS-38.10-516x19.05-Ros-R	38.10 <i>1.500</i>	5/16-18 UNC (7.938mm)	19.05 <i>0.750</i>	Red	Rosette
# KNAS-38.10-516x19.05-Ros-Y	38.10 <i>1.500</i>	5/16-18 UNC (7.938mm)	19.05 <i>0.750</i>	Yellow	Rosette
# KNAS-38.10-516x19.05-Tee-B	38.10 <i>1.500</i>	5/16-18 UNC (7.938mm)	19.05 <i>0.750</i>	Black	Tee
# KNAS-38.10-516x19.05-Tee-G	38.10 <i>1.500</i>	5/16-18 UNC (7.938mm)	19.05 <i>0.750</i>	Grey	Tee

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Knobs - Thumb - With Cap Screw

Part Number	Major Diameter (A) mm	Screw Size	Screw Length mm	Colour	Style
	<i>inches</i>		<i>inches</i>		
# KNAS-38.10-516x19.05-Tee-Y	38.10 <i>1.500</i>	5/16-18 UNC (7.938mm)	19.05 <i>0.750</i>	Yellow	Tee
KNAS-38.10-516x19.05-Ros-B	38.10 <i>1.500</i>	5/16-18 UNC (7.938mm)	19.05 <i>0.750</i>	Black	Rosette
# KNAS-38.10-516x25.40-Tee-Y	38.10 <i>1.500</i>	5/16-18 UNC (7.938mm)	25.40 <i>1.000</i>	Yellow	Tee
# KNAS-38.10-516x25.40-Ros-B	38.10 <i>1.500</i>	5/16-18 UNC (7.938mm)	25.40 <i>1.000</i>	Black	Rosette
# KNAS-38.10-516x25.40-Tee-R	38.10 <i>1.500</i>	5/16-18 UNC (7.938mm)	25.40 <i>1.000</i>	Red	Tee
# KNAS-38.10-516x25.40-Tee-G	38.10 <i>1.500</i>	5/16-18 UNC (7.938mm)	25.40 <i>1.000</i>	Grey	Tee
# KNAS-38.10-516x25.40-Tee-B	38.10 <i>1.500</i>	5/16-18 UNC (7.938mm)	25.40 <i>1.000</i>	Black	Tee
# KNAS-38.10-516x25.40-Ros-Y	38.10 <i>1.500</i>	5/16-18 UNC (7.938mm)	25.40 <i>1.000</i>	Yellow	Rosette
# KNAS-38.10-516x25.40-Ros-G	38.10 <i>1.500</i>	5/16-18 UNC (7.938mm)	25.40 <i>1.000</i>	Grey	Rosette
# KNAS-38.10-516x25.40-Ros-R	38.10 <i>1.500</i>	5/16-18 UNC (7.938mm)	25.40 <i>1.000</i>	Red	Rosette

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Knobs - Thumb - With Cap Screw

Part Number	Major Diameter (A) mm	Screw Size	Screw Length mm	Colour	Style
	<i>inches</i>		<i>inches</i>		
# KNAS-38.10-516x38.10-Tee-Y	38.10 <i>1.500</i>	5/16-18 UNC (7.938mm)	38.10 <i>1.500</i>	Yellow	Tee
# KNAS-38.10-516x38.10-Tee-R	38.10 <i>1.500</i>	5/16-18 UNC (7.938mm)	38.10 <i>1.500</i>	Red	Tee
# KNAS-38.10-516x38.10-Tee-G	38.10 <i>1.500</i>	5/16-18 UNC (7.938mm)	38.10 <i>1.500</i>	Grey	Tee
# KNAS-38.10-516x38.10-Tee-B	38.10 <i>1.500</i>	5/16-18 UNC (7.938mm)	38.10 <i>1.500</i>	Black	Tee
# KNAS-38.10-516x38.10-Ros-Y	38.10 <i>1.500</i>	5/16-18 UNC (7.938mm)	38.10 <i>1.500</i>	Yellow	Rosette
# KNAS-38.10-516x38.10-Ros-R	38.10 <i>1.500</i>	5/16-18 UNC (7.938mm)	38.10 <i>1.500</i>	Red	Rosette
# KNAS-38.10-516x38.10-Ros-B	38.10 <i>1.500</i>	5/16-18 UNC (7.938mm)	38.10 <i>1.500</i>	Black	Rosette
# KNAS-38.10-516x38.10-Ros-G	38.10 <i>1.500</i>	5/16-18 UNC (7.938mm)	38.10 <i>1.500</i>	Grey	Rosette
# KNAS-38.10-38x19.05-Ros-B	38.10 <i>1.500</i>	3/8-16 UNC (9.525mm)	19.05 <i>0.750</i>	Black	Rosette
# KNAS-38.10-38x19.05-Ros-G	38.10 <i>1.500</i>	3/8-16 UNC (9.525mm)	19.05 <i>0.750</i>	Grey	Rosette

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Knobs - Thumb - With Cap Screw

Part Number	Major Diameter (A) mm	Screw Size	Screw Length mm	Colour	Style
	<i>inches</i>		<i>inches</i>		
# KNAS-38.10-38x19.05-Ros-R	38.10 <i>1.500</i>	3/8-16 UNC (9.525mm)	19.05 <i>0.750</i>	Red	Rosette
# KNAS-38.10-38x19.05-Ros-Y	38.10 <i>1.500</i>	3/8-16 UNC (9.525mm)	19.05 <i>0.750</i>	Yellow	Rosette
# KNAS-38.10-38x25.40-Ros-B	38.10 <i>1.500</i>	3/8-16 UNC (9.525mm)	25.40 <i>1.000</i>	Black	Rosette
# KNAS-38.10-38x25.40-Ros-G	38.10 <i>1.500</i>	3/8-16 UNC (9.525mm)	25.40 <i>1.000</i>	Grey	Rosette
# KNAS-38.10-38x25.40-Ros-R	38.10 <i>1.500</i>	3/8-16 UNC (9.525mm)	25.40 <i>1.000</i>	Red	Rosette
# KNAS-38.10-38x25.40-Ros-Y	38.10 <i>1.500</i>	3/8-16 UNC (9.525mm)	25.40 <i>1.000</i>	Yellow	Rosette
# KNAS-38.10-38x38.10-Ros-G	38.10 <i>1.500</i>	3/8-16 UNC (9.525mm)	38.10 <i>1.500</i>	Grey	Rosette
# KNAS-38.10-38x38.10-Ros-R	38.10 <i>1.500</i>	3/8-16 UNC (9.525mm)	38.10 <i>1.500</i>	Red	Rosette
# KNAS-38.10-38x38.10-Ros-B	38.10 <i>1.500</i>	3/8-16 UNC (9.525mm)	38.10 <i>1.500</i>	Black	Rosette
# KNAS-38.10-38x38.10-Ros-Y	38.10 <i>1.500</i>	3/8-16 UNC (9.525mm)	38.10 <i>1.500</i>	Yellow	Rosette

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Knobs - Thumb - With Cap Screw

Part Number	Major Diameter (A) mm	Screw Size	Screw Length mm	Colour	Style
	<i>inches</i>		<i>inches</i>		
# KNAS-44.45-38x19.05-Tee-G	44.45 <i>1.750</i>	3/8-16 UNC (9.525mm)	19.05 <i>0.750</i>	Grey	Tee
# KNAS-44.45-38x19.05-Tee-R	44.45 <i>1.750</i>	3/8-16 UNC (9.525mm)	19.05 <i>0.750</i>	Red	Tee
# KNAS-44.45-38x19.05-Tee-Y	44.45 <i>1.750</i>	3/8-16 UNC (9.525mm)	19.05 <i>0.750</i>	Yellow	Tee
# KNAS-44.45-38x19.05-Tee-B	44.45 <i>1.750</i>	3/8-16 UNC (9.525mm)	19.05 <i>0.750</i>	Black	Tee
# KNAS-44.45-38x25.40-Tee-B	44.45 <i>1.750</i>	3/8-16 UNC (9.525mm)	25.40 <i>1.000</i>	Black	Tee
# KNAS-44.45-38x25.40-Tee-G	44.45 <i>1.750</i>	3/8-16 UNC (9.525mm)	25.40 <i>1.000</i>	Grey	Tee
# KNAS-44.45-38x25.40-Tee-R	44.45 <i>1.750</i>	3/8-16 UNC (9.525mm)	25.40 <i>1.000</i>	Red	Tee
# KNAS-44.45-38x25.40-Tee-Y	44.45 <i>1.750</i>	3/8-16 UNC (9.525mm)	25.40 <i>1.000</i>	Yellow	Tee
# KNAS-44.45-38x38.10-Tee-Y	44.45 <i>1.750</i>	3/8-16 UNC (9.525mm)	38.10 <i>1.500</i>	Yellow	Tee
# KNAS-44.45-38x38.10-Tee-B	44.45 <i>1.750</i>	3/8-16 UNC (9.525mm)	38.10 <i>1.500</i>	Black	Tee

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Knobs - Thumb - With Cap Screw

Part Number	Major Diameter (A) mm <i>inches</i>	Screw Size	Screw Length mm <i>inches</i>	Colour	Style
# KNAS-44.45-38x38.10-Tee-G	44.45 <i>1.750</i>	3/8-16 UNC (9.525mm)	38.10 <i>1.500</i>	Grey	Tee
# KNAS-44.45-38x38.10-Tee-R	44.45 <i>1.750</i>	3/8-16 UNC (9.525mm)	38.10 <i>1.500</i>	Red	Tee

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to [catalogues@minibearings.com.au](mailto:catalogues@minibearings.com.au)

