




MBA

Leadscrew Nuts - Imperial - Supernuts - Acme



THREAD MOUNT SUPERNUTS™

Acme Leadscrew Nuts - Use with Acme Leadscrew and flanges for mounting

Leadscrew Nuts - Imperial - Supernuts - Acme

Part Number	Screw Size OD mm <i>inches</i>	Number of Threads Per Inch	Number of Starts	Lead mm <i>inches</i>	Efficiency %	Nut Outside (OD) / Length (L) mm <i>inches</i>	Mounting Thread (TH x C)	Design Load kg	Max Static Load kg
HB21SN-25161	6.350 <i>0.250</i>	16	1	1.600 <i>0.063</i>	48	15.875 / 12.700	9/16-18 x 3/16 inch long	20	102
# HB21SN-25201	6.350 <i>0.250</i>	20	1	1.270 <i>0.050</i>	41	15.875 / 12.700	9/16-18 x 3/16 inch long	20	102
# HB21SN-31082	7.938 <i>0.313</i>	8	2	6.350 <i>0.250</i>	72	19.050 / 19.050	5/8-18 UNF x 1/4 inch long	31	158

Indicates item not stocked at time of printing - Please enquire for lead time
 E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
 MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Leadscrew Nuts - Imperial - Supernuts - Acme

Part Number	Screw Size OD mm <i>inches</i>	Number of Threads Per Inch	Number of Starts	Lead mm <i>inches</i>	Efficiency %	Nut Outside (OD) / Length (L) mm <i>inches</i>	Mounting Thread (TH x C)	Design Load kg	Max Static Load kg
# HB21SN-31084	7.938 <i>0.313</i>	8	4	12.700 <i>0.500</i>	80	19.050 / 19.050	5/8-18 UNF x 1/4 inch long	31	158
# HB21SN-31122	7.938 <i>0.313</i>	12	2	4.242 <i>0.167</i>	65	19.050 / 19.050	5/8-18 UNF x 1/4 inch long	31	158
# HB21SN-37081	9.525 <i>0.375</i>	8	1	3.175 <i>0.125</i>	53	19.050 / 19.050	5/8-18 UNF x 1/4 inch long	31	158
HB21SN-37084	9.525 <i>0.375</i>	8	4	12.700 <i>0.500</i>	79	19.050 / 19.050	5/8-18 UNF x 1/4 inch long	31	158
# HB21SN-37101	9.525 <i>0.375</i>	10	1	2.540 <i>0.100</i>	49	19.050 / 19.050	5/8-18 UNF x 1/4 inch long	31	158
# HB21SN-37102	9.525 <i>0.375</i>	10	2	5.080 <i>0.200</i>	65	19.050 / 19.050	5/8-18 UNF x 1/4 inch long	31	158
# HB21SN-37114	9.525 <i>0.375</i>	11	4	9.525 <i>0.375</i>	75	19.050 / 19.050	5/8-18 UNF x 1/4 inch long	31	158
# HB21SN-37121	9.525 <i>0.375</i>	12	1	2.108 <i>0.083</i>	44	19.050 / 19.050	5/8-18 UNF x 1/4 inch long	31	158

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Leadscrew Nuts - Imperial - Supernuts - Acme

Part Number	Screw Size OD mm <i>inches</i>	Number of Threads Per Inch	Number of Starts	Lead mm <i>inches</i>	Efficiency %	Nut Outside (OD) / Length (L) mm <i>inches</i>	Mounting Thread (TH x C)	Design Load kg	Max Static Load kg
# HB21SN-37122	9.525 <i>0.375</i>	12	2	4.242 <i>0.167</i>	60	19.050 / 19.050	5/8-18 UNF x 1/4 inch long	31	158
# HB21SN-37161	9.525 <i>0.375</i>	16	1	1.600 <i>0.063</i>	36	19.050 / 19.050	5/8-18 UNF x 1/4 inch long	31	158
# HB21SN-43082	11.113 <i>0.438</i>	8	2	6.350 <i>0.250</i>	65	25.400 / 25.400	15/16-16 x 3/8 inch long	45	226
# HB21SN-43084	11.113 <i>0.438</i>	8	4	12.700 <i>0.500</i>	76	25.400 / 25.400	15/16-16 x 3/8 inch long	45	226
# HB21SN-50042	12.700 <i>0.500</i>	4	2	12.700 <i>0.500</i>	75	25.400 / 25.400	15/16-16 x 3/8 inch long	68	340
# HB21SN-50101	12.700 <i>0.500</i>	10	1	2.540 <i>0.100</i>	41	25.400 / 25.400	15/16-16 x 3/8 inch long	68	340
# HB21SN-50102	12.700 <i>0.500</i>	10	2	5.080 <i>0.200</i>	57	25.400 / 25.400	15/16-16 x 3/8 inch long	68	340
# HB21SN-62081	15.875 <i>0.625</i>	8	1	3.175 <i>0.125</i>	40	25.400 / 25.400	15/16-16 x 3/8 inch long	72	362

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Leadscrew Nuts - Imperial - Supernuts - Acme

Part Number	Screw Size OD mm	Number of Threads Per Inch	Number of Starts	Lead mm	Efficiency %	Nut Outside (OD) / Length (L) mm	Mounting Thread (TH x C)	Design Load kg	Max Static Load kg
	<i>inches</i>			<i>inches</i>		<i>inches</i>			
# HB21SN-62101	15.875	10	1	2.540	35	25.400 / 25.400	15/16-16 x 3/8 inch long	72	362
	<i>0.625</i>			<i>0.100</i>					
# HB21SN-62102	15.875	10	2	5.080	51	25.400 / 25.400	15/16-16 x 3/8 inch long	72	362
	<i>0.625</i>			<i>0.200</i>					
# HB21SN-75061	19.050	6	1	4.242	44	38.100 / 38.100	1 3/8-16 x 1/2 inch long	136	680
	<i>0.750</i>			<i>0.167</i>					
# HB21SN-75081	19.050	8	1	3.175	36	38.100 / 38.100	1 3/8-16 x 1/2 inch long	136	680
	<i>0.750</i>			<i>0.125</i>					
# HB21SN-75101	19.050	10	1	2.540	31	38.100 / 38.100	1 3/8-16 x 1/2 inch long	136	680
	<i>0.750</i>			<i>0.100</i>					
# HB21SN-10005	25.400	5	1	5.080	41	38.100 / 38.100	1 3/8-16 x 1/2 inch long	181	907
	<i>1.000</i>			<i>0.200</i>					
# HB21SN-10008	25.400	8	1	3.175	29	38.100 / 38.100	1 3/8-16 x 1/2 inch long	181	907
	<i>1.000</i>			<i>0.125</i>					
# HB21SN-10010	25.400	10	1	2.540	25	38.100 / 38.100	1 3/8-16 x 1/2 inch long	181	907
	<i>1.000</i>			<i>0.100</i>					

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Leadscrew Nuts - Imperial - Supernuts - Acme

Part Number	Screw Size OD mm	Number of Threads Per Inch	Number of Starts	Lead mm	Efficiency %	Nut Outside (OD) / Length (L) mm	Mounting Thread (TH x C)	Design Load kg	Max Static Load kg
	<i>inches</i>			<i>inches</i>		<i>inches</i>			
# HB21SNRL23559-1	MACH ACME NUT	-	-						
# HB21SNR25201	NUT	-	-						
# HB21SNR31082	MACH NUT 5/16- 8	-	-						
# HB21SNR37081051	SN3708SX	-	-						
# HB21SNR50101	SPR NUT 1/2- 10S	-	-						
# HB21SNR6210L	5/8-10 LH NUT	-	-						
# HB21SN-10044	ST NT 1-4	-	-						

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to catalogues@minibearings.com.au
