




MBA

Leadscrew Nuts - Metric - Round - Plastic - Nylon 6.6



Trapezoidal thread design. Use with metric leadscrews listed in separate category.

Material: Black Nylon 6.6.

Wear Measured by Weight Reduction: 1.94wt.-%.

Test Conditions: Load Direction: Horizontal Shaft Material: Stainless Steel Load: 10kg.

Test Conditions: Speed: 300Rpm Cycles: 10,000 Stroke: 160mm Lubrication: None.

Maintenance free. Support higher loads. Dry running. Dirt resistance.

Leadscrew Nuts - Metric - Round - Plastic - Nylon 6.6

Part Number	Suits Screw Diameter (d) mm	Lead / Pitch (P) mm	Direction mm	OD (D) mm	Length (C) mm	Contact Surface mm 2	Starts
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>		
# LKM123LH	12 <i>0.472</i>	3 <i>0.118</i>	Left Hand	26 <i>1.024</i>	24 <i>0.945</i>	280	1
# LKM123	12 <i>0.472</i>	3 <i>0.118</i>	Right Hand	26 <i>1.024</i>	24 <i>0.945</i>	280	1
# LKM126	12 <i>0.472</i>	6 / 3	Right Hand	26 <i>1.024</i>	24 <i>0.945</i>	280	2

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Leadscrew Nuts - Metric - Round - Plastic - Nylon 6.6

Part Number	Suits Screw Diameter (d) mm	Lead / Pitch (P) mm	Direction mm	OD (D) mm	Length (C) mm	Contact Surface mm 2	Starts
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>		
# LKM164LH	16 <i>0.630</i>	4 <i>0.157</i>	Left Hand	36 <i>1.417</i>	32 <i>1.260</i>	490	1
# LKM164	16 <i>0.630</i>	4 <i>0.157</i>	Right Hand	36 <i>1.417</i>	32 <i>1.260</i>	490	1
# LKM168	16 <i>0.630</i>	8 / 4	Right Hand	36 <i>1.417</i>	32 <i>1.260</i>	490	2
# LKM204LH	20 <i>0.787</i>	4 <i>0.157</i>	Left Hand	45 <i>1.772</i>	40 <i>1.575</i>	790	1
# LKM204	20 <i>0.787</i>	4 <i>0.157</i>	Right Hand	45 <i>1.772</i>	40 <i>1.575</i>	790	1
# LKM208	20 <i>0.787</i>	8 / 4	Right Hand	45 <i>1.772</i>	40 <i>1.575</i>	790	2
# LKM245LH	24 <i>0.945</i>	5 <i>0.197</i>	Left Hand	50 <i>1.969</i>	48 <i>1.890</i>	1130	1
# LKM245	24 <i>0.945</i>	5 <i>0.197</i>	Right Hand	50 <i>1.969</i>	48 <i>1.890</i>	1130	1
# LKM2410	24 <i>0.945</i>	10 / 5	Right Hand	50 <i>1.969</i>	48 <i>1.890</i>	1130	2
# LKM306LH	30 <i>1.181</i>	6 <i>0.236</i>	Left Hand	60 <i>2.362</i>	60 <i>2.362</i>	1780	1

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Leadscrew Nuts - Metric - Round - Plastic - Nylon 6.6

Part Number	Suits Screw Diameter (d) mm	Lead / Pitch (P) mm	Direction mm	OD (D) mm	Length (C) mm	Contact Surface mm 2	Starts
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>		
# LKM306	30 <i>1.181</i>	6 <i>0.236</i>	Right Hand	60 <i>2.362</i>	60 <i>2.362</i>	1780	1
# LKM3012	30 <i>1.181</i>	12 / 6	Right Hand	60 <i>2.362</i>	60 <i>2.362</i>	1780	2
# LKM366LH	36 <i>1.417</i>	6 <i>0.236</i>	Left Hand	75 <i>2.953</i>	72 <i>2.835</i>	2610	1
# LKM366	36 <i>1.417</i>	6 <i>0.236</i>	Right Hand	75 <i>2.953</i>	72 <i>2.835</i>	2610	1
# LKM3612	36 <i>1.417</i>	12 / 6	Right Hand	75 <i>2.953</i>	72 <i>2.835</i>	2610	2
# LKM407LH	40 <i>1.575</i>	7 <i>0.276</i>	Left Hand	80 <i>3.150</i>	80 <i>3.150</i>	3210	1
# LKM407	40 <i>1.575</i>	7 <i>0.276</i>	Right Hand	80 <i>3.150</i>	80 <i>3.150</i>	3210	1
# LKM4014	40 <i>1.575</i>	14 / 7	Right Hand	80 <i>3.150</i>	80 <i>3.150</i>	3210	2
# LKM508LH	50 <i>1.969</i>	8 <i>0.315</i>	Left Hand	90 <i>3.543</i>	100 <i>3.937</i>	5060	1
# LKM508	50 <i>1.969</i>	8 <i>0.315</i>	Right Hand	90 <i>3.543</i>	100 <i>3.937</i>	5060	1

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to catalogues@minibearings.com.au

