




MBA

Leadscrew Nuts - Metric - Supernuts - Acme



THREAD MOUNT SUPERNUTS™

Acme Leadscrew Nuts - Use with Acme Leadscrew and flanges for mounting

Leadscrew Nuts - Metric - Supernuts - Acme

Part Number	Screw Size OD	Number of Threads Per mm	Number of Starts	Lead mm	Efficiency %	Nut Outside (OD) / Length (L) mm	Mounting Thread (TH x C)	Design Load kg	Max Static Load kg
				<i>inches</i>		<i>inches</i>			
# HB21SNM10206	10.000	0.3	6	20	81	19.05 x 19.05	5/8-18 x 1/4 inch long	31.2	156
				<i>0.787</i>					
# HB21SNM10031	10.000	0.333	1	3	53	19.05 x 19.05	5/8-18 x 1/4 inch long	31.2	156
				<i>0.118</i>					
# HB21SNM10021	10.000	0.5	1	2	41	19.05 x 19.05	5/8-18 x 1/4 inch long	31.2	156
				<i>0.079</i>					

Leadscrew Nuts - Metric - Supernuts - Acme

Part Number	Screw Size OD	Number of Threads Per mm	Number of Starts	Lead mm <i>inches</i>	Efficiency %	Nut Outside (OD) / Length (L) mm <i>inches</i>	Mounting Thread (TH x C)	Design Load kg	Max Static Load kg
HB21SNM12052	12.000	0.4	2	5 <i>0.197</i>	59	25.40 x 25.40 <i>inches</i>	15/16 - 16 x 3/8 inch long	44.6	223
# HB21SNM16041	16.000	0.25	1	4 <i>0.157</i>	47	25.40 x 25.40	15/16 - 16 x 3/8 inch long	71.4	357
# HB21SNM20041	20.000	0.25	1	4 <i>0.157</i>	41	38.10 x 38.10	1.3/8 - 16 x 1/2 inch long	133.9	669
# HB21SNM24051	24.000	0.2	1	5 <i>0.197</i>	41	38.10 x 38.10	1.3/8 - 16 x 1/2 inch long	133.9	669

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to catalogues@minibearings.com.au

