




# MBA

## Leadscrews - Imperial - Acme



Acme Leadscrew Thread - Use with Acme Supernuts

### Leadscrews - Imperial - Acme

Part Number	Outside Diameter mm	Number of Threads Per Inch	Number of Starts	Root Diameter mm	Lead mm	Length mm
	<i>inches</i>			<i>inches</i>	<i>inches</i>	<i>inches</i>
# HB11SA-251611	6.350 <i>0.250</i>	16	1	4.318 <i>0.170</i>	1.6002 <i>0.063</i>	304.8 <i>12.000</i>
HB11SA-251613	6.350 <i>0.250</i>	16	1	4.318 <i>0.170</i>	1.6002 <i>0.063</i>	914.4 <i>36.000</i>
# HB11SA-251616	6.350 <i>0.250</i>	16	1	4.318 <i>0.170</i>	1.6002 <i>0.063</i>	1828.8 <i>72.000</i>
# HB11SA-252011	6.350 <i>0.250</i>	20	1	4.826 <i>0.190</i>	1.27 <i>0.050</i>	304.8 <i>12.000</i>
# HB11SA-252011LH	6.350 <i>0.250</i>	20 Left Hand	1	4.826 <i>0.190</i>	1.27 <i>0.050</i>	304.8 <i>12.000</i>

# Indicates item not stocked at time of printing - Please enquire for lead time  
 E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd  
 MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Leadscrews - Imperial - Acme

Part Number	Outside Diameter mm <i>inches</i>	Number of Threads Per Inch	Number of Starts	Root Diameter mm <i>inches</i>	Lead mm <i>inches</i>	Length mm <i>inches</i>
# HB11SA-252013	6.350 <i>0.250</i>	20	1	4.826 <i>0.190</i>	1.27 <i>0.050</i>	914.4 <i>36.000</i>
# HB11SA-252016	6.350 <i>0.250</i>	20	1	4.826 <i>0.190</i>	1.27 <i>0.050</i>	1828.8 <i>72.000</i>
# HB11SA-25201TAP	6.350 <i>0.250</i>	-	-			
# HB11SA-310821	7.938 <i>0.313</i>	8	2	5.842 <i>0.230</i>	6.35 <i>0.250</i>	304.8 <i>12.000</i>
# HB11SA-310826	7.938 <i>0.313</i>	8	2	5.842 <i>0.230</i>	6.35 <i>0.250</i>	1828.8 <i>72.000</i>
# HB11SA-31082-16	7.938 <i>0.313</i>	8	2	5.842 <i>0.230</i>	6.35 <i>0.250</i>	487.68 <i>19.200</i>
# HB11SA-310823	7.938 <i>0.313</i>	8	2	5.842 <i>0.230</i>	6.35 <i>0.250</i>	914.4 <i>36.000</i>
# HB11SA-310841	7.938 <i>0.313</i>	8	4	5.842 <i>0.230</i>	12.7 <i>0.500</i>	304.8 <i>12.000</i>
# HB11SA-310843	7.938 <i>0.313</i>	8	4	5.842 <i>0.230</i>	12.7 <i>0.500</i>	914.4 <i>36.000</i>
# HB11SA-310846	7.938 <i>0.313</i>	8	4	5.842 <i>0.230</i>	12.7 <i>0.500</i>	1828.8 <i>72.000</i>

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Leadscrews - Imperial - Acme

Part Number	Outside Diameter mm <i>inches</i>	Number of Threads Per Inch	Number of Starts	Root Diameter mm <i>inches</i>	Lead mm <i>inches</i>	Length mm <i>inches</i>
# HB11SA-311221	7.938 <i>0.313</i>	12	2	5.842 <i>0.230</i>	4.2418 <i>0.167</i>	304.8 <i>12.000</i>
HB11SA-311223	7.938 <i>0.313</i>	12	2	5.842 <i>0.230</i>	4.2418 <i>0.167</i>	914.4 <i>36.000</i>
# HB11SA-311226	7.938 <i>0.313</i>	12	2	5.842 <i>0.230</i>	4.2418 <i>0.167</i>	1828.8 <i>72.000</i>
# HB11SA-370456	9.525 <i>0.375</i>	4	5	6.096 <i>0.240</i>	30.48 <i>1.200</i>	1828.8 <i>72.000</i>
# HB11SA-370453	9.525 <i>0.375</i>	4	5	6.096 <i>0.240</i>	30.48 <i>1.200</i>	914.4 <i>36.000</i>
# HB11SA-370451	9.525 <i>0.375</i>	4	5	6.096 <i>0.240</i>	30.48 <i>1.200</i>	304.8 <i>12.000</i>
# HB11SA-370553	9.525 <i>0.375</i>	5	5	6.096 <i>0.240</i>	25.4 <i>1.000</i>	914.4 <i>36.000</i>
# HB11SA-370556	9.525 <i>0.375</i>	5	5	6.096 <i>0.240</i>	25.4 <i>1.000</i>	1828.8 <i>72.000</i>
# HB11SA-370551	9.525 <i>0.375</i>	5	5	6.096 <i>0.240</i>	25.4 <i>1.000</i>	304.8 <i>12.000</i>
# HB11SA-370841L	9.525 <i>0.375</i>	8 Left Hand	4	6.858 <i>0.270</i>	12.7 <i>0.500</i>	304.8 <i>12.000</i>

# Indicates item not stocked at time of printing - Please enquire for lead time  
E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd  
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Leadscrews - Imperial - Acme

Part Number	Outside Diameter mm <i>inches</i>	Number of Threads Per Inch	Number of Starts	Root Diameter mm <i>inches</i>	Lead mm <i>inches</i>	Length mm <i>inches</i>
# HB11SA-370846L	9.525 <i>0.375</i>	8 Left Hand	4	6.858 <i>0.270</i>	12.7 <i>0.500</i>	1828.8 <i>72.000</i>
# HB11SA-370846	9.525 <i>0.375</i>	8	4	6.858 <i>0.270</i>	12.7 <i>0.500</i>	1828.8 <i>72.000</i>
HB11SA-370843	9.525 <i>0.375</i>	8	4	6.858 <i>0.270</i>	12.7 <i>0.500</i>	914.4 <i>36.000</i>
# HB11SA-370841	9.525 <i>0.375</i>	8	4	6.858 <i>0.270</i>	12.7 <i>0.500</i>	304.8 <i>12.000</i>
# HB11SA-370843L	9.525 <i>0.375</i>	8 Left Hand	4	6.858 <i>0.270</i>	12.7 <i>0.500</i>	914.4 <i>36.000</i>
# HB11SA-370816	9.525 <i>0.375</i>	8	Stub	7.366 <i>0.290</i>	3.175 <i>0.125</i>	1828.8 <i>72.000</i>
# HB11SA-370813	9.525 <i>0.375</i>	8	Stub	7.366 <i>0.290</i>	3.175 <i>0.125</i>	914.4 <i>36.000</i>
# HB11SA-370812	9.525 <i>0.375</i>	8	Stub	7.366 <i>0.290</i>	3.175 <i>0.125</i>	609.6 <i>24.000</i>
# HB11SA-370811	9.525 <i>0.375</i>	8	Stub	7.366 <i>0.290</i>	3.175 <i>0.125</i>	304.8 <i>12.000</i>
# HB11SA-371011	9.525 <i>0.375</i>	10	1	6.604 <i>0.260</i>	2.54 <i>0.100</i>	304.8 <i>12.000</i>

# Indicates item not stocked at time of printing - Please enquire for lead time  
 E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd  
 MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Leadscrews - Imperial - Acme

Part Number	Outside Diameter mm <i>inches</i>	Number of Threads Per Inch	Number of Starts	Root Diameter mm <i>inches</i>	Lead mm <i>inches</i>	Length mm <i>inches</i>
# HB11SA-371013	9.525 <i>0.375</i>	10	1	6.604 <i>0.260</i>	2.54 <i>0.100</i>	914.4 <i>36.000</i>
# HB11SA-371016	9.525 <i>0.375</i>	10	1	6.604 <i>0.260</i>	2.54 <i>0.100</i>	1828.8 <i>72.000</i>
# HB11SA-371026	9.525 <i>0.375</i>	10	2	6.604 <i>0.260</i>	5.08 <i>0.200</i>	1828.8 <i>72.000</i>
# HB11SA-371021	9.525 <i>0.375</i>	10	2	6.604 <i>0.260</i>	5.08 <i>0.200</i>	304.8 <i>12.000</i>
# HB11SA-371023	9.525 <i>0.375</i>	10	2	6.604 <i>0.260</i>	5.08 <i>0.200</i>	914.4 <i>36.000</i>
# HB11SA-371146	9.525 <i>0.375</i>	11	4	6.858 <i>0.270</i>	9.525 <i>0.375</i>	1828.8 <i>72.000</i>
# HB11SA-371143	9.525 <i>0.375</i>	11	4	6.858 <i>0.270</i>	9.525 <i>0.375</i>	914.4 <i>36.000</i>
# HB11SA-371141	9.525 <i>0.375</i>	11	4	6.858 <i>0.270</i>	9.525 <i>0.375</i>	304.8 <i>12.000</i>
# HB11SA-371216	9.525 <i>0.375</i>	12	1	7.112 <i>0.280</i>	2.1082 <i>0.083</i>	1828.8 <i>72.000</i>
# HB11SA-371213	9.525 <i>0.375</i>	12	1	7.112 <i>0.280</i>	2.1082 <i>0.083</i>	914.4 <i>36.000</i>

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Leadscrews - Imperial - Acme

Part Number	Outside Diameter mm <i>inches</i>	Number of Threads Per Inch	Number of Starts	Root Diameter mm <i>inches</i>	Lead mm <i>inches</i>	Length mm <i>inches</i>
# HB11SA-371211	9.525 <i>0.375</i>	12	1	7.112 <i>0.280</i>	2.1082 <i>0.083</i>	304.8 <i>12.000</i>
# HB11SA-371226	9.525 <i>0.375</i>	12	2	7.874 <i>0.310</i>	4.2418 <i>0.167</i>	1828.8 <i>72.000</i>
# HB11SA-371223	9.525 <i>0.375</i>	12	2	7.874 <i>0.310</i>	4.2418 <i>0.167</i>	914.4 <i>36.000</i>
# HB11SA-371221	9.525 <i>0.375</i>	12	2	7.874 <i>0.310</i>	4.2418 <i>0.167</i>	304.8 <i>12.000</i>
# HB11SA-371616	9.525 <i>0.375</i>	16	1	7.62 <i>0.300</i>	1.6002 <i>0.063</i>	1828.8 <i>72.000</i>
# HB11SA-371613	9.525 <i>0.375</i>	16	1	7.62 <i>0.300</i>	1.6002 <i>0.063</i>	914.4 <i>36.000</i>
# HB11SA-371611	9.525 <i>0.375</i>	16	1	7.62 <i>0.300</i>	1.6002 <i>0.063</i>	304.8 <i>12.000</i>
# HB11SA-430822	11.113 <i>0.438</i>	8	2	9.144 <i>0.360</i>	6.35 <i>0.250</i>	609.6 <i>24.000</i>
# HB11SA-430824	11.113 <i>0.438</i>	8	2	9.144 <i>0.360</i>	6.35 <i>0.250</i>	1219.2 <i>48.000</i>
# HB11SA-430826	11.113 <i>0.438</i>	8	2	9.144 <i>0.360</i>	6.35 <i>0.250</i>	1828.8 <i>72.000</i>

# Indicates item not stocked at time of printing - Please enquire for lead time  
 E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd  
 MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Leadscrews - Imperial - Acme

Part Number	Outside Diameter mm <i>inches</i>	Number of Threads Per Inch	Number of Starts	Root Diameter mm <i>inches</i>	Lead mm <i>inches</i>	Length mm <i>inches</i>
# HB11SA-430842	11.113 <i>0.438</i>	8	4	9.144 <i>0.360</i>	12.7 <i>0.500</i>	609.6 <i>24.000</i>
# HB11SA-430844	11.113 <i>0.438</i>	8	4	9.144 <i>0.360</i>	12.7 <i>0.500</i>	1219.2 <i>48.000</i>
# HB11SA-430846	11.113 <i>0.438</i>	8	4	9.144 <i>0.360</i>	12.7 <i>0.500</i>	1828.8 <i>72.000</i>
# HB11SA-500422	12.700 <i>0.500</i>	4	2	9.906 <i>0.390</i>	12.7 <i>0.500</i>	609.6 <i>24.000</i>
# HB11SA-500424	12.700 <i>0.500</i>	4	2	9.906 <i>0.390</i>	12.7 <i>0.500</i>	1219.2 <i>48.000</i>
# HB11SA-500426	12.700 <i>0.500</i>	4	2	9.906 <i>0.390</i>	12.7 <i>0.500</i>	1828.8 <i>72.000</i>
# HB11SA-501014	12.700 <i>0.500</i>	10	1	9.906 <i>0.390</i>	2.54 <i>0.100</i>	1219.2 <i>48.000</i>
# HB11SA-501016	12.700 <i>0.500</i>	10	1	9.906 <i>0.390</i>	2.54 <i>0.100</i>	1828.8 <i>72.000</i>
# HB11SA-501012	12.700 <i>0.500</i>	10	1	9.906 <i>0.390</i>	2.54 <i>0.100</i>	609.6 <i>24.000</i>
# HB11SA-501022	12.700 <i>0.500</i>	10	2	9.906 <i>0.390</i>	5.08 <i>0.200</i>	609.6 <i>24.000</i>

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Leadscrews - Imperial - Acme

Part Number	Outside Diameter mm <i>inches</i>	Number of Threads Per Inch	Number of Starts	Root Diameter mm <i>inches</i>	Lead mm <i>inches</i>	Length mm <i>inches</i>
# HB11SA-501024	12.700 <i>0.500</i>	10	2	9.906 <i>0.390</i>	5.08 <i>0.200</i>	1219.2 <i>48.000</i>
# HB11SA-501026	12.700 <i>0.500</i>	10	2	9.906 <i>0.390</i>	5.08 <i>0.200</i>	1828.8 <i>72.000</i>
# HB11SA-501012L	12.700 <i>0.500</i>	10 Left Hand	1	9.906 <i>0.390</i>	2.54 <i>0.100</i>	609.6 <i>24.000</i>
# HB11SA-620816	15.875 <i>0.625</i>	8	1	13.208 <i>0.520</i>	3.175 <i>0.125</i>	1828.8 <i>72.000</i>
# HB11SA-620812	15.875 <i>0.625</i>	8	1	13.208 <i>0.520</i>	3.175 <i>0.125</i>	609.6 <i>24.000</i>
# HB11SA-620814	15.875 <i>0.625</i>	8	1	13.208 <i>0.520</i>	3.175 <i>0.125</i>	1219.2 <i>48.000</i>
# HB11SA-621012L	15.875 <i>0.625</i>	10 Left Hand	1	13.208 <i>0.520</i>	2.54 <i>0.100</i>	609.6 <i>24.000</i>
# HB11SA-621013	15.875 <i>0.625</i>	10	1	13.208 <i>0.520</i>	2.54 <i>0.100</i>	914.4 <i>36.000</i>
# HB11SA-621016	15.875 <i>0.625</i>	10	1	13.208 <i>0.520</i>	2.54 <i>0.100</i>	1828.8 <i>72.000</i>
# HB11SA-621014	15.875 <i>0.625</i>	10	1	13.208 <i>0.520</i>	2.54 <i>0.100</i>	1219.2 <i>48.000</i>

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Leadscrews - Imperial - Acme

Part Number	Outside Diameter mm <i>inches</i>	Number of Threads Per Inch	Number of Starts	Root Diameter mm <i>inches</i>	Lead mm <i>inches</i>	Length mm <i>inches</i>
# HB11SA-621012	15.875 <i>0.625</i>	10	1	13.208 <i>0.520</i>	2.54 <i>0.100</i>	609.6 <i>24.000</i>
# HB11SA-621026	15.875 <i>0.625</i>	10	2	13.208 <i>0.520</i>	5.08 <i>0.200</i>	1828.8 <i>72.000</i>
# HB11SA-621024	15.875 <i>0.625</i>	10	2	13.208 <i>0.520</i>	5.08 <i>0.200</i>	1219.2 <i>48.000</i>
# HB11SA-621022	15.875 <i>0.625</i>	10	2	13.208 <i>0.520</i>	5.08 <i>0.200</i>	609.6 <i>24.000</i>
# HB11SA-750616	19.050 <i>0.750</i>	6	1	14.224 <i>0.560</i>	4.2418 <i>0.167</i>	1828.8 <i>72.000</i>
# HB11SA-750616L	19.050 <i>0.750</i>	6 Left Hand	1	14.224 <i>0.560</i>	4.2418 <i>0.167</i>	1828.8 <i>72.000</i>
# HB11SA-750614L	19.050 <i>0.750</i>	6 Left Hand	1	14.224 <i>0.560</i>	4.2418 <i>0.167</i>	1219.2 <i>48.000</i>
# HB11SA-750614	19.050 <i>0.750</i>	6	1	14.224 <i>0.560</i>	4.2418 <i>0.167</i>	1219.2 <i>48.000</i>
# HB11SA-750612L	19.050 <i>0.750</i>	6 Left Hand	1	14.224 <i>0.560</i>	4.2418 <i>0.167</i>	609.6 <i>24.000</i>
# HB11SA-750612	19.050 <i>0.750</i>	6	1	14.224 <i>0.560</i>	4.2418 <i>0.167</i>	609.6 <i>24.000</i>

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Leadscrews - Imperial - Acme

Part Number	Outside Diameter mm <i>inches</i>	Number of Threads Per Inch	Number of Starts	Root Diameter mm <i>inches</i>	Lead mm <i>inches</i>	Length mm <i>inches</i>
# HB11SA-750816	19.050 <i>0.750</i>	8	1	15.494 <i>0.610</i>	3.175 <i>0.125</i>	1828.8 <i>72.000</i>
# HB11SA-750814	19.050 <i>0.750</i>	8	1	15.494 <i>0.610</i>	3.175 <i>0.125</i>	1219.2 <i>48.000</i>
# HB11SA-750812	19.050 <i>0.750</i>	8	1	15.494 <i>0.610</i>	3.175 <i>0.125</i>	609.6 <i>24.000</i>
# HB11SA-751012	19.050 <i>0.750</i>	10	1	16.002 <i>0.630</i>	2.54 <i>0.100</i>	609.6 <i>24.000</i>
# HB11SA-751016	19.050 <i>0.750</i>	10	1	16.002 <i>0.630</i>	2.54 <i>0.100</i>	1828.8 <i>72.000</i>
# HB11SA-751014	19.050 <i>0.750</i>	10	1	16.002 <i>0.630</i>	2.54 <i>0.100</i>	1219.2 <i>48.000</i>
# HB11SA-100052	25.400 <i>1.000</i>	5	1	19.812 <i>0.780</i>	2.54 <i>0.100</i>	609.6 <i>24.000</i>
# HB11SA-100054	25.400 <i>1.000</i>	8	1	21.844 <i>0.860</i>	5.08 <i>0.200</i>	1219.2 <i>48.000</i>
# HB11SA-100082	25.400 <i>1.000</i>	8	1	21.844 <i>0.860</i>	3.175 <i>0.125</i>	609.6 <i>24.000</i>
# HB11SA-100084	25.400 <i>1.000</i>	8	1	21.844 <i>0.860</i>	3.175 <i>0.125</i>	1219.2 <i>48.000</i>

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Leadscrews - Imperial - Acme

Part Number	Outside Diameter mm <i>inches</i>	Number of Threads Per Inch	Number of Starts	Root Diameter mm <i>inches</i>	Lead mm <i>inches</i>	Length mm <i>inches</i>
# HB11SA-100086	25.400 <i>1.000</i>	8	1	21.844 <i>0.860</i>	3.175 <i>0.125</i>	1828.8 <i>72.000</i>
# HB11SA-100056	25.400 <i>1.000</i>	10	1	22.352 <i>0.880</i>	9.525 <i>0.375</i>	1828.8 <i>72.000</i>
# HB11SA-100102	25.400 <i>1.000</i>	10	1	22.352 <i>0.880</i>	2.54 <i>0.100</i>	609.6 <i>24.000</i>
# HB11SA-100104	25.400 <i>1.000</i>	10	1	22.352 <i>0.880</i>	2.54 <i>0.100</i>	1219.2 <i>48.000</i>
# HB11SA-100106	25.400 <i>1.000</i>	10	1	22.352 <i>0.880</i>	2.54 <i>0.100</i>	1828.8 <i>72.000</i>
# HB11SA-25480.5	1/4-48 6LEN	-	-			
# HB11SA-110106	ACME LEAD SCREW	-	-			
# HB11SA-378043L	3/8 ACME LH	-	-			
# HB11SA-31084-6.3	5/16-6.3LEN	-	-			
# HB11SA-31084-6.1	ACME SCREW 5/16	-	-			
# HB11SA-750814LH	ACME SCREW LH	-	-			1219.2 <i>48.000</i>
# HB11SA-6210210	LEAD SCREW 10FT	-	-			3657.6 <i>144.000</i>

# Indicates item not stocked at time of printing - Please enquire for lead time  
 E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd  
 MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Leadscrews - Imperial - Acme

Part Number	Outside Diameter mm <i>inches</i>	Number of Threads Per Inch	Number of Starts	Root Diameter mm <i>inches</i>	Lead mm <i>inches</i>	Length mm <i>inches</i>
# HB11SA-62101SPL2	ACME SCREW SPL	-	-			3048 <i>120.000</i>
# HB11SA-37081TAP	37081 SCREW TAP	-	Stub	7.366 <i>0.290</i>	3.175 <i>0.125</i>	304.8 <i>12.000</i>
# HB11SA-62101SPL1	ACME SCREW SPL	-	-			2438.4 <i>96.000</i>
# HB11SA-1004412	L.S. 1-4-4 12'	-	-			

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to [catalogues@minibearings.com.au](mailto:catalogues@minibearings.com.au)

