




MBA

Levers - Control Handles - Flat



Steel Parts: Quality class 5.8.

Ball Knob: Black duroplastic FS31 / Surface Finish: Black oxide.

Can be used for simpler clamping applications and switching operations.

If necessary there must be enough space to turn the handle through an angle of 360°.

The star drive hole model is designed to allow turning in steps of 45°.

Levers - Control Handles - Flat

Part Number	Type	To Fit	Centre Ball Length mm	Ball Diameter mm	Base Height mm	Centre Ball Height mm	Centre Shaft Height (H2) mm	Base Diameter mm	Shaft Diameter mm	A1 mm
			<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>
FCH01F6	Fitting Hole	6.00	75.00	20.00	14.00	22.00	8.50	25.00	8.00	12.00
			<i>2.953</i>	<i>0.787</i>	<i>0.551</i>	<i>0.866</i>	<i>0.335</i>	<i>0.984</i>	<i>0.315</i>	<i>0.472</i>
# FCH01F8	Fitting Hole	8.00	75.00	20.00	14.00	22.00	8.50	25.00	8.00	12.00
			<i>2.953</i>	<i>0.787</i>	<i>0.551</i>	<i>0.866</i>	<i>0.335</i>	<i>0.984</i>	<i>0.315</i>	<i>0.472</i>
# FCH01F10	Fitting Hole	10.00	75.00	20.00	14.00	22.00	8.50	25.00	8.00	12.00
			<i>2.953</i>	<i>0.787</i>	<i>0.551</i>	<i>0.866</i>	<i>0.335</i>	<i>0.984</i>	<i>0.315</i>	<i>0.472</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Levers - Control Handles - Flat

Part Number	Type	To Fit	Centre Ball Length mm	Ball Diameter mm	Base Height mm	Centre Ball Height mm	Centre Shaft Height (H2) mm	Base Diameter mm	Shaft Diameter mm	A1 mm
			<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>
# FCH02F12	Fitting Hole	12.00	100.00 <i>3.937</i>	25.00 <i>0.984</i>	17.00 <i>0.669</i>	27.00 <i>1.063</i>	10.00 <i>0.394</i>	33.00 <i>1.299</i>	10.00 <i>0.394</i>	15.00 <i>0.591</i>
# FCH02F16	Fitting Hole	16.00	100.00 <i>3.937</i>	25.00 <i>0.984</i>	17.00 <i>0.669</i>	27.00 <i>1.063</i>	10.00 <i>0.394</i>	33.00 <i>1.299</i>	10.00 <i>0.394</i>	15.00 <i>0.591</i>
# FCH03F20	Fitting Hole	20.00	128.00 <i>5.039</i>	30.00 <i>1.181</i>	20.00 <i>0.787</i>	36.00 <i>1.417</i>	11.50 <i>0.453</i>	41.00 <i>1.614</i>	12.00 <i>0.472</i>	15.00 <i>0.591</i>
# FCH03F24	Fitting Hole	24.00	128.00 <i>5.039</i>	30.00 <i>1.181</i>	20.00 <i>0.787</i>	36.00 <i>1.417</i>	11.50 <i>0.453</i>	41.00 <i>1.614</i>	12.00 <i>0.472</i>	15.00 <i>0.591</i>
# FCH01M6	Internal Thread	M6	75.00 <i>2.953</i>	20.00 <i>0.787</i>	14.00 <i>0.551</i>	22.00 <i>0.866</i>	8.50 <i>0.335</i>	25.00 <i>0.984</i>	8.00 <i>0.315</i>	12.00 <i>0.472</i>
# FCH01M8	Internal Thread	M8	75.00 <i>2.953</i>	20.00 <i>0.787</i>	14.00 <i>0.551</i>	22.00 <i>0.866</i>	8.50 <i>0.335</i>	25.00 <i>0.984</i>	8.00 <i>0.315</i>	12.00 <i>0.472</i>
# FCH01M10	Internal Thread	M10	75.00 <i>2.953</i>	20.00 <i>0.787</i>	14.00 <i>0.551</i>	22.00 <i>0.866</i>	8.50 <i>0.335</i>	25.00 <i>0.984</i>	8.00 <i>0.315</i>	12.00 <i>0.472</i>
# FCH02M12	Internal Thread	M12	100.00 <i>3.937</i>	25.00 <i>0.984</i>	17.00 <i>0.669</i>	27.00 <i>1.063</i>	10.00 <i>0.394</i>	33.00 <i>1.299</i>	10.00 <i>0.394</i>	15.00 <i>0.591</i>
# FCH02M16	Internal Thread	M16	100.00 <i>3.937</i>	25.00 <i>0.984</i>	17.00 <i>0.669</i>	27.00 <i>1.063</i>	10.00 <i>0.394</i>	33.00 <i>1.299</i>	10.00 <i>0.394</i>	15.00 <i>0.591</i>
# FCH03M20	Internal Thread	M20	128.00 <i>5.039</i>	30.00 <i>1.181</i>	20.00 <i>0.787</i>	36.00 <i>1.417</i>	11.50 <i>0.453</i>	41.00 <i>1.614</i>	12.00 <i>0.472</i>	15.00 <i>0.591</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Levers - Control Handles - Flat

Part Number	Type	To Fit	Centre Ball Length mm	Ball Diameter mm	Base Height mm	Centre Ball Height mm	Centre Shaft Height (H2) mm	Base Diameter mm	Shaft Diameter mm	A1 mm
			<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>
# FCH03M24	Internal Thread	M24	128.00 <i>5.039</i>	30.00 <i>1.181</i>	20.00 <i>0.787</i>	36.00 <i>1.417</i>	11.50 <i>0.453</i>	41.00 <i>1.614</i>	12.00 <i>0.472</i>	15.00 <i>0.591</i>
# FCH01S5.5	Star Drive Hole	5.50	75.00 <i>2.953</i>	20.00 <i>0.787</i>	14.00 <i>0.551</i>	22.00 <i>0.866</i>	8.50 <i>0.335</i>	25.00 <i>0.984</i>	8.00 <i>0.315</i>	12.00 <i>0.472</i>
# FCH01S7	Star Drive Hole	7.00	75.00 <i>2.953</i>	20.00 <i>0.787</i>	14.00 <i>0.551</i>	22.00 <i>0.866</i>	8.50 <i>0.335</i>	25.00 <i>0.984</i>	8.00 <i>0.315</i>	12.00 <i>0.472</i>
# FCH02S9	Star Drive Hole	9.00	100.00 <i>3.937</i>	25.00 <i>0.984</i>	17.00 <i>0.669</i>	27.00 <i>1.063</i>	10.00 <i>0.394</i>	33.00 <i>1.299</i>	10.00 <i>0.394</i>	15.00 <i>0.591</i>
# FCH02S11	Star Drive Hole	11.00	100.00 <i>3.937</i>	25.00 <i>0.984</i>	17.00 <i>0.669</i>	27.00 <i>1.063</i>	10.00 <i>0.394</i>	33.00 <i>1.299</i>	10.00 <i>0.394</i>	15.00 <i>0.591</i>
# FCH03S14	Star Drive Hole	14.00	128.00 <i>5.039</i>	30.00 <i>1.181</i>	20.00 <i>0.787</i>	36.00 <i>1.417</i>	11.50 <i>0.453</i>	41.00 <i>1.614</i>	12.00 <i>0.472</i>	15.00 <i>0.591</i>
# FCH03S19	Star Drive Hole	19.00	128.00 <i>5.039</i>	30.00 <i>1.181</i>	20.00 <i>0.787</i>	36.00 <i>1.417</i>	11.50 <i>0.453</i>	41.00 <i>1.614</i>	12.00 <i>0.472</i>	15.00 <i>0.591</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to catalogues@minibearings.com.au

