



# MBA

## Lubricants - General

Various brands and types.

Some items in this category are marked as only available for collection.

### Lubricants - General

Part Number	Type	Description	Brand	Pack Size	Deliveries	Information	Information
Anti-Seize-Nickel-85	Anti-Seize	For Stainless Steel and non ferrous metals	Molytec	85 gram Tube		For Non Ferrous Metals	Protects against seizure of Metal Parts
ProTecta-285g	Chain and Cable Lubricant	Spray Lube	ProTecta	285 gram Aerosol Can	NO DELIVERIES. This item may only be ordered for collection at counter.	Industrial grade lubricant. Adjustable spray tip for low to high applications.	Adheres to metal for long protection.
ChainLube-300g	Chain and Cable Lubricant	Chain and Cable Lubricant	Molytec	300 gram Aerosol Can	NO DELIVERIES. This item may only be ordered for collection at counter.	A non fling, water resistant extreme pressure lubricant containing Molybdenum Disulphide.	For the protection and lubrication of chains, linkages, cables, wire ropes etc.

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Lubricants - General

Part Number	Type	Description	Brand	Pack Size	Deliveries	Information	Information
CuttingFluid-350g	Cutting	Molyslip Metal Working Fluid	Molytec	350 ml Bottle	NO DELIVERIES. This item may only be ordered for collection at counter.	Metal working fluid with high film strength, anti-weld & extreme pressure properties.	Vital to combat the enormous pressure developed during metal working.
CuttingSpray-400ml	Cutting	Molyslip Metal Working Spray	Molytec	400 ml Aerosol Can	NO DELIVERIES. This item may only be ordered for collection at counter.	High performance metal working fluid with extreme pressure anti-weld additives.	Can be used for the toughest of metals to reduce heat and improve dimensional stability of surface.
CuttingCompound-450	Cutting	Molyslip Metal Cutting Compound	Molytec	450 gram Tin		Low melting point compound for use with all metals including titanium and nimonics.	Contains Molybdenum Disulphide to provide extreme pressure performance and lubricity.
INOX-MX12-175g	Dry Film Lubricant	PTFE Supa Glide	Inox	175 gram Aerosol Can	NO DELIVERIES. This item may only be ordered for collection at counter.	A fast drying resin bonded PTFE dry film lubricant. Suitable for timber, plastics, metal and more.	For low-friction, light load repetitive stresses. Allows moving parts to wear longer & work harder.
# MolyLube-300g	Dry Film Lubricant	Molybdenum Disulphide Spray	Molytec	300 gram Aerosol Can	NO DELIVERIES. This item may only be ordered for collection at counter.	Molybdenum Disulphide with Bonding Resin	Provides lubrication in difficult areas
Grease-Silicone-25g	Grease	Silicone Lubricant	Molytec	25 gram Tube		High performance translucent non-toxic silicone paste. Lubricant & protectant for rubber/metal parts	Non-conductive, water resistant and protects against corrosion.

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Lubricants - General

Part Number	Type	Description	Brand	Pack Size	Deliveries	Information	Information
Grease-MX6-30g	Grease	Food Grade Machinery Grease	Inox	30 gram Tube		PTFE - High Temperature (No Melt) - Extreme Pressure	Formulated to give premium performance and food grade purity.
Grease-Silicone-100g	Grease	Silicone Lubricant	Molytec	100 gram Tube		High performance translucent non-toxic silicone paste. Lubricant & protectant for rubber/metal parts	Non-conductive, water resistant and protects against corrosion.
Grease-MX7-125g	Grease	Extreme Pressure PTFE Paste	Inox	125 gram Tube		Extreme Pressure Anti-Friction Applications - Contains Anti-Corrosion Additives	Engine & Cylinder Head Assembly - Injection Mould Tool Lubricant - Equipment Assembly
Grease-White-300-CRC	Grease	White Spray with PTFE	CRC	300 gram Aerosol Can	NO DELIVERIES. This item may only be ordered for collection at counter.		
# Spray-Grease-300g	Grease	General Purpose Spray Grease	Molytec	300 gram Aerosol Can	NO DELIVERIES. This item may only be ordered for collection at counter.	Sprays as liquid and sets to tacky grease	
# Grease-White-300g	Grease	White Spray Grease	Molytec	300 gram Aerosol Can	NO DELIVERIES. This item may only be ordered for collection at counter.	Food Grade Grease designed to give lubrication and protection.	Water resistant with rust and oxidation inhibitors.

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Lubricants - General

Part Number	Type	Description	Brand	Pack Size	Deliveries	Information	Information
Grease-Molytac2-450g	Grease	Molytac 2	Molytec	450 gram Cartridge		High quality, multi-purpose, extreme pressure, water resistant No 2 NLGI grade grease.	Contains 3% molybdenum disulphide. Ideal for CV joints and has many industrial bearing applications.
Grease-Marine-450g	Grease	Marine Grade	Molytec	450 gram Tub		No 2 NLGI lithium complex, high load carrying and superior water resistant multi-purpose grease.	Recommended for marine trailer and other bearings that are prone to water contamination.
# Grease-MX6-450g	Grease	Food Grade Machinery Grease	Inox	450 gram Cartridge		PTFE - High Temperature (No Melt) - Extreme Pressure	Formulated to give premium performance and food grade purity.
Grease-PTFE-500g	Grease	MX8 Extreme Pressure PTFE Grease	Inox	500 gram Tub		Extreme pressure & anti-wear properties gives long service life under high loading & shock loading.	Recommended for sealed for life anti-friction bearings.
Grease-Molytac2-2.5kg	Grease	Molytac 2	Molytec	2.5 kg Pail		High quality, multi-purpose, extreme pressure, water resistant No 2 NLGI grade grease.	Contains 3% molybdenum disulphide. Ideal for CV joints and has many industrial bearing applications.
# Grease-MX8-2.5kg	Grease	MX8 Extreme Pressure PTFE Grease	Inox	2.5 kg Tub		Extreme pressure & anti-wear properties gives long service life under high loading & shock loading.	Engine & Cylinder Head Assembly - Injection Mould Tool Lubricant - Equipment Assembly

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Lubricants - General

Part Number	Type	Description	Brand	Pack Size	Deliveries	Information	Information
INOX-MX3-100g	Moisture Inhibitor	MX3 Anti-Moisture Anti-Corrosion Lubricant	Inox	100 gram Aerosol Can	NO DELIVERIES. This item may only be ordered for collection at counter.	Doesn't dry out, gum up, become goeey or sticky or wash off with water!	Non-conductive, non-static, non-toxic, non-corrosive and non-staining.
INOX-MX3-125ml	Moisture Inhibitor	MX3 Anti-Moisture Anti-Corrosion Lubricant	Inox	125 ml Pump Pack		Doesn't dry out, gum up, become goeey or sticky or wash off with water!	Non-conductive, non-static, non-toxic, non-corrosive and non-staining.
INOX-MX3-300g	Moisture Inhibitor	MX3 Anti-Moisture Anti-Corrosion Lubricant	Inox	300 gram Aerosol Can	NO DELIVERIES. This item may only be ordered for collection at counter.	Doesn't dry out, gum up, become goeey or sticky or wash off with water!	Non-conductive, non-static, non-toxic, non-corrosive and non-staining.
# Supa-Squirt-400g	Moisture Inhibitor	Supa Squirt WD2000	Molytec	400 gram Aerosol Can	NO DELIVERIES. This item may only be ordered for collection at counter.	Powerful water dispersing, lubricating and penetrating fluid containing Teflon.	Lubricates & loosens nuts, bolts, etc. Protects machinery, toys, guns, fishing tackle, etc.
INOX-MX3-5L	Moisture Inhibitor	MX3 Anti-Moisture Anti-Corrosion Lubricant	Inox	5 Litre Bottle	NO DELIVERIES. This item may only be ordered for collection at counter.	Doesn't dry out, gum up, become goeey or sticky or wash off with water!	Non-conductive, non-static, non-toxic, non-corrosive and non-staining.
# INOX-MX3-20L	Moisture Inhibitor	MX3 Anti-Moisture Anti-Corrosion Lubricant	Inox	20 Litre Drum	NO DELIVERIES. This item may only be ordered for collection at counter.	Doesn't dry out, gum up, become goeey or sticky or wash off with water!	Non-conductive, non-static, non-toxic, non-corrosive and non-staining.
OIL-PEN-12	Oil	Oil Dispenser Pen	Lubra Metallic	12 ml Pen		General purpose handy drip oil pen.	

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Lubricants - General

Part Number	Type	Description	Brand	Pack Size	Deliveries	Information	Information
ProTectaOil-45ml	Oil	Lubricating oil in precision dropper.	ProTecta	45 ml Bottle		One drop withstands up to 80,000 lbs of pressure. Can be used for cutting applications.	Withstands high temperatures over 600 degrees and below zero applicatons.
OIL-SR24-240	Oil	Model Railway Oil	SR24 Modellbahnl	240 ml Bottle		General Purpose for cleaning engines and tracks - can be used as smoke oil.	Non combustibile - does not attack plastics. Very light oil.
Oil-Penetrating-400	Oil	Liquid Spanner Penetrating Spray	Molytec	400 g spray	NO DELIVERIES. This item may only be ordered for collection at counter.	High strength penetrating and releasing fluid.	Use on heavily corroded nuts, bolts and machinery parts.
SiliconeSpray-250M	Silicone Spray	Spraysafe Silicone Spray	Molytec	250 Gram Spray	NO DELIVERIES. This item may only be ordered for collection at counter.	High quality food grade silicone spray. Colourless and odourless protective lubricant.	Non conductive and water resistant. Will not affect plastics or polycarbonates.
SAF-1RS	Anti-Seize	Heat resistant with graphite		29 gram (1 oz.)		Use on threaded parts, bushings, gears, valve stems, chain and sprockets	Copper/Aluminium/Graphite base. -51 to 1000 Deg C
WD-10135RS	Oil	General Purpose Oil	3 IN 1	88ml (3 oz.)		Unique spout to assist with precise application	
# WD-10138RS	Oil	General Purpose Oil	3 IN 1	236ml (8 oz.)		Unique spout to assist with precise application	
# WD-10134RS	Oil	General Purpose Oil	3 IN 1	118ml (4 oz.)		Telescoping Spout	

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Lubricants - General

Part Number	Type	Description	Brand	Pack Size	Deliveries	Information	Information
LANOX-300g	Anti-Corrosion	Lanolin Anti-Corrosion Lubricant	Lanox	300 gram Aerosol Can	NO DELIVERIES. This item may only be ordered for collection at counter.		
LANOX-5L	Anti-Corrosion	Lanolin Anti-Corrosion Lubricant	Lanox	5 Litre Bottle w/ Applicator Bottle	NO DELIVERIES. This item may only be ordered for collection at counter.		
# T87025	Ceramic Grease	Radio control maintenance and plastic lubrication	Tamiya	10 gram	High performance grease consists of fine boron nitride particles, for plastic and metal parts.		
# T87099	Ceramic Grease High Grade	Radio control maintenance and plastic lubrication	Tamiya	10 gram	High performance grease consists of fine boron nitride particles, for plastic and metal parts.		
T87022	Grease - Molybdenum Disulphide	Includes Moly solid high pressure lubricant	Tamiya	10 gram		Not for use on electrical switches or contacts. Not recommended for use on ball or roller bearings.	CAUTION: May be harmful if ingested.
INOXPTFE-300g	Moisture Inhibitor	Moisture inhibitor with PTFE	Inox	300 gram Aerosol Can	NO DELIVERIES. This item may only be ordered for collection at counter.	Extreme pressure & anti-wear properties gives long service life under high loading & shock loading.	Food Grade Approved in Australia

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Lubricants - General

Part Number	Type	Description	Brand	Pack Size	Deliveries	Information	Information
# MR-CHE-VSS	Grease	V-Made Shock Slime	Muchmore	5 g		For silicone o-rings of shock absorbers. Prevents and leakage.	Highly polymerised compound.
# MR-CHE-VJL	Oil	V-Made Joint Oil	Muchmore	20 ml		For universal joints and shafts. Lubricating oil which minimises shaft and joint wear.	Provides long term smooth operation.
# MR-CHE-VDG	Grease	V-Made Ball Diff Grease	Muchmore	5 g		For ball diff plates and ball. Holds tight between plates and balls.	Ensures exact diff action. Consistent performance under any weather conditions.
# MR-CHE-SS	Grease	Shock Slime	Muchmore	5 g		Provides smooth moving for o-rings and shock shaft.	
# INOX-MX2-1L	Battery Conditioner	MX2 Battery Conditioner	Inox	1 Litre Bottle		New life for mechanically sound older batteries & double life expectancy for new ones.	Dissolves battery killing sulphation, better cold morning starts, holds charge longer.
# Anti-Seize-Copper-65	Anti-Seize	For Ferrous Metals	Molytec	65 gram Tube		Copper based anti-seize compound formulated to protect against seizure of metal parts.	Not to be used with stainless steel or alloys. Remains effective at temp up to 1100°C.
# MR-CHE-VTG	Grease	V-Made Thrust Bearing Grease	Muchmore	5 g		For thrust plates and balls of ball diff units. Provides smooth exact rotation.	Prolongues thrust bearing life.

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Lubricants - General

Part Number	Type	Description	Brand	Pack Size	Deliveries	Information	Information
# LANOX-20L	Anti-Corrosion	Lanolin Anti-Corrosion Lubricant	Lanox	20 Litre Drum w/ Applicator & Tap	NO DELIVERIES. This item may only be ordered for collection at counter.		

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to [catalogues@minibearings.com.au](mailto:catalogues@minibearings.com.au)
