




# MBA

## Mechanisms - Geneva



\* Bore Size on all models 6.3445 (+0.013 / -0.000)

Geneva device provide precision mechanical intermittent motion.

303 Stainless Steel.

Driver may travel in either direction and is reversible.

Precision product.

### Mechanisms - Geneva

Part Number	Points Nr.	Driver Motion Deg.	Figure Nr.	Intermittent Angle Deg.	Shaft Size mm <i>inches</i>	Cam Followers Nr.
# GENM04-180	4	180	1	90	6.345 <i>0.250</i>	2
GENM04-360	4	360	1	90	6.345 <i>0.250</i>	1
# GENM05-360	5	360	2	72	6.345 <i>0.250</i>	1
# GENM06-360	6	360	3	60	6.345 <i>0.250</i>	1

# Indicates item not stocked at time of printing - Please enquire for lead time  
 E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd  
 MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Mechanisms - Geneva

Part Number	Points Nr.	Driver Motion Deg.	Figure Nr.	Intermittent Angle Deg.	Shaft Size mm	Cam Followers Nr.
					<i>inches</i>	
# GENM08-360	8	360	4	45	6.345 <i>0.250</i>	1

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to [catalogues@minibearings.com.au](mailto:catalogues@minibearings.com.au)
