




MBA

Mounts - Base - Neoprene



Threaded plate moulded into mounting.

Non skid base and top surface.

Type 2 has fastening slots for easy installation.

Mounts - Base - Neoprene

Part Number	Style	Rated Load kg (lbs)	Colour	Max Static Deflection mm	Length (A) mm	Width (B) mm	Height (C) mm	Bolt Centres (E) mm	Bolt Hole Thread (D) mm	F / G / H mm
				<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>
# MBN-0020-10-32	1	20.1 (45)	Black	10.16 <i>0.400</i>	79.4 <i>3.126</i>	44.5 <i>1.752</i>	31.8 <i>1.252</i>	60.3 <i>2.374</i>	5/16-18	8.73 / 31.75 / 4.76
# MBN-0020-05-25	1	20.1 (45)	Black	5.08 <i>0.200</i>	79.4 <i>3.126</i>	44.5 <i>1.752</i>	25.4 <i>1.000</i>	60.3 <i>2.374</i>	5/16-18	8.73 / 31.75 / 4.76
# MBN-0027-10-32	1	26.8 (60)	-	10.16 <i>0.400</i>	79.4 <i>3.126</i>	44.5 <i>1.752</i>	31.8 <i>1.252</i>	60.3 <i>2.374</i>	5/16-18	8.73 / 31.75 / 4.76

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Mounts - Base - Neoprene

Part Number	Style	Rated Load kg (lbs)	Colour	Max Static Deflection mm	Length (A) mm	Width (B) mm	Height (C) mm	Bolt Centres (E) mm	Bolt Hole Thread (D) mm	F / G / H mm
				<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>
# MBN-0031-05-25	1	31.3 (70)	Red	5.08 <i>0.200</i>	79.4 <i>3.126</i>	44.5 <i>1.752</i>	25.4 <i>1.000</i>	60.3 <i>2.374</i>	5/16-18	8.73 / 31.75 / 4.76
# MBN-0031-10-32	1	31.3 (70)	Red	10.16 <i>0.400</i>	79.4 <i>3.126</i>	44.5 <i>1.752</i>	31.8 <i>1.252</i>	60.3 <i>2.374</i>	5/16-18	8.73 / 31.75 / 4.76
# MBN-0036-10-32	1	35.7 (80)	-	10.16 <i>0.400</i>	79.4 <i>3.126</i>	44.5 <i>1.752</i>	31.8 <i>1.252</i>	60.3 <i>2.374</i>	5/16-18	8.73 / 31.75 / 4.76
# MBN-0049-13-44	1	49.1 (110)	-	12.70 <i>0.500</i>	85.7 <i>3.374</i>	60.3 <i>2.374</i>	44.5 <i>1.752</i>	76.2 <i>3.000</i>	3/8-16	8.73 / 44.45 / 5.56
# MBN-0054-05-25	1	53.6 (120)	Green	5.08 <i>0.200</i>	79.4 <i>3.126</i>	44.5 <i>1.752</i>	25.4 <i>1.000</i>	60.3 <i>2.374</i>	5/16-18	8.73 / 31.75 / 4.76
# MBN-0054-10-32	1	53.6 (120)	Green	10.16 <i>0.400</i>	79.4 <i>3.126</i>	44.5 <i>1.752</i>	31.8 <i>1.252</i>	60.3 <i>2.374</i>	5/16-18	8.73 / 31.75 / 4.76
# MBN-0060-06-32	1	60.3 (135)	Blue	6.35 <i>0.250</i>	85.7 <i>3.374</i>	60.3 <i>2.374</i>	31.8 <i>1.252</i>	76.2 <i>3.000</i>	3/8-16	8.73 / 44.45 / 5.56
# MBN-0060-13-44	1	60.3 (135)	Blue	12.70 <i>0.500</i>	85.7 <i>3.374</i>	60.3 <i>2.374</i>	44.5 <i>1.752</i>	76.2 <i>3.000</i>	3/8-16	8.73 / 44.45 / 5.56

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Mounts - Base - Neoprene

Part Number	Style	Rated Load kg (lbs)	Colour	Max Static Deflection mm	Length (A) mm	Width (B) mm	Height (C) mm	Bolt Centres (E) mm	Bolt Hole Thread (D) mm	F / G / H mm
				<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>
# MBN-0085-13-44	1	84.8 (190)	-	12.70	85.7	60.3	44.5	76.2	3/8-16	8.73 / 44.45 / 5.56
				<i>0.500</i>	<i>3.374</i>	<i>2.374</i>	<i>1.752</i>	<i>3.000</i>		
# MBN-0107-06-32	1	107.1 (240)	Red	6.35	85.7	60.3	31.8	76.2	3/8-16	8.73 / 44.45 / 5.56
				<i>0.250</i>	<i>3.374</i>	<i>2.374</i>	<i>1.252</i>	<i>3.000</i>		
# MBN-0107-13-44	1	107.1 (240)	Red	12.70	85.7	60.3	44.5	76.2	3/8-16	8.73 / 44.45 / 5.56
				<i>0.500</i>	<i>3.374</i>	<i>2.374</i>	<i>1.752</i>	<i>3.000</i>		
# MBN-0116-13-44	1	116.1 (260)	-	12.70	85.7	60.3	44.5	76.2	3/8-16	8.73 / 44.45 / 5.56
				<i>0.500</i>	<i>3.374</i>	<i>2.374</i>	<i>1.752</i>	<i>3.000</i>		
# MBN-0116-06-32	1	116.1 (260)	-	6.35	85.7	60.3	31.8	76.2	3/8-16	8.73 / 44.45 / 5.56
				<i>0.250</i>	<i>3.374</i>	<i>2.374</i>	<i>1.252</i>	<i>3.000</i>		
# MBN-0134-06-44	1	133.9 (300)	-	6.35	139.7	85.7	44.5	104.8	1/2-13	14.29 / 63.50 / 6.35
				<i>0.250</i>	<i>5.500</i>	<i>3.374</i>	<i>1.752</i>	<i>4.126</i>		
# MBN-0170-06-32	1	169.6 (380)	Green	6.35	85.7	60.3	31.8	76.2	3/8-16	8.73 / 44.45 / 5.56
				<i>0.250</i>	<i>3.374</i>	<i>2.374</i>	<i>1.252</i>	<i>3.000</i>		
# MBN-0170-13-44	1	169.6 (380)	Green	12.70	85.7	60.3	44.5	76.2	3/8-16	8.73 / 44.45 / 5.56
				<i>0.500</i>	<i>3.374</i>	<i>2.374</i>	<i>1.752</i>	<i>3.000</i>		

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Mounts - Base - Neoprene

Part Number	Style	Rated Load kg (lbs)	Colour	Max Static Deflection mm	Length (A) mm	Width (B) mm	Height (C) mm	Bolt Centres (E) mm	Bolt Hole Thread (D) mm	F / G / H mm
				<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>
# MBN-0210-06-32	1	209.8 (470)	-	6.35	85.7	60.3	31.8	76.2	3/8-16	8.73 / 44.45 / 5.56
				<i>0.250</i>	<i>3.374</i>	<i>2.374</i>	<i>1.252</i>	<i>3.000</i>		
# MBN-0210-13-44	1	209.8 (470)	-	12.70	85.7	60.3	44.5	76.2	3/8-16	8.73 / 44.45 / 5.56
				<i>0.500</i>	<i>3.374</i>	<i>2.374</i>	<i>1.752</i>	<i>3.000</i>		
# MBN-0223-06-44	1	223.2 (500)	-	6.35	139.7	85.7	44.5	104.8	1/2-13	14.29 / 63.50 / 6.35
				<i>0.250</i>	<i>5.500</i>	<i>3.374</i>	<i>1.752</i>	<i>4.126</i>		
# MBN-0234-06-44	1	234.4 (525)	Red	6.35	139.7	85.7	44.5	104.8	1/2-13	14.29 / 63.50 / 6.35
				<i>0.250</i>	<i>5.500</i>	<i>3.374</i>	<i>1.752</i>	<i>4.126</i>		
# MBN-0234-13-73	1	234.4 (525)	Red	12.70	139.7	85.7	73.0	104.8	1/2-13	14.29 / 63.50 / 6.35
				<i>0.500</i>	<i>5.500</i>	<i>3.374</i>	<i>2.874</i>	<i>4.126</i>		
# MBN-0246-13-44	1	245.5 (550)	Grey	12.70	85.7	60.3	44.5	76.2	3/8-16	8.73 / 44.45 / 5.56
				<i>0.500</i>	<i>3.374</i>	<i>2.374</i>	<i>1.752</i>	<i>3.000</i>		
# MBN-0246-06-32	1	245.5 (550)	Grey	6.35	85.7	60.3	31.8	76.2	3/8-16	8.73 / 44.45 / 5.56
				<i>0.250</i>	<i>3.374</i>	<i>2.374</i>	<i>1.252</i>	<i>3.000</i>		
# MBN-0321-06-44	1	321.4 (720)	-	6.35	139.7	85.7	44.5	104.8	1/2-13	14.29 / 63.50 / 6.35
				<i>0.250</i>	<i>5.500</i>	<i>3.374</i>	<i>1.752</i>	<i>4.126</i>		

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Mounts - Base - Neoprene

Part Number	Style	Rated Load kg (lbs)	Colour	Max Static Deflection mm	Length (A) mm	Width (B) mm	Height (C) mm	Bolt Centres (E) mm	Bolt Hole Thread (D) mm	F / G / H mm
				<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>
# MBN-0321-13-73	1	321.4 (720)	-	12.70	139.7	85.7	73.0	104.8	1/2-13	14.29 / 63.50 / 6.35
				<i>0.500</i>	<i>5.500</i>	<i>3.374</i>	<i>2.874</i>	<i>4.126</i>		
# MBN-0335-06-44	1	334.8 (750)	Green	6.35	139.7	85.7	44.5	104.8	1/2-13	14.29 / 63.50 / 6.35
				<i>0.250</i>	<i>5.500</i>	<i>3.374</i>	<i>1.752</i>	<i>4.126</i>		
# MBN-0335-13-73	1	334.8 (750)	Green	12.70	139.7	85.7	73.0	104.8	1/2-13	14.29 / 63.50 / 6.35
				<i>0.500</i>	<i>5.500</i>	<i>3.374</i>	<i>2.874</i>	<i>4.126</i>		
# MBN-0491-06-44	1	491.1 (1100)	Grey	6.35	139.7	85.7	44.5	104.8	1/2-13	14.29 / 63.50 / 6.35
				<i>0.250</i>	<i>5.500</i>	<i>3.374</i>	<i>1.752</i>	<i>4.126</i>		
# MBN-0491-13-73	1	491.1 (1100)	Grey	12.70	139.7	85.7	73.0	104.8	1/2-13	14.29 / 63.50 / 6.35
				<i>0.500</i>	<i>5.500</i>	<i>3.374</i>	<i>2.874</i>	<i>4.126</i>		
# MBN-0500-06-44	1	508.0 (1120)	-	6.35	139.7	85.7	44.5	104.8	1/2-13	14.29 / 63.50 / 6.35
				<i>0.250</i>	<i>5.500</i>	<i>3.374</i>	<i>1.752</i>	<i>4.126</i>		
# MBN-0500-13-73	1	508.0 (1120)	-	12.70	139.7	85.7	73.0	104.8	1/2-13	14.29 / 63.50 / 6.35
				<i>0.500</i>	<i>5.500</i>	<i>3.374</i>	<i>2.874</i>	<i>4.126</i>		
# MBN2-0050-05-29	2	49.1 (110)	Blue	5.08	95.3	54.0	28.6	76.2	3/8-16	9.5 / 39.7 / 6.4
				<i>0.200</i>	<i>3.752</i>	<i>2.126</i>	<i>1.126</i>	<i>3.000</i>		
# MBN2-0050-10-06	2	49.1 (110)	Blue	10.16	95.3	54.0	47.6	76.2	3/8-16	9.5 / 39.7 / 6.4
				<i>0.400</i>	<i>3.752</i>	<i>2.126</i>	<i>1.874</i>	<i>3.000</i>		

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Mounts - Base - Neoprene

Part Number	Style	Rated Load kg (lbs)	Colour	Max Static Deflection mm	Length (A) mm	Width (B) mm	Height (C) mm	Bolt Centres (E) mm	Bolt Hole Thread (D) mm	F / G / H mm
				<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>
# MBN2-0086-10-06	2	84.8 (190)	Black	10.16 <i>0.400</i>	95.3 <i>3.752</i>	54.0 <i>2.126</i>	47.6 <i>1.874</i>	76.2 <i>3.000</i>	3/8-16	9.5 / 39.7 / 6.4
# MBN2-0118-05-06	2	116.1 (260)	Red	5.08 <i>0.200</i>	95.3 <i>3.752</i>	54.0 <i>2.126</i>	28.6 <i>1.126</i>	76.2 <i>3.000</i>	3/8-16	9.5 / 39.7 / 6.4
# MBN2-0136-06-10	2	133.9 (300)	Black	6.35 <i>0.250</i>	127.0 <i>5.000</i>	77.8 <i>3.063</i>	41.3 <i>1.626</i>	101.6 <i>4.000</i>	1/2-13	14.3 / 58.7 / 9.5
# MBN2-0213-05-06	2	209.8 (470)	Green	5.08 <i>0.200</i>	95.3 <i>3.752</i>	54.0 <i>2.126</i>	28.6 <i>1.126</i>	76.2 <i>3.000</i>	3/8-16	9.5 / 39.7 / 6.4
# MBN2-0213-10-06	2	209.8 (470)	Green	10.16 <i>0.400</i>	95.3 <i>3.752</i>	54.0 <i>2.126</i>	47.6 <i>1.874</i>	76.2 <i>3.000</i>	3/8-16	9.5 / 39.7 / 6.4
# MBN2-0227-06-10	2	223.2 (500)	Red	6.35 <i>0.250</i>	127.0 <i>5.000</i>	77.8 <i>3.063</i>	41.3 <i>1.626</i>	101.6 <i>4.000</i>	1/2-13	14.3 / 58.7 / 9.5
# MBN2-0327-06-10	2	321.4 (720)	Green	6.35 <i>0.250</i>	127.0 <i>5.000</i>	77.8 <i>3.063</i>	41.3 <i>1.626</i>	101.6 <i>4.000</i>	1/2-13	14.3 / 58.7 / 9.5
# MBN2-0508-06-10	2	508.0 (1120)	Grey	6.35 <i>0.250</i>	127.0 <i>5.000</i>	77.8 <i>3.063</i>	41.3 <i>1.626</i>	101.6 <i>4.000</i>	1/2-13	14.3 / 58.7 / 9.5
# MBN2-0508-13-10	2	508.0 (1120)	Grey	12.70 <i>0.500</i>	127.0 <i>5.000</i>	77.8 <i>3.063</i>	69.9 <i>2.752</i>	101.6 <i>4.000</i>	1/2-13	14.3 / 58.7 / 9.5
# MBN2-1005-06-41	2	1004.5 (2250)	Red	6.35 <i>0.250</i>	158.8 <i>6.252</i>	117.5 <i>4.626</i>	41.3 <i>1.626</i>	127.0 <i>5.000</i>	1/2-13	14.29 / 127 / 9.53

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Mounts - Base - Neoprene

Part Number	Style	Rated Load kg (lbs)	Colour	Max Static Deflection mm	Length (A) mm	Width (B) mm	Height (C) mm	Bolt Centres (E) mm	Bolt Hole Thread (D) mm	F / G / H mm
				<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>
# MBN2-1005-13-70	2	1004.5 (2250)	Red	12.70 <i>0.500</i>	158.8 <i>6.252</i>	117.5 <i>4.626</i>	69.9 <i>2.752</i>	127.0 <i>5.000</i>	1/2-13	14.29 / 127 / 9.53
# MBN2-1021-06-10	2	1004.5 (2250)	Red	6.35 <i>0.250</i>	158.8 <i>6.252</i>	117.5 <i>4.626</i>	41.3 <i>1.626</i>	127.0 <i>5.000</i>	1/2-13	14.3 / 76.2 / 9.5
# MBN2-1021-13-10	2	1004.5 (2250)	Red	12.70 <i>0.500</i>	158.8 <i>6.252</i>	117.5 <i>4.626</i>	69.9 <i>2.752</i>	127.0 <i>5.000</i>	1/2-13	14.3 / 76.2 / 9.5
# MBN2-1361-13-10	2	1339.3 (3000)	Green	12.70 <i>0.500</i>	158.8 <i>6.252</i>	117.5 <i>4.626</i>	69.9 <i>2.752</i>	127.0 <i>5.000</i>	1/2-13	14.3 / 76.2 / 9.5
# MBN2-1339-06-41	2	1339.3 (3000)	Green	6.35 <i>0.250</i>	158.8 <i>6.252</i>	117.5 <i>4.626</i>	41.3 <i>1.626</i>	127.0 <i>5.000</i>	1/2-13	14.29 / 127 / 9.53
# MBN2-1339-13-70	2	1339.3 (3000)	Green	12.70 <i>0.500</i>	158.8 <i>6.252</i>	117.5 <i>4.626</i>	69.9 <i>2.752</i>	127.0 <i>5.000</i>	1/2-13	14.29 / 127 / 9.53
# MBN2-1361-06-10	2	1339.3 (3000)	Green	6.35 <i>0.250</i>	158.8 <i>6.252</i>	117.5 <i>4.626</i>	41.3 <i>1.626</i>	127.0 <i>5.000</i>	1/2-13	14.3 / 76.2 / 9.5

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to catalogues@minibearings.com.au
