




# MBA

## Mounts - Plate Style



Refer pdf file at [ftp://ftp.minibearings.com.au/mounts/MPS\\_Platemounts\\_Loads.pdf](ftp://ftp.minibearings.com.au/mounts/MPS_Platemounts_Loads.pdf).

This catalogue to be read in conjunction with information at [http://www.minibearings.com.au/ogue/tech/mounts/mps\\_platemounts\\_loads.pdf](http://www.minibearings.com.au/ogue/tech/mounts/mps_platemounts_loads.pdf)

### Mounts - Plate Style

Part Number	Max. Load Rating kg	Overall Length (L) mm <i>inches</i>	Overall Height (D or L) mm <i>inches</i>	Hole Centres (H) mm <i>inches</i>	Base Configuration	Centre Hole mm <i>inches</i>	Material (Isolator/Base)
# MPS-001.3D-ST45	1.34	45.2 x 59.4	16.002 <i>0.630</i>	49.53 <i>1.950</i>	Diamond	6.60 <i>0.260</i>	Rubber / Steel
# MPS-001.8D-AL31	1.79	31.8 x 42.7	19.05 <i>0.750</i>	35.916 <i>1.414</i>	Diamond	4.32 <i>0.170</i>	Rubber / Aluminum
# MPS-002.7D-AL45	2.68	45.2 x 59.4	16.002 <i>0.630</i>	49.53 <i>1.950</i>	Diamond	6.60 <i>0.260</i>	Rubber / Aluminum
# MPS-002.7D-ST45	2.68	45.2 x 59.4	16.002 <i>0.630</i>	49.53 <i>1.950</i>	Diamond	6.60 <i>0.260</i>	Rubber / Steel

# Indicates item not stocked at time of printing - Please enquire for lead time  
 E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd  
 MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Mounts - Plate Style

Part Number	Max. Load Rating kg	Overall Length (L) mm <i>inches</i>	Overall Height (D or L) mm <i>inches</i>	Hole Centres (H) mm <i>inches</i>	Base Configuration	Centre Hole mm <i>inches</i>	Material (Isolator/Base)
# MPS-002.7S-AL45	2.68	45.2 x 45.2	16.002 <i>0.630</i>	35.052 <i>1.380</i>	Square	6.60 <i>0.260</i>	Rubber / Aluminum
# MPS-002.7S-ST45	2.68	45.2 x 45.2	16.002 <i>0.630</i>	35.052 <i>1.380</i>	Square	6.60 <i>0.260</i>	Rubber / Steel
# MPS-003.6D-ST31	3.57	31.8 x 42.7	19.05 <i>0.750</i>	35.916 <i>1.414</i>	Diamond	4.32 <i>0.170</i>	Rubber / Steel
# MPS-003.6S-AL31	3.57	31.8 x 31.8	19.05 <i>0.750</i>	25.4 <i>1.000</i>	Square	4.32 <i>0.170</i>	Rubber / Aluminum
# MPS-003.6D-AL31	3.57	31.8 x 42.7	19.05 <i>0.750</i>	35.916 <i>1.414</i>	Diamond	4.32 <i>0.170</i>	Rubber / Aluminum
# MPS-004.0S-AL45	4.02	45.2 x 45.2	16.002 <i>0.630</i>	35.052 <i>1.380</i>	Square	6.60 <i>0.260</i>	Rubber / Aluminum
# MPS-004.0D-AL45	4.02	45.2 x 59.4	16.002 <i>0.630</i>	49.53 <i>1.950</i>	Diamond	6.60 <i>0.260</i>	Rubber / Aluminum
# MPS-005.4D-ST31	5.36	31.8 x 42.7	19.05 <i>0.750</i>	35.916 <i>1.414</i>	Diamond	4.32 <i>0.170</i>	Rubber / Steel
# MPS-005.4D-AL31	5.36	31.8 x 42.7	19.05 <i>0.750</i>	35.916 <i>1.414</i>	Diamond	4.32 <i>0.170</i>	Rubber / Aluminum
# MPS-005.4S-ST31	5.36	31.8 x 31.8	19.05 <i>0.750</i>	25.4 <i>1.000</i>	Square	4.32 <i>0.170</i>	Rubber / Steel

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Mounts - Plate Style

Part Number	Max. Load Rating kg	Overall Length (L) mm <i>inches</i>	Overall Height (D or L) mm <i>inches</i>	Hole Centres (H) mm <i>inches</i>	Base Configuration	Centre Hole mm <i>inches</i>	Material (Isolator/Base)
# MPS-005.4S-AL31	5.36	31.8 x 31.8	19.05 <i>0.750</i>	25.4 <i>1.000</i>	Square	4.32 <i>0.170</i>	Rubber / Aluminum
# MPS-005.4S-ST45	5.36	45.2 x 45.2	16.002 <i>0.630</i>	35.052 <i>1.380</i>	Square	6.60 <i>0.260</i>	Rubber / Steel
# MPS-005.4S-AL45	5.36	45.2 x 45.2	16.002 <i>0.630</i>	35.052 <i>1.380</i>	Square	6.60 <i>0.260</i>	Rubber / Aluminum
# MPS-005.4D-ST45	5.36	45.2 x 59.4	16.002 <i>0.630</i>	49.53 <i>1.950</i>	Diamond	6.60 <i>0.260</i>	Rubber / Steel
# MPS-005.4D-AL45	5.36	45.2 x 59.4	16.002 <i>0.630</i>	49.53 <i>1.950</i>	Diamond	6.60 <i>0.260</i>	Rubber / Aluminum
# MPS-005.4D-AL57	5.36	57.2 x 75.7	25.4 <i>1.000</i>	62.865 <i>2.475</i>	Diamond	9.93 <i>0.391</i>	Rubber / Aluminum
# MPS-005.4D-ST57	5.36	57.2 x 75.7	25.4 <i>1.000</i>	62.865 <i>2.475</i>	Diamond	9.93 <i>0.391</i>	Rubber / Steel
# MPS-006.3D-ST45	6.25	45.2 x 59.4	16.002 <i>0.630</i>	49.53 <i>1.950</i>	Diamond	6.60 <i>0.260</i>	Rubber / Steel
# MPS-006.3S-AL45	6.25	45.2 x 45.2	16.002 <i>0.630</i>	35.052 <i>1.380</i>	Square	6.60 <i>0.260</i>	Rubber / Aluminum
# MPS-006.3S-ST45	6.25	45.2 x 45.2	16.002 <i>0.630</i>	35.052 <i>1.380</i>	Square	6.60 <i>0.260</i>	Rubber / Steel

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Mounts - Plate Style

Part Number	Max. Load Rating kg	Overall Length (L) mm <i>inches</i>	Overall Height (D or L) mm <i>inches</i>	Hole Centres (H) mm <i>inches</i>	Base Configuration	Centre Hole mm <i>inches</i>	Material (Isolator/Base)
# MPS-007.6D-AL45	7.59	45.2 x 59.4	16.002 <i>0.630</i>	49.53 <i>1.950</i>	Diamond	6.60 <i>0.260</i>	Rubber / Aluminum
# MPS-007.6D-ST45	7.59	45.2 x 59.4	16.002 <i>0.630</i>	49.53 <i>1.950</i>	Diamond	6.60 <i>0.260</i>	Rubber / Steel
# MPS-007.6S-AL45	7.59	45.2 x 45.2	16.002 <i>0.630</i>	35.052 <i>1.380</i>	Square	6.60 <i>0.260</i>	Rubber / Aluminum
# MPS-008.9D-ST31	8.93	31.8 x 42.7	19.05 <i>0.750</i>	35.916 <i>1.414</i>	Diamond	4.32 <i>0.170</i>	Rubber / Steel
# MPS-008.9S-AL31	8.93	31.8 x 31.8	19.05 <i>0.750</i>	25.4 <i>1.000</i>	Square	4.32 <i>0.170</i>	Rubber / Aluminum
# MPS-008.9D-AL31	8.93	31.8 x 42.7	19.05 <i>0.750</i>	35.916 <i>1.414</i>	Diamond	4.32 <i>0.170</i>	Rubber / Aluminum
# MPS-008.9S-AL45	8.93	45.2 x 45.2	16.002 <i>0.630</i>	35.052 <i>1.380</i>	Square	6.60 <i>0.260</i>	Rubber / Aluminum
# MPS-008.9S-ST45	8.93	45.2 x 45.2	16.002 <i>0.630</i>	35.052 <i>1.380</i>	Square	6.60 <i>0.260</i>	Rubber / Steel
# MPS-008.9D-ST45	8.93	45.2 x 59.4	16.002 <i>0.630</i>	49.53 <i>1.950</i>	Diamond	6.60 <i>0.260</i>	Rubber / Steel
# MPS-008.9D-ST57	8.93	57.2 x 75.7	25.4 <i>1.000</i>	62.865 <i>2.475</i>	Diamond	9.93 <i>0.391</i>	Rubber / Steel

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Mounts - Plate Style

Part Number	Max. Load Rating kg	Overall Length (L) mm <i>inches</i>	Overall Height (D or L) mm <i>inches</i>	Hole Centres (H) mm <i>inches</i>	Base Configuration	Centre Hole mm <i>inches</i>	Material (Isolator/Base)
# MPS-011.6S-AL45	11.61	45.2 x 45.2	16.002 <i>0.630</i>	35.052 <i>1.380</i>	Square	6.60 <i>0.260</i>	Rubber / Aluminum
# MPS-011.6S-ST45	11.61	45.2 x 45.2	16.002 <i>0.630</i>	35.052 <i>1.380</i>	Square	6.60 <i>0.260</i>	Rubber / Steel
# MPS-013.4D-AL57B	13.39	57.2 x 75.7	25.4 <i>1.000</i>	62.865 <i>2.475</i>	Diamond	9.93 <i>0.391</i>	Rubber / Aluminum
# MPS-013.4D-ST57B	13.39	57.2 x 75.7	25.4 <i>1.000</i>	62.865 <i>2.475</i>	Diamond	9.93 <i>0.391</i>	Rubber / Steel
# MPS-013.4S-ST57B	13.39	57.2 x 57.2	25.4 <i>1.000</i>	44.45 <i>1.750</i>	Square	9.93 <i>0.391</i>	Rubber / Steel
# MPS-013.4D-ST57A	13.39	57.2 x 75.7	25.781 <i>1.015</i>	62.865 <i>2.475</i>	Diamond	10.13 <i>0.399</i>	Rubber / Steel
# MPS-013.4S-AL57A	13.39	57.2 x 57.2	25.781 <i>1.015</i>	44.45 <i>1.750</i>	Square	10.13 <i>0.399</i>	Rubber / Aluminum
# MPS-013.4S-ST57A	13.39	57.2 x 57.2	25.781 <i>1.015</i>	44.45 <i>1.750</i>	Square	10.13 <i>0.399</i>	Rubber / Steel
MPS-017.9S-AL57	17.86	57.2 x 57.2	25.781 <i>1.015</i>	44.45 <i>1.750</i>	Square	10.13 <i>0.399</i>	Rubber / Aluminum
# MPS-017.9D-ST57	17.86	57.2 x 75.7	25.781 <i>1.015</i>	62.865 <i>2.475</i>	Diamond	10.13 <i>0.399</i>	Rubber / Steel

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Mounts - Plate Style

Part Number	Max. Load Rating kg	Overall Length (L) mm <i>inches</i>	Overall Height (D or L) mm <i>inches</i>	Hole Centres (H) mm <i>inches</i>	Base Configuration	Centre Hole mm <i>inches</i>	Material (Isolator/Base)
# MPS-020.1S-ST57	20.09	57.2 x 57.2	25.4 <i>1.000</i>	44.45 <i>1.750</i>	Square	9.93 <i>0.391</i>	Rubber / Steel
# MPS-020.1D-AL57	20.09	57.2 x 75.7	25.4 <i>1.000</i>	62.865 <i>2.475</i>	Diamond	9.93 <i>0.391</i>	Rubber / Aluminum
# MPS-020.1D-ST57	20.09	57.2 x 75.7	25.4 <i>1.000</i>	62.865 <i>2.475</i>	Diamond	9.93 <i>0.391</i>	Rubber / Steel
# MPS-022.3S-ST57	22.32	57.2 x 57.2	25.781 <i>1.015</i>	44.45 <i>1.750</i>	Square	10.13 <i>0.399</i>	Rubber / Steel
# MPS-026.8D-AL57	26.79	57.2 x 75.7	25.4 <i>1.000</i>	62.865 <i>2.475</i>	Diamond	9.93 <i>0.391</i>	Rubber / Aluminum
# MPS-026.8D-ST57	26.79	57.2 x 75.7	25.4 <i>1.000</i>	62.865 <i>2.475</i>	Diamond	9.93 <i>0.391</i>	Rubber / Steel
# MPS-026.8S-ST57	26.79	57.2 x 57.2	25.4 <i>1.000</i>	44.45 <i>1.750</i>	Square	9.93 <i>0.391</i>	Rubber / Steel
# MPS-031.3D-ST57	31.25	57.2 x 75.7	25.781 <i>1.015</i>	62.865 <i>2.475</i>	Diamond	10.13 <i>0.399</i>	Rubber / Steel
# MPS-040.2D-AL57	40.18	57.2 x 75.7	25.781 <i>1.015</i>	62.865 <i>2.475</i>	Diamond	10.13 <i>0.399</i>	Rubber / Aluminum
# MPS-040.2D-ST57	40.18	57.2 x 75.7	25.781 <i>1.015</i>	62.865 <i>2.475</i>	Diamond	10.13 <i>0.399</i>	Rubber / Steel

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Mounts - Plate Style

Part Number	Max. Load Rating kg	Overall Length (L) mm <i>inches</i>	Overall Height (D or L) mm <i>inches</i>	Hole Centres (H) mm <i>inches</i>	Base Configuration	Centre Hole mm <i>inches</i>	Material (Isolator/Base)
# MPS-040.2S-AL57	40.18	57.2 x 57.2	25.781 <i>1.015</i>	44.45 <i>1.750</i>	Square	10.13 <i>0.399</i>	Rubber / Aluminum
# MPS-040.2S-ST57	40.18	57.2 x 57.2	25.781 <i>1.015</i>	44.45 <i>1.750</i>	Square	10.13 <i>0.399</i>	Rubber / Steel
# MPS-196.4D-ST82	196.43	82.6 x 133.4	57.15 <i>2.250</i>	107.95 <i>4.250</i>	Diamond	17.45 <i>0.687</i>	Rubber / Steel
# MPS-250.0D-ST82	250.00	82.6 x 133.4	57.15 <i>2.250</i>	107.95 <i>4.250</i>	Diamond	17.45 <i>0.687</i>	Rubber / Steel
# MPS-339.3D-ST82	339.29	82.6 x 133.4	57.15 <i>2.250</i>	107.95 <i>4.250</i>	Diamond	17.45 <i>0.687</i>	Rubber / Steel

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to [catalogues@minibearings.com.au](mailto:catalogues@minibearings.com.au)

