




MBA

Mounts - Spring - Suspension - Single Hole



Cadmium plated steel.

Temp Range : -60 to 150 Deg C (-76 to 302 Deg F).

Mounts - Spring - Suspension - Single Hole

Part Number	Nominal Load kg (lbs)	Weight kg (lbs)	A mm <i>inches</i>	B mm <i>inches</i>	C mm <i>inches</i>	D	E mm <i>inches</i>	F mm <i>inches</i>	G mm <i>inches</i>
# MSSSH-00.45	0.45 (1)	0.03 (0.06)	9.53 <i>0.375</i>	32.94 <i>1.297</i>	9.53 <i>0.375</i>	4BA	29.37 <i>1.156</i>	3.97 <i>0.156</i>	3.18 <i>0.125</i>
# MSSSH-00.91x09	0.91 (2)	0.03 (0.06)	9.53 <i>0.375</i>	32.94 <i>1.297</i>	9.53 <i>0.375</i>	4BA	29.37 <i>1.156</i>	3.97 <i>0.156</i>	3.18 <i>0.125</i>
# MSSSH-00.91x12	0.91 (2)	0.08 (0.17)	12.70 <i>0.500</i>	47.63 <i>1.875</i>	12.70 <i>0.500</i>	1/4BSF	33.73 <i>1.328</i>	4.76 <i>0.187</i>	4.76 <i>0.187</i>
# MSSSH-01.36	1.36 (3)	0.03 (0.06)	9.53 <i>0.375</i>	32.94 <i>1.297</i>	9.53 <i>0.375</i>	4BA	29.37 <i>1.156</i>	3.97 <i>0.156</i>	3.18 <i>0.125</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Mounts - Spring - Suspension - Single Hole

Part Number	Nominal Load kg (lbs)	Weight kg (lbs)	A mm <i>inches</i>	B mm <i>inches</i>	C mm <i>inches</i>	D	E mm <i>inches</i>	F mm <i>inches</i>	G mm <i>inches</i>
# MSSSH-01.81x09	1.81 (4)	0.03 (0.06)	9.53 <i>0.375</i>	32.94 <i>1.297</i>	9.53 <i>0.375</i>	4BA	29.37 <i>1.156</i>	3.97 <i>0.156</i>	3.18 <i>0.125</i>
# MSSSH-01.81x12	1.81 (4)	0.08 (0.17)	12.70 <i>0.500</i>	47.63 <i>1.875</i>	12.70 <i>0.500</i>	1/4BSF	33.73 <i>1.328</i>	4.76 <i>0.187</i>	4.76 <i>0.187</i>
# MSSSH-02.72	2.72 (6)	0.08 (0.17)	12.70 <i>0.500</i>	47.63 <i>1.875</i>	12.70 <i>0.500</i>	1/4BSF	33.73 <i>1.328</i>	4.76 <i>0.187</i>	4.76 <i>0.187</i>
# MSSSH-03.63	3.63 (8)	0.08 (0.17)	12.70 <i>0.500</i>	47.63 <i>1.875</i>	12.70 <i>0.500</i>	1/4BSF	33.73 <i>1.328</i>	4.76 <i>0.187</i>	4.76 <i>0.187</i>
# MSSSH-04.54x12	4.54 (10)	0.08 (0.17)	12.70 <i>0.500</i>	47.63 <i>1.875</i>	12.70 <i>0.500</i>	1/4BSF	33.73 <i>1.328</i>	4.76 <i>0.187</i>	4.76 <i>0.187</i>
# MSSSH-04.54x17	4.54 (10)	0.18 (0.40)	17.46 <i>0.687</i>	61.91 <i>2.437</i>	21.43 <i>0.844</i>	3/8BSF	45.64 <i>1.797</i>	6.35 <i>0.250</i>	4.76 <i>0.187</i>
# MSSSH-05.44	5.44 (12)	0.08 (0.17)	12.70 <i>0.500</i>	47.63 <i>1.875</i>	12.70 <i>0.500</i>	1/4BSF	33.73 <i>1.328</i>	4.76 <i>0.187</i>	4.76 <i>0.187</i>
# MSSSH-06.80	6.8 (15)	0.18 (0.40)	17.46 <i>0.687</i>	61.91 <i>2.437</i>	21.43 <i>0.844</i>	3/8BSF	45.64 <i>1.797</i>	6.35 <i>0.250</i>	4.76 <i>0.187</i>
# MSSSH-09.07	9.07 (20)	0.18 (0.40)	17.46 <i>0.687</i>	61.91 <i>2.437</i>	21.43 <i>0.844</i>	3/8BSF	45.64 <i>1.797</i>	6.35 <i>0.250</i>	4.76 <i>0.187</i>
# MSSSH-11.34	11.34 (25)	0.18 (0.40)	17.46 <i>0.687</i>	61.91 <i>2.437</i>	21.43 <i>0.844</i>	3/8BSF	45.64 <i>1.797</i>	6.35 <i>0.250</i>	4.76 <i>0.187</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Mounts - Spring - Suspension - Single Hole

Part Number	Nominal Load kg (lbs)	Weight kg (lbs)	A mm <i>inches</i>	B mm <i>inches</i>	C mm <i>inches</i>	D	E mm <i>inches</i>	F mm <i>inches</i>	G mm <i>inches</i>
# MSSSH-13.61	13.61 (30)	0.18 (0.40)	17.46 <i>0.687</i>	61.91 <i>2.437</i>	21.43 <i>0.844</i>	3/8BSF	45.64 <i>1.797</i>	6.35 <i>0.250</i>	4.76 <i>0.187</i>
# MSSSH-15.88	15.88 (35)	0.18 (0.40)	17.46 <i>0.687</i>	61.91 <i>2.437</i>	21.43 <i>0.844</i>	3/8BSF	45.64 <i>1.797</i>	6.35 <i>0.250</i>	4.76 <i>0.187</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to catalogues@minibearings.com.au

