




MBA

Nuts - Hexagonal - Half - Stainless Steel



UNC - UNF - METRIC

Note! Thickness (H) and A/F (A) dimensions are usually considered not critical and may vary.

If the A and H dimensions are critical for your application please consult us prior to ordering.

Nuts - Hexagonal - Half - Stainless Steel

Part Number	Thread Size	Thickness (H) mm <i>inches</i>	Width Across Flats (A) mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
NUT-M025-304-HALF	2.5mm (M2.5x0.45)	1.35 <i>0.053</i>	5 <i>0.197</i>	304 Stainless	Half Nut	0.450 mm / 56.44 TPI
NUT-M030-304-HALF	3.0mm (M3x0.5 Standard)	1.55 <i>0.061</i>	5.5 <i>0.217</i>	304 Stainless	Half Nut	0.500 mm / 50.8 TPI
NUT-M030-316-HALF	3.0mm (M3x0.5 Standard)	1.55 <i>0.061</i>	5.5 <i>0.217</i>	316 Stainless	Half Nut	0.500 mm / 50.8 TPI
NUT-M040-316-HALF	4.0mm (M4x0.7 Standard)	1.95 <i>0.077</i>	7 <i>0.276</i>	316 Stainless	Half Nut	0.700 mm / 36.29 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Nuts - Hexagonal - Half - Stainless Steel

Part Number	Thread Size	Thickness (H) mm <i>inches</i>	Width Across Flats (A) mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
NUT-M040-304-HALF	4.0mm (M4x0.7 Standard)	1.95 <i>0.077</i>	7 <i>0.276</i>	304 Stainless	Half Nut	0.700 mm / 36.29 TPI
NUT-M05.0-316-HALF	5.0mm (M5x0.8 Standard)	4 <i>0.157</i>	8 <i>0.315</i>		Standard	0.800 mm / 31.75 TPI
NUT-M050-304-HALF	5.0mm (M5x0.8)	2.45 <i>0.096</i>	8 <i>0.315</i>	304 Stainless	Half Nut	0.800 mm / 31.75 TPI
NUT-M060-304-HALF	6.0mm (M6x1 Standard)	2.9 <i>0.114</i>	10 <i>0.394</i>	304 Stainless	Half Nut	1.000 mm / 25.4 TPI
NUT-M060-316-HALF	6.0mm (M6x1 Standard)	2.9 <i>0.114</i>	10 <i>0.394</i>	316 Stainless	Half Nut	1.000 mm / 25.4 TPI
# NUT-14F-316-HALF	6.35mm (1/4-28 UNF)	2.1 <i>0.083</i>	11.11 <i>0.437</i>	316 Stainless	Half Nut	0.907 mm / 28 TPI
# NUT-14C-316-HALF	6.35mm (1/4-20 UNC)	2.7 <i>0.106</i>	11.11 <i>0.437</i>	316 Stainless	Half Nut	1.270 mm / 20 TPI
# NUT-14C-304-HALF	6.35mm (1/4-20 UNC)	2.7 <i>0.106</i>	11.11 <i>0.437</i>	304 Stainless	Half Nut	1.270 mm / 20 TPI
# NUT-516C-304-HALF	7.938mm (5/16-18 UNC)	4.1 <i>0.161</i>	12.7 <i>0.500</i>	304 Stainless	Half Nut	1.411 mm / 18 TPI
# NUT-516C-316-HALF	7.938mm (5/16-18 UNC)	4.1 <i>0.161</i>	12.7 <i>0.500</i>	316 Stainless	Half Nut	1.411 mm / 18 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Nuts - Hexagonal - Half - Stainless Steel

Part Number	Thread Size	Thickness (H) mm <i>inches</i>	Width Across Flats (A) mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
NUT-M080x075-316-HALF	8.0mm (M8x0.75 Extra Fine)	3.7 <i>0.146</i>	13 <i>0.512</i>	316 Stainless	Half Nut	0.750 mm / 33.87 TPI
# NUT-M080x10-316-HALF	8.0mm (M8x1 Fine)	3.7 <i>0.146</i>	13 <i>0.512</i>	316 Stainless	Half Nut	1.000 mm / 25.4 TPI
NUT-M080-316-HALF	8.0mm (M8x1.25 Standard)	3.7 <i>0.146</i>	13 <i>0.512</i>	316 Stainless	Half Nut	1.250 mm / 20.32 TPI
NUT-M080-304-HALF	8.0mm (M8x1.25 Standard)	3.7 <i>0.146</i>	13 <i>0.512</i>	304 Stainless	Half Nut	1.250 mm / 20.32 TPI
# NUT-38C-316-HALF	9.525mm (3/8-16 UNC)	4 <i>0.157</i>	15 <i>0.591</i>	316 Stainless	Half Nut	1.588 mm / 16 TPI
# NUT-38C-304-HALF	9.525mm (3/8-16 UNC)	4 <i>0.157</i>	15 <i>0.591</i>	304 Stainless	Half Nut	1.588 mm / 16 TPI
NUT-M100x15-316-HALF	10.0mm (M10x1 EXTRA FINE)	4.7 <i>0.185</i>	17 <i>0.669</i>	316 Stainless	Half Nut	1.000 mm / 25.4 TPI
NUT-M100x125-316-HALF	10.0mm (M10x1.25 FINE)	4.7 <i>0.185</i>	17 <i>0.669</i>	316 Stainless	Half Nut	1.250 mm / 20.32 TPI
# NUT-M100-316-HALF	10.0mm (M10x1.5)	4.7 <i>0.185</i>	17 <i>0.669</i>	316 Stainless	Half Nut	1.500 mm / 16.93 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Nuts - Hexagonal - Half - Stainless Steel

Part Number	Thread Size	Thickness (H) mm <i>inches</i>	Width Across Flats (A) mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
NUT-M100-304-HALF	10.0mm (M10x1.5)	4.7 <i>0.185</i>	17 <i>0.669</i>	304 Stainless	Half Nut	1.500 mm / 16.93 TPI
# NUT-716C-304-HALF	11.113mm (7/16-14 UNC)	5 <i>0.197</i>	17 <i>0.669</i>	304 Stainless	Half Nut	1.814 mm / 14 TPI
# NUT-M120x15-316-HALF	12.0mm (M12x1.5 Fine)	5.7 <i>0.224</i>	19 <i>0.748</i>	316 Stainless	Half Nut	1.500 mm / 16.93 TPI
# NUT-M120x125-316-HALF	12.0mm (M12x1.25 Extra Fine)	5.7 <i>0.224</i>	19 <i>0.748</i>	316 Stainless	Half Nut	1.250 mm / 20.32 TPI
# NUT-M120-316-HALF	12.0mm (M12x1.75 Standard)	5.7 <i>0.224</i>	19 <i>0.748</i>	316 Stainless	Half Nut	1.750 mm / 14.51 TPI
# NUT-M120-304-HALF	12.0mm (M12x1.75 Standard)	5.7 <i>0.224</i>	19 <i>0.748</i>	304 Stainless	Half Nut	1.750 mm / 14.51 TPI
# NUT-12C-316-HALF	12.7mm (1/2-13 UNC)	6 <i>0.236</i>	21 <i>0.827</i>	316 Stainless	Half Nut	1.954 mm / 13 TPI
# NUT-12C-304-HALF	12.7mm (1/2-13 UNC)	6 <i>0.236</i>	21 <i>0.827</i>	304 Stainless	Half Nut	1.954 mm / 13 TPI
NUT-M140-304-HALF	14.0mm (M14x2 Standard)	6.42 <i>0.253</i>	22 <i>0.866</i>	304 Stainless	Half Nut	2.000 mm / 12.7 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Nuts - Hexagonal - Half - Stainless Steel

Part Number	Thread Size	Thickness (H) mm <i>inches</i>	Width Across Flats (A) mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# NUT-M140-316-HALF	14.0mm (M14x2 Standard)	6.42 <i>0.253</i>	22 <i>0.866</i>	316 Stainless	Half Nut	2.000 mm / 12.7 TPI
# NUT-58C-304-HALF	15.875mm (5/8-11 UNC)	7.2 <i>0.283</i>	23.81 <i>0.937</i>	304 Stainless	Half Nut	2.309 mm / 11 TPI
# NUT-58C-316-HALF	15.875mm (5/8-11 UNC)	7.2 <i>0.283</i>	23.81 <i>0.937</i>	316 Stainless	Half Nut	2.309 mm / 11 TPI
# NUT-M160-316-HALF	16.0mm (M16x2 Standard)	7.42 <i>0.292</i>	24 <i>0.945</i>	316 Stainless	Half Nut	2.000 mm / 12.7 TPI
# NUT-M160x15-316-HALF	16.0mm (M16x1.5 Fine)	7.42 <i>0.292</i>	24 <i>0.945</i>	316 Stainless	Half Nut	1.500 mm / 16.93 TPI
# NUT-M160-304-HALF	16.0mm (M16x2 Standard)	7.42 <i>0.292</i>	24 <i>0.945</i>	304 Stainless	Half Nut	2.000 mm / 12.7 TPI
# NUT-34C-316-HALF	19.05mm (3/4-10 UNC)	-		316 Stainless	Half Nut	2.540 mm / 10 TPI
# NUT-34C-304-HALF	19.05mm (3/4-10 UNC)	-		304 Stainless	Half Nut	2.540 mm / 10 TPI
# NUT-M200x20-316-HALF	20mm (M20x2 Fine)	9.1 <i>0.358</i>	30 <i>1.181</i>	316 Stainless	Half Nut	2.000 mm / 12.7 TPI
# NUT-M200x15-316-HALF	20mm (M20x1.5 Extra Fine)	9.1 <i>0.358</i>	30 <i>1.181</i>	316 Stainless	Half Nut	1.500 mm / 16.93 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Nuts - Hexagonal - Half - Stainless Steel

Part Number	Thread Size	Thickness (H) mm <i>inches</i>	Width Across Flats (A) mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# NUT-M200-304-HALF	20mm (M20x2.5 Standard)	9.1 <i>0.358</i>	30 <i>1.181</i>	304 Stainless	Half Nut	2.500 mm / 10.16 TPI
# NUT-M200-316-HALF	20mm (M20x2.5 Standard)	9.1 <i>0.358</i>	30 <i>1.181</i>	316 Stainless	Half Nut	2.500 mm / 10.16 TPI
# NUT-M220-304-HALF	22mm (M22x2.5 Standard)	9.9 <i>0.390</i>	34 <i>1.339</i>	304 Stainless	Half Nut	2.500 mm / 10.16 TPI
# NUT-78C-304-HALF	22.225mm (7/8-9 UNC)	-		304 Stainless	Half Nut	2.822 mm / 9 TPI
# NUT-78C-316-HALF	22.225mm (7/8-9 UNC)	-		316 Stainless	Half Nut	2.822 mm / 9 TPI
# NUT-M240-304-HALF	24.0mm (M24x3 Standard)	10.9 <i>0.429</i>	36 <i>1.417</i>	304 Stainless	Half Nut	3.000 mm / 8.46 TPI
# NUT-M240-316-HALF	24.0mm (M24x3 Standard)	10.9 <i>0.429</i>	36 <i>1.417</i>	316 Stainless	Half Nut	3.000 mm / 8.46 TPI
# NUT-1C-316-HALF	25.4mm (1in.-8 UNC)	-		316 Stainless	Half Nut	3.175 mm / 8 TPI
# NUT-1C-304-HALF	25.4mm (1in.-8 UNC)	-		304 Stainless	Half Nut	3.175 mm / 8 TPI
# NUT-M270-304-HALF	27.0mm (M27x3 Standard)	12.4 <i>0.488</i>	41 <i>1.614</i>	304 Stainless	Half Nut	3.000 mm / 8.46 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Nuts - Hexagonal - Half - Stainless Steel

Part Number	Thread Size	Thickness (H) mm <i>inches</i>	Width Across Flats (A) mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# NUT-M300-304-HALF	30.0mm (M30x3.5 Standard)	13.9 <i>0.547</i>	46 <i>1.811</i>	304 Stainless	Half Nut	3.500 mm / 7.26 TPI
# NUT-M300-316-HALF	30.0mm (M30x3.5 Standard)	13.9 <i>0.547</i>	46 <i>1.811</i>	316 Stainless	Half Nut	3.500 mm / 7.26 TPI
# NUT-M330-304-HALF	33.0mm (M33x3.5 Standard)	15.9 <i>0.626</i>	50 <i>1.969</i>	304 Stainless	Half Nut	3.500 mm / 7.26 TPI
# NUT-M360-304-HALF	36.0mm (M36x4 Standard)	16.9 <i>0.665</i>	55 <i>2.165</i>	304 Stainless	Half Nut	4.000 mm / 6.35 TPI
# NUT-M360-316-HALF	36.0mm (M36x4 Standard)	16.9 <i>0.665</i>	55 <i>2.165</i>	316 Stainless	Half Nut	4.000 mm / 6.35 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to catalogues@minibearings.com.au

