




MBA

Nuts - Hexagonal - Nylon Insert - Stainless Steel



Nylon Insert for Locking. Nyloc™ and other brands.

Note! Thickness (H) and A/F (A) dimensions are usually considered not critical and may vary.

If the A and H dimensions are critical for your application please consult us prior to ordering.

Nuts - Hexagonal - Nylon Insert - Stainless Steel

Part Number	Thread Size	Material	Type	Washer Diameter (D) mm	A/F mm	H mm	Pitch in mm / Threads Per Inch
				<i>inches</i>	<i>inches</i>	<i>inches</i>	
# NUTNY-M02-316	2.0mm (M2x0.4 Standard)	304 Stainless	Standard				0.400 mm / 63.5 TPI
NUTNY-M02-304	2.0mm (M2x0.4 Standard)	304 Stainless	Standard				0.400 mm / 63.5 TPI
# NUTNY-2-56C-316	2.184mm (2-56 UNC)	304 Stainless	Standard	-	6 <i>0.236</i>	4 <i>0.157</i>	0.454 mm / 56 TPI
NUTNY-2-56C-304	2.184mm (2-56 UNC)	304 Stainless	Standard	-	6.4 <i>0.252</i>	3.7 <i>0.146</i>	0.454 mm / 56 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Nuts - Hexagonal - Nylon Insert - Stainless Steel

Part Number	Thread Size	Material	Type	Washer Diameter (D) mm	A/F mm	H mm	Pitch in mm / Threads Per Inch
				<i>inches</i>	<i>inches</i>	<i>inches</i>	
NUTNY-M02.5-304	2.5mm (M2.5x0.45)	304 Stainless	Standard	-	5.0 <i>0.197</i>	3.5 <i>0.138</i>	0.450 mm / 56.44 TPI
# NUTNY-3-48C-304	2.515mm (3-48 UNC)	304 Stainless	Standard				0.529 mm / 48 TPI
# NUTNY-3-48C-316	2.515mm (3-48 UNC)	304 Stainless	Standard				0.529 mm / 48 TPI
NUTNY-4-40C-304	2.845mm (4-40 UNC)	304 Stainless	Standard	-	6.4 <i>0.252</i>	3.7 <i>0.146</i>	0.635 mm / 40 TPI
# NUTNY-4-40C-316	2.845mm (4-40 UNC)	304 Stainless	Standard	-	6 <i>0.236</i>	4 <i>0.157</i>	0.635 mm / 40 TPI
# NUTNY-M03-316	3.0mm (M3x0.5 Standard)	304 Stainless	Standard	-	6 <i>0.236</i>	4 <i>0.157</i>	0.500 mm / 50.8 TPI
NUTNY-M03-304	3.0mm (M3x0.5 Standard)	304 Stainless	Standard	-	5.5 <i>0.217</i>	4.0 <i>0.157</i>	0.500 mm / 50.8 TPI
# NUTNY-5-40C-304	3.175mm (5-40 UNC)	304 Stainless	Standard				0.635 mm / 40 TPI
# NUTNY-5-40C-316	3.175mm (5-40 UNC)	304 Stainless	Standard				0.635 mm / 40 TPI
NUTNY-6-32C-304	3.5mm (6-32 UNC)	304 Stainless	Standard	-	7.7 <i>0.303</i>	4.2 <i>0.165</i>	0.794 mm / 32 TPI
# NUTNY-6-32C-316	3.5mm (6-32 UNC)	304 Stainless	Standard	-	8 <i>0.315</i>	4 <i>0.157</i>	0.794 mm / 32 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Nuts - Hexagonal - Nylon Insert - Stainless Steel

Part Number	Thread Size	Material	Type	Washer Diameter (D) mm	A/F mm	H mm	Pitch in mm / Threads Per Inch
				<i>inches</i>	<i>inches</i>	<i>inches</i>	
NUTNY-M04-304	4.0mm (M4x0.7 Standard)	304 Stainless	Standard	-	7.0 <i>0.276</i>	5.0 <i>0.197</i>	0.700 mm / 36.29 TPI
# NUTNY-M04-316	4.0mm (M4x0.7 Standard)	316 Stainless	Standard				0.700 mm / 36.29 TPI
NUTNY-8-32C-304	4.166mm (8-32 UNC)	304 Stainless	Standard	-	8.7 <i>0.343</i>	5.9 <i>0.232</i>	0.794 mm / 32 TPI
# NUTNY-8-32C-316	4.166mm (8-32 UNC)	304 Stainless	Standard	-	9 <i>0.354</i>	6 <i>0.236</i>	0.794 mm / 32 TPI
NUTNY-10-24C-304	4.762mm (10-24 UNC)	304 Stainless	Standard	-	9.4 <i>0.370</i>	6.1 <i>0.240</i>	1.058 mm / 24 TPI
# NUTNY-10-24C-316	4.762mm (10-24 UNC)	316 Stainless	Standard	-	9.4 <i>0.370</i>	6.1 <i>0.240</i>	1.058 mm / 24 TPI
# NUTNY-10-32F-316	4.762mm (10-32 UNF)	304 Stainless	Standard	9 <i>0.354</i>	6 <i>0.236</i>		0.794 mm / 32 TPI
NUTNY-10-32F-304	4.762mm (10-32 UNF)	304 Stainless	Standard	9.4 <i>0.370</i>	6.1 <i>0.240</i>		0.794 mm / 32 TPI
NUTNY-M05-304	5.0mm (M5x0.8 Standard)	304 Stainless	Standard	-	8.0 <i>0.315</i>	5.0 <i>0.197</i>	0.800 mm / 31.75 TPI
# NUTNY-M05-316	5.0mm (M5x0.8 Standard)	316 Stainless	Standard		8.0 <i>0.315</i>	5.0 <i>0.197</i>	0.800 mm / 31.75 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Nuts - Hexagonal - Nylon Insert - Stainless Steel

Part Number	Thread Size	Material	Type	Washer Diameter (D) mm	A/F mm	H mm	Pitch in mm / Threads Per Inch
				<i>inches</i>	<i>inches</i>	<i>inches</i>	
NUTNY-M06-304	6.0mm (M6x1 Standard)	304 Stainless	Standard	-	10.0 <i>0.394</i>	6.0 <i>0.236</i>	1.000 mm / 25.4 TPI
# NUTNY-M06-316	6.0mm (M6x1 Standard)	316 Stainless	Standard				1.000 mm / 25.4 TPI
# NUTNYT-14C-304	6.35mm (1/4-20 UNC)	304 Stainless	Thin		7.9 <i>0.311</i>		1.270 mm / 20 TPI
# NUTNYT-14C-316	6.35mm (1/4-20 UNC)	304 Stainless	Thin		8 <i>0.315</i>		1.270 mm / 20 TPI
# NUTNY-1-4C-304	6.35mm (1/4-20 UNC)	304 Stainless	Standard	-	11.0 <i>0.433</i>	7.9 <i>0.311</i>	1.270 mm / 20 TPI
# NUTNY-14C-316	6.35mm (1/4-20 UNC)	316 Stainless	Standard				1.270 mm / 20 TPI
# NUTNY-14F-304	6.35mm (1/4-28 UNF)	304 Stainless	Standard	11.0 <i>0.433</i>	7.9 <i>0.311</i>		0.907 mm / 28 TPI
# NUTNY-14F-316	6.35mm (1/4-28 UNF)	316 Stainless	Standard				0.907 mm / 28 TPI
# NUTNYT-516F-304	7.938mm (5/16-24 UNF)	304 Stainless	Thin				1.058 mm / 24 TPI
# NUTNYT-516C-304	7.938mm (5/16-24 UNF)	304 Stainless	Thin				1.058 mm / 24 TPI
# NUTNYT-516C-316	7.938mm (5/16-24 UNF)	304 Stainless	Thin				1.058 mm / 24 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Nuts - Hexagonal - Nylon Insert - Stainless Steel

Part Number	Thread Size	Material	Type	Washer Diameter (D) mm	A/F mm	H mm	Pitch in mm / Threads Per Inch
				<i>inches</i>	<i>inches</i>	<i>inches</i>	
# NUTNY-516C-304	7.938mm (5/16-18 UNC)	304 Stainless	Standard	-	12.5 <i>0.492</i>	8.6 <i>0.339</i>	1.411 mm / 18 TPI
# NUTNY-516C-316	7.938mm (5/16-18 UNC)	316 Stainless	Standard				1.411 mm / 18 TPI
# NUTNY-516F-304	7.938mm (5/16-24 UNF)	304 Stainless	Standard				1.058 mm / 24 TPI
# NUTNY-516F-316	7.938mm (5/16-24 UNF)	316 Stainless	Standard				1.058 mm / 24 TPI
NUTNY-M08-304	8.0mm (M8x1.25 Standard)	304 Stainless	Standard	-	13.0 <i>0.512</i>	8.0 <i>0.315</i>	1.250 mm / 20.32 TPI
# NUTNY-M08-316	8.0mm (M8x1.25 Standard)	316 Stainless	Standard		13.0 <i>0.512</i>	8.0 <i>0.315</i>	1.250 mm / 20.32 TPI
# NUTNY-38C-304	9.525mm (3/8-16 UNC)	304 Stainless	Standard	-			1.588 mm / 16 TPI
# NUTNYT-38F-304	9.525mm (3/8-24 UNF)	304 Stainless	Thin				1.058 mm / 24 TPI
# NUTNYT-38C-316	9.525mm (3/8-16 UNC)	304 Stainless	Thin				1.588 mm / 16 TPI
# NUTNYT-38C-304	9.525mm (3/8-16 UNC)	304 Stainless	Thin				1.588 mm / 16 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Nuts - Hexagonal - Nylon Insert - Stainless Steel

Part Number	Thread Size	Material	Type	Washer Diameter (D) mm	A/F mm	H mm	Pitch in mm / Threads Per Inch
				<i>inches</i>	<i>inches</i>	<i>inches</i>	
# NUTNY-38C-316	9.525mm (3/8-16 UNC)	316 Stainless	Standard				1.588 mm / 16 TPI
# NUTNY-38F-304	9.525mm (3/8-24 UNF)	304 Stainless	Standard				1.058 mm / 24 TPI
# NUTNY-38F-316	9.525mm (3/8-24 UNF)	316 Stainless	Standard				1.058 mm / 24 TPI
NUTNY-M10-304	10.0mm (M10x1.5)	304 Stainless	Standard	-	17.0 <i>0.669</i>	10.0 <i>0.394</i>	1.500 mm / 16.93 TPI
# NUTNY-M10-316	10.0mm (M10x1.5)	316 Stainless	Standard		17.0 <i>0.669</i>	10.0 <i>0.394</i>	1.500 mm / 16.93 TPI
# NUTNY-716C-304	11.113mm (7/16-14 UNC)	304 Stainless	Standard				1.814 mm / 14 TPI
# NUTNY-716C-316	11.113mm (7/16-14 UNC)	316 Stainless	Standard				1.814 mm / 14 TPI
# NUTNY-716F-304	11.113mm (7/16-20 UNF)	304 Stainless	Standard				1.270 mm / 20 TPI
# NUTNY-716F-316	11.113mm (7/16-20 UNF)	316 Stainless	Standard				1.270 mm / 20 TPI
# NUTNY-M12-304	12.0mm (M12x1.75 Standard)	304 Stainless	Standard	-	19.0 <i>0.748</i>	12.0 <i>0.472</i>	1.750 mm / 14.51 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Nuts - Hexagonal - Nylon Insert - Stainless Steel

Part Number	Thread Size	Material	Type	Washer Diameter (D) mm	A/F mm	H mm	Pitch in mm / Threads Per Inch
				<i>inches</i>	<i>inches</i>	<i>inches</i>	
# NUTNY-M12-316	12.0mm (M12x1.75 Standard)	316 Stainless	Standard		19.0 <i>0.748</i>	12.0 <i>0.472</i>	1.750 mm / 14.51 TPI
# NUTNYT-12C-304	12.7mm (1/2-13 UNC)	304 Stainless	Thin				1.954 mm / 13 TPI
# NUTNY-12W-316	12.7mm (1/2-12 BSW)	316 Stainless	Standard	-			2.117 mm / 12 TPI
# NUTNY-12WN-304	12.7mm (1/2-12 BSW)	304 Stainless	Standard		19.1 <i>0.752</i>		2.117 mm / 12 TPI
# NUTNY-12W-304	12.7mm (1/2-12 BSW)	304 Stainless	Standard				2.117 mm / 12 TPI
# NUTNY-12WN-316	12.7mm (1/2-12 BSW)	304 Stainless	Standard		19 <i>0.748</i>		2.117 mm / 12 TPI
# NUTNY-12C-304	12.7mm (1/2-13 UNC)	304 Stainless	Standard	-			1.954 mm / 13 TPI
# NUTNYT-12F-304	12.7mm (1/2-20 UNF)	304 Stainless	Thin				1.270 mm / 20 TPI
# NUTNY-12C-316	12.7mm (1/2-13 UNC)	316 Stainless	Standard				1.954 mm / 13 TPI
# NUTNY-12F-304	12.7mm (1/2-20 UNF)	304 Stainless	Standard				1.270 mm / 20 TPI
# NUTNY-12F-316	12.7mm (1/2-20 UNF)	316 Stainless	Standard				1.270 mm / 20 TPI
# NUTNY-M14.0-304	14.0mm (M14x2 Standard)	304 Stainless	Standard	-	22.0 <i>0.866</i>	14.0 <i>0.551</i>	2.000 mm / 12.7 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Nuts - Hexagonal - Nylon Insert - Stainless Steel

Part Number	Thread Size	Material	Type	Washer Diameter (D) mm	A/F mm	H mm	Pitch in mm / Threads Per Inch
				<i>inches</i>	<i>inches</i>	<i>inches</i>	
# NUTNY-M14-316	14.0mm (M14x2 Standard)	316 Stainless	Standard				2.000 mm / 12.7 TPI
# NUTNY-58C-304	15.875mm (5/8-11 UNC)	304 Stainless	Standard	-			2.309 mm / 11 TPI
# NUTNY-58C-316	15.875mm (5/8-11 UNC)	316 Stainless	Standard				2.309 mm / 11 TPI
# NUTNY-58F-304	15.875mm (5/8-18 UNF)	304 Stainless	Standard				1.411 mm / 18 TPI
# NUTNY-58F-316	15.875mm (5/8-18 UNF)	316 Stainless	Standard				1.411 mm / 18 TPI
NUTNY-M16-304	16.0mm (M16x2 Standard)	304 Stainless	Standard	-	24.0 <i>0.945</i>	16.0 <i>0.630</i>	2.000 mm / 12.7 TPI
# NUTNY-M16-316	16.0mm (M16x2 Standard)	316 Stainless	Standard		24.0 <i>0.945</i>	16.0 <i>0.630</i>	2.000 mm / 12.7 TPI
# NUTNY-M18.0-304	18.0mm (M18x2.5 Standard)	304 Stainless	Standard	-	27.0 <i>1.063</i>	18.5 <i>0.728</i>	2.500 mm / 10.16 TPI
# NUTNY-M18-316	18.0mm (M18x2.5 Standard)	316 Stainless	Standard				2.500 mm / 10.16 TPI
# NUTNY-34C-304	19.05mm (3/4-10 UNC)	304 Stainless	Standard				2.540 mm / 10 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Nuts - Hexagonal - Nylon Insert - Stainless Steel

Part Number	Thread Size	Material	Type	Washer Diameter (D) mm	A/F mm	H mm	Pitch in mm / Threads Per Inch
				<i>inches</i>	<i>inches</i>	<i>inches</i>	
# NUTNY-34C-316	19.05mm (3/4-10 UNC)	316 Stainless	Standard				2.540 mm / 10 TPI
# NUTNY-34F-304	19.05mm (3/4-16 UNF)	304 Stainless	Standard				1.588 mm / 16 TPI
# NUTNY-34F-316	19.05mm (3/4-16 UNF)	316 Stainless	Standard				1.588 mm / 16 TPI
# NUTNY-M20-304	20mm (M20x2.5 Standard)	304 Stainless	Standard	-	30.0 <i>1.181</i>	20.0 <i>0.787</i>	2.500 mm / 10.16 TPI
# NUTNY-M20-316	20mm (M20x2.5 Standard)	316 Stainless	Standard		30.0 <i>1.181</i>	20.0 <i>0.787</i>	2.500 mm / 10.16 TPI
# NUTNY-M22.0-304	22mm (M22x2.5 Standard)	304 Stainless	Standard	-	32.0 <i>1.260</i>	22.0 <i>0.866</i>	2.500 mm / 10.16 TPI
# NUTNY-M22-316	22mm (M22x2.5 Standard)	316 Stainless	Standard				2.500 mm / 10.16 TPI
# NUTNY-78C-304	22.225mm (7/8-9 UNC)	304 Stainless	Standard				2.822 mm / 9 TPI
# NUTNY-78C-316	22.225mm (7/8-9 UNC)	304 Stainless	Standard				2.822 mm / 9 TPI
# NUTNY-78F-316	22.225mm (7/8-14 UNF)	304 Stainless	Standard				1.814 mm / 14 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Nuts - Hexagonal - Nylon Insert - Stainless Steel

Part Number	Thread Size	Material	Type	Washer Diameter (D) mm	A/F mm	H mm	Pitch in mm / Threads Per Inch
				<i>inches</i>	<i>inches</i>	<i>inches</i>	
# NUTNY-78F-304	22.225mm (7/8-14 UNF)	304 Stainless	Standard				1.814 mm / 14 TPI
# NUTNY-M24-304	24.0mm (M24x3 Standard)	304 Stainless	Standard	-	36.0 <i>1.417</i>	24.0 <i>0.945</i>	3.000 mm / 8.46 TPI
# NUTNY-M24-316	24.0mm (M24x3 Standard)	304 Stainless	Standard	-	36 <i>1.417</i>	24 <i>0.945</i>	3.000 mm / 8.46 TPI
# NUTNY-M2.5-316	25.0mm (M25x3 Standard)	316 Stainless	Standard				3.000 mm / 8.46 TPI
# NUTNY-1C-304	25.4mm (1in.-8 UNC)	304 Stainless	Standard				3.175 mm / 8 TPI
# NUTNY-1C-316	25.4mm (1in.-8 UNC)	304 Stainless	Standard				3.175 mm / 8 TPI
# NUTNY-1F-316	25.4mm (1in.-12 UNF)	304 Stainless	Standard				2.117 mm / 12 TPI
# NUTNY-1F-304	25.4mm (1in.-12 UNF)	304 Stainless	Standard				2.117 mm / 12 TPI
# NUTNY-M27.0-304	27.0mm (M27x3 Standard)	304 Stainless	Standard	-	41.0 <i>1.614</i>	27.0 <i>1.063</i>	3.000 mm / 8.46 TPI
# NUTNY-M27-316	27.0mm (M27x3 Standard)	316 Stainless	Standard				3.000 mm / 8.46 TPI
# NUTNY-118C-316	28.525mm (1.1/8-7 UNC)	316 Stainless	Standard				3.629 mm / 7 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Nuts - Hexagonal - Nylon Insert - Stainless Steel

Part Number	Thread Size	Material	Type	Washer Diameter (D) mm	A/F mm	H mm	Pitch in mm / Threads Per Inch
				<i>inches</i>	<i>inches</i>	<i>inches</i>	
# NUTNY-M30.0-304	30.0mm (M30x3.5 Standard)	304 Stainless	Standard	-	46.0 <i>1.811</i>	30.0 <i>1.181</i>	3.500 mm / 72.6 TPI
# NUTNY-M30-316	30.0mm (M30x3.5 Standard)	316 Stainless	Standard				3.500 mm / 7.26 TPI
# NUTNY-114C-316	31.75mm (1.1/4-7 UNC)	316 Stainless	Standard				3.629 mm / 7 TPI
# NUTNY-M33.0-304	33.0mm (M33x3.5 Standard)	304 Stainless	Standard	-	48.0 <i>1.890</i>	33.0 <i>1.299</i>	3.500 mm / 72.6 TPI
# NUTNY-M36.0-304	36.0mm (M36x4 Standard)	304 Stainless	Standard	-	55.0 <i>2.165</i>	36.0 <i>1.417</i>	4.000 mm / 6.35 TPI
# NUTNY-112C-316	38.1mm (1.1/2-6 UNC)	316 Stainless	Standard				4.233 mm / 6 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to catalogues@minibearings.com.au

