




MBA

Nuts - Hexagonal - Nylon Insert - Steel



Nylon Insert for Locking. Nyloc™ and other brands.

Note! Thickness (H) and A/F (A) dimensions are usually considered not critical and may vary.

If the A and H dimensions are critical for your application please consult us prior to ordering.

Nuts - Hexagonal - Nylon Insert - Steel

Part Number	Thread Size	Material	Type	Washer Diameter (D) mm	A/F mm	H mm	Pitch in mm / Threads Per Inch
				<i>inches</i>	<i>inches</i>	<i>inches</i>	
NUTNY-M02.0-ST	2.0mm (M2x0.4 Standard)	Steel - Zinc Plated	Standard	-	4.0 <i>0.157</i>	2.3 <i>0.091</i>	0.400 mm / 63.5 TPI
NUTNY-2-56C-ST	2.184mm (2-56 UNC)	Steel - Zinc Plated	Standard	-	6.4 <i>0.252</i>	3.7 <i>0.146</i>	0.454 mm / 56 TPI
NUTNY-M02.5-ST	2.5mm (M2.5x0.45)	Steel - Zinc Plated	Standard	-	5.0 <i>0.197</i>	3.5 <i>0.138</i>	0.450 mm / 56.44 TPI
NUTNY-3-48C-ST	2.515mm (3-48 UNC)	Steel - Zinc Plated	Standard	-	6.4 <i>0.252</i>	3.7 <i>0.146</i>	0.529 mm / 48 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Nuts - Hexagonal - Nylon Insert - Steel

Part Number	Thread Size	Material	Type	Washer Diameter (D) mm	A/F mm	H mm	Pitch in mm / Threads Per Inch
				<i>inches</i>	<i>inches</i>	<i>inches</i>	
NUTNY-4-40C-ST	2.845mm (4-40 UNC)	Steel - Zinc Plated	Standard	-	6.4 <i>0.252</i>	3.7 <i>0.146</i>	0.635 mm / 40 TPI
NUTNY-M03.0-ST	3.0mm (M3x0.5 Standard)	Steel - Zinc Plated	Standard	-	5.5 <i>0.217</i>	4.0 <i>0.157</i>	0.500 mm / 50.8 TPI
NUTNY-5-40C-ST	3.175mm (5-40 UNC)	Steel - Zinc Plated	Standard	-	6.4 <i>0.252</i>	3.7 <i>0.146</i>	0.635 mm / 40 TPI
NUTNY-6-32C-ST	3.5mm (6-32 UNC)	Steel - Zinc Plated	Standard	-	7.7 <i>0.303</i>	4.2 <i>0.165</i>	0.794 mm / 32 TPI
NUTNY-M04.0-ST	4.0mm (M4x0.7 Standard)	Steel (Din 985)	Standard	-	7.0 <i>0.276</i>	5.0 <i>0.197</i>	0.700 mm / 36.29 TPI
NUTNY-8-32C-ST	4.166mm (8-32 UNC)	Steel - Zinc Plated	Standard	-	8.7 <i>0.343</i>	5.9 <i>0.232</i>	0.794 mm / 32 TPI
NUTNY-10-24C-ZP	4.762mm (10-24 UNC)	Steel - Zinc Plated	Standard	-	9.4 <i>0.370</i>	6.1 <i>0.240</i>	1.058 mm / 24 TPI
NUTNY-10-32F-ZP	4.762mm (10-32 UNF)	Steel - Zinc Plated	Standard	-	9.4 <i>0.370</i>	6.1 <i>0.240</i>	0.794 mm / 32 TPI
NUTNY-M05.0-ST	5.0mm (M5x0.8)	Steel (Din 985)	Standard	-	8.0 <i>0.315</i>	5.0 <i>0.197</i>	0.800 mm / 31.75 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Nuts - Hexagonal - Nylon Insert - Steel

Part Number	Thread Size	Material	Type	Washer Diameter (D) mm	A/F mm	H mm	Pitch in mm / Threads Per Inch
				<i>inches</i>	<i>inches</i>	<i>inches</i>	
NUTNY-M06.0-ST	6.0mm (M6x1 Standard)	Steel (Din 985)	Standard	-	10.0 <i>0.394</i>	6.0 <i>0.236</i>	1.000 mm / 25.4 TPI
NUTNY-14C-ZP	6.35mm (1/4-20 UNC)	Steel - Zinc Plated	Standard	-	11.0 <i>0.433</i>	7.9 <i>0.311</i>	1.270 mm / 20 TPI
NUTNY-14F-ST	6.35mm (1/4-28 UNF)	Steel (Din 985)	Standard	-	11.0 <i>0.433</i>	7.9 <i>0.311</i>	0.907 mm / 28 TPI
NUTNY-516C-ST	7.938mm (5/16-18 UNC)	Steel (Din 985)	Standard	-	12.5 <i>0.492</i>	8.6 <i>0.339</i>	1.411 mm / 18 TPI
# NUTNY-516F-ST	7.938mm (5/16-24 UNF)	Steel (Din 985)	Standard	-	12.5 <i>0.492</i>	8.6 <i>0.339</i>	1.058 mm / 24 TPI
NUTNY-M08.0-ST	8.0mm (M8x1.25 Standard)	Steel (Din 985)	Standard	-	13.0 <i>0.512</i>	8.0 <i>0.315</i>	1.250 mm / 20.32 TPI
# NUTNY-38C-ST	9.525mm (3/8-16 UNC)	Steel (Din 985)	Standard	-			1.588 mm / 16 TPI
# NUTNY-38F-ST	9.525mm (3/8-24 UNF)	Steel (Din 985)	Standard	-			1.058 mm / 24 TPI
NUTNY-M10.0-ST	10.0mm (M10x1.5)	Steel (Din 985)	Standard	-	17.0 <i>0.669</i>	10.0 <i>0.394</i>	1.500 mm / 16.93 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Nuts - Hexagonal - Nylon Insert - Steel

Part Number	Thread Size	Material	Type	Washer Diameter (D) mm	A/F mm	H mm	Pitch in mm / Threads Per Inch
				<i>inches</i>	<i>inches</i>	<i>inches</i>	
# NUTNY-716C-ST	11.113mm (7/16-14 UNC)	Steel (Din 985)	Standard	-			1.814 mm / 14 TPI
# NUTNY-716F-ST	11.113mm (7/16-20 UNF)	Steel (Din 985)	Standard	-			1.270 mm / 20 TPI
NUTNY-M12.0-ST	12.0mm (M12x1.75 Standard)	Steel (Din 985)	Standard	-	19.0 <i>0.748</i>	12.0 <i>0.472</i>	1.750 mm / 14.51 TPI
# NUTNY-12W-ST	12.7mm (1/2-12 BSW)	Steel (Din 985)	Standard	-			2.117 mm / 12 TPI
# NUTNY-12C-ST	12.7mm (1/2-13 UNC)	Steel (Din 985)	Standard	-			1.954 mm / 13 TPI
# NUTNY-M14.0-ST	14.0mm (M14x2 Standard)	Steel (Din 985)	Standard	-	22.0 <i>0.866</i>	14.0 <i>0.551</i>	2.000 mm / 12.7 TPI
# NUTNY-916C-ST	14.288mm (9/16-12 UNC)	Steel (Din 985)	Standard	-			2.117 mm / 12 TPI
# NUTNY-916F-ST	14.288mm (9/16-18 UNF)	Steel (Din 985)	Standard	-			1.411 mm / 18 TPI
# NUTNY-58C-ST	15.875mm (5/8-11 UNC)	Steel (Din 985)	Standard	-			2.309 mm / 11 TPI
# NUTNY-58F-ST	15.875mm (5/8-18 UNF)	Steel (Din 985)	Standard	-			1.411 mm / 18 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Nuts - Hexagonal - Nylon Insert - Steel

Part Number	Thread Size	Material	Type	Washer Diameter (D) mm	A/F mm	H mm	Pitch in mm / Threads Per Inch
				<i>inches</i>	<i>inches</i>	<i>inches</i>	
# NUTNY-M16.0-ST	16.0mm (M16x2 Standard)	Steel (Din 985)	Standard	-	24.0	16.0	2.000 mm / 12.7 TPI
					<i>0.945</i>	<i>0.630</i>	

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to catalogues@minibearings.com.au

