




# MBA

## Nuts - Hexagonal - Nylon Insert - Titanium



Nylon Insert for Locking. 6AL-4V (Grade 5) High strength titanium alloy. Not Nyloc™ brand.

Note! Thickness (H) and A/F (A) dimensions are usually considered not critical and may vary.

If the A and H dimensions are critical for your application please consult us prior to ordering.

6AL-4V (Grade 5) High strength titanium alloy, used in critical aircraft structural components. UNS R56400.

### Nuts - Hexagonal - Nylon Insert - Titanium

Part Number	Thread Size	Material	Type	Washer Diameter (D) mm	A/F mm	H mm	Pitch in mm / Threads Per Inch
				<i>inches</i>	<i>inches</i>	<i>inches</i>	
# TINFY-M5	5.0mm (M5x0.8)	Titanium	Washer Faced	12.00 <i>0.472</i>	8.0 <i>0.315</i>	7.0 <i>0.276</i>	0.800 mm / 31.75 TPI
# TINY-M5	5.0mm (M5x0.8)	Titanium	Standard	-	8.0 <i>0.315</i>	5.0 <i>0.197</i>	0.800 mm / 31.75 TPI
# TINFY-M6	6.0mm (M6x1 Standard)	Titanium	Washer Faced	14.00 <i>0.551</i>	10.0 <i>0.394</i>	9.0 <i>0.354</i>	1.000 mm / 25.4 TPI

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Nuts - Hexagonal - Nylon Insert - Titanium

Part Number	Thread Size	Material	Type	Washer Diameter (D) mm	A/F mm	H mm	Pitch in mm / Threads Per Inch
				<i>inches</i>	<i>inches</i>	<i>inches</i>	
# TINY-M6	6.0mm (M6x1 Standard)	Titanium	Standard	-	10.0 <i>0.394</i>	6.0 <i>0.236</i>	1.000 mm / 25.4 TPI
# TINFY-M8	8.0mm (M8x1.25 Standard)	Titanium	Washer Faced	18.00 <i>0.709</i>	13.0 <i>0.512</i>	11.0 <i>0.433</i>	1.250 mm / 20.32 TPI
# TINY-M8	8.0mm (M8x1.25 Standard)	Titanium	Standard	-	13.0 <i>0.512</i>	8.0 <i>0.315</i>	1.250 mm / 20.32 TPI
# TINFY-M10	10.0mm (M10x1.5)	Titanium	Washer Faced	21.80 <i>0.858</i>	15.0 <i>0.591</i>	13.0 <i>0.512</i>	1.500 mm / 16.93 TPI
# TINY-M10	10.0mm (M10x1.5)	Titanium	Standard	-	17.0 <i>0.669</i>	10.0 <i>0.394</i>	1.500 mm / 16.93 TPI

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to [catalogues@minibearings.com.au](mailto:catalogues@minibearings.com.au)
