




# MBA

## Nuts - Hexagonal - Nylon



Note! Thickness (H) and A/F (A) dimensions are usually considered not critical and may vary.  
If the A and H dimensions are critical for your application please consult us prior to ordering.

### Nuts - Hexagonal - Nylon

Part Number	Thread Size	Thickness (H) mm <i>inches</i>	Width Across Flats (A) mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# NUT-M02.0-NY	2.0mm (M2x0.4 Standard)	1.50 <i>0.059</i>	4.00 <i>0.157</i>	Nylon		0.400 mm / 63.5 TPI
NUT-2-56C-NY	2.184mm (2-56 UNC)	1.59 <i>0.063</i>	4.76 <i>0.187</i>	Nylon (6/6 Natural)	Standard	0.454 mm / 56 TPI
# NUT-M02.5-NY	2.5mm (M2.5x0.45)	2.00 <i>0.079</i>	5.00 <i>0.197</i>	Nylon		0.450 mm / 56.44 TPI
NUT-4-40C-NY	2.845mm (4-40 UNC)	2.38 <i>0.094</i>	6.35 <i>0.250</i>	Nylon (6/6 Natural)	Standard	0.635 mm / 40 TPI

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Nuts - Hexagonal - Nylon

Part Number	Thread Size	Thickness (H) mm <i>inches</i>	Width Across Flats (A) mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# NUT-M03.0-NY	3.0mm (M3x0.5 Standard)	2.30 <i>0.091</i>	5.50 <i>0.217</i>	Nylon		0.500 mm / 50.8 TPI
# HP0147	3.0mm (M3x0.5 Standard)	2.30 <i>0.091</i>	5.50 <i>0.217</i>	Nylon	Hex Nut	0.500 mm / 50.8 TPI
# HP0146	3.0mm (M3x0.5 Standard)	2.30 <i>0.091</i>	5.50 <i>0.217</i>	Nylon	Hex Nut	0.500 mm / 50.8 TPI
NUT-6-32C-NY	3.5mm (6-32 UNC)	3.18 <i>0.125</i>	7.94 <i>0.313</i>	Nylon (6/6 Natural)	Standard	0.794 mm / 32 TPI
# HP0169	4.0mm (M4x0.7 Standard)	3.20 <i>0.126</i>	7.00 <i>0.276</i>	Nylon	Hex Nut	0.700 mm / 36.29 TPI
# NUT-M04.0-NY	4.0mm (M4x0.7 Standard)	3.20 <i>0.126</i>	7.00 <i>0.276</i>	Nylon		0.700 mm / 36.29 TPI
# HP0168	4.0mm (M4x0.7 Standard)	3.20 <i>0.126</i>	7.00 <i>0.276</i>	Nylon	Hex Nut	0.700 mm / 36.29 TPI
NUT-8-32C-NY	4.166mm (8-32 UNC)	3.18 <i>0.125</i>	8.73 <i>0.344</i>	Nylon (6/6 Natural)	Standard	0.794 mm / 32 TPI
NUT-10-24C-NY	4.762mm (10-24 UNC)	3.57 <i>0.141</i>	9.53 <i>0.375</i>	Nylon (6/6 Natural)	Standard	1.058 mm / 24 TPI
NUT-10-32F-NY	4.762mm (10-32 UNF)	3.57 <i>0.141</i>	9.53 <i>0.375</i>	Nylon (6/6 Natural)	Standard	0.794 mm / 32 TPI

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Nuts - Hexagonal - Nylon

Part Number	Thread Size	Thickness (H) mm <i>inches</i>	Width Across Flats (A) mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# NUT-M05.0-NY	5.0mm (M5x0.8)	4.00 <i>0.157</i>	8.00 <i>0.315</i>	Nylon		0.800 mm / 31.75 TPI
# NUT-M06.0-NY	6.0mm (M6x1 Standard)	5.00 <i>0.197</i>	10.00 <i>0.394</i>	Nylon		1.000 mm / 25.4 TPI
NUT-1-4C-NY	6.35mm (1/4-20 UNC)	5.16 <i>0.203</i>	11.11 <i>0.437</i>	Nylon (6/6 Natural)	Standard	1.270 mm / 20 TPI
NUT-1-4F-NY	6.35mm (1/4-28 UNF)	4.90 <i>0.193</i>	11.11 <i>0.437</i>	Nylon		0.907 mm / 28 TPI
# NUT-5-16C-NY	7.938mm (5/16-18 UNC)	6.75 <i>0.266</i>	12.70 <i>0.500</i>	Nylon (6/6 Natural)	Standard	1.411 mm / 18 TPI
# NUT-M08.0-NY	8.0mm (M8x1.25 Standard)	6.20 <i>0.244</i>	12.80 <i>0.504</i>	Nylon		1.250 mm / 20.32 TPI
NUT-3-8C-NY	9.525mm (3/8-16 UNC)	8.33 <i>0.328</i>	14.29 <i>0.563</i>	Nylon (6/6 Natural)	Standard	1.588 mm / 16 TPI
# NUT-3-8W-NY	9.525mm (3/8-16 BSW)	7.60 <i>0.299</i>	14.29 <i>0.563</i>	Nylon		1.588 mm / 16 TPI
# NUT-M10.0-NY	10.0mm (M10x1.5)	8.20 <i>0.323</i>	15.90 <i>0.626</i>	Nylon		1.500 mm / 16.93 TPI
# NUT-M12.0-NY	12.0mm (M12x1.75 Standard)	10.60 <i>0.417</i>	18.00 <i>0.709</i>	Nylon		1.750 mm / 14.51 TPI

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Nuts - Hexagonal - Nylon

Part Number	Thread Size	Thickness (H) mm <i>inches</i>	Width Across Flats (A) mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# NUT-1-2W-NY	12.7mm (1/2-12 BSW)	11.00 <i>0.433</i>	19.05 <i>0.750</i>	Nylon	Standard	2.117 mm / 12 TPI
# NUT-1-2C-NY	12.7mm (1/2-13 UNC)	11.00 <i>0.433</i>	19.05 <i>0.750</i>	Nylon (6/6 Natural)	Standard	1.954 mm / 13 TPI
# NUT-5-8C-NY	15.875mm (5/8-11 UNC)	13.89 <i>0.547</i>	23.81 <i>0.937</i>	Nylon (6/6 Natural)	Standard	2.309 mm / 11 TPI
# NUT-5-8W-NY	15.875mm (5/8-11 BSW)	13.89 <i>0.547</i>	23.81 <i>0.937</i>	Nylon		2.309 mm / 11 TPI
# NUT-M16.0-NY	16.0mm (M16x2 Standard)			Nylon		2.000 mm / 12.7 TPI

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to [catalogues@minibearings.com.au](mailto:catalogues@minibearings.com.au)

