




MBA

Nuts - Hexagonal - Stainless Steel



UNC - UNF - BA - METRIC - BSW - Course - Fine - Extra Fine.

Note! Thickness (H) and A/F (A) dimensions are usually considered not critical and may vary.

If the A and H dimensions are critical for your application please consult us prior to ordering.

Nuts - Hexagonal - Stainless Steel

Part Number	Thread Size	Thickness (H) mm <i>inches</i>	Width Across Flats (A) mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
NUT-0-80F-304	1.524mm (0-80 UNF)	1.27 <i>0.050</i>	3.97 <i>0.156</i>	304 Stainless	Standard	0.318 mm / 80 TPI
# NUT-M01.6-316	1.6mm (M1.6x0.35)	1 <i>0.039</i>	3.2 <i>0.126</i>	316 Stainless	Standard	0.350 mm / 72.57 TPI
NUT-M01.6-304	1.6mm (M1.6x0.35)	1 <i>0.039</i>	3.2 <i>0.126</i>	304 Stainless	Standard	0.350 mm / 72.57 TPI
NUT-M01.7-304	1.7mm (M1.7x0.35)	1.30 <i>0.051</i>	3.50 <i>0.138</i>	304 Stainless	Standard	0.350 mm / 72.57 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Nuts - Hexagonal - Stainless Steel

Part Number	Thread Size	Thickness (H) mm <i>inches</i>	Width Across Flats (A) mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# NUT-10BA-304	1.7mm (10BA)	1.3 <i>0.051</i>	3.5 <i>0.138</i>	304 Stainless	Standard	0.350 mm / 72.57 TPI
# NUT-1-72F-304	1.854mm (1-72 UNF)	1.3 <i>0.051</i>	3.5 <i>0.138</i>	304 Stainless	Standard	0.353 mm / 72 TPI
# NUT-1-72F-316	1.854mm (1-72 UNF)	1.3 <i>0.051</i>	3.5 <i>0.138</i>	316 Stainless	Standard	0.353 mm / 72 TPI
NUT-M02.0-304	2.0mm (M2x0.4 Standard)	1.5 <i>0.059</i>	4 <i>0.157</i>	304 Stainless	Standard	0.400 mm / 63.5 TPI
NUT-M02.0-316	2.0mm (M2x0.4 Standard)	1.5 <i>0.059</i>	4 <i>0.157</i>	316 Stainless	Standard	0.400 mm / 63.5 TPI
NUT-2-56C-304	2.184mm (2-56 UNC)	1.68 <i>0.066</i>	4.76 <i>0.187</i>	304 Stainless	Standard	0.454 mm / 56 TPI
# NUT-2-56C-316	2.184mm (2-56 UNC)	1.68 <i>0.066</i>	4.76 <i>0.187</i>	316 Stainless	Standard	0.454 mm / 56 TPI
# NUT-2-64F-304	2.184mm (2-64 UNF)	1.68 <i>0.066</i>	4.57 <i>0.180</i>	304 Stainless	Standard	0.397 mm / 64 TPI
# NUT-2-64F-316	2.184mm (2-64 UNF)	1.68 <i>0.066</i>	4.57 <i>0.180</i>	316 Stainless	Standard	0.397 mm / 64 TPI
NUT-M02.5-304	2.5mm (M2.5x0.45)	2 <i>0.079</i>	5 <i>0.197</i>	304 Stainless	Standard	0.450 mm / 56.44 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Nuts - Hexagonal - Stainless Steel

Part Number	Thread Size	Thickness (H) mm <i>inches</i>	Width Across Flats (A) mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
NUT-M02.5-316	2.5mm (M2.5x0.45)	2 <i>0.079</i>	5 <i>0.197</i>	316 Stainless	Standard	0.450 mm / 56.44 TPI
# NUT-3-48C-304	2.515mm (3-48 UNC)	1.6 <i>0.063</i>	4.73 <i>0.186</i>	304 Stainless	Standard	0.529 mm / 48 TPI
# NUT-3-48C-316	2.515mm (3-48 UNC)	1.6 <i>0.063</i>	4.73 <i>0.186</i>	316 Stainless	Standard	0.529 mm / 48 TPI
# NUT-3-56F-304	2.515mm (3-56 UNF)	2 <i>0.079</i>	5 <i>0.197</i>	304 Stainless	Standard	0.454 mm / 56 TPI
# NUT-3-56F-316	2.515mm (3-56 UNF)	2 <i>0.079</i>	5 <i>0.197</i>	316 Stainless	Standard	0.454 mm / 56 TPI
NUT-M02.6-304	2.6mm (M2.6x0.45)	2.00 <i>0.079</i>	5.00 <i>0.197</i>	304 Stainless	Standard	0.450 mm / 56.44 TPI
# NUT-6BA-304	2.794mm (6BA)	2.6 <i>0.102</i>	4.9 <i>0.193</i>	304 Stainless	Standard	0.530 mm / 47.93 TPI
# NUT-6BA-316	2.794mm (6BA)	2.6 <i>0.102</i>	4.9 <i>0.193</i>	316 Stainless	Standard	0.530 mm / 47.93 TPI
NUT-4-40C-304	2.845mm (4-40 UNC)	2.5 <i>0.098</i>	6.35 <i>0.250</i>	304 Stainless	Standard	0.635 mm / 40 TPI
# NUT-4-40C-316	2.845mm (4-40 UNC)	2.5 <i>0.098</i>	6.35 <i>0.250</i>	316 Stainless	Standard	0.635 mm / 40 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Nuts - Hexagonal - Stainless Steel

Part Number	Thread Size	Thickness (H) mm <i>inches</i>	Width Across Flats (A) mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
NUT-4-48F-304	2.845mm (4-48 UNF)	4.57 <i>0.180</i>	6.35 <i>0.250</i>	304 Stainless	Standard	0.529 mm / 48 TPI
# NUT-4-48F-316	2.845mm (4-48 UNF)	4.57 <i>0.180</i>	6.35 <i>0.250</i>	316 Stainless	Standard	0.529 mm / 48 TPI
NUT-M03.0-304	3.0mm (M3x0.5 Standard)	2.30 <i>0.091</i>	5.5 <i>0.217</i>	304 Stainless	Standard	0.500 mm / 50.8 TPI
NUT-M03.0-316	3.0mm (M3x0.5 Standard)	2.3 <i>0.091</i>	5.5 <i>0.217</i>	316 Stainless	Standard	0.500 mm / 50.8 TPI
# NUT-5-40C-304	3.175mm (5-40 UNC)	2.7 <i>0.106</i>	5.8 <i>0.228</i>	304 Stainless	Standard	0.635 mm / 40 TPI
# NUT-5-40C-316	3.175mm (5-40 UNC)	2.7 <i>0.106</i>	5.8 <i>0.228</i>	316 Stainless	Standard	0.635 mm / 40 TPI
# NUT-1-8W-304	3.175mm (1/8-40 BSW)	2.7 <i>0.106</i>	5.8 <i>0.228</i>	304 Stainless	Standard	0.635 mm / 40 TPI
# NUT-1-8W-316	3.175mm (1/8-40 BSW)	2.7 <i>0.106</i>	5.8 <i>0.228</i>	316 Stainless	Standard	0.635 mm / 40 TPI
# NUT-5-44F-304	3.175mm (5-44 UNF)	2.7 <i>0.106</i>	5.8 <i>0.228</i>	304 Stainless	Standard	0.577 mm / 44 TPI
# NUT-5-44F-316	3.175mm (5-44 UNF)	2.7 <i>0.106</i>	5.8 <i>0.228</i>	316 Stainless	Standard	0.577 mm / 44 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Nuts - Hexagonal - Stainless Steel

Part Number	Thread Size	Thickness (H) mm <i>inches</i>	Width Across Flats (A) mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
NUT-6-32C-304	3.5mm (6-32 UNC)	2.7 <i>0.106</i>	8 <i>0.315</i>	304 Stainless	Standard	0.794 mm / 32 TPI
# NUT-6-32C-316	3.5mm (6-32 UNC)	2.7 <i>0.106</i>	8 <i>0.315</i>	316 Stainless	Standard	0.794 mm / 32 TPI
# NUT-6-40F-304	3.5mm (6-40 UNF)	3.18 <i>0.125</i>	7.94 <i>0.313</i>	304 Stainless	Standard	0.635 mm / 40 TPI
# NUT-6-40F-316	3.5mm (6-40 UNF)	3.18 <i>0.125</i>	7.94 <i>0.313</i>	316 Stainless	Standard	0.635 mm / 40 TPI
NUT-M03.5-304	3.5mm (M3.5x0.6 Standard)	2.8 <i>0.110</i>	6 <i>0.236</i>	304 Stainless	Standard	0.600 mm / 42.33 TPI
# NUTM035316	3.5mm (M3.5x0.6 Standard)	2.8 <i>0.110</i>	6 <i>0.236</i>		Standard	0.600 mm / 42.33 TPI
# NUT-5-32W-304	3.969mm (5/32-32 BSW)	3.2 <i>0.126</i>	7 <i>0.276</i>	304 Stainless	Standard	0.794 mm / 32 TPI
# NUT-5-32W-316	3.969mm (5/32-32 BSW)	3.2 <i>0.126</i>	7 <i>0.276</i>	316 Stainless	Standard	0.794 mm / 32 TPI
NUT-M04.0-304	4.0mm (M4x0.7 Standard)	3.2 <i>0.126</i>	7 <i>0.276</i>	304 Stainless	Standard	0.700 mm / 36.29 TPI
# NUT-M04.0-316	4.0mm (M4x0.7 Standard)	3.2 <i>0.126</i>	7 <i>0.276</i>	316 Stainless	Standard	0.700 mm / 36.29 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Nuts - Hexagonal - Stainless Steel

Part Number	Thread Size	Thickness (H) mm <i>inches</i>	Width Across Flats (A) mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# NUT-8-32C-304	4.166mm (8-32 UNC)	3.3 <i>0.130</i>	8.73 <i>0.344</i>	304 Stainless	Standard	0.794 mm / 32 TPI
# NUT-8-32C-316	4.166mm (8-32 UNC)	3.3 <i>0.130</i>	8.73 <i>0.344</i>	316 Stainless	Standard	0.794 mm / 32 TPI
NUT-8-36F-304	4.166mm (8-36 UNF)	3.1 <i>0.122</i>	8.6 <i>0.339</i>	304 Stainless	Standard	0.706 mm / 36 TPI
# NUT-8-36F-316	4.166mm (8-36 UNF)	3.1 <i>0.122</i>	8.6 <i>0.339</i>	316 Stainless	Standard	0.706 mm / 36 TPI
# NUT-2BA-304	4.7mm (2BA)	4.1 <i>0.161</i>	8.2 <i>0.323</i>	304 Stainless	Standard	0.812 mm / 31.3 TPI
# NUT-2BA-316	4.7mm (2BA)	4.1 <i>0.161</i>	8.2 <i>0.323</i>	316 Stainless	Standard	0.812 mm / 31.3 TPI
# NUT-10-24CLH-304	LEFT HAND 10-24 UNC (4.762mm)	6.35 <i>0.250</i>	9.27 <i>0.365</i>	304 Stainless	Left Hand	1.058 mm / 24 TPI
# NUT-10-24C-304	4.762mm (10-24 UNC)	6.35 <i>0.250</i>	9.3 <i>0.366</i>	304 Stainless	Standard	1.058 mm / 24 TPI
# NUT-10-24C-316	4.762mm (10-24 UNC)	6.35 <i>0.250</i>	9.3 <i>0.366</i>	316 Stainless	Standard	1.058 mm / 24 TPI
# NUT-10-24CLH-316	LEFT HAND 10-24 UNC (4.762mm)	6.35 <i>0.250</i>	9.27 <i>0.365</i>	316 Stainless	Left Hand	1.058 mm / 24 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Nuts - Hexagonal - Stainless Steel

Part Number	Thread Size	Thickness (H) mm <i>inches</i>	Width Across Flats (A) mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
NUT-3/16W-304	4.762mm (3/16-24 BSW)	4 <i>0.157</i>	8 <i>0.315</i>	304 Stainless	Standard	1.058 mm / 24 TPI
# NUT-3/16W-316	4.762mm (3/16-24 BSW)	4 <i>0.157</i>	8 <i>0.315</i>	316 Stainless	Standard	1.058 mm / 24 TPI
NUT-10-32F-304	4.762mm (10-32 UNF)	3.3 <i>0.130</i>	9.3 <i>0.366</i>	304 Stainless	Standard	0.794 mm / 32 TPI
# NUT-10-32F-316	4.762mm (10-32 UNF)	3.3 <i>0.130</i>	9.3 <i>0.366</i>	316 Stainless	Standard	0.794 mm / 32 TPI
NUT-M05.0-304	5.0mm (M5x0.8 Standard)	4 <i>0.157</i>	8 <i>0.315</i>	304 Stainless	Standard	0.800 mm / 31.75 TPI
# NUTM050CLH304	5.0mm (M5x0.8 Standard)	4 <i>0.157</i>	8 <i>0.315</i>		Standard	0.800 mm / 31.75 TPI
# NUT-M05.0-316	5.0mm (M5x0.8 Standard)	4 <i>0.157</i>	8 <i>0.315</i>	316 Stainless	Standard	0.800 mm / 31.75 TPI
NUT1224C304	5.486mm (12-24 UNC)	4.1 <i>0.161</i>	11.1 <i>0.437</i>		Standard	1.058 mm / 24 TPI
# NUT-0BA-304	6mm (0BA)	5 <i>0.197</i>	10 <i>0.394</i>	304 Stainless	Standard	1.000 mm / 25.4 TPI
NUT-M06.0-304	6.0mm (M6x1 Standard)	5 <i>0.197</i>	10 <i>0.394</i>	304 Stainless	Standard	1.000 mm / 25.4 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Nuts - Hexagonal - Stainless Steel

Part Number	Thread Size	Thickness (H) mm <i>inches</i>	Width Across Flats (A) mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# NUTM060CLH304	6.0mm (M6x1 Standard)	5 <i>0.197</i>	10 <i>0.394</i>		Standard	1.000 mm / 25.4 TPI
# NUT-M06.0-316	6.0mm (M6x1 Standard)	5 <i>0.197</i>	10 <i>0.394</i>	316 Stainless	Standard	1.000 mm / 25.4 TPI
# NUT-0BA-316	6mm (0BA)	5 <i>0.197</i>	10 <i>0.394</i>	316 Stainless	Standard	1.000 mm / 25.4 TPI
# NUT-1-4C-304	6.35mm (1/4-20 UNC)	4.9 <i>0.193</i>	11.11 <i>0.437</i>	304 Stainless	Standard	1.270 mm / 20 TPI
# NUT-1-4CLH-304	LEFT HAND 1/4-20 UNC (6.35mm)	4.9 <i>0.193</i>	11.11 <i>0.437</i>	304 Stainless	Left Hand	1.270 mm / 20 TPI
# NUT-1-4CLH-316	LEFT HAND 1/4-20 UNC (6.35mm)	4.9 <i>0.193</i>	11.11 <i>0.437</i>	316 Stainless	Left Hand	1.270 mm / 20 TPI
# NUT-1-4C-316	6.35mm (1/4-20 UNC)	4.9 <i>0.193</i>	11.11 <i>0.437</i>	316 Stainless	Standard	1.270 mm / 20 TPI
# NUT-1-4W-304	6.35mm (1/4-20 BSW)	4.9 <i>0.193</i>	11.11 <i>0.437</i>	304 Stainless	Standard	1.270 mm / 20 TPI
# NUT-1-4W-316	6.35mm (1/4-20 BSW)	4.9 <i>0.193</i>	11.11 <i>0.437</i>	316 Stainless	Standard	1.270 mm / 20 TPI
# NUT-1-4F-304	6.35mm (1/4-28 UNF)	4.9 <i>0.193</i>	11.11 <i>0.437</i>	304 Stainless	Standard	0.907 mm / 28 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Nuts - Hexagonal - Stainless Steel

Part Number	Thread Size	Thickness (H) mm <i>inches</i>	Width Across Flats (A) mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# NUT-1-4F-316	6.35mm (1/4-28 UNF)	4.9 <i>0.193</i>	11.11 <i>0.437</i>	316 Stainless	Standard	0.907 mm / 28 TPI
# NUTM070304	7.0mm (M7x1 Standard)	6.5 <i>0.256</i>	13 <i>0.512</i>		Standard	1.250 mm / 20.32 TPI
# NUTM070316	7.0mm (M7x1 Standard)	6.5 <i>0.256</i>	13 <i>0.512</i>		Standard	1.250 mm / 20.32 TPI
NUT-5-16C-304	7.938mm (5/16-18 UNC)	6.75 <i>0.266</i>	12.7 <i>0.500</i>	304 Stainless	Standard	1.411 mm / 18 TPI
# NUT-5-16CLH-304	LEFT HAND 5/16-18 UNC (7.938mm)	6.75 <i>0.266</i>	12.7 <i>0.500</i>	304 Stainless	Left Hand	1.411 mm / 18 TPI
# NUT-5-16CLH-316	LEFT HAND 5/16-18 UNC (7.938mm)	6.75 <i>0.266</i>	12.7 <i>0.500</i>	316 Stainless	Left Hand	1.411 mm / 18 TPI
NUT-5-16C-316	7.938mm (5/16-18 UNC)	6.75 <i>0.266</i>	12.7 <i>0.500</i>	316 Stainless	Standard	1.411 mm / 18 TPI
# NUT-5-16W-304	7.938mm (5/16-18 BSW)	6.75 <i>0.266</i>	12.7 <i>0.500</i>	304 Stainless	Standard	1.411 mm / 18 TPI
# NUT-5-16W-316	7.938mm (5/16-18 BSW)	6.75 <i>0.266</i>	12.7 <i>0.500</i>	316 Stainless	Standard	1.411 mm / 18 TPI
# NUT-5-16F-304	7.938mm (5/16-24 UNF)	6.75 <i>0.266</i>	12.7 <i>0.500</i>	304 Stainless	Standard	1.058 mm / 24 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Nuts - Hexagonal - Stainless Steel

Part Number	Thread Size	Thickness (H) mm <i>inches</i>	Width Across Flats (A) mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# NUT-5-16F-316	7.938mm (5/16-24 UNF)	6.75 <i>0.266</i>	12.7 <i>0.500</i>	316 Stainless	Standard	1.058 mm / 24 TPI
# NUT-M08.0x1.0-316	8.0mm (M8x1 Fine)	6.50 <i>0.256</i>	13.00 <i>0.512</i>	316 Stainless	Standard	1.000 mm / 25.4 TPI
NUT-M08.0x0.75-316	8.0mm (M8x0.75 Extra Fine)	6.50 <i>0.256</i>	13.00 <i>0.512</i>	316 Stainless	Standard	0.750 mm / 33.87 TPI
NUT-M08.0-304	8.0mm (M8x1.25 Standard)	6.5 <i>0.256</i>	13 <i>0.512</i>	304 Stainless	Standard	1.250 mm / 20.32 TPI
# NUTM080CLH304	8.0mm (M8x1.25 Standard)	6.5 <i>0.256</i>	13 <i>0.512</i>		Standard	1.250 mm / 20.32 TPI
NUT-M08.0-316	8.0mm (M8x1.25 Standard)	6.5 <i>0.256</i>	13 <i>0.512</i>	316 Stainless	Standard	1.250 mm / 20.32 TPI
# NUT-3-8C-304	9.525mm (3/8-16 UNC)	7.6 <i>0.299</i>	15 <i>0.591</i>	304 Stainless	Standard	1.588 mm / 16 TPI
# NUT-3-8C-316	9.525mm (3/8-16 UNC)	7.6 <i>0.299</i>	15 <i>0.591</i>	316 Stainless	Standard	1.588 mm / 16 TPI
# NUT-3-8W-304	9.525mm (3/8-16 BSW)	7.6 <i>0.299</i>	15 <i>0.591</i>	304 Stainless	Standard	1.588 mm / 16 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Nuts - Hexagonal - Stainless Steel

Part Number	Thread Size	Thickness (H) mm <i>inches</i>	Width Across Flats (A) mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# NUT-3-8W-316	9.525mm (3/8-16 BSW)	7.6 <i>0.299</i>	15 <i>0.591</i>	316 Stainless	Standard	1.588 mm / 16 TPI
# NUT-3-8F-304	9.525mm (3/8-24 UNF)	7.6 <i>0.299</i>	15 <i>0.591</i>	304 Stainless	Standard	1.058 mm / 24 TPI
# NUT-3-8F-316	9.525mm (3/8-24 UNF)	7.6 <i>0.299</i>	15 <i>0.591</i>	316 Stainless	Standard	1.058 mm / 24 TPI
# NUT-M10.0x1.0-316	10.0mm (M10x1 EXTRA FINE)	8.00 <i>0.315</i>	17.00 <i>0.669</i>	316 Stainless	Standard	1.000 mm / 25.4 TPI
# NUT-M10.0x1.25-316	10.0mm (M10x1.25 FINE)	8.00 <i>0.315</i>	17.00 <i>0.669</i>	316 Stainless	Standard	1.250 mm / 20.32 TPI
# NUTM100CLH304	10.0mm (M10x1.5)	8 <i>0.315</i>	17 <i>0.669</i>		Standard	1.500 mm / 16.93 TPI
NUT-M10.0-304	10.0mm (M10x1.5)	8 <i>0.315</i>	17 <i>0.669</i>	304 Stainless	Standard	1.500 mm / 16.93 TPI
# NUT-M10.0-316	10.0mm (M10x1.5)	8 <i>0.315</i>	17 <i>0.669</i>	316 Stainless	Standard	1.500 mm / 16.93 TPI
# NUT-7-16C-304	11.113mm (7/16-14 UNC)	9.5 <i>0.374</i>	17 <i>0.669</i>	304 Stainless	Standard	1.814 mm / 14 TPI
# NUT-7-16C-316	11.113mm (7/16-14 UNC)	9.5 <i>0.374</i>	17 <i>0.669</i>	316 Stainless	Standard	1.814 mm / 14 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Nuts - Hexagonal - Stainless Steel

Part Number	Thread Size	Thickness (H) mm	Width Across Flats (A) mm	Material	Type	Pitch in mm / Threads Per Inch mm / No.
		<i>inches</i>	<i>inches</i>			
# NUT-7-16F-304	11.113mm (7/16-20 UNF)	9.5 <i>0.374</i>	17 <i>0.669</i>	304 Stainless	Standard	1.270 mm / 20 TPI
# NUT-7-16F-316	11.113mm (7/16-20 UNF)	9.5 <i>0.374</i>	17 <i>0.669</i>	316 Stainless	Standard	1.270 mm / 20 TPI
# NUT-M12.0x1.5-316	12.0mm (M12x1.5 Fine)	10.00 <i>0.394</i>	19.00 <i>0.748</i>	316 Stainless	Standard	1.500 mm / 16.93 TPI
# NUT-M12.0x1.25-316	12.0mm (M12x1.25 Extra Fine)	10.00 <i>0.394</i>	19.00 <i>0.748</i>	316 Stainless	Standard	1.250 mm / 20.32 TPI
NUT-M12.0-304	12.0mm (M12x1.75 Standard)	10.6 <i>0.417</i>	19 <i>0.748</i>	304 Stainless	Standard	1.750 mm / 14.51 TPI
# NUTM120CLH304	12.0mm (M12x1.75 Standard)	10.6 <i>0.417</i>	19 <i>0.748</i>		Standard	1.750 mm / 14.51 TPI
# NUTM120304AF18	12.0mm (M12x1.75 Standard)	10.6 <i>0.417</i>	19 <i>0.748</i>		Standard	1.750 mm / 14.51 TPI
# NUT-M12.0-316	12.0mm (M12x1.75 Standard)	10.6 <i>0.417</i>	19 <i>0.748</i>	316 Stainless	Standard	1.750 mm / 14.51 TPI
# NUTM120316AF18	12.0mm (M12x1.75 Standard)	10.6 <i>0.417</i>	19 <i>0.748</i>		Standard	1.750 mm / 14.51 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Nuts - Hexagonal - Stainless Steel

Part Number	Thread Size	Thickness (H) mm <i>inches</i>	Width Across Flats (A) mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# NUT-M12.0x1.25-304	12.0mm (M12x1.25 Extra Fine)	10.6 <i>0.417</i>	19 <i>0.748</i>	304 Stainless	Standard	1.250 mm / 20.32 TPI
# NUT-1-2W-304	12.7mm (1/2-12 BSW)	11 <i>0.433</i>	21 <i>0.827</i>	304 Stainless	Standard	2.117 mm / 12 TPI
# NUT-1-2W-316	12.7mm (1/2-12 BSW)	11 <i>0.433</i>	21 <i>0.827</i>	316 Stainless	Standard	2.117 mm / 12 TPI
NUT-1-2C-304	12.7mm (1/2-13 UNC)	11 <i>0.433</i>	21 <i>0.827</i>	304 Stainless	Standard	1.954 mm / 13 TPI
# NUT-1-2C-316	12.7mm (1/2-13 UNC)	11 <i>0.433</i>	21 <i>0.827</i>	316 Stainless	Standard	1.954 mm / 13 TPI
NUT-1-2F-304	12.7mm (1/2-20 UNF)	11 <i>0.433</i>	21 <i>0.827</i>	304 Stainless	Standard	1.270 mm / 20 TPI
# NUT-1-2F-316	12.7mm (1/2-20 UNF)	11 <i>0.433</i>	21 <i>0.827</i>	316 Stainless	Standard	1.270 mm / 20 TPI
NUT-M14.0-304	14.0mm (M14x2 Standard)	11 <i>0.433</i>	22 <i>0.866</i>	304 Stainless	Standard	2.000 mm / 12.7 TPI
# NUT-M14.0-316	14.0mm (M14x2 Standard)	11 <i>0.433</i>	22 <i>0.866</i>	316 Stainless	Standard	2.000 mm / 12.7 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Nuts - Hexagonal - Stainless Steel

Part Number	Thread Size	Thickness (H) mm <i>inches</i>	Width Across Flats (A) mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# NUT-9-16C-304	14.288mm (9/16-12 UNC)	11 <i>0.433</i>	22 <i>0.866</i>	304 Stainless	Standard	2.117 mm / 12 TPI
# NUT-9-16C-316	14.288mm (9/16-12 UNC)	11 <i>0.433</i>	22 <i>0.866</i>	316 Stainless	Standard	2.117 mm / 12 TPI
NUT-5-8C-304	15.875mm (5/8-11 UNC)	13.89 <i>0.547</i>	23.81 <i>0.937</i>	304 Stainless	Standard	2.309 mm / 11 TPI
# NUT-5-8C-316	15.875mm (5/8-11 UNC)	13.89 <i>0.547</i>	23.81 <i>0.937</i>	316 Stainless	Standard	2.309 mm / 11 TPI
# NUT-5-8F-304	15.875mm (5/8-18 UNF)	13.89 <i>0.547</i>	23.81 <i>0.937</i>	304 Stainless	Standard	1.411 mm / 18 TPI
# NUT-5-8F-316	15.875mm (5/8-18 UNF)	13.89 <i>0.547</i>	23.81 <i>0.937</i>	316 Stainless	Standard	1.411 mm / 18 TPI
# NUT-5-8W-304	15.875mm (5/8-11 BSW)	13.89 <i>0.547</i>	23.81 <i>0.937</i>	304 Stainless	Standard	2.309 mm / 11 TPI
# NUT-5-8W-316	15.875mm (5/8-11 BSW)	13.89 <i>0.547</i>	23.81 <i>0.937</i>	316 Stainless	Standard	2.309 mm / 11 TPI
# NUT-M16.0x1.75-316	16.0mm (M16x1.75 Fine)	13.00 <i>0.512</i>	24.00 <i>0.945</i>	316 Stainless	Standard	1.750 mm / 14.51 TPI
# NUT-M16.0x1.5-316	16.0mm (M16x1.5 Fine)	13.00 <i>0.512</i>	24.00 <i>0.945</i>	316 Stainless	Standard	1.500 mm / 16.93 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Nuts - Hexagonal - Stainless Steel

Part Number	Thread Size	Thickness (H) mm <i>inches</i>	Width Across Flats (A) mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# NUT-M16.0-304	16.0mm (M16x2 Standard)	13 <i>0.512</i>	24 <i>0.945</i>	304 Stainless	Standard	2.000 mm / 12.7 TPI
# NUTM160CLH304	16.0mm (M16x2 Standard)	13 <i>0.512</i>	24 <i>0.945</i>		Standard	2.000 mm / 12.7 TPI
# NUT-M16.0-316	16.0mm (M16x2 Standard)	13 <i>0.512</i>	24 <i>0.945</i>	316 Stainless	Standard	2.000 mm / 12.7 TPI
# NUT-M18.0-304	18.0mm (M18x2.5 Standard)	15 <i>0.591</i>	27 <i>1.063</i>	304 Stainless	Standard	2.500 mm / 10.16 TPI
# NUT-M18.0-316	18.0mm (M18x2.5 Standard)	15 <i>0.591</i>	27 <i>1.063</i>	316 Stainless	Standard	2.500 mm / 10.16 TPI
# NUT-3-4C-304	19.05mm (3/4-10 UNC)	16.27 <i>0.641</i>	28.58 <i>1.125</i>	304 Stainless	Standard	2.540 mm / 10 TPI
# NUT-3-4W-304	19.05mm (3/4-10 BSW)	16.27 <i>0.641</i>	28.58 <i>1.125</i>	304 Stainless	Standard	2.540 mm / 10 TPI
# NUT-3-4F-304	19.05mm (3/4-16 UNF)	16.27 <i>0.641</i>	28.58 <i>1.125</i>	304 Stainless	Standard	1.588 mm / 16 TPI
# NUT-M20.0x2.0-316	20mm (M20x2 Fine)	16.00 <i>0.630</i>	30.00 <i>1.181</i>	316 Stainless	Standard	2.000 mm / 12.7 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Nuts - Hexagonal - Stainless Steel

Part Number	Thread Size	Thickness (H) mm <i>inches</i>	Width Across Flats (A) mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# NUT-M20.0x1.5-316	20mm (M20x1.5 Extra Fine)	16.00 <i>0.630</i>	30.00 <i>1.181</i>	316 Stainless	Standard	1.500 mm / 16.93 TPI
# NUT-M20.0-304	20mm (M20x2.5 Standard)	16 <i>0.630</i>	30 <i>1.181</i>	304 Stainless	Standard	2.500 mm / 10.16 TPI
# NUTM200CLH304	20mm (M20x2.5 Standard)	16 <i>0.630</i>	30 <i>1.181</i>		Standard	2.500 mm / 10.16 TPI
# NUT-M20.0-316	20mm (M20x2.5 Standard)	16 <i>0.630</i>	30 <i>1.181</i>	316 Stainless	Standard	2.500 mm / 10.16 TPI
# NUT-M22.0-304	22mm (M22x2.5 Standard)	18 <i>0.709</i>	34 <i>1.339</i>	304 Stainless	Standard	2.500 mm / 10.16 TPI
# NUT-M22.0-316	22mm (M22x2.5 Standard)	18 <i>0.709</i>	34 <i>1.339</i>	316 Stainless	Standard	2.500 mm / 10.16 TPI
# NUT-7-8C-304	22.225mm (7/8-9 UNC)	19.05 <i>0.750</i>	33.34 <i>1.313</i>	304 Stainless	Standard	2.822 mm / 9 TPI
# NUT78C316	22.225mm (7/8-9 UNC)	19.05 <i>0.750</i>	33.34 <i>1.313</i>		Standard	2.822 mm / 9 TPI
# NUT78F316	22.225mm (7/8-14 UNF)	19.05 <i>0.750</i>	33.34 <i>1.313</i>		Standard	1.814 mm / 14 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Nuts - Hexagonal - Stainless Steel

Part Number	Thread Size	Thickness (H) mm <i>inches</i>	Width Across Flats (A) mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# NUT-7-8F-304	22.225mm (7/8-14 UNF)	19.05 <i>0.750</i>	33.34 <i>1.313</i>	304 Stainless	Standard	1.814 mm / 14 TPI
# NUT-7-8W-304	22.225mm (7/8-9 BSW)	19.05 <i>0.750</i>	33.34 <i>1.313</i>	304 Stainless	Standard	2.822 mm / 9 TPI
# NUT-M24.0-304	24.0mm (M24x3 Standard)	19 <i>0.748</i>	36 <i>1.417</i>	304 Stainless	Standard	3.000 mm / 8.46 TPI
# NUTM240CLH304	24.0mm (M24x3 Standard)	19 <i>0.748</i>	36 <i>1.417</i>		Standard	3.000 mm / 8.46 TPI
# NUT-M24.0-316	24.0mm (M24x3 Standard)	19 <i>0.748</i>	36 <i>1.417</i>	316 Stainless	Standard	3.000 mm / 8.46 TPI
# NUT1C316	25.4mm (1in.-8 UNC)	21.83 <i>0.859</i>	38.1 <i>1.500</i>		Standard	3.175 mm / 8 TPI
# NUT1F316	25.4mm (1in.-12 UNF)	21.83 <i>0.859</i>	38.1 <i>1.500</i>		Standard	2.117 mm / 12 TPI
# NUT-1W-304	25.4mm (1in.-8 BSW)	21.83 <i>0.859</i>	38.1 <i>1.500</i>	304 Stainless	Standard	3.175 mm / 8 TPI
# NUT-1C-304	25.4mm (1in.-8 UNC)	21.83 <i>0.859</i>	38.1 <i>1.500</i>	304 Stainless	Standard	3.175 mm / 8 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Nuts - Hexagonal - Stainless Steel

Part Number	Thread Size	Thickness (H) mm <i>inches</i>	Width Across Flats (A) mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# NUT-1F-304	25.4mm (1in.-12 UNF)	21.83 <i>0.859</i>	38.1 <i>1.500</i>	304 Stainless	Standard	2.117 mm / 12 TPI
# NUT-M27.0-304	27.0mm (M27x3 Standard)	22 <i>0.866</i>	41 <i>1.614</i>	304 Stainless	Standard	3.000 mm / 8.46 TPI
# NUT-M27.0-316	27.0mm (M27x3 Standard)	22 <i>0.866</i>	41 <i>1.614</i>	316 Stainless	Standard	3.000 mm / 8.46 TPI
# NUT-1.1-8C-304	28.525mm (1.1/8-7 UNC)	24.6 <i>0.969</i>	42.86 <i>1.687</i>	304 Stainless	Standard	3.629 mm / 7 TPI
# NUT-1.1-8C-316	28.525mm (1.1/8-7 UNC)	24.6 <i>0.969</i>	42.86 <i>1.687</i>	316 Stainless	Standard	3.629 mm / 7 TPI
# NUT-1.1-8W-304	28.525mm (1.1/8-7 BSW)	24.6 <i>0.969</i>	42.86 <i>1.687</i>	304 Stainless	Standard	3.629 mm / 7 TPI
# NUT-M30.0-304	30.0mm (M30x3.5 Standard)	24 <i>0.945</i>	46 <i>1.811</i>	304 Stainless	Standard	3.500 mm / 7.26 TPI
# NUT-M30.0-316	30.0mm (M30x3.5 Standard)	24 <i>0.945</i>	46 <i>1.811</i>	316 Stainless	Standard	3.500 mm / 7.26 TPI
# NUT-1.1-4C-304	31.75mm (1.1/4-7 UNC)	29.63 <i>1.167</i>	47.63 <i>1.875</i>	304 Stainless	Standard	3.629 mm / 7 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Nuts - Hexagonal - Stainless Steel

Part Number	Thread Size	Thickness (H) mm <i>inches</i>	Width Across Flats (A) mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# NUT-1.1-4C-316	31.75mm (1.1/4-7 UNC)	29.63 <i>1.167</i>	47.63 <i>1.875</i>	316 Stainless	Standard	3.629 mm / 7 TPI
# NUT-M33.0-304	33.0mm (M33x3.5 Standard)	26.00 <i>1.024</i>	50.00 <i>1.969</i>	304 Stainless	Standard	3.500 mm / 7.26 TPI
# NUTM330316	33.0mm (M33x3.5 Standard)	26 <i>1.024</i>	50 <i>1.969</i>		Standard	3.500 mm / 7.26 TPI
# NUT-M36.0-304	36.0mm (M36x4 Standard)	29 <i>1.142</i>	55 <i>2.165</i>	304 Stainless	Standard	4.000 mm / 6.35 TPI
# NUT-M36.0-316	36.0mm (M36x4 Standard)	29 <i>1.142</i>	55 <i>2.165</i>	316 Stainless	Standard	4.000 mm / 6.35 TPI
# NUT-1.1-2C-304	38.1mm (1.1/2-6 UNC)	32.54 <i>1.281</i>	57.15 <i>2.250</i>	304 Stainless	Standard	4.233 mm / 6 TPI
# NUT-1.1-2C-316	38.1mm (1.1/2-6 UNC)	32.54 <i>1.281</i>	57.15 <i>2.250</i>	316 Stainless	Standard	4.233 mm / 6 TPI
# NUT-M39.0-304	39.0mm (M39x4 Standard)	31.00 <i>1.220</i>	60.00 <i>2.362</i>	304 Stainless	Standard	4.000 mm / 6.35 TPI
# NUTM390316	39.0mm (M39x4 Standard)	31 <i>1.220</i>	60 <i>2.362</i>		Standard	4.000 mm / 6.35 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Nuts - Hexagonal - Stainless Steel

Part Number	Thread Size	Thickness (H) mm <i>inches</i>	Width Across Flats (A) mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# NUT-M42.0-304	42.0mm (M42x4.5 Standard)	34.00 <i>1.339</i>	65.00 <i>2.559</i>	304 Stainless	Standard	4.500 mm / 5.64 TPI
# NUTM420316	42.0mm (M42x4.5 Standard)	34 <i>1.339</i>	65 <i>2.559</i>		Standard	4.500 mm / 5.64 TPI
# NUT-M45.0-304	45.0mm (M45x4.5 Standard)	36.00 <i>1.417</i>	70.00 <i>2.756</i>	304 Stainless	Standard	4.500 mm / 5.64 TPI
# NUT-M48-304	48.0mm (M48x5 Standard)	38 <i>1.496</i>	75 <i>2.953</i>	304 Stainless	Standard	5.000 mm / 5.08 TPI
# NUT-M48-316	48.0mm (M48x5 Standard)	38 <i>1.496</i>	75 <i>2.953</i>		Standard	5.000 mm / 5.08 TPI
# NUT2C316	50.8mm (2in. UNC)	43.65 <i>1.719</i>	76.2 <i>3.000</i>		Standard	5.640 mm / 4.5 TPI
# NUT-M52.0-304	52.0mm (M52x5)	42.00 <i>1.654</i>	80.00 <i>3.150</i>	304 Stainless	Standard	5.000 mm / 5.08 TPI
NUT-M01.0-304	1mm (M1x0.25)	1.00 <i>0.039</i>	2.50 <i>0.098</i>	304 Stainless	Standard	0.250 mm / 101.6 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to catalogues@minibearings.com.au
