




MBA

Nuts - Hexagonal - Steel



UNC - UNF - BA - METRIC. Plain and Zinc Plated.

Note! Thickness (H) and A/F (A) dimensions are usually considered not critical and may vary.

If the A and H dimensions are critical for your application please consult us prior to ordering.

Nuts - Hexagonal - Steel

Part Number	Thread Size	Thickness (H) mm <i>inches</i>	Width Across Flats (A) mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
NUT-0-80F-SZP	1.524mm (0-80 UNF)	1.17 <i>0.046</i>	4.00 <i>0.157</i>	Steel - Zinc Plated	Standard	0.318 mm / 80 TPI
NUT-M01.60-SZP	1.6mm (M1.6x0.35)	1.20 <i>0.047</i>	3.20 <i>0.126</i>	Steel - Zinc Plated	Standard	0.350 mm / 72.57 TPI
# NUT-M01.6-AS	1.6mm (M1.6x0.35)	1.20 <i>0.047</i>	3.20 <i>0.126</i>	Alloy Steel	Standard	0.350 mm / 72.57 TPI
# HNM017	1.7mm (M1.7x0.35)	1.30 <i>0.051</i>	3.50 <i>0.138</i>	Steel - Zinc Plated	Standard	0.350 mm / 72.57 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Nuts - Hexagonal - Steel

Part Number	Thread Size	Thickness (H) mm	Width Across Flats (A) mm	Material	Type	Pitch in mm / Threads Per Inch mm / No.
		<i>inches</i>	<i>inches</i>			
NUT-1-72F-S-ZP	1.854mm (1-72 UNF)	1.30 <i>0.051</i>	3.50 <i>0.138</i>	Steel Zinc Plated	Standard	0.353 mm / 72 TPI
NUT-M02.0-SZP	2.0mm (M2x0.4 Standard)	1.50 <i>0.059</i>	4.00 <i>0.157</i>	Steel - Zinc Plated	Standard	0.400 mm / 63.5 TPI
NUT-M02.0-AS	2.0mm (M2x0.4 Standard)	1.50 <i>0.059</i>	4.00 <i>0.157</i>	Alloy Steel	Standard	0.400 mm / 63.5 TPI
NUT-2-56C-S-ZP	2.184mm (2-56 UNC)	1.68 <i>0.066</i>	4.76 <i>0.187</i>	Steel - Zinc Plated	Standard	0.454 mm / 56 TPI
NUT-M02.5-SZP	2.5mm (M2.5x0.45)	2.00 <i>0.079</i>	5.00 <i>0.197</i>	Steel - Zinc Plated	Standard	0.450 mm / 56.44 TPI
NUT-M02.5-AS	2.5mm (M2.5x0.45)	2.00 <i>0.079</i>	5.00 <i>0.197</i>	Alloy Steel	Standard	0.450 mm / 56.44 TPI
NUT-3-48C-S-ZP	2.515mm (3-48 UNC)	1.61 <i>0.063</i>	4.73 <i>0.186</i>	Steel - Zinc Plated	Standard	0.529 mm / 48 TPI
HNM026	2.6mm (M2.6x0.45)	2.00 <i>0.079</i>	5.00 <i>0.197</i>	Steel - Zinc Plated	Standard	0.450 mm / 56.44 TPI
NUT-4-40C-S-ZP	2.845mm (4-40 UNC)	2.49 <i>0.098</i>	6.35 <i>0.250</i>	Steel - Zinc Plated	Standard	0.635 mm / 40 TPI
NUT-M03.0-AS	3.0mm (M3x0.5 Standard)	2.40 <i>0.094</i>	5.50 <i>0.217</i>	Alloy Steel	Standard	0.500 mm / 50.8 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Nuts - Hexagonal - Steel

Part Number	Thread Size	Thickness (H) mm <i>inches</i>	Width Across Flats (A) mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
NUT-M03.0-SZP	3.0mm (M3x0.5 Standard)	2.40 <i>0.094</i>	5.50 <i>0.217</i>	Steel - Zinc Plated	Standard	0.500 mm / 50.8 TPI
NUT-M03.0-HT	3.0mm (M3x0.5 Standard)	2.40 <i>0.094</i>	5.50 <i>0.217</i>	High Tensile Steel	Standard	0.500 mm / 50.8 TPI
NUT-5-40C-S-ZP	3.175mm (5-40 UNC)	2.70 <i>0.106</i>	5.80 <i>0.228</i>	Steel - Zinc Plated	Standard	0.635 mm / 40 TPI
NUT-1-8W-SZP	3.175mm (1/8-40 BSW)	2.70 <i>0.106</i>	5.80 <i>0.228</i>	Steel - Zinc Plated	Standard	0.635 mm / 40 TPI
NUT-6-32C-S-ZP	3.5mm (6-32 UNC)	2.70 <i>0.106</i>	8.00 <i>0.315</i>	Steel - Zinc Plated	Standard	0.794 mm / 32 TPI
NUT-M03.5-SZP	3.5mm (M3.5x0.6 Standard)	2.80 <i>0.110</i>	6.00 <i>0.236</i>	Steel - Zinc Plated	Standard	0.600 mm / 42.33 TPI
# NUT-M03.5-AS	3.5mm (M3.5x0.6 Standard)	2.80 <i>0.110</i>	6.00 <i>0.236</i>	Alloy Steel	Standard	0.600 mm / 42.33 TPI
NUT-5-32W-SZP	3.969mm (5/32-32 BSW)	3.20 <i>0.126</i>	7.00 <i>0.276</i>	Steel - Zinc Plated	Standard	0.794 mm / 32 TPI
# NUT-M04.0-HT	4.0mm (M4x0.7 Standard)	3.20 <i>0.126</i>	7.00 <i>0.276</i>	High Tensile Steel	Standard	0.700 mm / 36.29 TPI
NUT-M04.0-SZP	4.0mm (M4x0.7 Standard)	3.20 <i>0.126</i>	7.00 <i>0.276</i>	Steel - Zinc Plated	Standard	0.700 mm / 36.29 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Nuts - Hexagonal - Steel

Part Number	Thread Size	Thickness (H) mm <i>inches</i>	Width Across Flats (A) mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
NUT-M04.0-AS	4.0mm (M4x0.7 Standard)	3.20 <i>0.126</i>	7.00 <i>0.276</i>	Alloy Steel	Standard	0.700 mm / 36.29 TPI
NUT-8-32C-S-ZP	4.166mm (8-32 UNC)	3.30 <i>0.130</i>	8.73 <i>0.344</i>	Steel - Zinc Plated	Standard	
NUT-10-24C-S-ZP	4.762mm (10-24 UNC)	6.35 <i>0.250</i>	9.27 <i>0.365</i>	Steel - Zinc Plated	Standard	1.058 mm / 24 TPI
NUT-3/16W-SZP	4.762mm (3/16-24 BSW)	4.00 <i>0.157</i>	8.00 <i>0.315</i>	Steel - Zinc Plated	Standard	1.058 mm / 24 TPI
NUT-10-32F-S-ZP	4.762mm (10-32 UNF)	3.30 <i>0.130</i>	9.30 <i>0.366</i>	Steel - Zinc Plated	Standard	0.794 mm / 32 TPI
NUT-M05.0-SZP	5.0mm (M5x0.8)	4.00 <i>0.157</i>	8.00 <i>0.315</i>	Steel - Zinc Plated	Standard	0.800 mm / 31.75 TPI
# NUT-M05.0-HT	5.0mm (M5x0.8)	4.00 <i>0.157</i>	8.00 <i>0.315</i>	High Tensile Steel	Standard	0.800 mm / 31.75 TPI
NUT-M05.0-AS	5.0mm (M5x0.8)	4.00 <i>0.157</i>	8.00 <i>0.315</i>	Alloy Steel	Standard	0.800 mm / 31.75 TPI
NUT-12-24C-SZP	5.486mm (12-24 UNC)	5.00 <i>0.197</i>	10.00 <i>0.394</i>	Steel - Zinc Plated	Standard	1.058 mm / 24 TPI
NUT-M06.0-AS	6.0mm (M6x1 Standard)	5.00 <i>0.197</i>	10.00 <i>0.394</i>	Alloy Steel	Standard	1.000 mm / 25.4 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Nuts - Hexagonal - Steel

Part Number	Thread Size	Thickness (H) mm <i>inches</i>	Width Across Flats (A) mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
NUT-M06.0-HT	6.0mm (M6x1 Standard)	5.00 <i>0.197</i>	10.00 <i>0.394</i>	High Tensile Steel	Standard	1.000 mm / 25.4 TPI
NUT-M06.0-SZP	6.0mm (M6x1 Standard)	5.00 <i>0.197</i>	10.00 <i>0.394</i>	Steel - Zinc Plated	Standard	1.000 mm / 25.4 TPI
NUT-1-4W-SZP	6.35mm (1/4-20 BSW)	4.90 <i>0.193</i>	11.11 <i>0.437</i>	Steel - Zinc Plated	Standard	1.270 mm / 20 TPI
NUT-M07.0-SZP	7.0mm (M7x1 Standard)	5.50 <i>0.217</i>	10.80 <i>0.425</i>	Steel - Zinc Plated	Standard	1.000 mm / 25.4 TPI
NUT-5-16W-SZP	7.938mm (5/16-18 BSW)	6.30 <i>0.248</i>	13.30 <i>0.524</i>	Steel - Zinc Plated	Standard	1.411 mm / 18 TPI
# NUT-M08.0-AS	8.0mm (M8x1.25 Standard)	6.20 <i>0.244</i>	13.00 <i>0.512</i>	Alloy Steel	Standard	1.250 mm / 20.32 TPI
# NUT-M08.0-HT	8.0mm (M8x1.25 Standard)	6.20 <i>0.244</i>	13.00 <i>0.512</i>	High Tensile Steel	Standard	1.250 mm / 20.32 TPI
NUT-M08.0-SZP	8.0mm (M8x1.25 Standard)	6.20 <i>0.244</i>	13.00 <i>0.512</i>	Steel - Zinc Plated	Standard	1.250 mm / 20.32 TPI
NUT-3-8W-SZP	9.525mm (3/8-16 BSW)	7.60 <i>0.299</i>	15.00 <i>0.591</i>	Steel - Zinc Plated	Standard	1.588 mm / 16 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Nuts - Hexagonal - Steel

Part Number	Thread Size	Thickness (H) mm <i>inches</i>	Width Across Flats (A) mm <i>inches</i>	Material	Type	Pitch in mm / Threads Per Inch mm / No.
# NUT-M10.0-HT	10.0mm (M10x1.5)	8.20 <i>0.323</i>	17.00 <i>0.669</i>	High Tensile Steel	Standard	1.500 mm / 16.93 TPI
NUT-M10.0-SZP	10.0mm (M10x1.5)	8.20 <i>0.323</i>	17.00 <i>0.669</i>	Steel - Zinc Plated	Standard	1.500 mm / 16.93 TPI
NUT-M12.0-SZP	12.0mm (M12x1.75 Standard)	10.60 <i>0.417</i>	19.00 <i>0.748</i>	Steel - Zinc Plated	Standard	1.750 mm / 14.51 TPI
# NUT-M12.0-HT	12.0mm (M12x1.75 Standard)	10.60 <i>0.417</i>	19.00 <i>0.748</i>	High Tensile Steel	Standard	1.750 mm / 14.51 TPI
NUT-1-2W-SZP	12.7mm (1/2-12 BSW)	11.00 <i>0.433</i>	21.00 <i>0.827</i>	Steel - Zinc Plated	Standard	2.117 mm / 12 TPI
# NUT-M16.0-HT	16.0mm (M16x2 Standard)	13.00 <i>0.512</i>	24.00 <i>0.945</i>	High Tensile Steel	Standard	2.000 mm / 12.70 TPI

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to catalogues@minibearings.com.au

