




MBA

Pins - Cotter - Stainless Steel



Split pins.

Pins - Cotter - Stainless Steel

Part Number	Hole Diameter mm <i>inches</i>	Nom. Pin Length (L) mm <i>inches</i>	Material	Nom. Pin Diameter (D) mm <i>inches</i>	Nom. Overall Length mm <i>inches</i>
PC008-0100-4	0.8 <i>0.031</i>	10.0 <i>0.394</i>	304 Stainless Stainless	0.70 <i>0.028</i>	
PC008-0120-4	0.8 <i>0.031</i>	12.0 <i>0.472</i>	304 Stainless	0.70 <i>0.028</i>	
PC008-0160-4	0.8 <i>0.031</i>	16.0 <i>0.630</i>	304 Stainless	0.70 <i>0.028</i>	
PC008-0200-4	0.8 <i>0.031</i>	20.0 <i>0.787</i>	304 Stainless	0.70 <i>0.028</i>	
# PC008-0250-4	0.8 <i>0.031</i>	25.0 <i>0.984</i>	304 Stainless	0.70 <i>0.028</i>	

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Cotter - Stainless Steel

Part Number	Hole Diameter mm	Nom. Pin Length (L) mm	Material	Nom. Pin Diameter (D) mm	Nom. Overall Length mm
	<i>inches</i>	<i>inches</i>		<i>inches</i>	<i>inches</i>
# PC008-0320-4	0.8 <i>0.031</i>	32.0 <i>1.260</i>	304 Stainless	0.70 <i>0.028</i>	
# PC010-0060-6	1.0 <i>0.039</i>	6.0 <i>0.236</i>	316 Stainless	0.85 <i>0.033</i>	11.0 <i>0.433</i>
# PC010-0080-6	1.0 <i>0.039</i>	8.0 <i>0.315</i>	316 Stainless	0.85 <i>0.033</i>	13.0 <i>0.512</i>
PC010-0100-4	1.0 <i>0.039</i>	10.0 <i>0.394</i>	304 Stainless	0.74 <i>0.029</i>	
# PC010-0100-6	1.0 <i>0.039</i>	10.0 <i>0.394</i>	316 Stainless	0.85 <i>0.033</i>	15.0 <i>0.591</i>
PC010-0120-4	1.0 <i>0.039</i>	12.0 <i>0.472</i>	304 Stainless	0.74 <i>0.029</i>	17.0 <i>0.669</i>
PC010-0120-6	1.0 <i>0.039</i>	12.0 <i>0.472</i>	316 Stainless	0.85 <i>0.033</i>	17.0 <i>0.669</i>
# PC010-0140-4	1.0 <i>0.039</i>	14.0 <i>0.551</i>	304 Stainless	0.74 <i>0.029</i>	
PC010-0160-4	1.0 <i>0.039</i>	16.0 <i>0.630</i>	304 Stainless	0.74 <i>0.029</i>	
PC010-0160-6	1.0 <i>0.039</i>	16.0 <i>0.630</i>	316 Stainless	0.85 <i>0.033</i>	21.0 <i>0.827</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Cotter - Stainless Steel

Part Number	Hole Diameter mm	Nom. Pin Length (L) mm	Material	Nom. Pin Diameter (D) mm	Nom. Overall Length mm
	<i>inches</i>	<i>inches</i>		<i>inches</i>	<i>inches</i>
# PC010-0180-6	1.0 <i>0.039</i>	18.0 <i>0.709</i>	316 Stainless	0.85 <i>0.033</i>	23.0 <i>0.906</i>
PC010-0200-4	1.0 <i>0.039</i>	20.0 <i>0.787</i>	304 Stainless	0.74 <i>0.029</i>	
# PC010-0200-6	1.0 <i>0.039</i>	20.0 <i>0.787</i>	316 Stainless	0.85 <i>0.033</i>	25.0 <i>0.984</i>
# PC010-0220-6	1.0 <i>0.039</i>	22.0 <i>0.866</i>	316 Stainless	0.85 <i>0.033</i>	27.0 <i>1.063</i>
# PC010-0250-4	1.0 <i>0.039</i>	25.0 <i>0.984</i>	304 Stainless	0.74 <i>0.029</i>	
PC010-0250-6	1.0 <i>0.039</i>	25.0 <i>0.984</i>	316 Stainless	0.85 <i>0.033</i>	30.0 <i>1.181</i>
# PC010-0280-6	1.0 <i>0.039</i>	28.0 <i>1.102</i>	316 Stainless	0.85 <i>0.033</i>	33.0 <i>1.299</i>
# PC010-0320-4	1.0 <i>0.039</i>	32.0 <i>1.260</i>	304 Stainless	0.74 <i>0.029</i>	
# PC010-0320-6	1.0 <i>0.039</i>	32.0 <i>1.260</i>	316 Stainless	0.85 <i>0.033</i>	37.0 <i>1.457</i>
# PC012-0100-6	1.2 <i>0.047</i>	10.0 <i>0.394</i>	316 Stainless	1.09 <i>0.043</i>	15.0 <i>0.591</i>

Indicates item not stocked at time of printing - Please enquire for lead time
 E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
 MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Cotter - Stainless Steel

Part Number	Hole Diameter mm	Nom. Pin Length (L) mm	Material	Nom. Pin Diameter (D) mm	Nom. Overall Length mm
	<i>inches</i>	<i>inches</i>		<i>inches</i>	<i>inches</i>
# PC012-0120-4	1.2 <i>0.047</i>	12.0 <i>0.472</i>	304 Stainless	0.98 <i>0.039</i>	
# PC012-0120-6	1.2 <i>0.047</i>	12.0 <i>0.472</i>	316 Stainless	1.09 <i>0.043</i>	17.0 <i>0.669</i>
# PC012-0160-4	1.2 <i>0.047</i>	16.0 <i>0.630</i>	304 Stainless	0.98 <i>0.039</i>	
# PC012-0160-6	1.2 <i>0.047</i>	16.0 <i>0.630</i>	316 Stainless	1.09 <i>0.043</i>	21.0 <i>0.827</i>
# PC012-0180-6	1.2 <i>0.047</i>	18.0 <i>0.709</i>	316 Stainless	1.09 <i>0.043</i>	23.0 <i>0.906</i>
# PC012-0200-4	1.2 <i>0.047</i>	20.0 <i>0.787</i>	304 Stainless	0.98 <i>0.039</i>	
# PC012-0200-6	1.2 <i>0.047</i>	20.0 <i>0.787</i>	316 Stainless	1.09 <i>0.043</i>	25.0 <i>0.984</i>
# PC012-0220-6	1.2 <i>0.047</i>	22.0 <i>0.866</i>	316 Stainless	1.09 <i>0.043</i>	27.0 <i>1.063</i>
# PC012-0250-4	1.2 <i>0.047</i>	25.0 <i>0.984</i>	304 Stainless	0.98 <i>0.039</i>	
# PC012-0250-6	1.2 <i>0.047</i>	25.0 <i>0.984</i>	316 Stainless	1.09 <i>0.043</i>	30.0 <i>1.181</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Cotter - Stainless Steel

Part Number	Hole Diameter mm	Nom. Pin Length (L) mm	Material	Nom. Pin Diameter (D) mm	Nom. Overall Length mm
	<i>inches</i>	<i>inches</i>		<i>inches</i>	<i>inches</i>
# PC012-0280-6	1.2 <i>0.047</i>	28.0 <i>1.102</i>	316 Stainless	1.09 <i>0.043</i>	33.0 <i>1.299</i>
# PC012-0320-4	1.2 <i>0.047</i>	32.0 <i>1.260</i>	304 Stainless	0.98 <i>0.039</i>	
PC012-0400-6	1.2 <i>0.047</i>	40.0 <i>1.575</i>	316 Stainless	1.09 <i>0.043</i>	37.0 <i>1.457</i>
# PC016-0100-4	1.6 <i>0.063</i>	10.0 <i>0.394</i>	304 Stainless	1.35 <i>0.053</i>	
# PC016-0100-6	1.6 <i>0.063</i>	10.0 <i>0.394</i>	316 Stainless	1.35 <i>0.053</i>	15.0 <i>0.591</i>
# PC016-0120-4	1.6 <i>0.063</i>	12.0 <i>0.472</i>	304 Stainless	1.35 <i>0.053</i>	
# PC016-0120-6	1.6 <i>0.063</i>	12.0 <i>0.472</i>	316 Stainless Stainless	1.35 <i>0.053</i>	17.0 <i>0.669</i>
# PC016-0140-4	1.6 <i>0.063</i>	14.0 <i>0.551</i>	304 Stainless	1.35 <i>0.053</i>	
# PC016-0160-4	1.6 <i>0.063</i>	16.0 <i>0.630</i>	304 Stainless	1.35 <i>0.053</i>	
# PC016-0160-6	1.6 <i>0.063</i>	16.0 <i>0.630</i>	316 Stainless	1.35 <i>0.053</i>	21.0 <i>0.827</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Cotter - Stainless Steel

Part Number	Hole Diameter mm	Nom. Pin Length (L) mm	Material	Nom. Pin Diameter (D) mm	Nom. Overall Length mm
	<i>inches</i>	<i>inches</i>		<i>inches</i>	<i>inches</i>
# PC016-0180-6	1.6 <i>0.063</i>	18.0 <i>0.709</i>	316 Stainless	1.35 <i>0.053</i>	23.0 <i>0.906</i>
# PC016-0200-4	1.6 <i>0.063</i>	20.0 <i>0.787</i>	304 Stainless	1.35 <i>0.053</i>	
# PC016-0200-6	1.6 <i>0.063</i>	20.0 <i>0.787</i>	316 Stainless	1.35 <i>0.053</i>	25.0 <i>0.984</i>
# PC016-0220-6	1.6 <i>0.063</i>	22.0 <i>0.866</i>	316 Stainless	1.35 <i>0.053</i>	27.0 <i>1.063</i>
# PC016-0250-4	1.6 <i>0.063</i>	25.0 <i>0.984</i>	304 Stainless	1.35 <i>0.053</i>	
PC016-0250-6	1.6 <i>0.063</i>	25.0 <i>0.984</i>	316 Stainless	1.35 <i>0.053</i>	30.0 <i>1.181</i>
# PC016-0280-6	1.6 <i>0.063</i>	28.0 <i>1.102</i>	316 Stainless	1.35 <i>0.053</i>	33.0 <i>1.299</i>
# PC016-0320-4	1.6 <i>0.063</i>	32.0 <i>1.260</i>	304 Stainless	1.35 <i>0.053</i>	
# PC016-0320-6	1.6 <i>0.063</i>	32.0 <i>1.260</i>	316 Stainless	1.35 <i>0.053</i>	37.0 <i>1.457</i>
# PC016-0360-6	1.6 <i>0.063</i>	36.0 <i>1.417</i>	316 Stainless	1.35 <i>0.053</i>	41.0 <i>1.614</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Cotter - Stainless Steel

Part Number	Hole Diameter mm	Nom. Pin Length (L) mm	Material	Nom. Pin Diameter (D) mm	Nom. Overall Length mm
	<i>inches</i>	<i>inches</i>		<i>inches</i>	<i>inches</i>
# PC016-0400-4	1.6 <i>0.063</i>	40.0 <i>1.575</i>	304 Stainless	1.35 <i>0.053</i>	
# PC016-0500-4	1.6 <i>0.063</i>	50.0 <i>1.969</i>	304 Stainless	1.35 <i>0.053</i>	
PC020-0100-4	2.0 <i>0.079</i>	10.0 <i>0.394</i>	304 Stainless	1.75 <i>0.069</i>	15.0 <i>0.591</i>
# PC020-0120-4	2.0 <i>0.079</i>	12.0 <i>0.472</i>	304 Stainless	1.75 <i>0.069</i>	17.0 <i>0.669</i>
# PC020-0160-4	2.0 <i>0.079</i>	16.0 <i>0.630</i>	304 Stainless	1.75 <i>0.069</i>	21.0 <i>0.827</i>
# PC020-0180-4	2.0 <i>0.079</i>	18.0 <i>0.709</i>	304 Stainless	1.75 <i>0.069</i>	23.0 <i>0.906</i>
# PC020-0200-4	2.0 <i>0.079</i>	20.0 <i>0.787</i>	304 Stainless	1.75 <i>0.069</i>	25.0 <i>0.984</i>
# PC020-0220-4	2.0 <i>0.079</i>	22.0 <i>0.866</i>	304 Stainless	1.75 <i>0.069</i>	27.0 <i>1.063</i>
# PC020-0250-4	2.0 <i>0.079</i>	25.0 <i>0.984</i>	304 Stainless	1.75 <i>0.069</i>	30.0 <i>1.181</i>
# PC020-0280-4	2.0 <i>0.079</i>	28.0 <i>1.102</i>	304 Stainless	1.75 <i>0.069</i>	33.0 <i>1.299</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Cotter - Stainless Steel

Part Number	Hole Diameter mm	Nom. Pin Length (L) mm	Material	Nom. Pin Diameter (D) mm	Nom. Overall Length mm
	<i>inches</i>	<i>inches</i>		<i>inches</i>	<i>inches</i>
PC020-0320-4	2.0 <i>0.079</i>	32.0 <i>1.260</i>	304 Stainless	1.75 <i>0.069</i>	37.0 <i>1.457</i>
# PC020-0360-4	2.0 <i>0.079</i>	36.0 <i>1.417</i>	304 Stainless	1.75 <i>0.069</i>	41.0 <i>1.614</i>
# PC020-0400-4	2.0 <i>0.079</i>	40.0 <i>1.575</i>	304 Stainless	1.75 <i>0.069</i>	45.0 <i>1.772</i>
# PC020-0450-4	2.0 <i>0.079</i>	45.0 <i>1.772</i>	304 Stainless	1.75 <i>0.069</i>	50.0 <i>1.969</i>
# PC020-0500-4	2.0 <i>0.079</i>	50.0 <i>1.969</i>	304 Stainless	1.75 <i>0.069</i>	55.0 <i>2.165</i>
# PC025-0100-4	2.5 <i>0.098</i>	10.0 <i>0.394</i>	304 Stainless	2.20 <i>0.087</i>	15.0 <i>0.591</i>
# PC025-0120-4	2.5 <i>0.098</i>	12.0 <i>0.472</i>	304 Stainless	2.20 <i>0.087</i>	17.0 <i>0.669</i>
# PC025-0120-6	2.5 <i>0.098</i>	12.0 <i>0.472</i>	316 Stainless	2.20 <i>0.087</i>	
# PC025-0160-4	2.5 <i>0.098</i>	16.0 <i>0.630</i>	304 Stainless	2.20 <i>0.087</i>	21.0 <i>0.827</i>
# PC025-0160-6	2.5 <i>0.098</i>	16.0 <i>0.630</i>	316 Stainless	2.20 <i>0.087</i>	

Indicates item not stocked at time of printing - Please enquire for lead time
 E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
 MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Cotter - Stainless Steel

Part Number	Hole Diameter mm	Nom. Pin Length (L) mm	Material	Nom. Pin Diameter (D) mm	Nom. Overall Length mm
	<i>inches</i>	<i>inches</i>		<i>inches</i>	<i>inches</i>
# PC025-0180-4	2.5 <i>0.098</i>	18.0 <i>0.709</i>	304 Stainless	2.20 <i>0.087</i>	23.0 <i>0.906</i>
# PC025-0200-4	2.5 <i>0.098</i>	20.0 <i>0.787</i>	304 Stainless	2.20 <i>0.087</i>	25.0 <i>0.984</i>
# PC025-0200-6	2.5 <i>0.098</i>	20.0 <i>0.787</i>	316 Stainless	2.20 <i>0.087</i>	
# PC025-0220-4	2.5 <i>0.098</i>	22.0 <i>0.866</i>	304 Stainless	2.20 <i>0.087</i>	27.0 <i>1.063</i>
PC025-0250-4	2.5 <i>0.098</i>	25.0 <i>0.984</i>	304 Stainless	2.20 <i>0.087</i>	30.0 <i>1.181</i>
# PC025-0250-6	2.5 <i>0.098</i>	25.0 <i>0.984</i>	316 Stainless	2.20 <i>0.087</i>	
# PC025-0280-4	2.5 <i>0.098</i>	28.0 <i>1.102</i>	304 Stainless	2.20 <i>0.087</i>	33.0 <i>1.299</i>
PC025-0320-4	2.5 <i>0.098</i>	32.0 <i>1.260</i>	304 Stainless	2.20 <i>0.087</i>	37.0 <i>1.457</i>
# PC025-0320-6	2.5 <i>0.098</i>	32.0 <i>1.260</i>	316 Stainless	2.20 <i>0.087</i>	
PC025-0360-4	2.5 <i>0.098</i>	36.0 <i>1.417</i>	304 Stainless	2.20 <i>0.087</i>	41.0 <i>1.614</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Cotter - Stainless Steel

Part Number	Hole Diameter mm	Nom. Pin Length (L) mm	Material	Nom. Pin Diameter (D) mm	Nom. Overall Length mm
	<i>inches</i>	<i>inches</i>		<i>inches</i>	<i>inches</i>
# PC025-0400-4	2.5 <i>0.098</i>	40.0 <i>1.575</i>	304 Stainless	2.20 <i>0.087</i>	45.0 <i>1.772</i>
# PC025-0400-6	2.5 <i>0.098</i>	40.0 <i>1.575</i>	316 Stainless	2.20 <i>0.087</i>	
# PC025-0450-4	2.5 <i>0.098</i>	45.0 <i>1.772</i>	304 Stainless	2.20 <i>0.087</i>	50.0 <i>1.969</i>
# PC025-0500-4	2.5 <i>0.098</i>	50.0 <i>1.969</i>	304 Stainless	2.20 <i>0.087</i>	55.0 <i>2.165</i>
# PC025-0560-4	2.5 <i>0.098</i>	56.0 <i>2.205</i>	304 Stainless	2.20 <i>0.087</i>	61.0 <i>2.402</i>
# PC025-0630-4	2.5 <i>0.098</i>	63.0 <i>2.480</i>	304 Stainless	2.20 <i>0.087</i>	68.0 <i>2.677</i>
# PC025-0710-4	2.5 <i>0.098</i>	71.0 <i>2.795</i>	304 Stainless	2.20 <i>0.087</i>	76.0 <i>2.992</i>
# PC032-0100-4	3.2 <i>0.126</i>	10.0 <i>0.394</i>	304 Stainless	2.80 <i>0.110</i>	
# PC032-0120-4	3.2 <i>0.126</i>	12.0 <i>0.472</i>	304 Stainless	2.80 <i>0.110</i>	
# PC032-0160-4	3.2 <i>0.126</i>	16.0 <i>0.630</i>	304 Stainless	2.80 <i>0.110</i>	21.0 <i>0.827</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Cotter - Stainless Steel

Part Number	Hole Diameter mm	Nom. Pin Length (L) mm	Material	Nom. Pin Diameter (D) mm	Nom. Overall Length mm
	<i>inches</i>	<i>inches</i>		<i>inches</i>	<i>inches</i>
# PC032-0180-4	3.2 <i>0.126</i>	18.0 <i>0.709</i>	304 Stainless	2.80 <i>0.110</i>	23.0 <i>0.906</i>
# PC032-0200-4	3.2 <i>0.126</i>	20.0 <i>0.787</i>	304 Stainless	2.80 <i>0.110</i>	25.0 <i>0.984</i>
# PC032-0200-6	3.2 <i>0.126</i>	20.0 <i>0.787</i>	316 Stainless	2.80 <i>0.110</i>	
# PC032-0220-4	3.2 <i>0.126</i>	22.0 <i>0.866</i>	304 Stainless	2.80 <i>0.110</i>	27.0 <i>1.063</i>
# PC032-0250-4	3.2 <i>0.126</i>	25.0 <i>0.984</i>	304 Stainless	2.80 <i>0.110</i>	30.0 <i>1.181</i>
# PC032-0250-6	3.2 <i>0.126</i>	25.0 <i>0.984</i>	316 Stainless	2.80 <i>0.110</i>	
# PC032-0280-4	3.2 <i>0.126</i>	28.0 <i>1.102</i>	304 Stainless	2.80 <i>0.110</i>	33.0 <i>1.299</i>
# PC032-0320-4	3.2 <i>0.126</i>	32.0 <i>1.260</i>	304 Stainless	2.80 <i>0.110</i>	37.0 <i>1.457</i>
# PC032-0320-6	3.2 <i>0.126</i>	32.0 <i>1.260</i>	316 Stainless	2.80 <i>0.110</i>	
# PC032-0360-4	3.2 <i>0.126</i>	36.0 <i>1.417</i>	304 Stainless	2.80 <i>0.110</i>	41.0 <i>1.614</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Cotter - Stainless Steel

Part Number	Hole Diameter mm	Nom. Pin Length (L) mm	Material	Nom. Pin Diameter (D) mm	Nom. Overall Length mm
	<i>inches</i>	<i>inches</i>		<i>inches</i>	<i>inches</i>
# PC032-0400-4	3.2 <i>0.126</i>	40.0 <i>1.575</i>	304 Stainless	2.80 <i>0.110</i>	45.0 <i>1.772</i>
# PC032-0400-6	3.2 <i>0.126</i>	40.0 <i>1.575</i>	316 Stainless	2.80 <i>0.110</i>	
# PC032-0450-4	3.2 <i>0.126</i>	45.0 <i>1.772</i>	304 Stainless	2.80 <i>0.110</i>	50.0 <i>1.969</i>
# PC032-0500-4	3.2 <i>0.126</i>	50.0 <i>1.969</i>	304 Stainless	2.80 <i>0.110</i>	55.0 <i>2.165</i>
# PC032-0500-6	3.2 <i>0.126</i>	50.0 <i>1.969</i>	316 Stainless	2.80 <i>0.110</i>	
# PC032-0560-4	3.2 <i>0.126</i>	56.0 <i>2.205</i>	304 Stainless	2.80 <i>0.110</i>	61.0 <i>2.402</i>
# PC032-0630-4	3.2 <i>0.126</i>	63.0 <i>2.480</i>	304 Stainless	2.80 <i>0.110</i>	68.0 <i>2.677</i>
# PC032-0710-4	3.2 <i>0.126</i>	71.0 <i>2.795</i>	304 Stainless	2.80 <i>0.110</i>	76.0 <i>2.992</i>
# PC032-0800-4	3.2 <i>0.126</i>	80.0 <i>3.150</i>	304 Stainless	2.80 <i>0.110</i>	
# PC040-0160-4	4.0 <i>0.157</i>	16.0 <i>0.630</i>	304 Stainless	3.60 <i>0.142</i>	21.0 <i>0.827</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Cotter - Stainless Steel

Part Number	Hole Diameter mm	Nom. Pin Length (L) mm	Material	Nom. Pin Diameter (D) mm	Nom. Overall Length mm
	<i>inches</i>	<i>inches</i>		<i>inches</i>	<i>inches</i>
# PC040-0180-4	4.0 <i>0.157</i>	18.0 <i>0.709</i>	304 Stainless	3.60 <i>0.142</i>	23.0 <i>0.906</i>
# PC040-0200-4	4.0 <i>0.157</i>	20.0 <i>0.787</i>	304 Stainless	3.60 <i>0.142</i>	25.0 <i>0.984</i>
PC040-0200-6	4.0 <i>0.157</i>	20.0 <i>0.787</i>	316 Stainless	3.60 <i>0.142</i>	
# PC040-0220-4	4.0 <i>0.157</i>	22.0 <i>0.866</i>	304 Stainless	3.60 <i>0.142</i>	27.0 <i>1.063</i>
# PC040-0250-4	4.0 <i>0.157</i>	25.0 <i>0.984</i>	304 Stainless	3.60 <i>0.142</i>	30.0 <i>1.181</i>
# PC040-0250-6	4.0 <i>0.157</i>	25.0 <i>0.984</i>	316 Stainless	3.60 <i>0.142</i>	
# PC040-0280-4	4.0 <i>0.157</i>	28.0 <i>1.102</i>	304 Stainless	3.60 <i>0.142</i>	33.0 <i>1.299</i>
# PC040-0320-4	4.0 <i>0.157</i>	32.0 <i>1.260</i>	304 Stainless	3.60 <i>0.142</i>	37.0 <i>1.457</i>
# PC040-0320-6	4.0 <i>0.157</i>	32.0 <i>1.260</i>	316 Stainless	3.60 <i>0.142</i>	
# PC040-0360-4	4.0 <i>0.157</i>	36.0 <i>1.417</i>	304 Stainless	3.60 <i>0.142</i>	41.0 <i>1.614</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Cotter - Stainless Steel

Part Number	Hole Diameter mm	Nom. Pin Length (L) mm	Material	Nom. Pin Diameter (D) mm	Nom. Overall Length mm
	<i>inches</i>	<i>inches</i>		<i>inches</i>	<i>inches</i>
# PC040-0400-4	4.0 <i>0.157</i>	40.0 <i>1.575</i>	304 Stainless	3.60 <i>0.142</i>	45.0 <i>1.772</i>
PC040-0400-6	4.0 <i>0.157</i>	40.0 <i>1.575</i>	316 Stainless	3.60 <i>0.142</i>	
# PC040-0450-4	4.0 <i>0.157</i>	45.0 <i>1.772</i>	304 Stainless	3.60 <i>0.142</i>	50.0 <i>1.969</i>
# PC040-0500-4	4.0 <i>0.157</i>	50.0 <i>1.969</i>	304 Stainless	3.60 <i>0.142</i>	55.0 <i>2.165</i>
# PC040-0500-6	4.0 <i>0.157</i>	50.0 <i>1.969</i>	316 Stainless	3.60 <i>0.142</i>	
# PC040-0560-4	4.0 <i>0.157</i>	56.0 <i>2.205</i>	304 Stainless	3.60 <i>0.142</i>	61.0 <i>2.402</i>
# PC040-0630-4	4.0 <i>0.157</i>	63.0 <i>2.480</i>	304 Stainless	3.60 <i>0.142</i>	68.0 <i>2.677</i>
# PC040-0710-4	4.0 <i>0.157</i>	71.0 <i>2.795</i>	304 Stainless	3.60 <i>0.142</i>	76.0 <i>2.992</i>
# PC040-0800-4	4.0 <i>0.157</i>	80.0 <i>3.150</i>	304 Stainless	3.60 <i>0.142</i>	85.0 <i>3.346</i>
# PC040-0900-4	4.0 <i>0.157</i>	90.0 <i>3.543</i>	304 Stainless	3.60 <i>0.142</i>	95.0 <i>3.740</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Cotter - Stainless Steel

Part Number	Hole Diameter mm	Nom. Pin Length (L) mm	Material	Nom. Pin Diameter (D) mm	Nom. Overall Length mm
	<i>inches</i>	<i>inches</i>		<i>inches</i>	<i>inches</i>
# PC040-1000-4	4.0 <i>0.157</i>	100.0 <i>3.937</i>	304 Stainless	3.60 <i>0.142</i>	105.0 <i>4.134</i>
# PC040-1120-4	4.0 <i>0.157</i>	112.0 <i>4.409</i>	304 Stainless	3.60 <i>0.142</i>	117.0 <i>4.606</i>
# PC040-1250-4	4.0 <i>0.157</i>	125.0 <i>4.921</i>	304 Stainless	3.60 <i>0.142</i>	130.0 <i>5.118</i>
# PC050-0160-4	5.0 <i>0.197</i>	16.0 <i>0.630</i>	304 Stainless	4.50 <i>0.177</i>	21.0 <i>0.827</i>
# PC050-0180-4	5.0 <i>0.197</i>	18.0 <i>0.709</i>	304 Stainless	4.50 <i>0.177</i>	23.0 <i>0.906</i>
# PC050-0200-4	5.0 <i>0.197</i>	20.0 <i>0.787</i>	304 Stainless	4.50 <i>0.177</i>	25.0 <i>0.984</i>
# PC050-0220-4	5.0 <i>0.197</i>	22.0 <i>0.866</i>	304 Stainless	4.50 <i>0.177</i>	27.0 <i>1.063</i>
# PC050-0250-4	5.0 <i>0.197</i>	25.0 <i>0.984</i>	304 Stainless	4.50 <i>0.177</i>	30.0 <i>1.181</i>
# PC050-0250-6	5.0 <i>0.197</i>	25.0 <i>0.984</i>	316 Stainless	4.50 <i>0.177</i>	
# PC050-0280-4	5.0 <i>0.197</i>	28.0 <i>1.102</i>	304 Stainless	4.50 <i>0.177</i>	33.0 <i>1.299</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Cotter - Stainless Steel

Part Number	Hole Diameter mm	Nom. Pin Length (L) mm	Material	Nom. Pin Diameter (D) mm	Nom. Overall Length mm
	<i>inches</i>	<i>inches</i>		<i>inches</i>	<i>inches</i>
# PC050-0320-4	5.0 <i>0.197</i>	32.0 <i>1.260</i>	304 Stainless	4.50 <i>0.177</i>	37.0 <i>1.457</i>
# PC050-0320-6	5.0 <i>0.197</i>	32.0 <i>1.260</i>	316 Stainless	4.50 <i>0.177</i>	
# PC050-0360-4	5.0 <i>0.197</i>	36.0 <i>1.417</i>	304 Stainless	4.50 <i>0.177</i>	41.0 <i>1.614</i>
# PC050-0400-4	5.0 <i>0.197</i>	40.0 <i>1.575</i>	304 Stainless	4.50 <i>0.177</i>	45.0 <i>1.772</i>
# PC050-0400-6	5.0 <i>0.197</i>	40.0 <i>1.575</i>	316 Stainless	4.50 <i>0.177</i>	
# PC050-0450-4	5.0 <i>0.197</i>	45.0 <i>1.772</i>	304 Stainless	4.50 <i>0.177</i>	50.0 <i>1.969</i>
# PC050-0500-4	5.0 <i>0.197</i>	50.0 <i>1.969</i>	304 Stainless	4.50 <i>0.177</i>	55.0 <i>2.165</i>
# PC050-0500-6	5.0 <i>0.197</i>	50.0 <i>1.969</i>	316 Stainless	4.50 <i>0.177</i>	
# PC050-0560-4	5.0 <i>0.197</i>	56.0 <i>2.205</i>	304 Stainless	4.50 <i>0.177</i>	61.0 <i>2.402</i>
PC050-0630-4	5.0 <i>0.197</i>	63.0 <i>2.480</i>	304 Stainless	4.50 <i>0.177</i>	68.0 <i>2.677</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Cotter - Stainless Steel

Part Number	Hole Diameter mm	Nom. Pin Length (L) mm	Material	Nom. Pin Diameter (D) mm	Nom. Overall Length mm
	<i>inches</i>	<i>inches</i>		<i>inches</i>	<i>inches</i>
# PC050-0630-6	5.0 <i>0.197</i>	63.0 <i>2.480</i>	316 Stainless	4.50 <i>0.177</i>	
# PC050-0710-4	5.0 <i>0.197</i>	71.0 <i>2.795</i>	304 Stainless	4.50 <i>0.177</i>	76.0 <i>2.992</i>
# PC050-0800-4	5.0 <i>0.197</i>	80.0 <i>3.150</i>	304 Stainless	4.50 <i>0.177</i>	85.0 <i>3.346</i>
# PC050-0900-4	5.0 <i>0.197</i>	90.0 <i>3.543</i>	304 Stainless	4.50 <i>0.177</i>	95.0 <i>3.740</i>
# PC050-1000-4	5.0 <i>0.197</i>	100.0 <i>3.937</i>	304 Stainless	4.50 <i>0.177</i>	105.0 <i>4.134</i>
# PC050-1120-4	5.0 <i>0.197</i>	112.0 <i>4.409</i>	304 Stainless	4.50 <i>0.177</i>	117.0 <i>4.606</i>
# PC050-1250-4	5.0 <i>0.197</i>	125.0 <i>4.921</i>	304 Stainless	4.50 <i>0.177</i>	130.0 <i>5.118</i>
# PC063-0200-4	6.3 <i>0.248</i>	20.0 <i>0.787</i>	304 Stainless	5.80 <i>0.228</i>	25.0 <i>0.984</i>
# PC063-0220-4	6.3 <i>0.248</i>	22.0 <i>0.866</i>	304 Stainless	5.80 <i>0.228</i>	27.0 <i>1.063</i>
# PC063-0250-4	6.3 <i>0.248</i>	25.0 <i>0.984</i>	304 Stainless	5.80 <i>0.228</i>	30.0 <i>1.181</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Cotter - Stainless Steel

Part Number	Hole Diameter mm	Nom. Pin Length (L) mm	Material	Nom. Pin Diameter (D) mm	Nom. Overall Length mm
	<i>inches</i>	<i>inches</i>		<i>inches</i>	<i>inches</i>
# PC063-0250-6	6.3 <i>0.248</i>	25.0 <i>0.984</i>	316 Stainless	5.80 <i>0.228</i>	
# PC063-0280-4	6.3 <i>0.248</i>	28.0 <i>1.102</i>	304 Stainless	5.80 <i>0.228</i>	33.0 <i>1.299</i>
# PC063-0320-4	6.3 <i>0.248</i>	32.0 <i>1.260</i>	304 Stainless	5.80 <i>0.228</i>	37.0 <i>1.457</i>
# PC063-0320-6	6.3 <i>0.248</i>	32.0 <i>1.260</i>	316 Stainless	5.80 <i>0.228</i>	
# PC063-0360-4	6.3 <i>0.248</i>	36.0 <i>1.417</i>	304 Stainless	5.80 <i>0.228</i>	41.0 <i>1.614</i>
# PC063-0400-4	6.3 <i>0.248</i>	40.0 <i>1.575</i>	304 Stainless	5.80 <i>0.228</i>	45.0 <i>1.772</i>
# PC063-0400-6	6.3 <i>0.248</i>	40.0 <i>1.575</i>	316 Stainless	5.80 <i>0.228</i>	
# PC063-0450-4	6.3 <i>0.248</i>	45.0 <i>1.772</i>	304 Stainless	5.80 <i>0.228</i>	50.0 <i>1.969</i>
# PC063-0500-4	6.3 <i>0.248</i>	50.0 <i>1.969</i>	304 Stainless	5.80 <i>0.228</i>	55.0 <i>2.165</i>
# PC063-0500-6	6.3 <i>0.248</i>	50.0 <i>1.969</i>	316 Stainless	5.80 <i>0.228</i>	

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Cotter - Stainless Steel

Part Number	Hole Diameter mm	Nom. Pin Length (L) mm	Material	Nom. Pin Diameter (D) mm	Nom. Overall Length mm
	<i>inches</i>	<i>inches</i>		<i>inches</i>	<i>inches</i>
# PC063-0560-4	6.3 <i>0.248</i>	56.0 <i>2.205</i>	304 Stainless	5.80 <i>0.228</i>	61.0 <i>2.402</i>
# PC063-0630-4	6.3 <i>0.248</i>	63.0 <i>2.480</i>	304 Stainless	5.80 <i>0.228</i>	68.0 <i>2.677</i>
# PC063-0630-6	6.3 <i>0.248</i>	63.0 <i>2.480</i>	316 Stainless	5.80 <i>0.228</i>	
# PC063-0710-4	6.3 <i>0.248</i>	71.0 <i>2.795</i>	304 Stainless	5.80 <i>0.228</i>	76.0 <i>2.992</i>
# PC063-0800-4	6.3 <i>0.248</i>	80.0 <i>3.150</i>	304 Stainless	5.80 <i>0.228</i>	85.0 <i>3.346</i>
# PC063-0800-6	6.3 <i>0.248</i>	80.0 <i>3.150</i>	316 Stainless	5.80 <i>0.228</i>	
# PC063-0900-4	6.3 <i>0.248</i>	90.0 <i>3.543</i>	304 Stainless	5.80 <i>0.228</i>	95.0 <i>3.740</i>
# PC063-1000-4	6.3 <i>0.248</i>	100.0 <i>3.937</i>	304 Stainless	5.80 <i>0.228</i>	105.0 <i>4.134</i>
# PC063-1120-4	6.3 <i>0.248</i>	112.0 <i>4.409</i>	304 Stainless	5.80 <i>0.228</i>	117.0 <i>4.606</i>
# PC063-1250-4	6.3 <i>0.248</i>	125.0 <i>4.921</i>	304 Stainless	5.80 <i>0.228</i>	130.0 <i>5.118</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Cotter - Stainless Steel

Part Number	Hole Diameter mm	Nom. Pin Length (L) mm	Material	Nom. Pin Diameter (D) mm	Nom. Overall Length mm
	<i>inches</i>	<i>inches</i>		<i>inches</i>	<i>inches</i>
# PC063-1400-4	6.3 <i>0.248</i>	140.0 <i>5.512</i>	304 Stainless	5.80 <i>0.228</i>	145.0 <i>5.709</i>
# PC080-0400-4	8.0 <i>0.315</i>	40.0 <i>1.575</i>	304 Stainless	7.20 <i>0.283</i>	
# PC080-0500-4	8.0 <i>0.315</i>	50.0 <i>1.969</i>	304 Stainless	7.20 <i>0.283</i>	
# PC080-0630-4	8.0 <i>0.315</i>	63.0 <i>2.480</i>	304 Stainless	7.20 <i>0.283</i>	
# PC080-0710-4	8.0 <i>0.315</i>	71.0 <i>2.795</i>	304 Stainless	7.20 <i>0.283</i>	
# PC080-0800-4	8.0 <i>0.315</i>	80.0 <i>3.150</i>	304 Stainless	7.20 <i>0.283</i>	
# PC080-0900-4	8.0 <i>0.315</i>	90.0 <i>3.543</i>	304 Stainless	7.20 <i>0.283</i>	
# PC080-1000-4	8.0 <i>0.315</i>	100.0 <i>3.937</i>	304 Stainless	7.20 <i>0.283</i>	
# PC080-1250-4	8.0 <i>0.315</i>	125.0 <i>4.921</i>	304 Stainless	7.20 <i>0.283</i>	
# PC095-1020-6	9.5 <i>0.374</i>	101.0 <i>3.976</i>	316 Stainless	9.00 <i>0.354</i>	107.0 <i>4.213</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Cotter - Stainless Steel

Part Number	Hole Diameter mm	Nom. Pin Length (L) mm	Material	Nom. Pin Diameter (D) mm	Nom. Overall Length mm
	<i>inches</i>	<i>inches</i>		<i>inches</i>	<i>inches</i>
# PC100-0500-4	10.0 <i>0.394</i>	50.0 <i>1.969</i>	304 Stainless	9.00 <i>0.354</i>	
# PC100-0630-4	10.0 <i>0.394</i>	63.0 <i>2.480</i>	304 Stainless	9.00 <i>0.354</i>	
# PC100-0800-4	10.0 <i>0.394</i>	80.0 <i>3.150</i>	304 Stainless	9.00 <i>0.354</i>	
# PC100-0900-4	10.0 <i>0.394</i>	90.0 <i>3.543</i>	304 Stainless	9.00 <i>0.354</i>	
# PC100-1000-4	10.0 <i>0.394</i>	100.0 <i>3.937</i>	304 Stainless	9.00 <i>0.354</i>	
# PC100-1250-4	10.0 <i>0.394</i>	125.0 <i>4.921</i>	304 Stainless	9.00 <i>0.354</i>	
# PC100-1500-4	10.0 <i>0.394</i>	150.0 <i>5.906</i>	304 Stainless	9.00 <i>0.354</i>	
# PC130-0630-4	13.0 <i>0.512</i>	63.0 <i>2.480</i>	304 Stainless	11.70 <i>0.461</i>	
# PC130-0800-4	13.0 <i>0.512</i>	80.0 <i>3.150</i>	304 Stainless	11.70 <i>0.461</i>	
# PC130-0900-4	13.0 <i>0.512</i>	90.0 <i>3.543</i>	304 Stainless	11.70 <i>0.461</i>	

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Cotter - Stainless Steel

Part Number	Hole Diameter mm	Nom. Pin Length (L) mm	Material	Nom. Pin Diameter (D) mm	Nom. Overall Length mm
	<i>inches</i>	<i>inches</i>		<i>inches</i>	<i>inches</i>
# PC130-1000-4	13.0	100.0	304 Stainless	11.70	
	<i>0.512</i>	<i>3.937</i>		<i>0.461</i>	
# PC130-1250-4	13.0	125.0	304 Stainless	11.70	
	<i>0.512</i>	<i>4.921</i>		<i>0.461</i>	

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to catalogues@minibearings.com.au

