


MBA

Pins - Dowel - Extractable



Hardened and Ground Steel to DIN 7979, m6 Dia. Tolerance.

Extractable dowels have a thread tapped in the end to facilitate removal from blind holes.

An air release flat is ground along the full length of the pin.

Pins - Dowel - Extractable

Part Number	Diameter mm <i>inches</i>	Length mm <i>inches</i>	Tolerance on Diameter	Tolerance on Length	Type	Material	Hardness	Thread Size
# DHX4-10	4.00 <i>0.157</i>	10.00 <i>0.394</i>	m6	js15	-	Ground Steel	-	M3
# DHX4-12	4.00 <i>0.157</i>	12.00 <i>0.472</i>	m6	js15	-	Ground Steel	-	M3
# DHX4-14	4.00 <i>0.157</i>	14.00 <i>0.551</i>	m6	js15	-	Ground Steel	-	M3
# DHX4-16	4.00 <i>0.157</i>	16.00 <i>0.630</i>	m6	js15	-	Ground Steel	-	M3

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Dowel - Extractable

Part Number	Diameter mm	Length mm	Tolerance on Diameter	Tolerance on Length	Type	Material	Hardness	Thread Size
	<i>inches</i>	<i>inches</i>						
# DHX4-20	4.00 <i>0.157</i>	20.00 <i>0.787</i>	m6	js15	-	Ground Steel	-	M3
# DHX4-24	4.00 <i>0.157</i>	24.00 <i>0.945</i>	m6	js15	-	Ground Steel	-	M3
# DHX4-28	4.00 <i>0.157</i>	28.00 <i>1.102</i>	m6	js15	-	Ground Steel	-	M3
# DHX4-30	4.00 <i>0.157</i>	30.00 <i>1.181</i>	m6	js15	-	Ground Steel	-	M3
# DHX4-32	4.00 <i>0.157</i>	32.00 <i>1.260</i>	m6	js15	-	Ground Steel	-	M3
# DHX4-36	4.00 <i>0.157</i>	36.00 <i>1.417</i>	m6	js15	-	Ground Steel	-	M3
# DHX4-40	4.00 <i>0.157</i>	40.00 <i>1.575</i>	m6	js15	-	Ground Steel	-	M3
# DHX4-50	4.00 <i>0.157</i>	50.00 <i>1.969</i>	m6	js15	-	Ground Steel	-	M3
# DHX5-10	5.00 <i>0.197</i>	10.00 <i>0.394</i>	m6	js15	-	Ground Steel	-	M3
# DHX5-12	5.00 <i>0.197</i>	12.00 <i>0.472</i>	m6	js15	-	Ground Steel	-	M3

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Dowel - Extractable

Part Number	Diameter mm	Length mm	Tolerance on Diameter	Tolerance on Length	Type	Material	Hardness	Thread Size
	<i>inches</i>	<i>inches</i>						
# DHX5-14	5.00 <i>0.197</i>	14.00 <i>0.551</i>	m6	js15	-	Ground Steel	-	M3
# DHX5-16	5.00 <i>0.197</i>	16.00 <i>0.630</i>	m6	js15	-	Ground Steel	-	M3
# DHX5-18	5.00 <i>0.197</i>	18.00 <i>0.709</i>	m6	js15	-	Ground Steel	-	M3
# DHX5-20	5.00 <i>0.197</i>	20.00 <i>0.787</i>	m6	js15	-	Ground Steel	-	M3
# DHX5-24	5.00 <i>0.197</i>	24.00 <i>0.945</i>	m6	js15	-	Ground Steel	-	M3
# DHX5-28	5.00 <i>0.197</i>	28.00 <i>1.102</i>	m6	js15	-	Ground Steel	-	M3
# DHX5-30	5.00 <i>0.197</i>	30.00 <i>1.181</i>	m6	js15	-	Ground Steel	-	M3
# DHX5-32	5.00 <i>0.197</i>	32.00 <i>1.260</i>	m6	js15	-	Ground Steel	-	M3
# DHX5-36	5.00 <i>0.197</i>	36.00 <i>1.417</i>	m6	js15	-	Ground Steel	-	M4
# DHX5-40	5.00 <i>0.197</i>	40.00 <i>1.575</i>	m6	js15	-	Ground Steel	-	M4

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Dowel - Extractable

Part Number	Diameter mm	Length mm	Tolerance on Diameter	Tolerance on Length	Type	Material	Hardness	Thread Size
	<i>inches</i>	<i>inches</i>						
# DHX5-45	5.00 <i>0.197</i>	45.00 <i>1.772</i>	m6	js15	-	Ground Steel	-	M4
# DHX5-50	5.00 <i>0.197</i>	50.00 <i>1.969</i>	m6	js15	-	Ground Steel	-	M4
# DHX6-12	6.00 <i>0.236</i>	12.00 <i>0.472</i>	m6	js15	-	Ground Steel	-	M4
DHX6-14	6.00 <i>0.236</i>	14.00 <i>0.551</i>	m6	js15	-	Ground Steel	-	M4
DHX6-16	6.00 <i>0.236</i>	16.00 <i>0.630</i>	m6	js15	-	Ground Steel	-	M4
# DHX6-18	6.00 <i>0.236</i>	18.00 <i>0.709</i>	m6	js15	-	Ground Steel	-	M4
# DHX6-20	6.00 <i>0.236</i>	20.00 <i>0.787</i>	m6	js15	-	Ground Steel	-	M4
DHX6-24	6.00 <i>0.236</i>	24.00 <i>0.945</i>	m6	js15	-	Ground Steel	-	M4
DHX6-28	6.00 <i>0.236</i>	28.00 <i>1.102</i>	m6	js15	-	Ground Steel	-	M4
DHX6-30	6.00 <i>0.236</i>	30.00 <i>1.181</i>	m6	js15	-	Ground Steel	-	M4

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Dowel - Extractable

Part Number	Diameter mm	Length mm	Tolerance on Diameter	Tolerance on Length	Type	Material	Hardness	Thread Size
	<i>inches</i>	<i>inches</i>						
# DHX6-32	6.00 <i>0.236</i>	32.00 <i>1.260</i>	m6	js15	-	Ground Steel	-	M4
# DHX6-36	6.00 <i>0.236</i>	36.00 <i>1.417</i>	m6	js15	-	Ground Steel	-	M4
# DHX6-40	6.00 <i>0.236</i>	40.00 <i>1.575</i>	m6	js15	-	Ground Steel	-	M4
# DHX6-45	6.00 <i>0.236</i>	45.00 <i>1.772</i>	m6	js15	-	Ground Steel	-	M4
# DHX6-50	6.00 <i>0.236</i>	50.00 <i>1.969</i>	m6	js15	-	Ground Steel	-	M4
# DHX6-55	6.00 <i>0.236</i>	55.00 <i>2.165</i>	m6	js15	-	Ground Steel	-	M5
# DHX6-60	6.00 <i>0.236</i>	60.00 <i>2.362</i>	m6	js15	-	Ground Steel	-	M5
# DHX6-70	6.00 <i>0.236</i>	70.00 <i>2.756</i>	m6	js15	-	Ground Steel	-	M5
# DHX6-80	6.00 <i>0.236</i>	80.00 <i>3.150</i>	m6	js15	-	Ground Steel	-	M5
DHX8-16	8.00 <i>0.315</i>	16.00 <i>0.630</i>	m6	js15	-	Ground Steel	-	M5

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Dowel - Extractable

Part Number	Diameter mm	Length mm	Tolerance on Diameter	Tolerance on Length	Type	Material	Hardness	Thread Size
	<i>inches</i>	<i>inches</i>						
# DHX8-18	8.00 <i>0.315</i>	18.00 <i>0.709</i>	m6	js15	-	Ground Steel	-	M5
DHX8-20	8.00 <i>0.315</i>	20.00 <i>0.787</i>	m6	js15	-	Ground Steel	-	M5
# DHX8-24	8.00 <i>0.315</i>	24.00 <i>0.945</i>	m6	js15	-	Ground Steel	-	M5
# DHX8-28	8.00 <i>0.315</i>	28.00 <i>1.102</i>	m6	js15	-	Ground Steel	-	M5
DHX8-30	8.00 <i>0.315</i>	30.00 <i>1.181</i>	m6	js15	-	Ground Steel	-	M5
# DHX8-32	8.00 <i>0.315</i>	32.00 <i>1.260</i>	m6	js15	-	Ground Steel	-	M5
# DHX8-36	8.00 <i>0.315</i>	36.00 <i>1.417</i>	m6	js15	-	Ground Steel	-	M5
# DHX8-40	8.00 <i>0.315</i>	40.00 <i>1.575</i>	m6	js15	-	Ground Steel	-	M5
# DHX8-45	8.00 <i>0.315</i>	45.00 <i>1.772</i>	m6	js15	-	Ground Steel	-	M5
# DHX8-50	8.00 <i>0.315</i>	50.00 <i>1.969</i>	m6	js15	-	Ground Steel	-	M5

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Dowel - Extractable

Part Number	Diameter mm	Length mm	Tolerance on Diameter	Tolerance on Length	Type	Material	Hardness	Thread Size
	<i>inches</i>	<i>inches</i>						
# DHX8-55	8.00 <i>0.315</i>	55.00 <i>2.165</i>	m6	js15	-	Ground Steel	-	M5
# DHX8-60	8.00 <i>0.315</i>	60.00 <i>2.362</i>	m6	js15	-	Ground Steel	-	M5
DHX8-70	8.00 <i>0.315</i>	70.00 <i>2.756</i>	m6	js15	-	Ground Steel	-	M5
# DHX8-80	8.00 <i>0.315</i>	80.00 <i>3.150</i>	m6	js15	-	Ground Steel	-	M5
# DHX8-90	8.00 <i>0.315</i>	90.00 <i>3.543</i>	m6	js15	-	Ground Steel	-	M5
# DHX8-100	8.00 <i>0.315</i>	100.00 <i>3.937</i>	m6	js15	-	Ground Steel	-	M5
# DHX10-16	10.00 <i>0.394</i>	16.00 <i>0.630</i>	m6	js15	-	Ground Steel	-	M6
DHX10-20	10.00 <i>0.394</i>	20.00 <i>0.787</i>	m6	js15	-	Ground Steel	-	M6
# DHX10-24	10.00 <i>0.394</i>	24.00 <i>0.945</i>	m6	js15	-	Ground Steel	-	M6
# DHX10-28	10.00 <i>0.394</i>	28.00 <i>1.102</i>	m6	js15	-	Ground Steel	-	M6

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Dowel - Extractable

Part Number	Diameter mm	Length mm	Tolerance on Diameter	Tolerance on Length	Type	Material	Hardness	Thread Size
	<i>inches</i>	<i>inches</i>						
# DHX10-30	10.00 <i>0.394</i>	30.00 <i>1.181</i>	m6	js15	-	Ground Steel	-	M6
# DHX10-32	10.00 <i>0.394</i>	32.00 <i>1.260</i>	m6	js15	-	Ground Steel	-	M3
# DHX10-36	10.00 <i>0.394</i>	36.00 <i>1.417</i>	m6	js15	-	Ground Steel	-	M3
# DHX10-40	10.00 <i>0.394</i>	40.00 <i>1.575</i>	m6	js15	-	Ground Steel	-	M3
# DHX10-45	10.00 <i>0.394</i>	45.00 <i>1.772</i>	m6	js15	-	Ground Steel	-	M3
# DHX10-50	10.00 <i>0.394</i>	50.00 <i>1.969</i>	m6	js15	-	Ground Steel	-	M6
# DHX10-55	10.00 <i>0.394</i>	55.00 <i>2.165</i>	m6	js15	-	Ground Steel	-	M6
# DHX10-60	10.00 <i>0.394</i>	60.00 <i>2.362</i>	m6	js15	-	Ground Steel	-	M6
# DHX10-70	10.00 <i>0.394</i>	70.00 <i>2.756</i>	m6	js15	-	Ground Steel	-	M6
# DHX10-80	10.00 <i>0.394</i>	80.00 <i>3.150</i>	m6	js15	-	Ground Steel	-	M6

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Dowel - Extractable

Part Number	Diameter mm	Length mm	Tolerance on Diameter	Tolerance on Length	Type	Material	Hardness	Thread Size
	<i>inches</i>	<i>inches</i>						
# DHX10-90	10.00 <i>0.394</i>	90.00 <i>3.543</i>	m6	js15	-	Ground Steel	-	M6
# DHX10-100	10.00 <i>0.394</i>	100.00 <i>3.937</i>	m6	js15	-	Ground Steel	-	M6
# DHX10-120	10.00 <i>0.394</i>	120.00 <i>4.724</i>	m6	js15	-	Ground Steel	-	M6
# DHX12-20	12.00 <i>0.472</i>	20.00 <i>0.787</i>	m6	js15	-	Ground Steel	-	M6
# DHX12-24	12.00 <i>0.472</i>	24.00 <i>0.945</i>	m6	js15	-	Ground Steel	-	M6
# DHX12-28	12.00 <i>0.472</i>	28.00 <i>1.102</i>	m6	js15	-	Ground Steel	-	M6
# DHX12-30	12.00 <i>0.472</i>	30.00 <i>1.181</i>	m6	js15	-	Ground Steel	-	M6
# DHX12-32	12.00 <i>0.472</i>	32.00 <i>1.260</i>	m6	js15	-	Ground Steel	-	M6
# DHX12-36	12.00 <i>0.472</i>	36.00 <i>1.417</i>	m6	js15	-	Ground Steel	-	M6
# DHX12-40	12.00 <i>0.472</i>	40.00 <i>1.575</i>	m6	js15	-	Ground Steel	-	M6

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Dowel - Extractable

Part Number	Diameter mm	Length mm	Tolerance on Diameter	Tolerance on Length	Type	Material	Hardness	Thread Size
	<i>inches</i>	<i>inches</i>						
# DHX12-45	12.00 <i>0.472</i>	45.00 <i>1.772</i>	m6	js15	-	Ground Steel	-	M6
# DHX12-50	12.00 <i>0.472</i>	50.00 <i>1.969</i>	m6	js15	-	Ground Steel	-	M6
# DHX12-55	12.00 <i>0.472</i>	55.00 <i>2.165</i>	m6	js15	-	Ground Steel	-	M6
# DHX12-60	12.00 <i>0.472</i>	60.00 <i>2.362</i>	m6	js15	-	Ground Steel	-	M6
# DHX12-70	12.00 <i>0.472</i>	70.00 <i>2.756</i>	m6	js15	-	Ground Steel	-	M6
DHX12-80	12.00 <i>0.472</i>	80.00 <i>3.150</i>	m6	js15	-	Ground Steel	-	M6
# DHX12-90	12.00 <i>0.472</i>	90.00 <i>3.543</i>	m6	js15	-	Ground Steel	-	M6
# DHX12-100	12.00 <i>0.472</i>	100.00 <i>3.937</i>	m6	js15	-	Ground Steel	-	M6
# DHX12-120	12.00 <i>0.472</i>	120.00 <i>4.724</i>	m6	js15	-	Ground Steel	-	M6
# DHX14-28	14.00 <i>0.551</i>	28.00 <i>1.102</i>	m6	js15	-	Ground Steel	-	M8

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Dowel - Extractable

Part Number	Diameter mm	Length mm	Tolerance on Diameter	Tolerance on Length	Type	Material	Hardness	Thread Size
	<i>inches</i>	<i>inches</i>						
# DHX14-32	14.00 <i>0.551</i>	32.00 <i>1.260</i>	m6	js15	-	Ground Steel	-	M8
# DHX14-36	14.00 <i>0.551</i>	36.00 <i>1.417</i>	m6	js15	-	Ground Steel	-	M8
# DHX14-40	14.00 <i>0.551</i>	40.00 <i>1.575</i>	m6	js15	-	Ground Steel	-	M8
# DHX14-45	14.00 <i>0.551</i>	45.00 <i>1.772</i>	m6	js15	-	Ground Steel	-	M8
# DHX14-50	14.00 <i>0.551</i>	50.00 <i>1.969</i>	m6	js15	-	Ground Steel	-	M8
# DHX14-55	14.00 <i>0.551</i>	55.00 <i>2.165</i>	m6	js15	-	Ground Steel	-	M8
# DHX14-60	14.00 <i>0.551</i>	60.00 <i>2.362</i>	m6	js15	-	Ground Steel	-	M8
# DHX14-70	14.00 <i>0.551</i>	70.00 <i>2.756</i>	m6	js15	-	Ground Steel	-	M8
# DHX14-80	14.00 <i>0.551</i>	80.00 <i>3.150</i>	m6	js15	-	Ground Steel	-	M8
# DHX14-90	14.00 <i>0.551</i>	90.00 <i>3.543</i>	m6	js15	-	Ground Steel	-	M8

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Dowel - Extractable

Part Number	Diameter mm	Length mm	Tolerance on Diameter	Tolerance on Length	Type	Material	Hardness	Thread Size
	<i>inches</i>	<i>inches</i>						
# DHX14-100	14.00 <i>0.551</i>	100.00 <i>3.937</i>	m6	js15	-	Ground Steel	-	M8
# DHX14-120	14.00 <i>0.551</i>	120.00 <i>4.724</i>	m6	js15	-	Ground Steel	-	M8
# DHX16-32	16.00 <i>0.630</i>	32.00 <i>1.260</i>	m6	js15	-	Ground Steel	-	M8
# DHX16-36	16.00 <i>0.630</i>	36.00 <i>1.417</i>	m6	js15	-	Ground Steel	-	M8
# DHX16-40	16.00 <i>0.630</i>	40.00 <i>1.575</i>	m6	js15	-	Ground Steel	-	M8
# DHX16-45	16.00 <i>0.630</i>	45.00 <i>1.772</i>	m6	js15	-	Ground Steel	-	M8
# DHX16-50	16.00 <i>0.630</i>	50.00 <i>1.969</i>	m6	js15	-	Ground Steel	-	M8
# DHX16-55	16.00 <i>0.630</i>	55.00 <i>2.165</i>	m6	js15	-	Ground Steel	-	M8
# DHX16-60	16.00 <i>0.630</i>	60.00 <i>2.362</i>	m6	js15	-	Ground Steel	-	M8
# DHX16-70	16.00 <i>0.630</i>	70.00 <i>2.756</i>	m6	js15	-	Ground Steel	-	M8

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Dowel - Extractable

Part Number	Diameter mm	Length mm	Tolerance on Diameter	Tolerance on Length	Type	Material	Hardness	Thread Size
	<i>inches</i>	<i>inches</i>						
# DHX16-80	16.00 <i>0.630</i>	80.00 <i>3.150</i>	m6	js15	-	Ground Steel	-	M8
# DHX16-90	16.00 <i>0.630</i>	90.00 <i>3.543</i>	m6	js15	-	Ground Steel	-	M8
# DHX16-100	16.00 <i>0.630</i>	100.00 <i>3.937</i>	m6	js15	-	Ground Steel	-	M8
# DHX16-120	16.00 <i>0.630</i>	120.00 <i>4.724</i>	m6	js15	-	Ground Steel	-	M8
# DHX20-32	20.00 <i>0.787</i>	32.00 <i>1.260</i>	m6	js15	-	Ground Steel	-	M10
# DHX20-36	20.00 <i>0.787</i>	36.00 <i>1.417</i>	m6	js15	-	Ground Steel	-	M10
# DHX20-40	20.00 <i>0.787</i>	40.00 <i>1.575</i>	m6	js15	-	Ground Steel	-	M10
# DHX20-45	20.00 <i>0.787</i>	45.00 <i>1.772</i>	m6	js15	-	Ground Steel	-	M10
# DHX20-50	20.00 <i>0.787</i>	50.00 <i>1.969</i>	m6	js15	-	Ground Steel	-	M10
# DHX20-55	20.00 <i>0.787</i>	55.00 <i>2.165</i>	m6	js15	-	Ground Steel	-	M10

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Dowel - Extractable

Part Number	Diameter mm	Length mm	Tolerance on Diameter	Tolerance on Length	Type	Material	Hardness	Thread Size
	<i>inches</i>	<i>inches</i>						
# DHX20-60	20.00 <i>0.787</i>	60.00 <i>2.362</i>	m6	js15	-	Ground Steel	-	M10
# DHX20-70	20.00 <i>0.787</i>	70.00 <i>2.756</i>	m6	js15	-	Ground Steel	-	M10
# DHX20-80	20.00 <i>0.787</i>	80.00 <i>3.150</i>	m6	js15	-	Ground Steel	-	M10
# DHX20-90	20.00 <i>0.787</i>	90.00 <i>3.543</i>	m6	js15	-	Ground Steel	-	M10
# DHX20-100	20.00 <i>0.787</i>	100.00 <i>3.937</i>	m6	js15	-	Ground Steel	-	M10
# DHX20-120	20.00 <i>0.787</i>	120.00 <i>4.724</i>	m6	js15	-	Ground Steel	-	M10

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to catalogues@minibearings.com.au

