




MBA

Pins - Dowel - Standard - Stainless Steel



Precision Dowel Pins - Various Corrosion Resistant Grades.

Note! Type 2 pins may be supplied in lieu of type 1 pins.

Pins - Dowel - Standard - Stainless Steel

Part Number	Diameter (D) mm <i>inches</i>	Length (L) mm <i>inches</i>	Material	Tolerance on Diameter	Tolerance on Length	Type	Hardness
# DP00792-00239-31	0.792 <i>0.031</i>	2.39 <i>0.094</i>	303 Stainless	+0.005 / -0.000	+/-0.254	1 (See note)	Unhardened
# DP00792-00318-31	0.792 <i>0.031</i>	3.18 <i>0.125</i>	303 Stainless	+0.005 / -0.000	+/-0.254	1 (See note)	Unhardened
DP00792-00396-31	0.792 <i>0.031</i>	3.96 <i>0.156</i>	303 Stainless	+0.005 / -0.000	+/-0.254	1 (See note)	Unhardened
DP00792-00478-31	0.792 <i>0.031</i>	4.78 <i>0.188</i>	303 Stainless	+0.005 / -0.000	+/-0.254	1 (See note)	Unhardened

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Dowel - Standard - Stainless Steel

Part Number	Diameter (D) mm <i>inches</i>	Length (L) mm <i>inches</i>	Material	Tolerance on Diameter	Tolerance on Length	Type	Hardness
# DP00792-00556-31	0.792 <i>0.031</i>	5.56 <i>0.219</i>	303 Stainless	+0.005 / -0.000	+/-0.254	1 (See note)	Unhardened
# DP00792-00635-31	0.792 <i>0.031</i>	6.35 <i>0.250</i>	303 Stainless	+0.005 / -0.000	+/-0.254	1 (See note)	Unhardened
# DP00792-00793-31	0.792 <i>0.031</i>	7.93 <i>0.312</i>	303 Stainless	+0.005 / -0.000	+/-0.254	1 (See note)	Unhardened
# DP00792-00953-31	0.792 <i>0.031</i>	9.53 <i>0.375</i>	303 Stainless	+0.005 / -0.000	+/-0.254	1 (See note)	Unhardened
# DP00792-01113-31	0.792 <i>0.031</i>	11.13 <i>0.438</i>	303 Stainless	+0.005 / -0.000	+/-0.254	1 (See note)	Unhardened
DP00792-01270-33	0.792 <i>0.031</i>	12.70 <i>0.500</i>	303 Stainless	+0.005 / -0.000	+/-0.254	3	Unhardened
# DP00792-01428-31	0.792 <i>0.031</i>	14.28 <i>0.562</i>	303 Stainless	+0.005 / -0.000	+/-0.254	1 (See note)	Unhardened
# DP00792-01588-31	0.792 <i>0.031</i>	15.88 <i>0.625</i>	303 Stainless	+0.005 / -0.000	+/-0.254	1 (See note)	Unhardened
# DP00792-01905-31	0.792 <i>0.031</i>	19.05 <i>0.750</i>	303 Stainless	+0.005 / -0.000	+/-0.254	1 (See note)	Unhardened
# DP00792-02223-31	0.792 <i>0.031</i>	22.23 <i>0.875</i>	303 Stainless	+0.005 / -0.000	+/-0.254	1 (See note)	Unhardened

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Dowel - Standard - Stainless Steel

Part Number	Diameter (D) mm <i>inches</i>	Length (L) mm <i>inches</i>	Material	Tolerance on Diameter	Tolerance on Length	Type	Hardness
DP00800-00400-32	0.800 <i>0.031</i>	4.00 <i>0.157</i>	303 Stainless	m6	+/-0.25	2	Unhardened
# DP00800-00500-32	0.800 <i>0.031</i>	5.00 <i>0.197</i>	303 Stainless	m6	+/-0.25	2	Unhardened
# DP00800-00600-32	0.800 <i>0.031</i>	6.00 <i>0.236</i>	303 Stainless	m6	+/-0.25	2	Unhardened
DP00800-00800-32	0.800 <i>0.031</i>	8.00 <i>0.315</i>	303 Stainless	m6	+/-0.25	2	Unhardened
# DP00800-01000-32	0.800 <i>0.031</i>	10.00 <i>0.394</i>	303 Stainless	m6	+/-0.25	2	Unhardened
# DP00800-01200-32	0.800 <i>0.031</i>	12.00 <i>0.472</i>	303 Stainless	m6	+/-0.50	2	Unhardened
DP01000-00400-32	1.000 <i>0.039</i>	4.00 <i>0.157</i>	303 Stainless	m6	+/-0.25	2	Unhardened
DP01000-00500-32	1.000 <i>0.039</i>	5.00 <i>0.197</i>	303 Stainless	m6	+/-0.25	2	Unhardened
DP01000-00600-32	1.000 <i>0.039</i>	6.00 <i>0.236</i>	303 Stainless	m6	+/-0.25	2	Unhardened
DP01000-00800-32	1.000 <i>0.039</i>	8.00 <i>0.315</i>	303 Stainless	m6	+/-0.25	2	Unhardened

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Dowel - Standard - Stainless Steel

Part Number	Diameter (D) mm <i>inches</i>	Length (L) mm <i>inches</i>	Material	Tolerance on Diameter	Tolerance on Length	Type	Hardness
DP01000-01000-32	1.000 <i>0.039</i>	10.00 <i>0.394</i>	303 Stainless	m6	+/-0.25	2	Unhardened
DP01000-01200-32	1.000 <i>0.039</i>	12.00 <i>0.472</i>	303 Stainless	m6	+/-0.50	2	Unhardened
DP01500-00400-32	1.500 <i>0.059</i>	4.00 <i>0.157</i>	303 Stainless	m6	+/-0.25	2	Unhardened
# DP01500-00500-32	1.500 <i>0.059</i>	5.00 <i>0.197</i>	303 Stainless	m6	+/-0.25	2	Unhardened
DP01500-00600-32	1.500 <i>0.059</i>	6.00 <i>0.236</i>	303 Stainless	m6	+/-0.25	2	Unhardened
# DP01500-00600-63	1.500 <i>0.059</i>	6.00 <i>0.236</i>	316 Stainless	m6	+/-0.254	3	Unhardened
DP01500-00800-33	1.500 <i>0.059</i>	8.00 <i>0.315</i>	303 Stainless	m6	+/-0.25	3	Unhardened
DP01500-00800-63	1.500 <i>0.059</i>	8.00 <i>0.315</i>	316 Stainless	m6	+/-0.254	3	Unhardened
DP01500-01000-41	1.500 <i>0.059</i>	10.00 <i>0.394</i>	304 Stainless	+0.008 / +0.002		1 (See note)	Unhardened
DP01500-01000-63	1.500 <i>0.059</i>	10.00 <i>0.394</i>	316 Stainless	m6	+/-0.254	3	Unhardened

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Dowel - Standard - Stainless Steel

Part Number	Diameter (D) mm <i>inches</i>	Length (L) mm <i>inches</i>	Material	Tolerance on Diameter	Tolerance on Length	Type	Hardness
DP01500-01200-32	1.500 <i>0.059</i>	12.00 <i>0.472</i>	303 Stainless	m6	+/-0.50	2	Unhardened
DP01500-01200-63	1.500 <i>0.059</i>	12.00 <i>0.472</i>	316 Stainless	m6	+/-0.254	3	Unhardened
# DP01500-01400-32	1.500 <i>0.059</i>	14.00 <i>0.551</i>	303 Stainless	m6	+/-0.50	2	Unhardened
DP01500-01600-32	1.500 <i>0.059</i>	16.00 <i>0.630</i>	303 Stainless	m6	+/-0.50	2	Unhardened
# DP01500-01600-63	1.500 <i>0.059</i>	16.00 <i>0.630</i>	316 Stainless	m6	+/-0.254	3	Unhardened
# DP01588-00239-31	1.588 <i>0.063</i>	2.39 <i>0.094</i>	303 Stainless	+0.005 / -0.000	+/-0.254	1 (See note)	Unhardened
# DP01588-00318-31	1.588 <i>0.063</i>	3.18 <i>0.125</i>	303 Stainless	+0.005 / -0.000	+/-0.254	1 (See note)	Unhardened
# DP01588-00396-31	1.588 <i>0.063</i>	3.96 <i>0.156</i>	303 Stainless	+0.005 / -0.000	+/-0.254	1 (See note)	Unhardened
DP01588-00478-31	1.588 <i>0.063</i>	4.78 <i>0.188</i>	303 Stainless	+0.005 / -0.000	+/-0.254	1 (See note)	Unhardened
# DP01588-00556-31	1.588 <i>0.063</i>	5.56 <i>0.219</i>	303 Stainless	+0.005 / -0.000	+/-0.254	1 (See note)	Unhardened

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Dowel - Standard - Stainless Steel

Part Number	Diameter (D) mm <i>inches</i>	Length (L) mm <i>inches</i>	Material	Tolerance on Diameter	Tolerance on Length	Type	Hardness
# DP01588-00635-31	1.588 <i>0.063</i>	6.35 <i>0.250</i>	303 Stainless	+0.005 / -0.000	+/-0.254	1 (See note)	Unhardened
# DP01588-00793-31	1.588 <i>0.063</i>	7.93 <i>0.312</i>	303 Stainless	+0.005 / -0.000	+/-0.254	1 (See note)	Unhardened
DP01588-00953-31	1.588 <i>0.063</i>	9.53 <i>0.375</i>	303 Stainless	+0.005 / -0.000	+/-0.254	1 (See note)	Unhardened
# DP01588-01113-31	1.588 <i>0.063</i>	11.13 <i>0.438</i>	303 Stainless	+0.005 / -0.000	+/-0.254	1 (See note)	Unhardened
DP01588-01270-31	1.588 <i>0.063</i>	12.70 <i>0.500</i>	303 Stainless	+0.005 / -0.000	+/-0.254	1 (See note)	Unhardened
# DP01588-01428-31	1.588 <i>0.063</i>	14.28 <i>0.562</i>	303 Stainless	+0.005 / -0.000	+/-0.254	1 (See note)	Unhardened
DP01588-01588-31	1.588 <i>0.063</i>	15.88 <i>0.625</i>	303 Stainless	+0.005 / -0.000	+/-0.254	1 (See note)	Unhardened
# DP01588-01905-31	1.588 <i>0.063</i>	19.05 <i>0.750</i>	303 Stainless	+0.005 / -0.000	+/-0.254	1 (See note)	Unhardened
# DP01588-02223-31	1.588 <i>0.063</i>	22.23 <i>0.875</i>	303 Stainless	+0.005 / -0.000	+/-0.254	1 (See note)	Unhardened
# DP01588-02540-31	1.588 <i>0.063</i>	25.40 <i>1.000</i>	303 Stainless	+0.005 / -0.000	+/-0.254	1 (See note)	Unhardened

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Dowel - Standard - Stainless Steel

Part Number	Diameter (D) mm <i>inches</i>	Length (L) mm <i>inches</i>	Material	Tolerance on Diameter	Tolerance on Length	Type	Hardness
# DP01593-02223-416/2	1.593 <i>0.063</i>	22.23 <i>0.875</i>	416 Stainless	+0.000 / -0.005	+/- 0.50	2	Rc36-42
# DP01593-02540-416/2	1.593 <i>0.063</i>	25.40 <i>1.000</i>	416 Stainless	+0.000 / -0.005	+/- 0.50	2	Rc36-42
# DP01593-00478-4161	1.593 <i>0.063</i>	4.78 <i>0.188</i>	416 Stainless	+0.003 / -0.003	+/-0.254	1 (See note)	Rc 36-40
DP01593-00635-4161	1.593 <i>0.063</i>	6.35 <i>0.250</i>	416 Stainless	+0.003 / -0.003	+/-0.254	1 (See note)	Rc 36-40
# DP01593-00793-4161	1.593 <i>0.063</i>	7.93 <i>0.312</i>	416 Stainless	+0.003 / -0.003	+/-0.254	1 (See note)	Rc 36-40
# DP01593-00953-4161	1.593 <i>0.063</i>	9.53 <i>0.375</i>	416 Stainless	+0.003 / -0.003	+/-0.254	1 (See note)	Rc 36-40
# DP01593-01110-4161	1.593 <i>0.063</i>	11.10 <i>0.437</i>	416 Stainless	+0.003 / -0.003	+/-0.254	1 (See note)	Rc 36-40
# DP01593-01270-4161	1.593 <i>0.063</i>	12.70 <i>0.500</i>	416 Stainless	+0.003 / -0.003	+/-0.254	1 (See note)	Rc 36-40
DP01593-01588-4161	1.593 <i>0.063</i>	15.88 <i>0.625</i>	416 Stainless	+0.003 / -0.003	+/-0.254	1 (See note)	Rc 36-40
DP01593-01905-4161	1.593 <i>0.063</i>	19.05 <i>0.750</i>	416 Stainless	+0.003 / -0.003	+/-0.254	1 (See note)	Rc 36-40

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Dowel - Standard - Stainless Steel

Part Number	Diameter (D) mm <i>inches</i>	Length (L) mm <i>inches</i>	Material	Tolerance on Diameter	Tolerance on Length	Type	Hardness
DP02000-00400-42	2.000 <i>0.079</i>	4.00 <i>0.157</i>	304 Stainless	m6	+/-0.254	2	Unhardened
# DP02000-00500-416/2	2.000 <i>0.079</i>	5.00 <i>0.197</i>	416 Stainless	+0.002 / + 0.009	+/- 0.25	2	Rc36-42
DP02000-00500-32	2.000 <i>0.079</i>	5.00 <i>0.197</i>	303 Stainless	m6	+/-0.25	2	Unhardened
# DP02000-00600-416/2	2.000 <i>0.079</i>	6.00 <i>0.236</i>	416 Stainless	+0.002 / + 0.009	+/- 0.25	2	Rc36-42
# DP02000-00600-32	2.000 <i>0.079</i>	6.00 <i>0.236</i>	303 Stainless	m6	+/-0.25	2	Unhardened
DP02000-00600-43	2.000 <i>0.079</i>	6.00 <i>0.236</i>	304 Stainless	+0.008 / +0.002	+/-0.254	3	Unhardened
# DP02000-00600-63	2.000 <i>0.079</i>	6.00 <i>0.236</i>	316 Stainless	m6	+/-0.254	3	Unhardened
# DP02000-00800-416/2	2.000 <i>0.079</i>	8.00 <i>0.315</i>	416 Stainless	+0.002 / + 0.009	+/- 0.25	2	Rc36-42
DP02000-00800-32	2.000 <i>0.079</i>	8.00 <i>0.315</i>	303 Stainless	m6	+/-0.25	2	Unhardened
DP02000-00800-43	2.000 <i>0.079</i>	8.00 <i>0.315</i>	304 Stainless	+0.008 / +0.002	+/-0.254	3	Unhardened

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Dowel - Standard - Stainless Steel

Part Number	Diameter (D) mm <i>inches</i>	Length (L) mm <i>inches</i>	Material	Tolerance on Diameter	Tolerance on Length	Type	Hardness
# DP02000-00800-63	2.000 <i>0.079</i>	8.00 <i>0.315</i>	316 Stainless	m6	+/-0.254	3	Unhardened
# DP02000-01000-416/2	2.000 <i>0.079</i>	10.00 <i>0.394</i>	416 Stainless	+0.002 / + 0.009	+/- 0.25	2	Rc36-42
DP02000-01000-32	2.000 <i>0.079</i>	10.00 <i>0.394</i>	303 Stainless	m6	+/-0.25	2	Unhardened
DP02000-01000-43	2.000 <i>0.079</i>	10.00 <i>0.394</i>	304 Stainless	+0.008 / +0.002	+/-0.254	3	Unhardened
DP02000-01000-63	2.000 <i>0.079</i>	10.00 <i>0.394</i>	316 Stainless	m6	+/-0.254	3	Unhardened
# DP02000-01200-416/2	2.000 <i>0.079</i>	12.00 <i>0.472</i>	416 Stainless	+0.002 / + 0.009	+/- 0.50	2	Rc36-42
DP02000-01200-32	2.000 <i>0.079</i>	12.00 <i>0.472</i>	303 Stainless	m6	+/-0.50	2	Unhardened
DP02000-01200-43	2.000 <i>0.079</i>	12.00 <i>0.472</i>	304 Stainless	+0.008 / +0.002	+/-0.254	3	Unhardened
DP02000-01200-63	2.000 <i>0.079</i>	12.00 <i>0.472</i>	316 Stainless	m6	+/-0.254	3	Unhardened
# DP02000-01400-416/2	2.000 <i>0.079</i>	14.00 <i>0.551</i>	416 Stainless	+0.002 / + 0.009	+/- 0.50	2	Rc36-42

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Dowel - Standard - Stainless Steel

Part Number	Diameter (D) mm <i>inches</i>	Length (L) mm <i>inches</i>	Material	Tolerance on Diameter	Tolerance on Length	Type	Hardness
DP02000-01400-32	2.000 <i>0.079</i>	14.00 <i>0.551</i>	303 Stainless	m6	+/-0.50	2	Unhardened
DP02000-01400-43	2.000 <i>0.079</i>	14.00 <i>0.551</i>	304 Stainless	+0.008 / +0.002	+/-0.254	3	Unhardened
# DP02000-01600-416/2	2.000 <i>0.079</i>	16.00 <i>0.630</i>	416 Stainless	+0.002 / + 0.009	+/- 0.50	2	Rc36-42
DP02000-01600-32	2.000 <i>0.079</i>	16.00 <i>0.630</i>	303 Stainless	m6	+/-0.50	2	Unhardened
# DP02000-01600-43	2.000 <i>0.079</i>	16.00 <i>0.630</i>	304 Stainless	+0.008 / +0.002	+/-0.254	3	Unhardened
DP02000-01600-63	2.000 <i>0.079</i>	16.00 <i>0.630</i>	316 Stainless	m6	+/-0.254	3	Unhardened
# DP02000-01800-416/2	2.000 <i>0.079</i>	18.00 <i>0.709</i>	416 Stainless	+0.002 / + 0.009	+/- 0.50	2	Rc36-42
DP02000-01800-32	2.000 <i>0.079</i>	18.00 <i>0.709</i>	303 Stainless	m6	+/-0.50	2	Unhardened
# DP02000-02000-416/2	2.000 <i>0.079</i>	20.00 <i>0.787</i>	416 Stainless	+0.002 / + 0.009	+/- 0.50	2	Rc36-42
DP02000-02000-32	2.000 <i>0.079</i>	20.00 <i>0.787</i>	303 Stainless	m6	+/-0.50	2	Unhardened

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Dowel - Standard - Stainless Steel

Part Number	Diameter (D) mm <i>inches</i>	Length (L) mm <i>inches</i>	Material	Tolerance on Diameter	Tolerance on Length	Type	Hardness
DP02000-02000-43	2.000 <i>0.079</i>	20.00 <i>0.787</i>	304 Stainless	+0.008 / +0.002	+/-0.254	3	Unhardened
# DP02000-02400-416/2	2.000 <i>0.079</i>	24.00 <i>0.945</i>	416 Stainless	+0.002 / + 0.009	+/- 0.50	2	Rc36-42
DP02000-02400-32	2.000 <i>0.079</i>	24.00 <i>0.945</i>	303 Stainless	m6	+/-0.50	2	Unhardened
# DP02381-00239-31	2.381 <i>0.094</i>	2.39 <i>0.094</i>	303 Stainless	+0.005 / -0.000	+/-0.254	1 (See note)	Unhardened
# DP02381-00318-31	2.381 <i>0.094</i>	3.18 <i>0.125</i>	303 Stainless	+0.005 / -0.000	+/-0.254	1 (See note)	Unhardened
# DP02381-00396-31	2.381 <i>0.094</i>	3.96 <i>0.156</i>	303 Stainless	+0.005 / -0.000	+/-0.254	1 (See note)	Unhardened
# DP02381-00478-31	2.381 <i>0.094</i>	4.78 <i>0.188</i>	303 Stainless	+0.005 / -0.000	+/-0.254	1 (See note)	Unhardened
# DP02381-00556-31	2.381 <i>0.094</i>	5.56 <i>0.219</i>	303 Stainless	+0.005 / -0.000	+/-0.254	1 (See note)	Unhardened
# DP02381-00635-31	2.381 <i>0.094</i>	6.35 <i>0.250</i>	303 Stainless	+0.005 / -0.000	+/-0.254	1 (See note)	Unhardened
# DP02381-00793-31	2.381 <i>0.094</i>	7.93 <i>0.312</i>	303 Stainless	+0.005 / -0.000	+/-0.254	1 (See note)	Unhardened

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Dowel - Standard - Stainless Steel

Part Number	Diameter (D) mm <i>inches</i>	Length (L) mm <i>inches</i>	Material	Tolerance on Diameter	Tolerance on Length	Type	Hardness
DP02381-00953-31	2.381 <i>0.094</i>	9.53 <i>0.375</i>	303 Stainless	+0.005 / -0.000	+/-0.254	1 (See note)	Unhardened
# DP02381-01113-31	2.381 <i>0.094</i>	11.13 <i>0.438</i>	303 Stainless	+0.005 / -0.000	+/-0.254	1 (See note)	Unhardened
# DP02381-01270-31	2.381 <i>0.094</i>	12.70 <i>0.500</i>	303 Stainless	+0.005 / -0.000	+/-0.254	1 (See note)	Unhardened
# DP02381-01428-31	2.381 <i>0.094</i>	14.28 <i>0.562</i>	303 Stainless	+0.005 / -0.000	+/-0.254	1 (See note)	Unhardened
# DP02381-01588-31	2.381 <i>0.094</i>	15.88 <i>0.625</i>	303 Stainless	+0.005 / -0.000	+/-0.254	1 (See note)	Unhardened
# DP02381-01905-31	2.381 <i>0.094</i>	19.05 <i>0.750</i>	303 Stainless	+0.005 / -0.000	+/-0.254	1 (See note)	Unhardened
# DP02381-02223-31	2.381 <i>0.094</i>	22.23 <i>0.875</i>	303 Stainless	+0.005 / -0.000	+/-0.254	1 (See note)	Unhardened
# DP02381-02540-31	2.381 <i>0.094</i>	25.40 <i>1.000</i>	303 Stainless	+0.005 / -0.000	+/-0.254	1 (See note)	Unhardened
# DP02381-03175-31	2.381 <i>0.094</i>	31.75 <i>1.250</i>	303 Stainless	+0.005 / -0.000	+/-0.254	1 (See note)	Unhardened
# DP02381-03493-31	2.381 <i>0.094</i>	34.93 <i>1.375</i>	303 Stainless	+0.005 / -0.000	+/-0.254	1 (See note)	Unhardened

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Dowel - Standard - Stainless Steel

Part Number	Diameter (D) mm <i>inches</i>	Length (L) mm <i>inches</i>	Material	Tolerance on Diameter	Tolerance on Length	Type	Hardness
DP02381-03810-31	2.381 <i>0.094</i>	38.10 <i>1.500</i>	303 Stainless	+0.005 / -0.000	+/-0.254	1 (See note)	Unhardened
# DP02385-00793-4161	2.385 <i>0.094</i>	7.93 <i>0.312</i>	416 Stainless	+0.003 / -0.003	+/-0.254	1 (See note)	Rc 36-40
# DP02385-00953-4161	2.385 <i>0.094</i>	9.53 <i>0.375</i>	416 Stainless	+0.003 / -0.003	+/-0.254	1 (See note)	Rc 36-40
# DP02385-01110-4161	2.385 <i>0.094</i>	11.10 <i>0.437</i>	416 Stainless	+0.003 / -0.003	+/-0.254	1 (See note)	Rc 36-40
# DP02385-01270-4161	2.385 <i>0.094</i>	12.70 <i>0.500</i>	416 Stainless	+0.003 / -0.003	+/-0.254	1 (See note)	Rc 36-40
DP02385-01588-4161	2.385 <i>0.094</i>	15.88 <i>0.625</i>	416 Stainless	+0.003 / -0.003	+/-0.254	1 (See note)	Rc 36-40
# DP02385-01905-4161	2.385 <i>0.094</i>	19.05 <i>0.750</i>	416 Stainless	+0.003 / -0.003	+/-0.254	1 (See note)	Rc 36-40
# DP02385-02223-4161	2.385 <i>0.094</i>	22.23 <i>0.875</i>	416 Stainless	+0.003 / -0.003	+/-0.254	1 (See note)	Rc 36-40
# DP02385-02540-4161	2.385 <i>0.094</i>	25.40 <i>1.000</i>	416 Stainless	+0.003 / -0.003	+/-0.254	1 (See note)	Rc 36-40
# DP02388-00475-416/2	2.388 <i>0.094</i>	4.75 <i>0.187</i>	416 Stainless	+0.000 / -0.005	+/- 0.25	2	Rc36-42

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Dowel - Standard - Stainless Steel

Part Number	Diameter (D) mm <i>inches</i>	Length (L) mm <i>inches</i>	Material	Tolerance on Diameter	Tolerance on Length	Type	Hardness
# DP02388-00792-416/2	2.388 <i>0.094</i>	7.92 <i>0.312</i>	416 Stainless	+0.000 / -0.005	+/- 0.25	2	Rc36-42
# DP02388-00889-416/2	2.388 <i>0.094</i>	8.89 <i>0.350</i>	416 Stainless	+0.000 / -0.005	+/- 0.25	2	Rc36-42
# DP02388-00953-416/2	2.388 <i>0.094</i>	9.53 <i>0.375</i>	416 Stainless	+0.000 / -0.005	+/- 0.25	2	Rc36-42
# DP02388-01110-416/2	2.388 <i>0.094</i>	11.10 <i>0.437</i>	416 Stainless	+0.000 / -0.005	+/- 0.50	2	Rc36-42
# DP02388-01270-416/2	2.388 <i>0.094</i>	12.70 <i>0.500</i>	416 Stainless	+0.000 / -0.005	+/- 0.50	2	Rc36-42
# DP02388-01588-416/2	2.388 <i>0.094</i>	15.88 <i>0.625</i>	416 Stainless	+0.000 / -0.005	+/- 0.50	2	Rc36-42
# DP02388-01905-416/2	2.388 <i>0.094</i>	19.05 <i>0.750</i>	416 Stainless	+0.000 / -0.005	+/- 0.50	2	Rc36-42
# DP02388-02223-416/2	2.388 <i>0.094</i>	22.23 <i>0.875</i>	416 Stainless	+0.000 / -0.005	+/- 0.50	2	Rc36-42
# DP02388-02540-416/2	2.388 <i>0.094</i>	25.40 <i>1.000</i>	416 Stainless	+0.000 / -0.005	+/- 0.50	2	Rc36-42
# DP02500-00400-32	2.500 <i>0.098</i>	4.00 <i>0.157</i>	303 Stainless	m6	+/-0.25	2	Unhardened

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Dowel - Standard - Stainless Steel

Part Number	Diameter (D) mm <i>inches</i>	Length (L) mm <i>inches</i>	Material	Tolerance on Diameter	Tolerance on Length	Type	Hardness
# DP02500-00500-416/2	2.500 <i>0.098</i>	5.00 <i>0.197</i>	416 Stainless	+0.002 / + 0.009	+/- 0.25	2	Rc36-42
DP02500-00500-32	2.500 <i>0.098</i>	5.00 <i>0.197</i>	303 Stainless	m6	+/-0.25	2	Unhardened
# DP02500-00600-416/2	2.500 <i>0.098</i>	6.00 <i>0.236</i>	416 Stainless	+0.002 / + 0.009	+/- 0.25	2	Rc36-42
# DP02500-00600-32	2.500 <i>0.098</i>	6.00 <i>0.236</i>	303 Stainless	m6	+/-0.25	2	Unhardened
DP02500-00600-43	2.500 <i>0.098</i>	6.00 <i>0.236</i>	304 Stainless	+0.008 / +0.002	+/-0.254	3	Unhardened
# DP02500-00800-416/2	2.500 <i>0.098</i>	8.00 <i>0.315</i>	416 Stainless	+0.002 / + 0.009	+/- 0.25	2	Rc36-42
DP02500-00800-32	2.500 <i>0.098</i>	8.00 <i>0.315</i>	303 Stainless	m6	+/-0.25	2	Unhardened
DP02500-00800-43	2.500 <i>0.098</i>	8.00 <i>0.315</i>	304 Stainless	+0.008 / +0.002	+/-0.254	3	Unhardened
# DP02500-01000-416/2	2.500 <i>0.098</i>	10.00 <i>0.394</i>	416 Stainless	+0.002 / + 0.009	+/- 0.25	2	Rc36-42
# DP02500-01000-32	2.500 <i>0.098</i>	10.00 <i>0.394</i>	303 Stainless	m6	+/-0.25	2	Unhardened

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Dowel - Standard - Stainless Steel

Part Number	Diameter (D) mm <i>inches</i>	Length (L) mm <i>inches</i>	Material	Tolerance on Diameter	Tolerance on Length	Type	Hardness
DP02500-01000-43	2.500 <i>0.098</i>	10.00 <i>0.394</i>	304 Stainless	+0.008 / +0.002	+/-0.254	3	Unhardened
# DP02500-01200-416/2	2.500 <i>0.098</i>	12.00 <i>0.472</i>	416 Stainless	+0.002 / + 0.009	+/- 0.50	2	Rc36-42
# DP02500-01200-32	2.500 <i>0.098</i>	12.00 <i>0.472</i>	303 Stainless	m6	+/-0.50	2	Unhardened
DP02500-01200-43	2.500 <i>0.098</i>	12.00 <i>0.472</i>	304 Stainless	+0.008 / +0.002	+/-0.254	3	Unhardened
# DP02500-01400-416/2	2.500 <i>0.098</i>	14.00 <i>0.551</i>	416 Stainless	+0.002 / + 0.009	+/- 0.50	2	Rc36-42
# DP02500-01400-32	2.500 <i>0.098</i>	14.00 <i>0.551</i>	303 Stainless	m6	+/-0.50	2	Unhardened
DP02500-01400-43	2.500 <i>0.098</i>	14.00 <i>0.551</i>	304 Stainless	+0.008 / +0.002	+/-0.254	3	Unhardened
# DP02500-01600-416/2	2.500 <i>0.098</i>	16.00 <i>0.630</i>	416 Stainless	+0.002 / + 0.009	+/- 0.50	2	Rc36-42
DP02500-01600-32	2.500 <i>0.098</i>	16.00 <i>0.630</i>	303 Stainless	m6	+/-0.50	2	Unhardened
DP02500-01600-43	2.500 <i>0.098</i>	16.00 <i>0.630</i>	304 Stainless	+0.008 / +0.002	+/-0.254	3	Unhardened

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Dowel - Standard - Stainless Steel

Part Number	Diameter (D) mm <i>inches</i>	Length (L) mm <i>inches</i>	Material	Tolerance on Diameter	Tolerance on Length	Type	Hardness
# DP02500-01800-416/2	2.500 <i>0.098</i>	18.00 <i>0.709</i>	416 Stainless	+0.002 / + 0.009	+/- 0.50	2	Rc36-42
# DP02500-01800-32	2.500 <i>0.098</i>	18.00 <i>0.709</i>	303 Stainless	m6	+/-0.50	2	Unhardened
# DP02500-02000-416/2	2.500 <i>0.098</i>	20.00 <i>0.787</i>	416 Stainless	+0.002 / + 0.009	+/- 0.50	2	Rc36-42
# DP02500-02000-32	2.500 <i>0.098</i>	20.00 <i>0.787</i>	303 Stainless	m6	+/-0.50	2	Unhardened
DP02500-02000-43	2.500 <i>0.098</i>	20.00 <i>0.787</i>	304 Stainless	+0.008 / +0.002	+/-0.254	3	Unhardened
# DP02500-02400-416/2	2.500 <i>0.098</i>	24.00 <i>0.945</i>	416 Stainless	+0.002 / + 0.009	+/- 0.50	2	Rc36-42
DP02500-02400-32	2.500 <i>0.098</i>	24.00 <i>0.945</i>	303 Stainless	m6	+/-0.50	2	Unhardened
# DP02500-02400-43	2.500 <i>0.098</i>	24.00 <i>0.945</i>	304 Stainless	+0.008 / +0.002	+/-0.254	3	Unhardened
# DP02500-03000-43	2.500 <i>0.098</i>	30.00 <i>1.181</i>	304 Stainless	+0.008 / +0.002	+/-0.254	3	Unhardened
# DP03000-00300-416/2	3.000 <i>0.118</i>	3.00 <i>0.118</i>	416 Stainless	+0.004 / + 0.012	+/- 0.25	2	Rc36-42

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Dowel - Standard - Stainless Steel

Part Number	Diameter (D) mm <i>inches</i>	Length (L) mm <i>inches</i>	Material	Tolerance on Diameter	Tolerance on Length	Type	Hardness
DP03000-00400-32	3.000 <i>0.118</i>	4.00 <i>0.157</i>	303 Stainless	m6	+/-0.25	2	Unhardened
DP03000-00500-32	3.000 <i>0.118</i>	5.00 <i>0.197</i>	303 Stainless	m6	+/-0.25	2	Unhardened
DP03000-00600-32	3.000 <i>0.118</i>	6.00 <i>0.236</i>	303 Stainless	m6	+/-0.25	2	Unhardened
DP03000-00600-43	3.000 <i>0.118</i>	6.00 <i>0.236</i>	304 Stainless	+0.008 / +0.002	+/-0.254	3	Unhardened
# DP03000-00800-416/2	3.000 <i>0.118</i>	8.00 <i>0.315</i>	416 Stainless	+0.004 / + 0.012	+/- 0.25	2	Rc36-42
# DP03000-00800-32	3.000 <i>0.118</i>	8.00 <i>0.315</i>	303 Stainless	m6	+/-0.25	2	Unhardened
DP03000-00800-43	3.000 <i>0.118</i>	8.00 <i>0.315</i>	304 Stainless	+0.008 / +0.002	+/-0.254	3	Unhardened
# DP03000-00800-63	3.000 <i>0.118</i>	8.00 <i>0.315</i>	316 Stainless	m6	+/-0.254	3	Unhardened
# DP03000-01000-416/2	3.000 <i>0.118</i>	10.00 <i>0.394</i>	416 Stainless	+0.004 / + 0.012	+/- 0.25	2	Rc36-42
DP03000-01000-32	3.000 <i>0.118</i>	10.00 <i>0.394</i>	303 Stainless	m6	+/-0.25	2	Unhardened

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Dowel - Standard - Stainless Steel

Part Number	Diameter (D) mm <i>inches</i>	Length (L) mm <i>inches</i>	Material	Tolerance on Diameter	Tolerance on Length	Type	Hardness
DP03000-01000-41	3.000 <i>0.118</i>	10.00 <i>0.394</i>	304 Stainless	+0.008 / +0.002	+/-0.254	1 (See note)	Unhardened
DP03000-01000-4FE	3.000 <i>0.118</i>	10.00 <i>0.394</i>	304 Stainless	+0.008 / +0.002	+/-0.254	Flat Ends	Unhardened
DP03000-01000-63	3.000 <i>0.118</i>	10.00 <i>0.394</i>	316 Stainless	m6	+/-0.254	3	Unhardened
# DP03000-01200-416/2	3.000 <i>0.118</i>	12.00 <i>0.472</i>	416 Stainless	+0.004 / + 0.012	+/- 0.50	2	Rc36-42
# DP03000-01200-32	3.000 <i>0.118</i>	12.00 <i>0.472</i>	303 Stainless	m6	+/-0.50	2	Unhardened
DP03000-01200-43	3.000 <i>0.118</i>	12.00 <i>0.472</i>	304 Stainless	+0.008 / +0.002	+/-0.254	3	Unhardened
DP03000-01200-63	3.000 <i>0.118</i>	12.00 <i>0.472</i>	316 Stainless	m6	+/-0.254	3	Unhardened
# DP03000-01400-416/2	3.000 <i>0.118</i>	14.00 <i>0.551</i>	416 Stainless	+0.004 / + 0.012	+/- 0.50	2	Rc36-42
DP03000-01400-32	3.000 <i>0.118</i>	14.00 <i>0.551</i>	303 Stainless	m6	+/-0.50	2	Unhardened
DP03000-01400-43	3.000 <i>0.118</i>	14.00 <i>0.551</i>	304 Stainless	+0.008 / +0.002	+/-0.254	3	Unhardened

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Dowel - Standard - Stainless Steel

Part Number	Diameter (D) mm <i>inches</i>	Length (L) mm <i>inches</i>	Material	Tolerance on Diameter	Tolerance on Length	Type	Hardness
# DP03000-01600-416/2	3.000 <i>0.118</i>	16.00 <i>0.630</i>	416 Stainless	+0.004 / + 0.012	+/- 0.50	2	Rc36-42
DP03000-01600-32	3.000 <i>0.118</i>	16.00 <i>0.630</i>	303 Stainless	m6	+/-0.50	2	Unhardened
DP03000-01600-43	3.000 <i>0.118</i>	16.00 <i>0.630</i>	304 Stainless	+0.008 / +0.002	+/-0.254	3	Unhardened
# DP03000-01600-63	3.000 <i>0.118</i>	16.00 <i>0.630</i>	316 Stainless	m6	+/-0.254	3	Unhardened
# DP03000-01800-416/2	3.000 <i>0.118</i>	18.00 <i>0.709</i>	416 Stainless	+0.004 / + 0.012	+/- 0.50	2	Rc36-42
# DP03000-01800-32	3.000 <i>0.118</i>	18.00 <i>0.709</i>	303 Stainless	m6	+/-0.50	2	Unhardened
# DP03000-01800-41	3.000 <i>0.118</i>	18.00 <i>0.709</i>	304 Stainless	+0.008 / +0.002	+/-0.254	1 (See note)	Unhardened
# DP03000-02000-416/2	3.000 <i>0.118</i>	20.00 <i>0.787</i>	416 Stainless	+0.004 / + 0.012	+/- 0.50	2	Rc36-42
# DP03000-02000-32	3.000 <i>0.118</i>	20.00 <i>0.787</i>	303 Stainless	m6	+/-0.50	2	Unhardened
DP03000-02000-43	3.000 <i>0.118</i>	20.00 <i>0.787</i>	304 Stainless	+0.008 / +0.002	+/-0.254	3	Unhardened

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Dowel - Standard - Stainless Steel

Part Number	Diameter (D) mm <i>inches</i>	Length (L) mm <i>inches</i>	Material	Tolerance on Diameter	Tolerance on Length	Type	Hardness
DP03000-02000-63	3.000 <i>0.118</i>	20.00 <i>0.787</i>	316 Stainless	m6	+/-0.254	3	Unhardened
# DP03000-02400-416/2	3.000 <i>0.118</i>	24.00 <i>0.945</i>	416 Stainless	+0.004 / + 0.012	+/- 0.50	2	Rc36-42
# DP03000-02400-32	3.000 <i>0.118</i>	24.00 <i>0.945</i>	303 Stainless	m6	+/-0.50	2	Unhardened
DP03000-02400-43	3.000 <i>0.118</i>	24.00 <i>0.945</i>	304 Stainless	+0.008 / +0.002	+/-0.254	3	Unhardened
DP03000-02400-63	3.000 <i>0.118</i>	24.00 <i>0.945</i>	316 Stainless	m6	+/-0.254	3	Unhardened
DP03000-02800-32	3.000 <i>0.118</i>	28.00 <i>1.102</i>	303 Stainless	m6	+/-0.50	2	Unhardened
DP03000-03000-32	3.000 <i>0.118</i>	30.00 <i>1.181</i>	303 Stainless	m6	+/-0.50	2	Unhardened
# DP03175-00239-31	3.175 <i>0.125</i>	2.39 <i>0.094</i>	303 Stainless	+0.005 / -0.000	+/-0.254	1 (See note)	Unhardened
# DP03175-00318-31	3.175 <i>0.125</i>	3.18 <i>0.125</i>	303 Stainless	+0.005 / -0.000	+/-0.254	1 (See note)	Unhardened
# DP03175-00396-31	3.175 <i>0.125</i>	3.96 <i>0.156</i>	303 Stainless	+0.005 / -0.000	+/-0.254	1 (See note)	Unhardened

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Dowel - Standard - Stainless Steel

Part Number	Diameter (D) mm <i>inches</i>	Length (L) mm <i>inches</i>	Material	Tolerance on Diameter	Tolerance on Length	Type	Hardness
DP03175-00478-31	3.175 <i>0.125</i>	4.78 <i>0.188</i>	303 Stainless	+0.005 / -0.000	+/-0.254	1 (See note)	Unhardened
# DP03175-00556-31	3.175 <i>0.125</i>	5.56 <i>0.219</i>	303 Stainless	+0.005 / -0.000	+/-0.254	1 (See note)	Unhardened
# DP03175-00635-31	3.175 <i>0.125</i>	6.35 <i>0.250</i>	303 Stainless	+0.005 / -0.000	+/-0.254	1 (See note)	Unhardened
DP03175-00793-31	3.175 <i>0.125</i>	7.93 <i>0.312</i>	303 Stainless	+0.005 / -0.000	+/-0.254	1 (See note)	Unhardened
# DP03175-00953-31	3.175 <i>0.125</i>	9.53 <i>0.375</i>	303 Stainless	+0.005 / -0.000	+/-0.254	1 (See note)	Unhardened
# DP03175-01113-31	3.175 <i>0.125</i>	11.13 <i>0.438</i>	303 Stainless	+0.005 / -0.000	+/-0.254	1 (See note)	Unhardened
# DP03175-01270-31	3.175 <i>0.125</i>	12.70 <i>0.500</i>	303 Stainless	+0.005 / -0.000	+/-0.254	1 (See note)	Unhardened
# DP03175-01428-31	3.175 <i>0.125</i>	14.28 <i>0.562</i>	303 Stainless	+0.005 / -0.000	+/-0.254	1 (See note)	Unhardened
# DP03175-01588-31	3.175 <i>0.125</i>	15.88 <i>0.625</i>	303 Stainless	+0.005 / -0.000	+/-0.254	1 (See note)	Unhardened
# DP03175-01905-31	3.175 <i>0.125</i>	19.05 <i>0.750</i>	303 Stainless	+0.005 / -0.000	+/-0.254	1 (See note)	Unhardened

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Dowel - Standard - Stainless Steel

Part Number	Diameter (D) mm <i>inches</i>	Length (L) mm <i>inches</i>	Material	Tolerance on Diameter	Tolerance on Length	Type	Hardness
# DP03175-02223-31	3.175 <i>0.125</i>	22.23 <i>0.875</i>	303 Stainless	+0.005 / -0.000	+/-0.254	1 (See note)	Unhardened
# DP03175-02540-31	3.175 <i>0.125</i>	25.40 <i>1.000</i>	303 Stainless	+0.005 / -0.000	+/-0.254	1 (See note)	Unhardened
DP03175-03175-31	3.175 <i>0.125</i>	31.75 <i>1.250</i>	303 Stainless	+0.005 / -0.000	+/-0.254	1 (See note)	Unhardened
# DP03175-03493-31	3.175 <i>0.125</i>	34.93 <i>1.375</i>	303 Stainless	+0.005 / -0.000	+/-0.254	1 (See note)	Unhardened
# DP03175-03810-31	3.175 <i>0.125</i>	38.10 <i>1.500</i>	303 Stainless	+0.005 / -0.000	+/-0.254	1 (See note)	Unhardened
# DP03175-04445-31	3.175 <i>0.125</i>	44.45 <i>1.750</i>	303 Stainless	+0.005 / -0.000	+/-0.254	1 (See note)	Unhardened
DP03175-05080-31	3.175 <i>0.125</i>	50.80 <i>2.000</i>	303 Stainless	+0.005 / -0.000	+/-0.254	1 (See note)	Unhardened
# DP03180-00475-416/2	3.180 <i>0.125</i>	4.75 <i>0.187</i>	416 Stainless	+0.000 / -0.005	+/- 0.25	2	Rc36-42
# DP03180-00635-416/2	3.180 <i>0.125</i>	6.35 <i>0.250</i>	416 Stainless	+0.000 / -0.005	+/- 0.25	2	Rc36-42
# DP03180-00792-416/2	3.180 <i>0.125</i>	7.92 <i>0.312</i>	416 Stainless	+0.000 / -0.005	+/- 0.25	2	Rc36-42

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Dowel - Standard - Stainless Steel

Part Number	Diameter (D) mm <i>inches</i>	Length (L) mm <i>inches</i>	Material	Tolerance on Diameter	Tolerance on Length	Type	Hardness
# DP03180-00953-4161	3.180 <i>0.125</i>	9.53 <i>0.375</i>	416 Stainless	+0.003 / -0.003	+/-0.254	1 (See note)	Rc 36-40
# DP03180-01110-4161	3.180 <i>0.125</i>	11.10 <i>0.437</i>	416 Stainless	+0.003 / -0.003	+/-0.254	1 (See note)	Rc 36-40
# DP03180-01270-4161	3.180 <i>0.125</i>	12.70 <i>0.500</i>	416 Stainless	+0.003 / -0.003	+/-0.254	1 (See note)	Rc 36-40
# DP03180-01427-416/2	3.180 <i>0.125</i>	14.27 <i>0.562</i>	416 Stainless	+0.000 / -0.005	+/- 0.50	2	Rc36-42
# DP03180-01588-4161	3.180 <i>0.125</i>	15.88 <i>0.625</i>	416 Stainless	+0.003 / -0.003	+/-0.254	1 (See note)	Rc 36-40
# DP03180-01905-4161	3.180 <i>0.125</i>	19.05 <i>0.750</i>	416 Stainless	+0.003 / -0.003	+/-0.254	1 (See note)	Rc 36-40
# DP03180-02223-4161	3.180 <i>0.125</i>	22.23 <i>0.875</i>	416 Stainless	+0.003 / -0.003	+/-0.254	1 (See note)	Rc 36-40
# DP03180-02540-4161	3.180 <i>0.125</i>	25.40 <i>1.000</i>	416 Stainless	+0.003 / -0.003	+/-0.254	1 (See note)	Rc 36-40
# DP03180-02858-416/2	3.180 <i>0.125</i>	28.58 <i>1.125</i>	416 Stainless	+0.000 / -0.005	+/- 0.50	2	Rc36-42
# DP03180-03175-4161	3.180 <i>0.125</i>	31.75 <i>1.250</i>	416 Stainless	+0.003 / -0.003	+/-0.254	1 (See note)	Rc 36-40

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Dowel - Standard - Stainless Steel

Part Number	Diameter (D) mm <i>inches</i>	Length (L) mm <i>inches</i>	Material	Tolerance on Diameter	Tolerance on Length	Type	Hardness
# DP03180-03493-416/2	3.180 <i>0.125</i>	34.93 <i>1.375</i>	416 Stainless	+0.000 / -0.005	+/- 0.50	2	Rc36-42
# DP03180-03810-4161	3.180 <i>0.125</i>	38.10 <i>1.500</i>	416 Stainless	+0.003 / -0.003	+/-0.254	1 (See note)	Rc 36-40
# DP03973-00953-416/2	3.973 <i>0.156</i>	9.53 <i>0.375</i>	416 Stainless	+0.000 / -0.005	+/- 0.25	2	Rc36-42
# DP03973-01110-416/2	3.973 <i>0.156</i>	11.10 <i>0.437</i>	416 Stainless	+0.000 / -0.005	+/- 0.50	2	Rc36-42
# DP03973-01270-4161	3.973 <i>0.156</i>	12.70 <i>0.500</i>	416 Stainless	+0.003 / -0.003	+/-0.254	1 (See note)	Rc 36-40
# DP03973-01588-4161	3.973 <i>0.156</i>	15.88 <i>0.625</i>	416 Stainless	+0.003 / -0.003	+/-0.254	1 (See note)	Rc 36-40
DP03973-01905-4161	3.973 <i>0.156</i>	19.05 <i>0.750</i>	416 Stainless	+0.003 / -0.003	+/-0.254	1 (See note)	Rc 36-40
# DP03973-02223-4161	3.973 <i>0.156</i>	22.23 <i>0.875</i>	416 Stainless	+0.003 / -0.003	+/-0.254	1 (See note)	Rc 36-40
# DP03973-02540-4161	3.973 <i>0.156</i>	25.40 <i>1.000</i>	416 Stainless	+0.003 / -0.003	+/-0.254	1 (See note)	Rc 36-40
# DP03973-03175-4161	3.973 <i>0.156</i>	31.75 <i>1.250</i>	416 Stainless	+0.003 / -0.003	+/-0.254	1 (See note)	Rc 36-40

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Dowel - Standard - Stainless Steel

Part Number	Diameter (D) mm <i>inches</i>	Length (L) mm <i>inches</i>	Material	Tolerance on Diameter	Tolerance on Length	Type	Hardness
# DP04000-00500-32	4.000 <i>0.157</i>	5.00 <i>0.197</i>	303 Stainless	m6	+/-0.25	2	Unhardened
# DP04000-00600-32	4.000 <i>0.157</i>	6.00 <i>0.236</i>	303 Stainless	m6	+/-0.25	2	Unhardened
# DP04000-00600-43	4.000 <i>0.157</i>	6.00 <i>0.236</i>	304 Stainless	+0.012 / +0.004	+/-0.254	3	Unhardened
# DP04000-00800-416/2	4.000 <i>0.157</i>	8.00 <i>0.315</i>	416 Stainless	+0.004 / + 0.012	+/- 0.25	2	Rc36-42
DP04000-00800-32	4.000 <i>0.157</i>	8.00 <i>0.315</i>	303 Stainless	m6	+/-0.25	2	Unhardened
DP04000-00800-43	4.000 <i>0.157</i>	8.00 <i>0.315</i>	304 Stainless	+0.012 / +0.004	+/-0.254	3	Unhardened
# DP04000-01000-416/2	4.000 <i>0.157</i>	10.00 <i>0.394</i>	416 Stainless	+0.004 / + 0.012	+/- 0.25	2	Rc36-42
# DP04000-01000-32	4.000 <i>0.157</i>	10.00 <i>0.394</i>	303 Stainless	m6	+/-0.25	2	Unhardened
DP04000-01000-43	4.000 <i>0.157</i>	10.00 <i>0.394</i>	304 Stainless	+0.012 / +0.004	+/-0.254	3	Unhardened
# DP04000-01000-63	4.000 <i>0.157</i>	10.00 <i>0.394</i>	316 Stainless	m6	+/-0.254	3	Unhardened

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Dowel - Standard - Stainless Steel

Part Number	Diameter (D) mm <i>inches</i>	Length (L) mm <i>inches</i>	Material	Tolerance on Diameter	Tolerance on Length	Type	Hardness
# DP04000-01200-416/2	4.000 <i>0.157</i>	12.00 <i>0.472</i>	416 Stainless	+0.004 / + 0.012	+/- 0.50	2	Rc36-42
# DP04000-01200-32	4.000 <i>0.157</i>	12.00 <i>0.472</i>	303 Stainless	m6	+/-0.50	2	Unhardened
DP04000-01200-43	4.000 <i>0.157</i>	12.00 <i>0.472</i>	304 Stainless	+0.012 / +0.004	+/-0.254	3	Unhardened
# DP04000-01200-63	4.000 <i>0.157</i>	12.00 <i>0.472</i>	316 Stainless	m6	+/-0.254	3	Unhardened
# DP04000-01400-416/2	4.000 <i>0.157</i>	14.00 <i>0.551</i>	416 Stainless	+0.004 / + 0.012	+/- 0.50	2	Rc36-42
# DP04000-01400-32	4.000 <i>0.157</i>	14.00 <i>0.551</i>	303 Stainless	m6	+/-0.50	2	Unhardened
# DP04000-01400-43	4.000 <i>0.157</i>	14.00 <i>0.551</i>	304 Stainless	+0.012 / +0.004	+/-0.254	3	Unhardened
# DP04000-01600-416/2	4.000 <i>0.157</i>	16.00 <i>0.630</i>	416 Stainless	+0.004 / + 0.012	+/- 0.50	2	Rc36-42
DP04000-01600-32	4.000 <i>0.157</i>	16.00 <i>0.630</i>	303 Stainless	m6	+/-0.50	2	Unhardened
DP04000-01600-43	4.000 <i>0.157</i>	16.00 <i>0.630</i>	304 Stainless	+0.012 / +0.004	+/-0.254	3	Unhardened

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Dowel - Standard - Stainless Steel

Part Number	Diameter (D) mm <i>inches</i>	Length (L) mm <i>inches</i>	Material	Tolerance on Diameter	Tolerance on Length	Type	Hardness
# DP04000-01600-63	4.000 <i>0.157</i>	16.00 <i>0.630</i>	316 Stainless	m6	+/-0.254	3	Unhardened
# DP04000-01800-416/2	4.000 <i>0.157</i>	18.00 <i>0.709</i>	416 Stainless	+0.004 / + 0.012	+/- 0.50	2	Rc36-42
DP04000-01800-32	4.000 <i>0.157</i>	18.00 <i>0.709</i>	303 Stainless	m6	+/-0.50	2	Unhardened
# DP04000-02000-416/2	4.000 <i>0.157</i>	20.00 <i>0.787</i>	416 Stainless	+0.004 / + 0.012	+/- 0.50	2	Rc36-42
DP04000-02000-32	4.000 <i>0.157</i>	20.00 <i>0.787</i>	303 Stainless	m6	+/-0.50	2	Unhardened
DP04000-02000-43	4.000 <i>0.157</i>	20.00 <i>0.787</i>	304 Stainless	+0.012 / +0.004	+/-0.254	3	Unhardened
# DP04000-02000-63	4.000 <i>0.157</i>	20.00 <i>0.787</i>	316 Stainless	m6	+/-0.254	3	Unhardened
# DP04000-02400-416/2	4.000 <i>0.157</i>	24.00 <i>0.945</i>	416 Stainless	+0.004 / + 0.012	+/- 0.50	2	Rc36-42
DP04000-02400-32	4.000 <i>0.157</i>	24.00 <i>0.945</i>	303 Stainless	m6	+/-0.500	2	Unhardened
# DP04000-02400-43	4.000 <i>0.157</i>	24.00 <i>0.945</i>	304 Stainless	+0.012 / +0.004	+/-0.254	3	Unhardened

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Dowel - Standard - Stainless Steel

Part Number	Diameter (D) mm <i>inches</i>	Length (L) mm <i>inches</i>	Material	Tolerance on Diameter	Tolerance on Length	Type	Hardness
DP04000-02400-63	4.000 <i>0.157</i>	24.00 <i>0.945</i>	316 Stainless	m6	+/-0.254	3	Unhardened
DP04000-02800-32	4.000 <i>0.157</i>	28.00 <i>1.102</i>	303 Stainless	m6	+/-0.50	2	Unhardened
DP04000-03000-32	4.000 <i>0.157</i>	30.00 <i>1.181</i>	303 Stainless	m6	+/-0.50	2	Unhardened
DP04000-03000-63	4.000 <i>0.157</i>	30.00 <i>1.181</i>	316 Stainless	m6	+/-0.254	3	Unhardened
# DP04000-03200-32	4.000 <i>0.157</i>	32.00 <i>1.260</i>	303 Stainless	m6	+/-0.50	2	Unhardened
# DP04000-03600-32	4.000 <i>0.157</i>	36.00 <i>1.417</i>	303 Stainless	m6	+/-0.50	2	Unhardened
# DP04000-04000-32	4.000 <i>0.157</i>	40.00 <i>1.575</i>	303 Stainless	m6	+/-0.50	2	Unhardened
# DP04000-04000-43	4.000 <i>0.157</i>	40.00 <i>1.575</i>	304 Stainless	+0.012 / +0.004	+/-0.254	3	Unhardened
# DP04000-04500-32	4.000 <i>0.157</i>	45.00 <i>1.772</i>	303 Stainless	m6	+/-0.50	2	Unhardened
# DP04000-05000-32	4.000 <i>0.157</i>	50.00 <i>1.969</i>	303 Stainless	m6	+/-0.50	2	Unhardened

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Dowel - Standard - Stainless Steel

Part Number	Diameter (D) mm <i>inches</i>	Length (L) mm <i>inches</i>	Material	Tolerance on Diameter	Tolerance on Length	Type	Hardness
# DP04763-00635-31	4.763 <i>0.188</i>	6.35 <i>0.250</i>	303 Stainless	+0.005 / -0.000	+/-0.254	1 (See note)	Unhardened
# DP04763-00793-31	4.763 <i>0.188</i>	7.93 <i>0.312</i>	303 Stainless	+0.005 / -0.000	+/-0.254	1 (See note)	Unhardened
# DP04763-00953-31	4.763 <i>0.188</i>	9.53 <i>0.375</i>	303 Stainless	+0.005 / -0.000	+/-0.254	1 (See note)	Unhardened
# DP04763-01113-31	4.763 <i>0.188</i>	11.13 <i>0.438</i>	303 Stainless	+0.005 / -0.000	+/-0.254	1 (See note)	Unhardened
# DP04763-01270-31	4.763 <i>0.188</i>	12.70 <i>0.500</i>	303 Stainless	+0.005 / -0.000	+/-0.254	1 (See note)	Unhardened
# DP04763-01588-31	4.763 <i>0.188</i>	15.88 <i>0.625</i>	303 Stainless	+0.005 / -0.000	+/-0.254	1 (See note)	Unhardened
# DP04763-01905-31	4.763 <i>0.188</i>	19.05 <i>0.750</i>	303 Stainless	+0.005 / -0.000	+/-0.254	1 (See note)	Unhardened
# DP04763-02223-31	4.763 <i>0.188</i>	22.23 <i>0.875</i>	303 Stainless	+0.005 / -0.000	+/-0.254	1 (See note)	Unhardened
# DP04763-02540-31	4.763 <i>0.188</i>	25.40 <i>1.000</i>	303 Stainless	+0.005 / -0.000	+/-0.254	1 (See note)	Unhardened
# DP04763-03175-31	4.763 <i>0.188</i>	31.75 <i>1.250</i>	303 Stainless	+0.005 / -0.000	+/-0.254	1 (See note)	Unhardened

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Dowel - Standard - Stainless Steel

Part Number	Diameter (D) mm <i>inches</i>	Length (L) mm <i>inches</i>	Material	Tolerance on Diameter	Tolerance on Length	Type	Hardness
# DP04763-03810-31	4.763 <i>0.188</i>	38.10 <i>1.500</i>	303 Stainless	+0.005 / -0.000	+/-0.254	1 (See note)	Unhardened
# DP04763-04445-31	4.763 <i>0.188</i>	44.45 <i>1.750</i>	303 Stainless	+0.005 / -0.000	+/-0.254	1 (See note)	Unhardened
DP04763-05080-31	4.763 <i>0.188</i>	50.80 <i>2.000</i>	303 Stainless	+0.005 / -0.000	+/-0.254	1 (See note)	Unhardened
# DP04768-01588-4161	4.768 <i>0.188</i>	15.88 <i>0.625</i>	416 Stainless	+0.003 / -0.003	+/-0.254	1 (See note)	Rc 36-40
# DP04768-01905-4161	4.768 <i>0.188</i>	19.05 <i>0.750</i>	416 Stainless	+0.003 / -0.003	+/-0.254	1 (See note)	Rc 36-40
# DP04768-02223-4161	4.768 <i>0.188</i>	22.23 <i>0.875</i>	416 Stainless	+0.003 / -0.003	+/-0.254	1 (See note)	Rc 36-40
# DP04768-02540-4161	4.768 <i>0.188</i>	25.40 <i>1.000</i>	416 Stainless	+0.003 / -0.003	+/-0.254	1 (See note)	Rc 36-40
# DP04768-03175-4161	4.768 <i>0.188</i>	31.75 <i>1.250</i>	416 Stainless	+0.003 / -0.003	+/-0.254	1 (See note)	Rc 36-40
# DP04768-03810-4161	4.768 <i>0.188</i>	38.10 <i>1.500</i>	416 Stainless	+0.003 / -0.003	+/-0.254	1 (See note)	Rc 36-40
# DP04768-00953-416/2	4.768 <i>0.188</i>	9.53 <i>0.375</i>	416 Stainless	+0.000 / -0.005	+/- 0.25	2	Rc36-42

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Dowel - Standard - Stainless Steel

Part Number	Diameter (D) mm <i>inches</i>	Length (L) mm <i>inches</i>	Material	Tolerance on Diameter	Tolerance on Length	Type	Hardness
# DP04768-01110-416/2	4.768 <i>0.188</i>	11.10 <i>0.437</i>	416 Stainless	+0.000 / -0.005	+/- 0.50	2	Rc36-42
# DP04768-01270-416/2	4.768 <i>0.188</i>	12.70 <i>0.500</i>	416 Stainless	+0.000 / -0.005	+/- 0.50	2	Rc36-42
DP05000-00600-32	5.000 <i>0.197</i>	6.00 <i>0.236</i>	303 Stainless	m6	+/-0.25	2	Unhardened
# DP05000-00600-43	5.000 <i>0.197</i>	6.00 <i>0.236</i>	304 Stainless	+0.012 / +0.004	+/-0.254	3	Unhardened
# DP05000-00800-32	5.000 <i>0.197</i>	8.00 <i>0.315</i>	303 Stainless	m6	+/-0.25	2	Unhardened
# DP05000-00800-43	5.000 <i>0.197</i>	8.00 <i>0.315</i>	304 Stainless	+0.012 / +0.004	+/-0.254	3	Unhardened
# DP05000-01000-416/2	5.000 <i>0.197</i>	10.00 <i>0.394</i>	416 Stainless	+0.004 / + 0.012	+/- 0.25	2	Rc36-42
# DP05000-01000-32	5.000 <i>0.197</i>	10.00 <i>0.394</i>	303 Stainless	m6	+/-0.25	2	Unhardened
# DP05000-01000-43	5.000 <i>0.197</i>	10.00 <i>0.394</i>	304 Stainless	+0.012 / +0.004	+/-0.254	3	Unhardened
# DP05000-01000-63	5.000 <i>0.197</i>	10.00 <i>0.394</i>	316 Stainless	m6	+/-0.254	3	Unhardened

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Dowel - Standard - Stainless Steel

Part Number	Diameter (D) mm <i>inches</i>	Length (L) mm <i>inches</i>	Material	Tolerance on Diameter	Tolerance on Length	Type	Hardness
# DP05000-01200-416/2	5.000 <i>0.197</i>	12.00 <i>0.472</i>	416 Stainless	+0.004 / + 0.012	+/- 0.50	2	Rc36-42
DP05000-01200-43	5.000 <i>0.197</i>	12.00 <i>0.472</i>	304 Stainless	+0.012 / +0.004	+/-0.254	3	Unhardened
# DP05000-01200-63	5.000 <i>0.197</i>	12.00 <i>0.472</i>	316 Stainless	m6	+/-0.254	3	Unhardened
# DP05000-01400-416/2	5.000 <i>0.197</i>	14.00 <i>0.551</i>	416 Stainless	+0.004 / + 0.012	+/- 0.50	2	Rc36-42
# DP05000-01400-32	5.000 <i>0.197</i>	14.00 <i>0.551</i>	303 Stainless	m6	+/-0.50	2	Unhardened
# DP05000-01400-43	5.000 <i>0.197</i>	14.00 <i>0.551</i>	304 Stainless	+0.012 / +0.004	+/-0.254	3	Unhardened
# DP05000-01600-416/2	5.000 <i>0.197</i>	16.00 <i>0.630</i>	416 Stainless	+0.004 / + 0.012	+/- 0.50	2	Rc36-42
# DP05000-01600-32	5.000 <i>0.197</i>	16.00 <i>0.630</i>	303 Stainless	m6	+/-0.50	2	Unhardened
# DP05000-01600-43	5.000 <i>0.197</i>	16.00 <i>0.630</i>	304 Stainless	+0.012 / +0.004	+/-0.254	3	Unhardened
# DP05000-01600-63	5.000 <i>0.197</i>	16.00 <i>0.630</i>	316 Stainless	m6	+/-0.254	3	Unhardened

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Dowel - Standard - Stainless Steel

Part Number	Diameter (D) mm <i>inches</i>	Length (L) mm <i>inches</i>	Material	Tolerance on Diameter	Tolerance on Length	Type	Hardness
# DP05000-01800-416/2	5.000 <i>0.197</i>	18.00 <i>0.709</i>	416 Stainless	+0.004 / + 0.012	+/- 0.50	2	Rc36-42
# DP05000-01800-32	5.000 <i>0.197</i>	18.00 <i>0.709</i>	303 Stainless	m6	+/-0.50	2	Unhardened
# DP05000-02000-416/2	5.000 <i>0.197</i>	20.00 <i>0.787</i>	416 Stainless	+0.004 / + 0.012	+/- 0.50	2	Rc36-42
DP05000-02000-32	5.000 <i>0.197</i>	20.00 <i>0.787</i>	303 Stainless	m6	+/-0.50	2	Unhardened
DP05000-02000-43	5.000 <i>0.197</i>	20.00 <i>0.787</i>	304 Stainless	+0.012 / +0.004	+/-0.254	3	Unhardened
# DP05000-02000-63	5.000 <i>0.197</i>	20.00 <i>0.787</i>	316 Stainless	m6	+/-0.254	3	Unhardened
# DP05000-02400-416/2	5.000 <i>0.197</i>	24.00 <i>0.945</i>	416 Stainless	+0.004 / + 0.012	+/- 0.50	2	Rc36-42
# DP05000-02400-32	5.000 <i>0.197</i>	24.00 <i>0.945</i>	303 Stainless	m6	+/-0.50	2	Unhardened
DP05000-02400-43	5.000 <i>0.197</i>	24.00 <i>0.945</i>	304 Stainless	+0.012 / +0.004	+/-0.254	3	Unhardened
# DP05000-02400-63	5.000 <i>0.197</i>	24.00 <i>0.945</i>	316 Stainless	m6	+/-0.254	3	Unhardened

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Dowel - Standard - Stainless Steel

Part Number	Diameter (D) mm <i>inches</i>	Length (L) mm <i>inches</i>	Material	Tolerance on Diameter	Tolerance on Length	Type	Hardness
DP05000-02800-32	5.000 <i>0.197</i>	28.00 <i>1.102</i>	303 Stainless	m6	+/-0.50	2	Unhardened
# DP05000-03000-416/2	5.000 <i>0.197</i>	30.00 <i>1.181</i>	416 Stainless	+0.004 / + 0.012	+/- 0.50	2	Rc36-42
# DP05000-03000-32	5.000 <i>0.197</i>	30.00 <i>1.181</i>	303 Stainless	m6	+/-0.50	2	Unhardened
# DP05000-03000-63	5.000 <i>0.197</i>	30.00 <i>1.181</i>	316 Stainless	m6	+/-0.254	3	Unhardened
# DP05000-03200-32	5.000 <i>0.197</i>	32.00 <i>1.260</i>	303 Stainless	m6	+/-0.50	2	Unhardened
# DP05000-03600-32	5.000 <i>0.197</i>	36.00 <i>1.417</i>	303 Stainless	m6	+/-0.50	2	Unhardened
# DP05000-04000-32	5.000 <i>0.197</i>	40.00 <i>1.575</i>	303 Stainless	m6	+/-0.50	2	Unhardened
# DP05000-04000-43	5.000 <i>0.197</i>	40.00 <i>1.575</i>	304 Stainless	+0.012 / +0.004	+/-0.254	3	Unhardened
# DP05000-04000-63	5.000 <i>0.197</i>	40.00 <i>1.575</i>	316 Stainless	m6	+/-0.254	3	Unhardened
# DP05000-04500-32	5.000 <i>0.197</i>	45.00 <i>1.772</i>	303 Stainless	m6	+/-0.50	2	Unhardened

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Dowel - Standard - Stainless Steel

Part Number	Diameter (D) mm <i>inches</i>	Length (L) mm <i>inches</i>	Material	Tolerance on Diameter	Tolerance on Length	Type	Hardness
# DP05000-05000-32	5.000 <i>0.197</i>	50.00 <i>1.969</i>	303 Stainless	m6	+/-0.50	2	Unhardened
# DP05000-05000-43	5.000 <i>0.197</i>	50.00 <i>1.969</i>	304 Stainless	+0.012 / +0.004	+/-0.254	3	Unhardened
# DP05000-05500-32	5.000 <i>0.197</i>	55.00 <i>2.165</i>	303 Stainless	m6	+/-0.75	2	Unhardened
# DP05000-06000-32	5.000 <i>0.197</i>	60.00 <i>2.362</i>	303 Stainless	m6	+/-0.75	2	Unhardened
# DP06000-00600-32	6.000 <i>0.236</i>	6.00 <i>0.236</i>	303 Stainless	m6	+/-0.25	2	Unhardened
DP06000-00800-32	6.000 <i>0.236</i>	8.00 <i>0.315</i>	303 Stainless	m6	+/-0.25	2	Unhardened
DP06000-01000-32	6.000 <i>0.236</i>	10.00 <i>0.394</i>	303 Stainless	m6	+/-0.25	2	Unhardened
# DP06000-01000-43	6.000 <i>0.236</i>	10.00 <i>0.394</i>	304 Stainless	+0.012 / +0.004	+/-0.254	3	Unhardened
# DP06000-01200-416/2	6.000 <i>0.236</i>	12.00 <i>0.472</i>	416 Stainless	+0.006 / + 0.015	+/- 0.50	2	Rc36-42
DP06000-01200-32	6.000 <i>0.236</i>	12.00 <i>0.472</i>	303 Stainless	m6	+/-0.50	2	Unhardened

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Dowel - Standard - Stainless Steel

Part Number	Diameter (D) mm <i>inches</i>	Length (L) mm <i>inches</i>	Material	Tolerance on Diameter	Tolerance on Length	Type	Hardness
# DP06000-01200-43	6.000 <i>0.236</i>	12.00 <i>0.472</i>	304 Stainless	+0.012 / +0.004	+/-0.254	3	Unhardened
DP06000-01200-63	6.000 <i>0.236</i>	12.00 <i>0.472</i>	316 Stainless	m6	+/-0.254	3	Unhardened
# DP06000-01400-416/2	6.000 <i>0.236</i>	14.00 <i>0.551</i>	416 Stainless	+0.006 / + 0.015	+/- 0.50	2	Rc36-42
# DP06000-01400-32	6.000 <i>0.236</i>	14.00 <i>0.551</i>	303 Stainless	m6	+/-0.50	2	Unhardened
# DP06000-01400-43	6.000 <i>0.236</i>	14.00 <i>0.551</i>	304 Stainless	+0.012 / +0.004	+/-0.254	3	Unhardened
# DP06000-01600-416/2	6.000 <i>0.236</i>	16.00 <i>0.630</i>	416 Stainless	+0.006 / + 0.015	+/- 0.50	2	Rc36-42
# DP06000-01600-32	6.000 <i>0.236</i>	16.00 <i>0.630</i>	303 Stainless	m6	+/-0.50	2	Unhardened
DP06000-01600-43	6.000 <i>0.236</i>	16.00 <i>0.630</i>	304 Stainless	+0.012 / +0.004	+/-0.254	3	Unhardened
DP06000-01600-63	6.000 <i>0.236</i>	16.00 <i>0.630</i>	316 Stainless	m6	+/-0.254	3	Unhardened
# DP06000-01800-416/2	6.000 <i>0.236</i>	18.00 <i>0.709</i>	416 Stainless	+0.006 / + 0.015	+/- 0.50	2	Rc36-42

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Dowel - Standard - Stainless Steel

Part Number	Diameter (D) mm <i>inches</i>	Length (L) mm <i>inches</i>	Material	Tolerance on Diameter	Tolerance on Length	Type	Hardness
DP06000-01800-32	6.000 <i>0.236</i>	18.00 <i>0.709</i>	303 Stainless	m6	+/-0.50	2	Unhardened
# DP06000-02000-416/2	6.000 <i>0.236</i>	20.00 <i>0.787</i>	416 Stainless	+0.006 / + 0.015	+/- 0.50	2	Rc36-42
DP06000-02000-33	6.000 <i>0.236</i>	20.00 <i>0.787</i>	303 Stainless	m6	+/-0.50	3	Unhardened
# DP06000-02000-43	6.000 <i>0.236</i>	20.00 <i>0.787</i>	304 Stainless	+0.012 / +0.004	+/-0.254	3	Unhardened
# DP06000-02000-63	6.000 <i>0.236</i>	20.00 <i>0.787</i>	316 Stainless	m6	+/-0.254	3	Unhardened
# DP06000-02400-416/2	6.000 <i>0.236</i>	24.00 <i>0.945</i>	416 Stainless	+0.006 / + 0.015	+/- 0.50	2	Rc36-42
DP06000-02400-32	6.000 <i>0.236</i>	24.00 <i>0.945</i>	303 Stainless	m6	+/-0.50	2	Unhardened
# DP06000-02400-43	6.000 <i>0.236</i>	24.00 <i>0.945</i>	304 Stainless	+0.012 / +0.004	+/-0.254	3	Unhardened
# DP06000-02400-63	6.000 <i>0.236</i>	24.00 <i>0.945</i>	316 Stainless	m6	+/-0.254	3	Unhardened
# DP06000-02800-32	6.000 <i>0.236</i>	28.00 <i>1.102</i>	303 Stainless	m6	+/-0.50	2	Unhardened

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Dowel - Standard - Stainless Steel

Part Number	Diameter (D) mm <i>inches</i>	Length (L) mm <i>inches</i>	Material	Tolerance on Diameter	Tolerance on Length	Type	Hardness
# DP06000-03000-416/2	6.000 <i>0.236</i>	30.00 <i>1.181</i>	416 Stainless	+0.006 / + 0.015	+/- 0.50	2	Rc36-42
# DP06000-03000-32	6.000 <i>0.236</i>	30.00 <i>1.181</i>	303 Stainless	m6	+/-0.50	2	Unhardened
DP06000-03000-63	6.000 <i>0.236</i>	30.00 <i>1.181</i>	316 Stainless	m6	+/-0.254	3	Unhardened
DP06000-03200-32	6.000 <i>0.236</i>	32.00 <i>1.260</i>	303 Stainless	m6	+/-0.50	2	Unhardened
# DP06000-03600-32	6.000 <i>0.236</i>	36.00 <i>1.417</i>	303 Stainless	m6	+/-0.50	2	Unhardened
# DP06000-04000-416/2	6.000 <i>0.236</i>	40.00 <i>1.575</i>	416 Stainless	+0.006 / + 0.015	+/- 0.50	2	Rc36-42
# DP06000-04000-32	6.000 <i>0.236</i>	40.00 <i>1.575</i>	303 Stainless	m6	+/-0.50	2	Unhardened
DP06000-04000-43	6.000 <i>0.236</i>	40.00 <i>1.575</i>	304 Stainless	+0.012 / +0.004	+/-0.254	3	Unhardened
# DP06000-04000-63	6.000 <i>0.236</i>	40.00 <i>1.575</i>	316 Stainless	m6	+/-0.254	3	Unhardened
DP06000-04500-32	6.000 <i>0.236</i>	45.00 <i>1.772</i>	303 Stainless	m6	+/-0.50	2	Unhardened

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Dowel - Standard - Stainless Steel

Part Number	Diameter (D) mm <i>inches</i>	Length (L) mm <i>inches</i>	Material	Tolerance on Diameter	Tolerance on Length	Type	Hardness
# DP06000-05000-32	6.000 <i>0.236</i>	50.00 <i>1.969</i>	303 Stainless	m6	+/-0.50	2	Unhardened
# DP06000-05000-43	6.000 <i>0.236</i>	50.00 <i>1.969</i>	304 Stainless	+0.012 / +0.004	+/-0.254	3	Unhardened
# DP06000-05000-63	6.000 <i>0.236</i>	50.00 <i>1.969</i>	316 Stainless	m6	+/-0.254	3	Unhardened
DP06000-05500-32	6.000 <i>0.236</i>	55.00 <i>2.165</i>	303 Stainless	m6	+/-0.75	2	Unhardened
# DP06000-06000-32	6.000 <i>0.236</i>	60.00 <i>2.362</i>	303 Stainless	m6	+/-0.75	2	Unhardened
# DP06000-06000-43	6.000 <i>0.236</i>	60.00 <i>2.362</i>	304 Stainless	+0.012 / +0.004	+/-0.254	3	Unhardened
DP06350-01270-31	6.350 <i>0.250</i>	12.70 <i>0.500</i>	303 Stainless	+0.005 / -0.000	+/-0.254	1 (See note)	Unhardened
DP06350-01588-31	6.350 <i>0.250</i>	15.88 <i>0.625</i>	303 Stainless	+0.005 / -0.000	+/-0.254	1 (See note)	Unhardened
DP06350-01905-31	6.350 <i>0.250</i>	19.05 <i>0.750</i>	303 Stainless	+0.005 / -0.000	+/-0.254	1 (See note)	Unhardened
# DP06350-02223-31	6.350 <i>0.250</i>	22.23 <i>0.875</i>	303 Stainless	+0.005 / -0.000	+/-0.254	1 (See note)	Unhardened

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Dowel - Standard - Stainless Steel

Part Number	Diameter (D) mm <i>inches</i>	Length (L) mm <i>inches</i>	Material	Tolerance on Diameter	Tolerance on Length	Type	Hardness
# DP06350-02540-31	6.350 <i>0.250</i>	25.40 <i>1.000</i>	303 Stainless	+0.005 / -0.000	+/-0.254	1 (See note)	Unhardened
# DP06350-03175-31	6.350 <i>0.250</i>	31.75 <i>1.250</i>	303 Stainless	+0.005 / -0.000	+/-0.254	1 (See note)	Unhardened
# DP06350-03810-31	6.350 <i>0.250</i>	38.10 <i>1.500</i>	303 Stainless	+0.005 / -0.000	+/-0.254	1 (See note)	Unhardened
DP06350-04445-31	6.350 <i>0.250</i>	44.45 <i>1.750</i>	303 Stainless	+0.005 / -0.000	+/-0.254	1 (See note)	Unhardened
DP06350-05080-31	6.350 <i>0.250</i>	50.80 <i>2.000</i>	303 Stainless	+0.005 / -0.000	+/-0.254	1 (See note)	Unhardened
# DP06355-01905-4161	6.355 <i>0.250</i>	19.05 <i>0.750</i>	416 Stainless	+0.003 / -0.003	+/-0.254	1 (See note)	Rc 36-40
# DP06355-02223-4161	6.355 <i>0.250</i>	22.23 <i>0.875</i>	416 Stainless	+0.003 / -0.003	+/-0.254	1 (See note)	Rc 36-40
# DP06355-02540-4161	6.355 <i>0.250</i>	25.40 <i>1.000</i>	416 Stainless	+0.003 / -0.003	+/-0.254	1 (See note)	Rc 36-40
# DP06355-03175-4161	6.355 <i>0.250</i>	31.75 <i>1.250</i>	416 Stainless	+0.003 / -0.003	+/-0.254	1 (See note)	Rc 36-40
# DP06355-03810-4161	6.355 <i>0.250</i>	38.10 <i>1.500</i>	416 Stainless	+0.003 / -0.003	+/-0.254	1 (See note)	Rc 36-40

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Dowel - Standard - Stainless Steel

Part Number	Diameter (D) mm <i>inches</i>	Length (L) mm <i>inches</i>	Material	Tolerance on Diameter	Tolerance on Length	Type	Hardness
# DP06355-04445-4161	6.355 <i>0.250</i>	44.45 <i>1.750</i>	416 Stainless	+0.003 / -0.003	+/-0.254	1 (See note)	Rc 36-40
# DP06355-05080-4161	6.355 <i>0.250</i>	50.80 <i>2.000</i>	416 Stainless	+0.003 / -0.003	+/-0.254	1 (See note)	Rc 36-40
# DP06355-00953-416/2	6.355 <i>0.250</i>	9.53 <i>0.375</i>	416 Stainless	+0.000 / -0.005	+/- 0.25	2	Rc36-42
# DP06355-01110-416/2	6.355 <i>0.250</i>	11.10 <i>0.437</i>	416 Stainless	+0.000 / -0.005	+/- 0.50	2	Rc36-42
# DP06355-01270-416/2	6.355 <i>0.250</i>	12.70 <i>0.500</i>	416 Stainless	+0.000 / -0.005	+/- 0.50	2	Rc36-42
# DP06355-01427-416/2	6.355 <i>0.250</i>	14.27 <i>0.562</i>	416 Stainless	+0.000 / -0.005	+/- 0.50	2	Rc36-42
# DP06355-01588-416/2	6.355 <i>0.250</i>	15.88 <i>0.625</i>	416 Stainless	+0.000 / -0.005	+/- 0.50	2	Rc36-42
# DP07943-01270-416/2	7.943 <i>0.313</i>	12.70 <i>0.500</i>	416 Stainless	+0.000 / -0.005	+/- 0.50	2	Rc36-42
# DP07943-01588-416/2	7.943 <i>0.313</i>	15.88 <i>0.625</i>	416 Stainless	+0.000 / -0.005	+/- 0.50	2	Rc36-42
# DP07943-01905-416/2	7.943 <i>0.313</i>	19.05 <i>0.750</i>	416 Stainless	+0.000 / -0.005	+/- 0.50	2	Rc36-42

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Dowel - Standard - Stainless Steel

Part Number	Diameter (D) mm <i>inches</i>	Length (L) mm <i>inches</i>	Material	Tolerance on Diameter	Tolerance on Length	Type	Hardness
# DP07943-02223-416/2	7.943 <i>0.313</i>	22.23 <i>0.875</i>	416 Stainless	+0.000 / -0.005	+/- 0.50	2	Rc36-42
# DP07943-02540-416/2	7.943 <i>0.313</i>	25.40 <i>1.000</i>	416 Stainless	+0.000 / -0.005	+/- 0.50	2	Rc36-42
# DP07943-03175-416/2	7.943 <i>0.313</i>	31.75 <i>1.250</i>	416 Stainless	+0.000 / -0.005	+/- 0.50	2	Rc36-42
# DP07943-03810-416/2	7.943 <i>0.313</i>	38.10 <i>1.500</i>	416 Stainless	+0.000 / -0.005	+/- 0.50	2	Rc36-42
# DP08000-00800-32	8.000 <i>0.315</i>	8.00 <i>0.315</i>	303 Stainless	m6	+/-0.25	2	Unhardened
# DP08000-01000-32	8.000 <i>0.315</i>	10.00 <i>0.394</i>	303 Stainless	m6	+/-0.25	2	Unhardened
DP08000-01200-32	8.000 <i>0.315</i>	12.00 <i>0.472</i>	303 Stainless	m6	+/-0.50	2	Unhardened
# DP08000-01200-63	8.000 <i>0.315</i>	12.00 <i>0.472</i>	316 Stainless	m6	+/-0.254	3	Unhardened
# DP08000-01400-32	8.000 <i>0.315</i>	14.00 <i>0.551</i>	303 Stainless	m6	+/-0.50	2	Unhardened
# DP08000-01600-416/2	8.000 <i>0.315</i>	16.00 <i>0.630</i>	416 Stainless	+0.006 / + 0.015	+/- 0.50	2	Rc36-42

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Dowel - Standard - Stainless Steel

Part Number	Diameter (D) mm <i>inches</i>	Length (L) mm <i>inches</i>	Material	Tolerance on Diameter	Tolerance on Length	Type	Hardness
DP08000-01600-32	8.000 <i>0.315</i>	16.00 <i>0.630</i>	303 Stainless	m6	+/-0.50	2	Unhardened
# DP08000-01600-63	8.000 <i>0.315</i>	16.00 <i>0.630</i>	316 Stainless	m6	+/-0.254	3	Unhardened
# DP08000-01800-416/2	8.000 <i>0.315</i>	18.00 <i>0.709</i>	416 Stainless	+0.006 / + 0.015	+/- 0.50	2	Rc36-42
# DP08000-01800-32	8.000 <i>0.315</i>	18.00 <i>0.709</i>	303 Stainless	m6	+/-0.50	2	Unhardened
# DP08000-02000-416/2	8.000 <i>0.315</i>	20.00 <i>0.787</i>	416 Stainless	+0.006 / + 0.015	+/- 0.50	2	Rc36-42
DP08000-02000-32	8.000 <i>0.315</i>	20.00 <i>0.787</i>	303 Stainless	m6	+/-0.50	2	Unhardened
DP08000-02000-63	8.000 <i>0.315</i>	20.00 <i>0.787</i>	316 Stainless	m6	+/-0.500	3	Unhardened
# DP08000-02400-416/2	8.000 <i>0.315</i>	24.00 <i>0.945</i>	416 Stainless	+0.006 / + 0.015	+/- 0.50	2	Rc36-42
DP08000-02400-32	8.000 <i>0.315</i>	24.00 <i>0.945</i>	303 Stainless	m6	+/-0.50	2	Unhardened
# DP08000-02400-63	8.000 <i>0.315</i>	24.00 <i>0.945</i>	316 Stainless	m6	+/-0.254	3	Unhardened

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Dowel - Standard - Stainless Steel

Part Number	Diameter (D) mm <i>inches</i>	Length (L) mm <i>inches</i>	Material	Tolerance on Diameter	Tolerance on Length	Type	Hardness
DP08000-02800-32	8.000 <i>0.315</i>	28.00 <i>1.102</i>	303 Stainless	m6	+/-0.50	2	Unhardened
# DP08000-03000-416/2	8.000 <i>0.315</i>	30.00 <i>1.181</i>	416 Stainless	+0.006 / + 0.015	+/- 0.50	2	Rc36-42
# DP08000-03000-32	8.000 <i>0.315</i>	30.00 <i>1.181</i>	303 Stainless	m6	+/-0.50	2	Unhardened
# DP08000-03000-63	8.000 <i>0.315</i>	30.00 <i>1.181</i>	316 Stainless	m6	+/-0.254	3	Unhardened
# DP08000-03200-32	8.000 <i>0.315</i>	32.00 <i>1.260</i>	303 Stainless	m6	+/-0.50	2	Unhardened
# DP08000-03600-32	8.000 <i>0.315</i>	36.00 <i>1.417</i>	303 Stainless	m6	+/-0.50	2	Unhardened
# DP08000-04000-416/2	8.000 <i>0.315</i>	40.00 <i>1.575</i>	416 Stainless	+0.006 / + 0.015	+/- 0.50	2	Rc36-42
# DP08000-04000-32	8.000 <i>0.315</i>	40.00 <i>1.575</i>	303 Stainless	m6	+/-0.50	2	Unhardened
DP08000-04000-63	8.000 <i>0.315</i>	40.00 <i>1.575</i>	316 Stainless	m6	+/-0.254	3	Unhardened
# DP08000-04500-32	8.000 <i>0.315</i>	45.00 <i>1.772</i>	303 Stainless	m6	+/-0.50	2	Unhardened

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Dowel - Standard - Stainless Steel

Part Number	Diameter (D) mm <i>inches</i>	Length (L) mm <i>inches</i>	Material	Tolerance on Diameter	Tolerance on Length	Type	Hardness
# DP08000-05000-32	8.000 <i>0.315</i>	50.00 <i>1.969</i>	303 Stainless	m6	+/-0.50	2	Unhardened
# DP08000-05000-63	8.000 <i>0.315</i>	50.00 <i>1.969</i>	316 Stainless	m6	+/-0.254	3	Unhardened
# DP08000-05500-32	8.000 <i>0.315</i>	55.00 <i>2.165</i>	303 Stainless	m6	+/-0.75	2	Unhardened
# DP08000-06000-32	8.000 <i>0.315</i>	60.00 <i>2.362</i>	303 Stainless	m6	+/-0.75	2	Unhardened
# DP08000-07000-32	8.000 <i>0.315</i>	70.00 <i>2.756</i>	303 Stainless	m6	+/-0.75	2	Unhardened
# DP08000-08000-32	8.000 <i>0.315</i>	80.00 <i>3.150</i>	303 Stainless	m6	+/-0.75	2	Unhardened
# DP09530-01905-416/2	9.530 <i>0.375</i>	19.05 <i>0.750</i>	416 Stainless	+0.000 / -0.005	+/- 0.50	2	Rc36-42
# DP09530-02540-416/2	9.530 <i>0.375</i>	25.40 <i>1.000</i>	416 Stainless	+0.000 / -0.005	+/- 0.50	2	Rc36-42
# DP09530-03175-416/2	9.530 <i>0.375</i>	31.75 <i>1.250</i>	416 Stainless	+0.000 / -0.005	+/- 0.50	2	Rc36-42
# DP09530-03810-416/2	9.530 <i>0.375</i>	38.10 <i>1.500</i>	416 Stainless	+0.000 / -0.005	+/- 0.50	2	Rc36-42

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Dowel - Standard - Stainless Steel

Part Number	Diameter (D) mm <i>inches</i>	Length (L) mm <i>inches</i>	Material	Tolerance on Diameter	Tolerance on Length	Type	Hardness
# DP10000-01000-32	10.000 <i>0.394</i>	10.00 <i>0.394</i>	303 Stainless	m6	+/-0.25	2	Unhardened
# DP10000-01200-32	10.000 <i>0.394</i>	12.00 <i>0.472</i>	303 Stainless	m6	+/-0.50	2	Unhardened
# DP10000-01400-32	10.000 <i>0.394</i>	14.00 <i>0.551</i>	303 Stainless	m6	+/-0.50	2	Unhardened
# DP10000-01600-32	10.000 <i>0.394</i>	16.00 <i>0.630</i>	303 Stainless	m6	+/-0.50	2	Unhardened
# DP10000-01800-32	10.000 <i>0.394</i>	18.00 <i>0.709</i>	303 Stainless	m6	+/-0.50	2	Unhardened
# DP10000-02000-416/2	10.000 <i>0.394</i>	20.00 <i>0.787</i>	416 Stainless	+0.007 / + 0.018	+/- 0.50	2	Rc36-42
# DP10000-02000-32	10.000 <i>0.394</i>	20.00 <i>0.787</i>	303 Stainless	m6	+/-0.50	2	Unhardened
# DP10000-02400-416/2	10.000 <i>0.394</i>	24.00 <i>0.945</i>	416 Stainless	+0.007 / + 0.018	+/- 0.50	2	Rc36-42
# DP10000-02400-32	10.000 <i>0.394</i>	24.00 <i>0.945</i>	303 Stainless	m6	+/-0.50	2	Unhardened
# DP10000-02800-32	10.000 <i>0.394</i>	28.00 <i>1.102</i>	303 Stainless	m6	+/-0.50	2	Unhardened

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Dowel - Standard - Stainless Steel

Part Number	Diameter (D) mm <i>inches</i>	Length (L) mm <i>inches</i>	Material	Tolerance on Diameter	Tolerance on Length	Type	Hardness
# DP10000-03000-416/2	10.000 <i>0.394</i>	30.00 <i>1.181</i>	416 Stainless	+0.007 / + 0.018	+/- 0.50	2	Rc36-42
# DP10000-03000-32	10.000 <i>0.394</i>	30.00 <i>1.181</i>	303 Stainless	m6	+/-0.50	2	Unhardened
# DP10000-03200-32	10.000 <i>0.394</i>	32.00 <i>1.260</i>	303 Stainless	m6	+/-0.50	2	Unhardened
# DP10000-03600-32	10.000 <i>0.394</i>	36.00 <i>1.417</i>	303 Stainless	m6	+/-0.50	2	Unhardened
# DP10000-04000-416/2	10.000 <i>0.394</i>	40.00 <i>1.575</i>	416 Stainless	+0.007 / + 0.018	+/- 0.50	2	Rc36-42
# DP10000-04000-32	10.000 <i>0.394</i>	40.00 <i>1.575</i>	303 Stainless	m6	+/-0.50	2	Unhardened
# DP10000-04500-32	10.000 <i>0.394</i>	45.00 <i>1.772</i>	303 Stainless	m6	+/-0.50	2	Unhardened
DP10000-05000-32	10.000 <i>0.394</i>	50.00 <i>1.969</i>	303 Stainless	m6	+/-0.50	2	Unhardened
# DP10000-05500-32	10.000 <i>0.394</i>	55.00 <i>2.165</i>	303 Stainless	m6	+/-0.75	2	Unhardened
# DP10000-06000-32	10.000 <i>0.394</i>	60.00 <i>2.362</i>	303 Stainless	m6	+/-0.75	2	Unhardened

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Dowel - Standard - Stainless Steel

Part Number	Diameter (D) mm <i>inches</i>	Length (L) mm <i>inches</i>	Material	Tolerance on Diameter	Tolerance on Length	Type	Hardness
# DP10000-07000-32	10.000 <i>0.394</i>	70.00 <i>2.756</i>	303 Stainless	m6	+/-0.75	2	Unhardened
# DP10000-08000-32	10.000 <i>0.394</i>	80.00 <i>3.150</i>	303 Stainless	m6	+/-0.75	2	Unhardened
# DP10000-09000-32	10.000 <i>0.394</i>	90.00 <i>3.543</i>	303 Stainless	m6	+/-0.75	2	Unhardened
# DP10000-10000-32	10.000 <i>0.394</i>	100.00 <i>3.937</i>	303 Stainless	m6	+/-0.75	2	Unhardened
# DP12000-01200-63	12.000 <i>0.472</i>	12.00 <i>0.472</i>	316 Stainless	m6	+/-0.254	3	Unhardened
# DP12000-01400-32	12.000 <i>0.472</i>	14.00 <i>0.551</i>	303 Stainless	m6	+/-0.50	2	Unhardened
# DP12000-01600-32	12.000 <i>0.472</i>	16.00 <i>0.630</i>	303 Stainless	m6	+/-0.50	2	Unhardened
# DP12000-01800-32	12.000 <i>0.472</i>	18.00 <i>0.709</i>	303 Stainless	m6	+/-0.50	2	Unhardened
# DP12000-02000-32	12.000 <i>0.472</i>	20.00 <i>0.787</i>	303 Stainless	m6	+/-0.50	2	Unhardened
# DP12000-02400-32	12.000 <i>0.472</i>	24.00 <i>0.945</i>	303 Stainless	m6	+/-0.50	2	Unhardened

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Dowel - Standard - Stainless Steel

Part Number	Diameter (D) mm <i>inches</i>	Length (L) mm <i>inches</i>	Material	Tolerance on Diameter	Tolerance on Length	Type	Hardness
# DP12000-02800-32	12.000 <i>0.472</i>	28.00 <i>1.102</i>	303 Stainless	m6	+/-0.50	2	Unhardened
# DP12000-03000-32	12.000 <i>0.472</i>	30.00 <i>1.181</i>	303 Stainless	m6	+/-0.50	2	Unhardened
# DP12000-03200-32	12.000 <i>0.472</i>	32.00 <i>1.260</i>	303 Stainless	m6	+/-0.50	2	Unhardened
# DP12000-03600-32	12.000 <i>0.472</i>	36.00 <i>1.417</i>	303 Stainless	m6	+/-0.50	2	Unhardened
# DP12000-04000-32	12.000 <i>0.472</i>	40.00 <i>1.575</i>	303 Stainless	m6	+/-0.50	2	Unhardened
# DP12000-04500-32	12.000 <i>0.472</i>	45.00 <i>1.772</i>	303 Stainless	m6	+/-0.50	2	Unhardened
# DP12000-05000-32	12.000 <i>0.472</i>	50.00 <i>1.969</i>	303 Stainless	m6	+/-0.50	2	Unhardened
# DP12000-05500-32	12.000 <i>0.472</i>	55.00 <i>2.165</i>	303 Stainless	m6	+/-0.75	2	Unhardened
# DP12000-06000-32	12.000 <i>0.472</i>	60.00 <i>2.362</i>	303 Stainless	m6	+/-0.75	2	Unhardened
# DP12000-07000-32	12.000 <i>0.472</i>	70.00 <i>2.756</i>	303 Stainless	m6	+/-0.75	2	Unhardened

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Dowel - Standard - Stainless Steel

Part Number	Diameter (D) mm <i>inches</i>	Length (L) mm <i>inches</i>	Material	Tolerance on Diameter	Tolerance on Length	Type	Hardness
# DP12000-08000-32	12.000 <i>0.472</i>	80.00 <i>3.150</i>	303 Stainless	m6	+/-0.75	2	Unhardened
# DP12000-09000-32	12.000 <i>0.472</i>	90.00 <i>3.543</i>	303 Stainless	m6	+/-0.75	2	Unhardened
# DP12000-10000-32	12.000 <i>0.472</i>	100.00 <i>3.937</i>	303 Stainless	m6	+/-0.75	2	Unhardened

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to catalogues@minibearings.com.au

