




MBA

Pins - Roll - Stainless Steel



304 and 420 grades DIN1481.

Pins - Roll - Stainless Steel

Part Number	Nominal Diameter (D) mm	Length (L) mm	Material	Chamfer (l)	Thickness (S) mm	Free Diameter mm	Type	Standard
	<i>inches</i>	<i>inches</i>			<i>inches</i>	<i>inches</i>		
# RP0150-0050-4	1.50 <i>0.059</i>	5.0 <i>0.197</i>	304 Stainless	0.50		1.73 <i>0.068</i>	Standard	DIN1481 / ISO8752
# RP0150-0060-4	1.50 <i>0.059</i>	6.0 <i>0.236</i>	304 Stainless	0.50		1.73 <i>0.068</i>	Standard	DIN1481 / ISO8752
# RP0150-0080-4	1.50 <i>0.059</i>	8.0 <i>0.315</i>	304 Stainless	0.50		1.73 <i>0.068</i>	Standard	DIN1481 / ISO8752
RP0150-0100-GL4	1.50 <i>0.059</i>	10.0 <i>0.394</i>	304 Stainless	0.25	0.30 <i>0.012</i>	1.70 <i>0.067</i>	Glenloch Skewproof	

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Roll - Stainless Steel

Part Number	Nominal Diameter (D) mm	Length (L) mm	Material	Chamfer (I)	Thickness (S) mm	Free Diameter mm	Type	Standard
	<i>inches</i>	<i>inches</i>			<i>inches</i>	<i>inches</i>		
RP0150-0120-4	1.50 <i>0.059</i>	12.0 <i>0.472</i>	304 Stainless	0.50		1.73 <i>0.068</i>	Standard	DIN1481 / ISO8752
# RP0150-0140-4	1.50 <i>0.059</i>	14.0 <i>0.551</i>	304 Stainless	0.50		1.73 <i>0.068</i>	Standard	DIN1481 / ISO8752
RP0150-0160-4	1.50 <i>0.059</i>	16.0 <i>0.630</i>	304 Stainless	0.50		1.73 <i>0.068</i>	Standard	DIN1481 / ISO8752
RP0150-0180-4	1.50 <i>0.059</i>	18.0 <i>0.709</i>	304 Stainless	0.50		1.73 <i>0.068</i>	Standard	DIN1481 / ISO8752
RP0150-0200-4	1.50 <i>0.059</i>	20.0 <i>0.787</i>	304 Stainless	0.50		1.73 <i>0.068</i>	Standard	DIN1481 / ISO8752
RP0159-0048-420	1.59 <i>0.063</i>	4.8 <i>0.189</i>	420 Stainless Steel Rc 46-52	0.18-0.71	0.31 <i>0.012</i>	1.75 <i>0.069</i>	Standard	B18.8.2
RP0159-0064-420	1.59 <i>0.063</i>	6.4 <i>0.252</i>	420 Stainless Steel Rc 46-52	0.18-0.71	0.31 <i>0.012</i>	1.75 <i>0.069</i>	Standard	B18.8.2
RP0159-0079-420	1.59 <i>0.063</i>	7.9 <i>0.311</i>	420 Stainless Steel Rc 46-52	0.18-0.71	0.31 <i>0.012</i>	1.75 <i>0.069</i>	Standard	B18.8.2
# RP0159-0095-420	1.59 <i>0.063</i>	9.5 <i>0.374</i>	420 Stainless Steel Rc 46-52	0.18-0.71	0.31 <i>0.012</i>	1.75 <i>0.069</i>	Standard	B18.8.2

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Roll - Stainless Steel

Part Number	Nominal Diameter (D) mm	Length (L) mm	Material	Chamfer (I)	Thickness (S) mm	Free Diameter mm	Type	Standard
	<i>inches</i>	<i>inches</i>			<i>inches</i>	<i>inches</i>		
RP0159-0111-420	1.59	11.1	420 Stainless Steel Rc 46-52	0.18-0.71	0.31	1.75	Standard	B18.8.2
	<i>0.063</i>	<i>0.437</i>			<i>0.012</i>	<i>0.069</i>		
RP0159-0127-420	1.59	12.7	420 Stainless Steel Rc 46-52	0.18-0.71	0.31	1.75	Standard	B18.8.2
	<i>0.063</i>	<i>0.500</i>			<i>0.012</i>	<i>0.069</i>		
# RP0159-0143-420	1.59	14.3	420 Stainless Steel Rc 46-52	0.18-0.71	0.31	1.75	Standard	B18.8.2
	<i>0.063</i>	<i>0.563</i>			<i>0.012</i>	<i>0.069</i>		
RP0159-0159-420	1.59	15.9	420 Stainless Steel Rc 46-52	0.18-0.71	0.31	1.75	Standard	B18.8.2
	<i>0.063</i>	<i>0.626</i>			<i>0.012</i>	<i>0.069</i>		
# RP0159-0175-420	1.59	17.5	420 Stainless Steel Rc 46-52	0.18-0.71	0.31	1.75	Standard	B18.8.2
	<i>0.063</i>	<i>0.689</i>			<i>0.012</i>	<i>0.069</i>		
# RP0159-0191-420	1.59	19.1	420 Stainless Steel Rc 46-52	0.18-0.71	0.31	1.75	Standard	B18.8.2
	<i>0.063</i>	<i>0.752</i>			<i>0.012</i>	<i>0.069</i>		
# RP0159-0206-420	1.59	20.6	420 Stainless Steel Rc 46-52	0.18-0.71	0.31	1.75	Standard	B18.8.2
	<i>0.063</i>	<i>0.811</i>			<i>0.012</i>	<i>0.069</i>		
# RP0159-0222-420	1.59	22.2	420 Stainless Steel Rc 46-52	0.18-0.71	0.31	1.75	Standard	B18.8.2
	<i>0.063</i>	<i>0.874</i>			<i>0.012</i>	<i>0.069</i>		

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Roll - Stainless Steel

Part Number	Nominal Diameter (D) mm	Length (L) mm	Material	Chamfer (l)	Thickness (S) mm	Free Diameter mm	Type	Standard
	<i>inches</i>	<i>inches</i>			<i>inches</i>	<i>inches</i>		
# RP0159-0238-420	1.59 <i>0.063</i>	23.8 <i>0.937</i>	420 Stainless Steel Rc 46-52	0.18-0.71	0.31 <i>0.012</i>	1.75 <i>0.069</i>	Standard	B18.8.2
# RP0159-0254-420	1.59 <i>0.063</i>	25.4 <i>1.000</i>	420 Stainless Steel Rc 46-52	0.18-0.71	0.31 <i>0.012</i>	1.75 <i>0.069</i>	Standard	B18.8.2
# SAP2-4	2.00 <i>0.079</i>	4.0 <i>0.157</i>	Carbon Steel CS70	0.70		2.25 <i>0.089</i>	Standard	DIN1481 / ISO8752
# RP0200-0040-4	2.00 <i>0.079</i>	4.0 <i>0.157</i>	304 Stainless	0.70		2.25 <i>0.089</i>	Standard	DIN1481 / ISO8752
# RP0200-0050-4	2.00 <i>0.079</i>	5.0 <i>0.197</i>	304 Stainless	0.70		2.25 <i>0.089</i>	Standard	DIN1481 / ISO8752
# RP0200-0050-420	2.00 <i>0.079</i>	5.0 <i>0.197</i>	420 Stainless Steel Rc 46-52	0.35	0.40 <i>0.016</i>	2.30 <i>0.091</i>	Standard	DIN1481 / ISO8752
# RP0200-0060-4	2.00 <i>0.079</i>	6.0 <i>0.236</i>	304 Stainless	0.70		2.25 <i>0.089</i>	Standard	DIN1481 / ISO8752
RP0200-0060-420	2.00 <i>0.079</i>	6.0 <i>0.236</i>	420 Stainless Steel Rc 46-52	0.35	0.40 <i>0.016</i>	2.30 <i>0.091</i>	Standard	DIN1481 / ISO8752
RP0200-0080-4	2.00 <i>0.079</i>	8.0 <i>0.315</i>	304 Stainless	0.70		2.25 <i>0.089</i>	Standard	DIN1481 / ISO8752

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Roll - Stainless Steel

Part Number	Nominal Diameter (D) mm	Length (L) mm	Material	Chamfer (l)	Thickness (S) mm	Free Diameter mm	Type	Standard
	<i>inches</i>	<i>inches</i>			<i>inches</i>	<i>inches</i>		
# RP0200-0080-420	2.00 <i>0.079</i>	8.0 <i>0.315</i>	420 Stainless Steel Rc 46-52	0.35	0.40 <i>0.016</i>	2.30 <i>0.091</i>	Standard	DIN1481 / ISO8752
RP0200-0100-4	2.00 <i>0.079</i>	10.0 <i>0.394</i>	304 Stainless	0.70		2.25 <i>0.089</i>	Standard	DIN1481 / ISO8752
RP0200-0120-4	2.00 <i>0.079</i>	12.0 <i>0.472</i>	304 Stainless	0.70		2.25 <i>0.089</i>	Standard	DIN1481 / ISO8752
# RP0200-0120-420	2.00 <i>0.079</i>	12.0 <i>0.472</i>	420 Stainless Steel Rc 46-52	0.35	0.40 <i>0.016</i>	2.30 <i>0.091</i>	Standard	DIN1481 / ISO8752
RP0200-0140-4	2.00 <i>0.079</i>	14.0 <i>0.551</i>	304 Stainless	0.70		2.25 <i>0.089</i>	Standard	DIN1481 / ISO8752
# RP0200-0140-420	2.00 <i>0.079</i>	14.0 <i>0.551</i>	420 Stainless Steel Rc 46-52	0.35	0.40 <i>0.016</i>	2.30 <i>0.091</i>	Standard	DIN1481 / ISO8752
# RP0200-0160-4	2.00 <i>0.079</i>	16.0 <i>0.630</i>	304 Stainless	0.70		2.25 <i>0.089</i>	Standard	DIN1481 / ISO8752
RP0200-0160-420	2.00 <i>0.079</i>	16.0 <i>0.630</i>	420 Stainless Steel Rc 46-52	0.35	0.40 <i>0.016</i>	2.30 <i>0.091</i>	Standard	DIN1481 / ISO8752
# RP0200-0180-4	2.00 <i>0.079</i>	18.0 <i>0.709</i>	304 Stainless	0.70		2.25 <i>0.089</i>	Standard	DIN1481 / ISO8752

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Roll - Stainless Steel

Part Number	Nominal Diameter (D) mm	Length (L) mm	Material	Chamfer (l)	Thickness (S) mm	Free Diameter mm	Type	Standard
	<i>inches</i>	<i>inches</i>			<i>inches</i>	<i>inches</i>		
# RP0200-0180-420	2.00 <i>0.079</i>	18.0 <i>0.709</i>	420 Stainless Steel Rc 46-52	0.35	0.40 <i>0.016</i>	2.30 <i>0.091</i>	Standard	DIN1481 / ISO8752
# RP0200-0200-4	2.00 <i>0.079</i>	20.0 <i>0.787</i>	304 Stainless	0.70		2.25 <i>0.089</i>	Standard	DIN1481 / ISO8752
# RP0200-0220-4	2.00 <i>0.079</i>	22.0 <i>0.866</i>	304 Stainless	0.70		2.25 <i>0.089</i>	Standard	DIN1481 / ISO8752
# RP0200-0240-4	2.00 <i>0.079</i>	24.0 <i>0.945</i>	304 Stainless	0.70		2.25 <i>0.089</i>	Standard	DIN1481 / ISO8752
# RP0200-0260-4	2.00 <i>0.079</i>	26.0 <i>1.024</i>	304 Stainless	0.70		2.25 <i>0.089</i>	Standard	DIN1481 / ISO8752
# RP0200-0280-4	2.00 <i>0.079</i>	28.0 <i>1.102</i>	304 Stainless	0.70		2.25 <i>0.089</i>	Standard	DIN1481 / ISO8752
# RP0200-0300-4	2.00 <i>0.079</i>	30.0 <i>1.181</i>	304 Stainless	0.70		2.25 <i>0.089</i>	Standard	DIN1481 / ISO8752
RP0238-0064-420	2.38 <i>0.094</i>	6.4 <i>0.252</i>	420 Stainless Steel Rc 46-52	0.20-0.97	0.56 <i>0.022</i>	2.62 <i>0.103</i>	Standard	B18.8.2
# RP0238-0079-420	2.38 <i>0.094</i>	7.9 <i>0.311</i>	420 Stainless Steel Rc 46-52	0.20-0.97	0.56 <i>0.022</i>	2.62 <i>0.103</i>	Standard	B18.8.2

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Roll - Stainless Steel

Part Number	Nominal Diameter (D) mm	Length (L) mm	Material	Chamfer (I)	Thickness (S) mm	Free Diameter mm	Type	Standard
	<i>inches</i>	<i>inches</i>			<i>inches</i>	<i>inches</i>		
# RP0238-0095-420	2.38	9.5	420 Stainless Steel Rc 46-52	0.20-0.97	0.56	2.62	Standard	B18.8.2
	<i>0.094</i>	<i>0.374</i>			<i>0.022</i>	<i>0.103</i>		
# RP0238-0111-420	2.38	11.1	420 Stainless Steel Rc 46-52	0.20-0.97	0.56	2.62	Standard	B18.8.2
	<i>0.094</i>	<i>0.437</i>			<i>0.022</i>	<i>0.103</i>		
# RP0238-0127-420	2.38	12.7	420 Stainless Steel Rc 46-52	0.20-0.97	0.56	2.62	Standard	B18.8.2
	<i>0.094</i>	<i>0.500</i>			<i>0.022</i>	<i>0.103</i>		
# RP0238-0143-420	2.38	14.3	420 Stainless Steel Rc 46-52	0.20-0.97	0.56	2.62	Standard	B18.8.2
	<i>0.094</i>	<i>0.563</i>			<i>0.022</i>	<i>0.103</i>		
# RP0238-0159-420	2.38	15.9	420 Stainless Steel Rc 46-52	0.20-0.97	0.56	2.62	Standard	B18.8.2
	<i>0.094</i>	<i>0.626</i>			<i>0.022</i>	<i>0.103</i>		
# RP0238-0175-420	2.38	17.5	420 Stainless Steel Rc 46-52	0.20-0.97	0.56	2.62	Standard	B18.8.2
	<i>0.094</i>	<i>0.689</i>			<i>0.022</i>	<i>0.103</i>		
# RP0238-0191-420	2.38	19.1	420 Stainless Steel Rc 46-52	0.20-0.97	0.56	2.62	Standard	B18.8.2
	<i>0.094</i>	<i>0.752</i>			<i>0.022</i>	<i>0.103</i>		
# RP0238-0206-420	2.38	20.6	420 Stainless Steel Rc 46-52	0.20-0.97	0.56	2.62	Standard	B18.8.2
	<i>0.094</i>	<i>0.811</i>			<i>0.022</i>	<i>0.103</i>		

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Roll - Stainless Steel

Part Number	Nominal Diameter (D) mm	Length (L) mm	Material	Chamfer (I)	Thickness (S) mm	Free Diameter mm	Type	Standard
	<i>inches</i>	<i>inches</i>			<i>inches</i>	<i>inches</i>		
# RP0238-0222-420	2.38 <i>0.094</i>	22.2 <i>0.874</i>	420 Stainless Steel Rc 46-52	0.20-0.97	0.56 <i>0.022</i>	2.62 <i>0.103</i>	Standard	B18.8.2
# RP0238-0238-420	2.38 <i>0.094</i>	23.8 <i>0.937</i>	420 Stainless Steel Rc 46-52	0.20-0.97	0.56 <i>0.022</i>	2.62 <i>0.103</i>	Standard	B18.8.2
# RP0238-0254-420	2.38 <i>0.094</i>	25.4 <i>1.000</i>	420 Stainless Steel Rc 46-52	0.20-0.97	0.56 <i>0.022</i>	2.62 <i>0.103</i>	Standard	B18.8.2
# RP0238-0286-420	2.38 <i>0.094</i>	28.6 <i>1.126</i>	420 Stainless Steel Rc 46-52	0.20-0.97	0.56 <i>0.022</i>	2.62 <i>0.103</i>	Standard	B18.8.2
# RP0238-0318-420	2.38 <i>0.094</i>	31.8 <i>1.252</i>	420 Stainless Steel Rc 46-52	0.20-0.97	0.56 <i>0.022</i>	2.62 <i>0.103</i>	Standard	B18.8.2
# RP0238-0349-420	2.38 <i>0.094</i>	34.9 <i>1.374</i>	420 Stainless Steel Rc 46-52	0.20-0.97	0.56 <i>0.022</i>	2.62 <i>0.103</i>	Standard	B18.8.2
# RP0238-0381-420	2.38 <i>0.094</i>	38.1 <i>1.500</i>	420 Stainless Steel Rc 46-52	0.20-0.97	0.56 <i>0.022</i>	2.62 <i>0.103</i>	Standard	B18.8.2
# RP0250-0050-4	2.50 <i>0.098</i>	5.0 <i>0.197</i>	304 Stainless	0.70		2.78 <i>0.109</i>	Standard	DIN1481 / ISO8752
# RP0250-0060-4	2.50 <i>0.098</i>	6.0 <i>0.236</i>	304 Stainless	0.70		2.78 <i>0.109</i>	Standard	DIN1481 / ISO8752

Indicates item not stocked at time of printing - Please enquire for lead time
E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Roll - Stainless Steel

Part Number	Nominal Diameter (D) mm	Length (L) mm	Material	Chamfer (l)	Thickness (S) mm	Free Diameter mm	Type	Standard
	<i>inches</i>	<i>inches</i>			<i>inches</i>	<i>inches</i>		
# RP0250-0060-420	2.50 <i>0.098</i>	6.0 <i>0.236</i>	420 Stainless Steel Rc 46-52	0.45	0.50 <i>0.020</i>	2.80 <i>0.110</i>	Standard	DIN1481 / ISO8752
# RP0250-0080-4	2.50 <i>0.098</i>	8.0 <i>0.315</i>	304 Stainless	0.70		2.78 <i>0.109</i>	Standard	DIN1481 / ISO8752
# RP0250-0080-420	2.50 <i>0.098</i>	8.0 <i>0.315</i>	420 Stainless Steel Rc 46-52	0.45	0.50 <i>0.020</i>	2.80 <i>0.110</i>	Standard	DIN1481 / ISO8752
RP0250-0100-4	2.50 <i>0.098</i>	10.0 <i>0.394</i>	304 Stainless	0.70		2.78 <i>0.109</i>	Standard	DIN1481 / ISO8752
RP0250-0100-420	2.50 <i>0.098</i>	10.0 <i>0.394</i>	420 Stainless Steel Rc 46-52	0.45	0.50 <i>0.020</i>	2.80 <i>0.110</i>	Standard	DIN1481 / ISO8752
# RP0250-0120-4	2.50 <i>0.098</i>	12.0 <i>0.472</i>	304 Stainless	0.70		2.78 <i>0.109</i>	Standard	DIN1481 / ISO8752
RP0250-0120-420	2.50 <i>0.098</i>	12.0 <i>0.472</i>	420 Stainless Steel Rc 46-52	0.45	0.50 <i>0.020</i>	2.80 <i>0.110</i>	Standard	DIN1481 / ISO8752
# RP0250-0140-4	2.50 <i>0.098</i>	14.0 <i>0.551</i>	304 Stainless	0.70		2.78 <i>0.109</i>	Standard	DIN1481 / ISO8752
# RP0250-0140-420	2.50 <i>0.098</i>	14.0 <i>0.551</i>	420 Stainless Steel Rc 46-52	0.45	0.50 <i>0.020</i>	2.80 <i>0.110</i>	Standard	DIN1481 / ISO8752

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Roll - Stainless Steel

Part Number	Nominal Diameter (D) mm	Length (L) mm	Material	Chamfer (l)	Thickness (S) mm	Free Diameter mm	Type	Standard
	<i>inches</i>	<i>inches</i>			<i>inches</i>	<i>inches</i>		
# RP0250-0160-4	2.50 <i>0.098</i>	16.0 <i>0.630</i>	304 Stainless	0.70		2.78 <i>0.109</i>	Standard	DIN1481 / ISO8752
# RP0250-0160-420	2.50 <i>0.098</i>	16.0 <i>0.630</i>	420 Stainless Steel Rc 46-52	0.45	0.50 <i>0.020</i>	2.80 <i>0.110</i>	Standard	DIN1481 / ISO8752
# RP0250-0180-4	2.50 <i>0.098</i>	18.0 <i>0.709</i>	304 Stainless	0.70		2.78 <i>0.109</i>	Standard	DIN1481 / ISO8752
# RP0250-0180-420	2.50 <i>0.098</i>	18.0 <i>0.709</i>	420 Stainless Steel Rc 46-52	0.45	0.50 <i>0.020</i>	2.80 <i>0.110</i>	Standard	DIN1481 / ISO8752
# RP0250-0200-4	2.50 <i>0.098</i>	20.0 <i>0.787</i>	304 Stainless	0.70		2.78 <i>0.109</i>	Standard	DIN1481 / ISO8752
# RP0250-0200-420	2.50 <i>0.098</i>	20.0 <i>0.787</i>	420 Stainless Steel Rc 46-52	0.45	0.50 <i>0.020</i>	2.80 <i>0.110</i>	Standard	DIN1481 / ISO8752
# RP0250-0220-4	2.50 <i>0.098</i>	22.0 <i>0.866</i>	304 Stainless	0.70		2.78 <i>0.109</i>	Standard	DIN1481 / ISO8752
RP0250-0220-420	2.50 <i>0.098</i>	22.0 <i>0.866</i>	420 Stainless Steel Rc 46-52	0.45	0.50 <i>0.020</i>	2.80 <i>0.110</i>	Standard	DIN1481 / ISO8752
# RP0250-0240-4	2.50 <i>0.098</i>	24.0 <i>0.945</i>	304 Stainless	0.70		2.78 <i>0.109</i>	Standard	DIN1481 / ISO8752

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Roll - Stainless Steel

Part Number	Nominal Diameter (D) mm	Length (L) mm	Material	Chamfer (l)	Thickness (S) mm	Free Diameter mm	Type	Standard
	<i>inches</i>	<i>inches</i>			<i>inches</i>	<i>inches</i>		
# RP0250-0260-4	2.50 <i>0.098</i>	26.0 <i>1.024</i>	304 Stainless	0.70		2.78 <i>0.109</i>	Standard	DIN1481 / ISO8752
# RP0250-0300-4	2.50 <i>0.098</i>	30.0 <i>1.181</i>	304 Stainless	0.70		2.78 <i>0.109</i>	Standard	DIN1481 / ISO8752
# RP0300-0050-4	3.00 <i>0.118</i>	5.0 <i>0.197</i>	304 Stainless	0.90		3.30 <i>0.130</i>	Standard	DIN1481 / ISO8752
RP0300-0060-4	3.00 <i>0.118</i>	6.0 <i>0.236</i>	304 Stainless	0.90		3.30 <i>0.130</i>	Standard	DIN1481 / ISO8752
# RP0300-0080-4	3.00 <i>0.118</i>	8.0 <i>0.315</i>	304 Stainless	0.90		3.30 <i>0.130</i>	Standard	DIN1481 / ISO8752
# RP0300-0080-420	3.00 <i>0.118</i>	8.0 <i>0.315</i>	420 Stainless Steel Rc 46-52	0.50	0.60 <i>0.024</i>	3.30 <i>0.130</i>	Standard	DIN1481 / ISO8752
RP0300-0100-4	3.00 <i>0.118</i>	10.0 <i>0.394</i>	304 Stainless	0.90		3.30 <i>0.130</i>	Standard	DIN1481 / ISO8752
# RP0300-0100-420	3.00 <i>0.118</i>	10.0 <i>0.394</i>	420 Stainless Steel Rc 46-52	0.50	0.60 <i>0.024</i>	3.30 <i>0.130</i>	Standard	DIN1481 / ISO8752
# RP0300-0120-4	3.00 <i>0.118</i>	12.0 <i>0.472</i>	304 Stainless	0.90		3.30 <i>0.130</i>	Standard	DIN1481 / ISO8752

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Roll - Stainless Steel

Part Number	Nominal Diameter (D) mm	Length (L) mm	Material	Chamfer (l)	Thickness (S) mm	Free Diameter mm	Type	Standard
	<i>inches</i>	<i>inches</i>			<i>inches</i>	<i>inches</i>		
RP0300-0120-420	3.00	12.0	420 Stainless Steel Rc 46-52	0.50	0.60	3.30	Standard	DIN1481 / ISO8752
	<i>0.118</i>	<i>0.472</i>			<i>0.024</i>	<i>0.130</i>		
# RP0300-0140-4	3.00	14.0	304 Stainless	0.90		3.30	Standard	DIN1481 / ISO8752
	<i>0.118</i>	<i>0.551</i>				<i>0.130</i>		
# RP0300-0140-420	3.00	14.0	420 Stainless Steel Rc 46-52	0.50	0.60	3.30	Standard	DIN1481 / ISO8752
	<i>0.118</i>	<i>0.551</i>			<i>0.024</i>	<i>0.130</i>		
# RP0300-0160-4	3.00	16.0	304 Stainless	0.90		3.30	Standard	DIN1481 / ISO8752
	<i>0.118</i>	<i>0.630</i>				<i>0.130</i>		
# RP0300-0160-420	3.00	16.0	420 Stainless Steel Rc 46-52	0.50	0.60	3.30	Standard	DIN1481 / ISO8752
	<i>0.118</i>	<i>0.630</i>			<i>0.024</i>	<i>0.130</i>		
# RP0300-0180-4	3.00	18.0	304 Stainless	0.90		3.30	Standard	DIN1481 / ISO8752
	<i>0.118</i>	<i>0.709</i>				<i>0.130</i>		
# RP0300-0180-420	3.00	18.0	420 Stainless Steel Rc 46-52	0.50	0.60	3.30	Standard	DIN1481 / ISO8752
	<i>0.118</i>	<i>0.709</i>			<i>0.024</i>	<i>0.130</i>		
# RP0300-0200-4	3.00	20.0	304 Stainless	0.90		3.30	Standard	DIN1481 / ISO8752
	<i>0.118</i>	<i>0.787</i>				<i>0.130</i>		
# RP0300-0200-420	3.00	20.0	420 Stainless Steel Rc 46-52	0.50	0.60	3.30	Standard	DIN1481 / ISO8752
	<i>0.118</i>	<i>0.787</i>			<i>0.024</i>	<i>0.130</i>		

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Roll - Stainless Steel

Part Number	Nominal Diameter (D) mm	Length (L) mm	Material	Chamfer (l)	Thickness (S) mm	Free Diameter mm	Type	Standard
	<i>inches</i>	<i>inches</i>			<i>inches</i>	<i>inches</i>		
# RP0300-0220-4	3.00 <i>0.118</i>	22.0 <i>0.866</i>	304 Stainless	0.90		3.30 <i>0.130</i>	Standard	DIN1481 / ISO8752
# RP0300-0220-420	3.00 <i>0.118</i>	22.0 <i>0.866</i>	420 Stainless Steel Rc 46-52	0.50	0.60 <i>0.024</i>	3.30 <i>0.130</i>	Standard	DIN1481 / ISO8752
# RP0300-0240-4	3.00 <i>0.118</i>	24.0 <i>0.945</i>	304 Stainless	0.90		3.30 <i>0.130</i>	Standard	DIN1481 / ISO8752
# RP0300-0240-420	3.00 <i>0.118</i>	24.0 <i>0.945</i>	420 Stainless Steel Rc 46-52	0.50	0.60 <i>0.024</i>	3.30 <i>0.130</i>	Standard	DIN1481 / ISO8752
# RP0300-0260-4	3.00 <i>0.118</i>	26.0 <i>1.024</i>	304 Stainless	0.90		3.30 <i>0.130</i>	Standard	DIN1481 / ISO8752
# RP0300-0260-420	3.00 <i>0.118</i>	26.0 <i>1.024</i>	420 Stainless Steel Rc 46-52	0.50	0.60 <i>0.024</i>	3.30 <i>0.130</i>	Standard	DIN1481 / ISO8752
# RP0300-0280-4	3.00 <i>0.118</i>	28.0 <i>1.102</i>	304 Stainless	0.90		3.30 <i>0.130</i>	Standard	DIN1481 / ISO8752
# RP0300-0300-4	3.00 <i>0.118</i>	30.0 <i>1.181</i>	304 Stainless	0.90		3.30 <i>0.130</i>	Standard	DIN1481 / ISO8752
# RP0300-0320-4	3.00 <i>0.118</i>	32.0 <i>1.260</i>	304 Stainless	0.90		3.30 <i>0.130</i>	Standard	DIN1481 / ISO8752

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Roll - Stainless Steel

Part Number	Nominal Diameter (D) mm	Length (L) mm	Material	Chamfer (l)	Thickness (S) mm	Free Diameter mm	Type	Standard
	<i>inches</i>	<i>inches</i>			<i>inches</i>	<i>inches</i>		
# RP0300-0350-4	3.00 <i>0.118</i>	35.0 <i>1.378</i>	304 Stainless	0.90		3.30 <i>0.130</i>	Standard	DIN1481 / ISO8752
# RP0300-0400-4	3.00 <i>0.118</i>	40.0 <i>1.575</i>	304 Stainless	0.90		3.30 <i>0.130</i>	Standard	DIN1481 / ISO8752
# RP0318-0064-420	3.18 <i>0.125</i>	6.4 <i>0.252</i>	420 Stainless Steel Rc 46-52	0.20-1.12	0.71 <i>0.028</i>	3.43 <i>0.135</i>		B18.8.2
# RP0318-0095-420	3.18 <i>0.125</i>	9.5 <i>0.374</i>	420 Stainless Steel Rc 46-52	0.20-1.12	0.71 <i>0.028</i>	3.43 <i>0.135</i>	Standard	B18.8.2
# RP0318-0111-420	3.18 <i>0.125</i>	11.1 <i>0.437</i>	420 Stainless Steel Rc 46-52	0.20-1.12	0.71 <i>0.028</i>	3.43 <i>0.135</i>	Standard	B18.8.2
RP0318-0127-420	3.18 <i>0.125</i>	12.7 <i>0.500</i>	420 Stainless Steel Rc 46-52	0.20-1.12	0.71 <i>0.028</i>	3.43 <i>0.135</i>	Standard	B18.8.2
# RP0318-0143-420	3.18 <i>0.125</i>	14.3 <i>0.563</i>	420 Stainless Steel Rc 46-52	0.20-1.12	0.71 <i>0.028</i>	3.43 <i>0.135</i>	Standard	B18.8.2
# RP0318-0159-420	3.18 <i>0.125</i>	15.9 <i>0.626</i>	420 Stainless Steel Rc 46-52	0.20-1.12	0.71 <i>0.028</i>	3.43 <i>0.135</i>	Standard	B18.8.2
# RP0318-0175-420	3.18 <i>0.125</i>	17.5 <i>0.689</i>	420 Stainless Steel Rc 46-52	0.20-1.12	0.71 <i>0.028</i>	3.43 <i>0.135</i>	Standard	B18.8.2

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Roll - Stainless Steel

Part Number	Nominal Diameter (D) mm	Length (L) mm	Material	Chamfer (I)	Thickness (S) mm	Free Diameter mm	Type	Standard
	<i>inches</i>	<i>inches</i>			<i>inches</i>	<i>inches</i>		
# RP0318-0191-420	3.18	19.1	420 Stainless Steel Rc 46-52	0.20-1.12	0.71	3.43	Standard	B18.8.2
	<i>0.125</i>	<i>0.752</i>			<i>0.028</i>	<i>0.135</i>		
# RP0318-0206-420	3.18	20.6	420 Stainless Steel Rc 46-52	0.20-1.12	0.71	3.43	Standard	B18.8.2
	<i>0.125</i>	<i>0.811</i>			<i>0.028</i>	<i>0.135</i>		
# RP0318-0222-420	3.18	22.2	420 Stainless Steel Rc 46-52	0.20-1.12	0.71	3.43	Standard	B18.8.2
	<i>0.125</i>	<i>0.874</i>			<i>0.028</i>	<i>0.135</i>		
# RP0318-0238-420	3.18	23.8	420 Stainless Steel Rc 46-52	0.20-1.12	0.71	3.43	Standard	B18.8.2
	<i>0.125</i>	<i>0.937</i>			<i>0.028</i>	<i>0.135</i>		
RP0318-0254-420	3.18	25.4	420 Stainless Steel Rc 46-52	0.20-1.12	0.71	3.43	Standard	B18.8.2
	<i>0.125</i>	<i>1.000</i>			<i>0.028</i>	<i>0.135</i>		
# RP0318-0286-420	3.18	28.6	420 Stainless Steel Rc 46-52	0.20-1.12	0.71	3.43	Standard	B18.8.2
	<i>0.125</i>	<i>1.126</i>			<i>0.028</i>	<i>0.135</i>		
RP0318-0318-420	3.18	31.8	420 Stainless Steel Rc 46-52	0.20-1.12	0.71	3.43	Standard	B18.8.2
	<i>0.125</i>	<i>1.252</i>			<i>0.028</i>	<i>0.135</i>		
# RP0318-0349-420	3.18	34.9	420 Stainless Steel Rc 46-52	0.20-1.12	0.71	3.43	Standard	B18.8.2
	<i>0.125</i>	<i>1.374</i>			<i>0.028</i>	<i>0.135</i>		

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Roll - Stainless Steel

Part Number	Nominal Diameter (D) mm	Length (L) mm	Material	Chamfer (I)	Thickness (S) mm	Free Diameter mm	Type	Standard
	<i>inches</i>	<i>inches</i>			<i>inches</i>	<i>inches</i>		
# RP0318-0381-420	3.18	38.1	420 Stainless Steel Rc 46-52	0.20-1.12	0.71	3.43	Standard	B18.8.2
	<i>0.125</i>	<i>1.500</i>			<i>0.028</i>	<i>0.135</i>		
# RP0397-0111-420	3.97	11.1	420 Stainless Steel Rc 46-52	0.25-1.22	0.81	4.24	Standard	B18.8.2
	<i>0.156</i>	<i>0.437</i>			<i>0.032</i>	<i>0.167</i>		
RP0397-0127-420	3.97	12.7	420 Stainless Steel Rc 46-52	0.25-1.22	0.81	4.24	Standard	B18.8.2
	<i>0.156</i>	<i>0.500</i>			<i>0.032</i>	<i>0.167</i>		
# RP0397-0143-420	3.97	14.3	420 Stainless Steel Rc 46-52	0.25-1.22	0.81	4.24	Standard	B18.8.2
	<i>0.156</i>	<i>0.563</i>			<i>0.032</i>	<i>0.167</i>		
# RP0397-0159-420	3.97	15.9	420 Stainless Steel Rc 46-52	0.25-1.22	0.81	4.24	Standard	B18.8.2
	<i>0.156</i>	<i>0.626</i>			<i>0.032</i>	<i>0.167</i>		
# RP0397-0175-420	3.97	17.5	420 Stainless Steel Rc 46-52	0.25-1.22	0.81	4.24	Standard	B18.8.2
	<i>0.156</i>	<i>0.689</i>			<i>0.032</i>	<i>0.167</i>		
RP0397-0191-420	3.97	19.1	420 Stainless Steel Rc 46-52	0.25-1.22	0.81	4.24	Standard	B18.8.2
	<i>0.156</i>	<i>0.752</i>			<i>0.032</i>	<i>0.167</i>		
# RP0397-0206-420	3.97	20.6	420 Stainless Steel Rc 46-52	0.25-1.22	0.81	4.24	Standard	B18.8.2
	<i>0.156</i>	<i>0.811</i>			<i>0.032</i>	<i>0.167</i>		

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Roll - Stainless Steel

Part Number	Nominal Diameter (D) mm	Length (L) mm	Material	Chamfer (I)	Thickness (S) mm	Free Diameter mm	Type	Standard
	<i>inches</i>	<i>inches</i>			<i>inches</i>	<i>inches</i>		
# RP0397-0222-420	3.97	22.2	420 Stainless Steel Rc 46-52	0.25-1.22	0.81	4.24	Standard	B18.8.2
	<i>0.156</i>	<i>0.874</i>			<i>0.032</i>	<i>0.167</i>		
# RP0397-0238-420	3.97	23.8	420 Stainless Steel Rc 46-52	0.25-1.22	0.81	4.24	Standard	B18.8.2
	<i>0.156</i>	<i>0.937</i>			<i>0.032</i>	<i>0.167</i>		
# RP0397-0254-420	3.97	25.4	420 Stainless Steel Rc 46-52	0.25-1.22	0.81	4.24	Standard	B18.8.2
	<i>0.156</i>	<i>1.000</i>			<i>0.032</i>	<i>0.167</i>		
# RP0397-0286-420	3.97	28.6	420 Stainless Steel Rc 46-52	0.25-1.22	0.81	4.24	Standard	B18.8.2
	<i>0.156</i>	<i>1.126</i>			<i>0.032</i>	<i>0.167</i>		
RP0397-0318-420	3.97	31.8	420 Stainless Steel Rc 46-52	0.25-1.22	0.81	4.24	Standard	B18.8.2
	<i>0.156</i>	<i>1.252</i>			<i>0.032</i>	<i>0.167</i>		
# RP0397-0349-420	3.97	34.9	420 Stainless Steel Rc 46-52	0.25-1.22	0.81	4.24	Standard	B18.8.2
	<i>0.156</i>	<i>1.374</i>			<i>0.032</i>	<i>0.167</i>		
# RP0397-0381-420	3.97	38.1	420 Stainless Steel Rc 46-52	0.25-1.22	0.81	4.24	Standard	B18.8.2
	<i>0.156</i>	<i>1.500</i>			<i>0.032</i>	<i>0.167</i>		
# RP0400-0060-4	4.00	6.0	304 Stainless	1.10		4.40	Standard	DIN1481 / ISO8752
	<i>0.157</i>	<i>0.236</i>				<i>0.173</i>		
# RP0400-0080-4	4.00	8.0	304 Stainless	1.10		4.40	Standard	DIN1481 / ISO8752
	<i>0.157</i>	<i>0.315</i>				<i>0.173</i>		

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Roll - Stainless Steel

Part Number	Nominal Diameter (D) mm	Length (L) mm	Material	Chamfer (I)	Thickness (S) mm	Free Diameter mm	Type	Standard
	<i>inches</i>	<i>inches</i>			<i>inches</i>	<i>inches</i>		
# RP0400-0100-4	4.00 <i>0.157</i>	10.0 <i>0.394</i>	304 Stainless	1.10		4.40 <i>0.173</i>	Standard	DIN1481 / ISO8752
# RP0400-0100-420	4.00 <i>0.157</i>	10.0 <i>0.394</i>	420 Stainless Steel Rc 46-52	0.70	0.80 <i>0.031</i>	4.40 <i>0.173</i>	Standard	DIN1481 / ISO8752
# RP0400-0120-4	4.00 <i>0.157</i>	12.0 <i>0.472</i>	304 Stainless	1.10		4.40 <i>0.173</i>	Standard	DIN1481 / ISO8752
RP0400-0120-420	4.00 <i>0.157</i>	12.0 <i>0.472</i>	420 Stainless Steel Rc 46-52	0.70	0.80 <i>0.031</i>	4.40 <i>0.173</i>	Standard	DIN1481 / ISO8752
# RP0400-0140-4	4.00 <i>0.157</i>	14.0 <i>0.551</i>	304 Stainless	1.10		4.40 <i>0.173</i>	Standard	DIN1481 / ISO8752
# RP0400-0140-420	4.00 <i>0.157</i>	14.0 <i>0.551</i>	420 Stainless Steel Rc 46-52	0.70	0.80 <i>0.031</i>	4.40 <i>0.173</i>	Standard	DIN1481 / ISO8752
# RP0400-0160-4	4.00 <i>0.157</i>	16.0 <i>0.630</i>	304 Stainless	1.10		4.40 <i>0.173</i>	Standard	DIN1481 / ISO8752
# RP0400-0160-420	4.00 <i>0.157</i>	16.0 <i>0.630</i>	420 Stainless Steel Rc 46-52	0.70	0.80 <i>0.031</i>	4.40 <i>0.173</i>	Standard	DIN1481 / ISO8752
# RP0400-0180-4	4.00 <i>0.157</i>	18.0 <i>0.709</i>	304 Stainless	1.10		4.40 <i>0.173</i>	Standard	DIN1481 / ISO8752

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Roll - Stainless Steel

Part Number	Nominal Diameter (D) mm	Length (L) mm	Material	Chamfer (l)	Thickness (S) mm	Free Diameter mm	Type	Standard
	<i>inches</i>	<i>inches</i>			<i>inches</i>	<i>inches</i>		
# RP0400-0180-420	4.00 <i>0.157</i>	18.0 <i>0.709</i>	420 Stainless Steel Rc 46-52	0.70	0.80 <i>0.031</i>	4.40 <i>0.173</i>	Standard	DIN1481 / ISO8752
# RP0400-0200-4	4.00 <i>0.157</i>	20.0 <i>0.787</i>	304 Stainless	1.10		4.40 <i>0.173</i>	Standard	DIN1481 / ISO8752
# RP0400-0200-420	4.00 <i>0.157</i>	20.0 <i>0.787</i>	420 Stainless Steel Rc 46-52	0.70	0.80 <i>0.031</i>	4.40 <i>0.173</i>	Standard	DIN1481 / ISO8752
# RP0400-0220-4	4.00 <i>0.157</i>	22.0 <i>0.866</i>	304 Stainless	1.10		4.40 <i>0.173</i>	Standard	DIN1481 / ISO8752
# RP0400-0220-420	4.00 <i>0.157</i>	22.0 <i>0.866</i>	420 Stainless Steel Rc 46-52	0.70	0.80 <i>0.031</i>	4.40 <i>0.173</i>	Standard	DIN1481 / ISO8752
RP0400-0240-4	4.00 <i>0.157</i>	24.0 <i>0.945</i>	304 Stainless	1.10		4.40 <i>0.173</i>	Standard	DIN1481 / ISO8752
RP0400-0240-420	4.00 <i>0.157</i>	24.0 <i>0.945</i>	420 Stainless Steel Rc 46-52	0.70	0.80 <i>0.031</i>	4.40 <i>0.173</i>	Standard	DIN1481 / ISO8752
RP0400-0260-4	4.00 <i>0.157</i>	26.0 <i>1.024</i>	304 Stainless	1.10		4.40 <i>0.173</i>	Standard	DIN1481 / ISO8752
# RP0400-0260-420	4.00 <i>0.157</i>	26.0 <i>1.024</i>	420 Stainless Steel Rc 46-52	0.70	0.80 <i>0.031</i>	4.40 <i>0.173</i>	Standard	DIN1481 / ISO8752

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Roll - Stainless Steel

Part Number	Nominal Diameter (D) mm	Length (L) mm	Material	Chamfer (I)	Thickness (S) mm	Free Diameter mm	Type	Standard
	<i>inches</i>	<i>inches</i>			<i>inches</i>	<i>inches</i>		
# RP0400-0280-4	4.00 <i>0.157</i>	28.0 <i>1.102</i>	304 Stainless	1.10		4.40 <i>0.173</i>	Standard	DIN1481 / ISO8752
# RP0400-0280-420	4.00 <i>0.157</i>	28.0 <i>1.102</i>	420 Stainless Steel Rc 46-52	0.70	0.80 <i>0.031</i>	4.40 <i>0.173</i>	Standard	DIN1481 / ISO8752
# RP0400-0300-4	4.00 <i>0.157</i>	30.0 <i>1.181</i>	304 Stainless	1.10		4.40 <i>0.173</i>	Standard	DIN1481 / ISO8752
# RP0400-0300-420	4.00 <i>0.157</i>	30.0 <i>1.181</i>	420 Stainless Steel Rc 46-52	0.70	0.80 <i>0.031</i>	4.40 <i>0.173</i>	Standard	DIN1481 / ISO8752
# RP0400-0350-4	4.00 <i>0.157</i>	35.0 <i>1.378</i>	304 Stainless	1.10		4.40 <i>0.173</i>	Standard	DIN1481 / ISO8752
# RP0400-0400-4	4.00 <i>0.157</i>	40.0 <i>1.575</i>	304 Stainless	1.10		4.40 <i>0.173</i>	Standard	DIN1481 / ISO8752
# RP0400-0450-4	4.00 <i>0.157</i>	45.0 <i>1.772</i>	304 Stainless	1.10		4.40 <i>0.173</i>	Standard	DIN1481 / ISO8752
# RP0400-0500-4	4.00 <i>0.157</i>	50.0 <i>1.969</i>	304 Stainless	1.10		4.40 <i>0.173</i>	Standard	DIN1481 / ISO8752
RP0476-0127-420	4.76 <i>0.187</i>	12.7 <i>0.500</i>	420 Stainless Steel Rc 46-52	0.28-1.40	1.07 <i>0.042</i>	5.05 <i>0.199</i>	Standard	B18.8.2

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Roll - Stainless Steel

Part Number	Nominal Diameter (D) mm	Length (L) mm	Material	Chamfer (I)	Thickness (S) mm	Free Diameter mm	Type	Standard
	<i>inches</i>	<i>inches</i>			<i>inches</i>	<i>inches</i>		
# RP0476-0143-420	4.76	14.3	420 Stainless Steel Rc 46-52	0.28-1.40	1.07	5.05	Standard	B18.8.2
	<i>0.187</i>	<i>0.563</i>			<i>0.042</i>	<i>0.199</i>		
# RP0476-0159-420	4.76	15.9	420 Stainless Steel Rc 46-52	0.28-1.40	1.07	5.05	Standard	B18.8.2
	<i>0.187</i>	<i>0.626</i>			<i>0.042</i>	<i>0.199</i>		
# RP0476-0175-420	4.76	17.5	420 Stainless Steel Rc 46-52	0.28-1.40	1.07	5.05	Standard	B18.8.2
	<i>0.187</i>	<i>0.689</i>			<i>0.042</i>	<i>0.199</i>		
RP0476-0191-420	4.76	19.1	420 Stainless Steel Rc 46-52	0.28-1.40	1.07	5.05	Standard	B18.8.2
	<i>0.187</i>	<i>0.752</i>			<i>0.042</i>	<i>0.199</i>		
# RP0476-0206-420	4.76	20.6	420 Stainless Steel Rc 46-52	0.28-1.40	1.07	5.05	Standard	B18.8.2
	<i>0.187</i>	<i>0.811</i>			<i>0.042</i>	<i>0.199</i>		
# RP0476-0222-420	4.76	22.2	420 Stainless Steel Rc 46-52	0.28-1.40	1.07	5.05	Standard	B18.8.2
	<i>0.187</i>	<i>0.874</i>			<i>0.042</i>	<i>0.199</i>		
# RP0476-0238-420	4.76	23.8	420 Stainless Steel Rc 46-52	0.28-1.40	1.07	5.05	Standard	B18.8.2
	<i>0.187</i>	<i>0.937</i>			<i>0.042</i>	<i>0.199</i>		
RP0476-0254-420	4.76	25.4	420 Stainless Steel Rc 46-52	0.28-1.40	1.07	5.05	Standard	B18.8.2
	<i>0.187</i>	<i>1.000</i>			<i>0.042</i>	<i>0.199</i>		

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Roll - Stainless Steel

Part Number	Nominal Diameter (D) mm	Length (L) mm	Material	Chamfer (l)	Thickness (S) mm	Free Diameter mm	Type	Standard
	<i>inches</i>	<i>inches</i>			<i>inches</i>	<i>inches</i>		
# RP0476-0286-420	4.76 <i>0.187</i>	28.6 <i>1.126</i>	420 Stainless Steel Rc 46-52	0.28-1.40	1.07 <i>0.042</i>	5.05 <i>0.199</i>	Standard	B18.8.2
# RP0476-0318-420	4.76 <i>0.187</i>	31.8 <i>1.252</i>	420 Stainless Steel Rc 46-52	0.28-1.40	1.07 <i>0.042</i>	5.05 <i>0.199</i>	Standard	B18.8.2
# RP0476-0349-420	4.76 <i>0.187</i>	34.9 <i>1.374</i>	420 Stainless Steel Rc 46-52	0.28-1.40	1.07 <i>0.042</i>	5.05 <i>0.199</i>	Standard	B18.8.2
# RP0476-0381-420	4.76 <i>0.187</i>	38.1 <i>1.500</i>	420 Stainless Steel Rc 46-52	0.28-1.40	1.07 <i>0.042</i>	5.05 <i>0.199</i>	Standard	B18.8.2
# RP0500-0080-4	5.00 <i>0.197</i>	8.0 <i>0.315</i>	304 Stainless	1.30		5.45 <i>0.215</i>	Standard	DIN1481 / ISO8752
# RP0500-0100-4	5.00 <i>0.197</i>	10.0 <i>0.394</i>	304 Stainless	1.30		5.45 <i>0.215</i>	Standard	DIN1481 / ISO8752
# RP0500-0120-4	5.00 <i>0.197</i>	12.0 <i>0.472</i>	304 Stainless	1.30		5.45 <i>0.215</i>	Standard	DIN1481 / ISO8752
# RP0500-0140-4	5.00 <i>0.197</i>	14.0 <i>0.551</i>	304 Stainless	1.30		5.45 <i>0.215</i>	Standard	DIN1481 / ISO8752
# RP0500-0160-4	5.00 <i>0.197</i>	16.0 <i>0.630</i>	304 Stainless	1.30		5.45 <i>0.215</i>	Standard	DIN1481 / ISO8752

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Roll - Stainless Steel

Part Number	Nominal Diameter (D) mm	Length (L) mm	Material	Chamfer (I)	Thickness (S) mm	Free Diameter mm	Type	Standard
	<i>inches</i>	<i>inches</i>			<i>inches</i>	<i>inches</i>		
# RP0500-0180-4	5.00 <i>0.197</i>	18.0 <i>0.709</i>	304 Stainless	1.30		5.45 <i>0.215</i>	Standard	DIN1481 / ISO8752
# RP0500-0200-4	5.00 <i>0.197</i>	20.0 <i>0.787</i>	304 Stainless	1.30		5.45 <i>0.215</i>	Standard	DIN1481 / ISO8752
# RP0500-0220-4	5.00 <i>0.197</i>	22.0 <i>0.866</i>	304 Stainless	1.30		5.45 <i>0.215</i>	Standard	DIN1481 / ISO8752
# RP0500-0240-4	5.00 <i>0.197</i>	24.0 <i>0.945</i>	304 Stainless	1.30		5.45 <i>0.215</i>	Standard	DIN1481 / ISO8752
# RP0500-0260-4	5.00 <i>0.197</i>	26.0 <i>1.024</i>	304 Stainless	1.30		5.45 <i>0.215</i>	Standard	DIN1481 / ISO8752
# RP0500-0280-4	5.00 <i>0.197</i>	28.0 <i>1.102</i>	304 Stainless	1.30		5.45 <i>0.215</i>	Standard	DIN1481 / ISO8752
RP0500-0300-4	5.00 <i>0.197</i>	30.0 <i>1.181</i>	304 Stainless	1.30		5.45 <i>0.215</i>	Standard	DIN1481 / ISO8752
# RP0500-0320-4	5.00 <i>0.197</i>	32.0 <i>1.260</i>	304 Stainless	1.30		5.45 <i>0.215</i>	Standard	DIN1481 / ISO8752
# RP0500-0350-4	5.00 <i>0.197</i>	35.0 <i>1.378</i>	304 Stainless	1.30		5.45 <i>0.215</i>	Standard	DIN1481 / ISO8752
# RP0500-0400-4	5.00 <i>0.197</i>	40.0 <i>1.575</i>	304 Stainless	1.30		5.45 <i>0.215</i>	Standard	DIN1481 / ISO8752

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Roll - Stainless Steel

Part Number	Nominal Diameter (D) mm	Length (L) mm	Material	Chamfer (I)	Thickness (S) mm	Free Diameter mm	Type	Standard
	<i>inches</i>	<i>inches</i>			<i>inches</i>	<i>inches</i>		
# RP0500-0450-4	5.00 <i>0.197</i>	45.0 <i>1.772</i>	304 Stainless	1.30		5.45 <i>0.215</i>	Standard	DIN1481 / ISO8752
# RP0500-0500-4	5.00 <i>0.197</i>	50.0 <i>1.969</i>	304 Stainless	1.30		5.45 <i>0.215</i>	Standard	DIN1481 / ISO8752
# RP0600-0100-4	6.00 <i>0.236</i>	10.0 <i>0.394</i>	304 Stainless	1.50		6.50 <i>0.256</i>	Standard	DIN1481 / ISO8752
# RP0600-0120-4	6.00 <i>0.236</i>	12.0 <i>0.472</i>	304 Stainless	1.50		6.50 <i>0.256</i>	Standard	DIN1481 / ISO8752
# RP0600-0140-4	6.00 <i>0.236</i>	14.0 <i>0.551</i>	304 Stainless	1.50		6.50 <i>0.256</i>	Standard	DIN1481 / ISO8752
# RP0600-0160-4	6.00 <i>0.236</i>	16.0 <i>0.630</i>	304 Stainless	1.50		6.50 <i>0.256</i>	Standard	DIN1481 / ISO8752
# RP0600-0180-4	6.00 <i>0.236</i>	18.0 <i>0.709</i>	304 Stainless	1.50		6.50 <i>0.256</i>	Standard	DIN1481 / ISO8752
# RP0600-0200-4	6.00 <i>0.236</i>	20.0 <i>0.787</i>	304 Stainless	1.50		6.50 <i>0.256</i>	Standard	DIN1481 / ISO8752
# RP0600-0220-4	6.00 <i>0.236</i>	22.0 <i>0.866</i>	304 Stainless	1.50		6.50 <i>0.256</i>	Standard	DIN1481 / ISO8752
# RP0600-0240-4	6.00 <i>0.236</i>	24.0 <i>0.945</i>	304 Stainless	1.50		6.50 <i>0.256</i>	Standard	DIN1481 / ISO8752

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Roll - Stainless Steel

Part Number	Nominal Diameter (D) mm	Length (L) mm	Material	Chamfer (I)	Thickness (S) mm	Free Diameter mm	Type	Standard
	<i>inches</i>	<i>inches</i>			<i>inches</i>	<i>inches</i>		
# RP0600-0260-4	6.00 <i>0.236</i>	26.0 <i>1.024</i>	304 Stainless	1.50		6.50 <i>0.256</i>	Standard	DIN1481 / ISO8752
# RP0600-0280-4	6.00 <i>0.236</i>	28.0 <i>1.102</i>	304 Stainless	1.50		6.50 <i>0.256</i>	Standard	DIN1481 / ISO8752
# RP0600-0300-4	6.00 <i>0.236</i>	30.0 <i>1.181</i>	304 Stainless	1.50		6.50 <i>0.256</i>	Standard	DIN1481 / ISO8752
# RP0600-0320-4	6.00 <i>0.236</i>	32.0 <i>1.260</i>	304 Stainless	1.50		6.50 <i>0.256</i>	Standard	DIN1481 / ISO8752
# RP0600-0350-4	6.00 <i>0.236</i>	35.0 <i>1.378</i>	304 Stainless	1.50		6.50 <i>0.256</i>	Standard	DIN1481 / ISO8752
# RP0600-0400-4	6.00 <i>0.236</i>	40.0 <i>1.575</i>	304 Stainless	1.50		6.50 <i>0.256</i>	Standard	DIN1481 / ISO8752
# RP0600-0450-4	6.00 <i>0.236</i>	45.0 <i>1.772</i>	304 Stainless	1.50		6.50 <i>0.256</i>	Standard	DIN1481 / ISO8752
# RP0600-0500-4	6.00 <i>0.236</i>	50.0 <i>1.969</i>	304 Stainless	1.50		6.50 <i>0.256</i>	Standard	DIN1481 / ISO8752
# RP0800-0100-4	8.00 <i>0.315</i>	10.0 <i>0.394</i>	304 Stainless	2.00		8.63 <i>0.340</i>	Standard	DIN1481 / ISO8752
# RP0800-0120-4	8.00 <i>0.315</i>	12.0 <i>0.472</i>	304 Stainless	2.00		8.63 <i>0.340</i>	Standard	DIN1481 / ISO8752

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Roll - Stainless Steel

Part Number	Nominal Diameter (D) mm	Length (L) mm	Material	Chamfer (I)	Thickness (S) mm	Free Diameter mm	Type	Standard
	<i>inches</i>	<i>inches</i>			<i>inches</i>	<i>inches</i>		
# RP0800-0140-4	8.00 <i>0.315</i>	14.0 <i>0.551</i>	304 Stainless	2.00		8.63 <i>0.340</i>	Standard	DIN1481 / ISO8752
# RP0800-0160-4	8.00 <i>0.315</i>	16.0 <i>0.630</i>	304 Stainless	2.00		8.63 <i>0.340</i>	Standard	DIN1481 / ISO8752
# RP0800-0180-4	8.00 <i>0.315</i>	18.0 <i>0.709</i>	304 Stainless	2.00		8.63 <i>0.340</i>	Standard	DIN1481 / ISO8752
# RP0800-0200-4	8.00 <i>0.315</i>	20.0 <i>0.787</i>	304 Stainless	2.00		8.63 <i>0.340</i>	Standard	DIN1481 / ISO8752
# RP0800-0220-4	8.00 <i>0.315</i>	22.0 <i>0.866</i>	304 Stainless	2.00		8.63 <i>0.340</i>	Standard	DIN1481 / ISO8752
# RP0800-0240-4	8.00 <i>0.315</i>	24.0 <i>0.945</i>	304 Stainless	2.00		8.63 <i>0.340</i>	Standard	DIN1481 / ISO8752
# RP0800-0260-4	8.00 <i>0.315</i>	26.0 <i>1.024</i>	304 Stainless	2.00		8.63 <i>0.340</i>	Standard	DIN1481 / ISO8752
# RP0800-0280-4	8.00 <i>0.315</i>	28.0 <i>1.102</i>	304 Stainless	2.00		8.63 <i>0.340</i>	Standard	DIN1481 / ISO8752
# RP0800-0300-4	8.00 <i>0.315</i>	30.0 <i>1.181</i>	304 Stainless	2.00		8.63 <i>0.340</i>	Standard	DIN1481 / ISO8752
# RP0800-0320-4	8.00 <i>0.315</i>	32.0 <i>1.260</i>	304 Stainless	2.00		8.63 <i>0.340</i>	Standard	DIN1481 / ISO8752

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Roll - Stainless Steel

Part Number	Nominal Diameter (D) mm	Length (L) mm	Material	Chamfer (I)	Thickness (S) mm	Free Diameter mm	Type	Standard
	<i>inches</i>	<i>inches</i>			<i>inches</i>	<i>inches</i>		
# RP0800-0350-4	8.00 <i>0.315</i>	35.0 <i>1.378</i>	304 Stainless	2.00		8.63 <i>0.340</i>	Standard	DIN1481 / ISO8752
# RP0800-0400-4	8.00 <i>0.315</i>	40.0 <i>1.575</i>	304 Stainless	2.00		8.63 <i>0.340</i>	Standard	DIN1481 / ISO8752
# RP0800-0450-4	8.00 <i>0.315</i>	45.0 <i>1.772</i>	304 Stainless	2.00		8.63 <i>0.340</i>	Standard	DIN1481 / ISO8752
# RP0800-0500-4	8.00 <i>0.315</i>	50.0 <i>1.969</i>	304 Stainless	2.00		8.63 <i>0.340</i>	Standard	DIN1481 / ISO8752
# RP1000-0160-4	10.00 <i>0.394</i>	16.0 <i>0.630</i>	304 Stainless	2.50		10.75 <i>0.423</i>	Standard	DIN1481 / ISO8752
# RP1000-0180-4	10.00 <i>0.394</i>	18.0 <i>0.709</i>	304 Stainless	2.50		10.75 <i>0.423</i>	Standard	DIN1481 / ISO8752
# RP1000-0200-4	10.00 <i>0.394</i>	20.0 <i>0.787</i>	304 Stainless	2.50		10.75 <i>0.423</i>	Standard	DIN1481 / ISO8752
# RP1000-0220-4	10.00 <i>0.394</i>	22.0 <i>0.866</i>	304 Stainless	2.50		10.75 <i>0.423</i>	Standard	DIN1481 / ISO8752
# RP1000-0240-4	10.00 <i>0.394</i>	24.0 <i>0.945</i>	304 Stainless	2.50		10.75 <i>0.423</i>	Standard	DIN1481 / ISO8752
# RP1000-0260-4	10.00 <i>0.394</i>	26.0 <i>1.024</i>	304 Stainless	2.50		10.75 <i>0.423</i>	Standard	DIN1481 / ISO8752

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Roll - Stainless Steel

Part Number	Nominal Diameter (D) mm	Length (L) mm	Material	Chamfer (l)	Thickness (S) mm	Free Diameter mm	Type	Standard
	<i>inches</i>	<i>inches</i>			<i>inches</i>	<i>inches</i>		
# RP1000-0280-4	10.00 <i>0.394</i>	28.0 <i>1.102</i>	304 Stainless	2.50		10.75 <i>0.423</i>	Standard	DIN1481 / ISO8752
# RP1000-0300-4	10.00 <i>0.394</i>	30.0 <i>1.181</i>	304 Stainless	2.50		10.75 <i>0.423</i>	Standard	DIN1481 / ISO8752
# RP1000-0320-4	10.00 <i>0.394</i>	32.0 <i>1.260</i>	304 Stainless	2.50		10.75 <i>0.423</i>	Standard	DIN1481 / ISO8752
# RP1000-0350-4	10.00 <i>0.394</i>	35.0 <i>1.378</i>	304 Stainless	2.50		10.75 <i>0.423</i>	Standard	DIN1481 / ISO8752
# RP1000-0400-4	10.00 <i>0.394</i>	40.0 <i>1.575</i>	304 Stainless	2.50		10.75 <i>0.423</i>	Standard	DIN1481 / ISO8752
# RP1000-0450-4	10.00 <i>0.394</i>	45.0 <i>1.772</i>	304 Stainless	2.50		10.75 <i>0.423</i>	Standard	DIN1481 / ISO8752
# RP1000-0500-4	10.00 <i>0.394</i>	50.0 <i>1.969</i>	304 Stainless	2.50		10.75 <i>0.423</i>	Standard	DIN1481 / ISO8752

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to catalogues@minibearings.com.au

