




# MBA

## Pins - Roll - Zinc Plated



Zinc plated spring steel DIN1481.

### Pins - Roll - Zinc Plated

Part Number	Nominal Diameter (D) mm	Length (L) mm	Material	Chamfer (l)	Thickness (S) mm	Free Diameter mm	Type
	<i>inches</i>	<i>inches</i>			<i>inches</i>	<i>inches</i>	
# RP0150-0040-Z	1.50	4.00	Zinc Plated Carbon Spring Steel			1.75	
	<i>0.059</i>	<i>0.157</i>				<i>0.069</i>	
# RP0150-0050-Z	1.50	5.00	Zinc Plated Carbon Spring Steel			1.75	
	<i>0.059</i>	<i>0.197</i>				<i>0.069</i>	
# RP0150-0060-Z	1.50	6.00	Zinc Plated Carbon Spring Steel			1.75	
	<i>0.059</i>	<i>0.236</i>				<i>0.069</i>	
# RP0150-0080-Z	1.50	8.00	Zinc Plated Carbon Spring Steel			1.75	
	<i>0.059</i>	<i>0.315</i>				<i>0.069</i>	

# Indicates item not stocked at time of printing - Please enquire for lead time  
 E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd  
 MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Pins - Roll - Zinc Plated

Part Number	Nominal Diameter (D) mm	Length (L) mm	Material	Chamfer (I)	Thickness (S) mm	Free Diameter mm	Type
	<i>inches</i>	<i>inches</i>			<i>inches</i>	<i>inches</i>	
# RP0150-0100-Z	1.50 <i>0.059</i>	10.00 <i>0.394</i>	Zinc Plated Carbon Spring Steel			1.75 <i>0.069</i>	
# RP0150-0120-Z	1.50 <i>0.059</i>	12.00 <i>0.472</i>	Zinc Plated Carbon Spring Steel			1.75 <i>0.069</i>	
# RP0150-0140-Z	1.50 <i>0.059</i>	14.00 <i>0.551</i>	Zinc Plated Carbon Spring Steel			1.75 <i>0.069</i>	
# RP0150-0160-Z	1.50 <i>0.059</i>	16.00 <i>0.630</i>	Zinc Plated Carbon Spring Steel			1.75 <i>0.069</i>	
# RP0150-0180-Z	1.50 <i>0.059</i>	18.00 <i>0.709</i>	Zinc Plated Carbon Spring Steel			1.75 <i>0.069</i>	
# RP0150-0200-Z	1.50 <i>0.059</i>	20.00 <i>0.787</i>	Zinc Plated Carbon Spring Steel			1.75 <i>0.069</i>	
# RP0150-0220-Z	1.50 <i>0.059</i>	22.00 <i>0.866</i>	Zinc Plated Carbon Spring Steel			1.75 <i>0.069</i>	
# RP0150-0240-Z	1.50 <i>0.059</i>	24.00 <i>0.945</i>	Zinc Plated Carbon Spring Steel			1.75 <i>0.069</i>	

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Pins - Roll - Zinc Plated

Part Number	Nominal Diameter (D) mm	Length (L) mm	Material	Chamfer (I)	Thickness (S) mm	Free Diameter mm	Type
	<i>inches</i>	<i>inches</i>			<i>inches</i>	<i>inches</i>	
# RP0150-0260-Z	1.50 <i>0.059</i>	26.00 <i>1.024</i>	Zinc Plated Carbon Spring Steel			1.75 <i>0.069</i>	
# RP0150-0280-Z	1.50 <i>0.059</i>	28.00 <i>1.102</i>	Zinc Plated Carbon Spring Steel			1.75 <i>0.069</i>	
# RP0159-0048-Z	1.59 <i>0.063</i>	4.80 <i>0.189</i>	Zinc Plated Carbon Spring Steel	0.18-0.71	0.31 <i>0.012</i>	1.75 <i>0.069</i>	
# RP0159-0064-Z	1.59 <i>0.063</i>	6.40 <i>0.252</i>	Zinc Plated Carbon Spring Steel	0.18-0.71	0.31 <i>0.012</i>	1.75 <i>0.069</i>	
# RP0159-0079-Z	1.59 <i>0.063</i>	7.90 <i>0.311</i>	Zinc Plated Carbon Spring Steel	0.18-0.71	0.31 <i>0.012</i>	1.75 <i>0.069</i>	
# RP0159-0095-Z	1.59 <i>0.063</i>	9.50 <i>0.374</i>	Zinc Plated Carbon Spring Steel	0.18-0.71	0.31 <i>0.012</i>	1.75 <i>0.069</i>	
# RP0159-0111-Z	1.59 <i>0.063</i>	11.10 <i>0.437</i>	Zinc Plated Carbon Spring Steel	0.18-0.71	0.31 <i>0.012</i>	1.75 <i>0.069</i>	
# RP0159-0127-Z	1.59 <i>0.063</i>	12.70 <i>0.500</i>	Zinc Plated Carbon Spring Steel	0.18-0.71	0.31 <i>0.012</i>	1.75 <i>0.069</i>	

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Pins - Roll - Zinc Plated

Part Number	Nominal Diameter (D) mm	Length (L) mm	Material	Chamfer (I)	Thickness (S) mm	Free Diameter mm	Type
	<i>inches</i>	<i>inches</i>			<i>inches</i>	<i>inches</i>	
# RP0159-0143-Z	1.59	14.30	Zinc Plated Carbon Spring Steel	0.18-0.71	0.31	1.75	
	<i>0.063</i>	<i>0.563</i>			<i>0.012</i>	<i>0.069</i>	
# RP0159-0159-Z	1.59	15.90	Zinc Plated Carbon Spring Steel	0.18-0.71	0.31	1.75	
	<i>0.063</i>	<i>0.626</i>			<i>0.012</i>	<i>0.069</i>	
# RP0159-0175-Z	1.59	17.50	Zinc Plated Carbon Spring Steel	0.18-0.71	0.31	1.75	
	<i>0.063</i>	<i>0.689</i>			<i>0.012</i>	<i>0.069</i>	
# RP0159-0191-Z	1.59	19.10	Zinc Plated Carbon Spring Steel	0.18-0.71	0.31	1.75	
	<i>0.063</i>	<i>0.752</i>			<i>0.012</i>	<i>0.069</i>	
# RP0159-0206-Z	1.59	20.60	Zinc Plated Carbon Spring Steel	0.18-0.71	0.31	1.75	
	<i>0.063</i>	<i>0.811</i>			<i>0.012</i>	<i>0.069</i>	
# RP0159-0222-Z	1.59	22.20	Zinc Plated Carbon Spring Steel	0.18-0.71	0.31	1.75	
	<i>0.063</i>	<i>0.874</i>			<i>0.012</i>	<i>0.069</i>	
# RP0159-0238-Z	1.59	23.80	Zinc Plated Carbon Spring Steel	0.18-0.71	0.31	1.75	
	<i>0.063</i>	<i>0.937</i>			<i>0.012</i>	<i>0.069</i>	
# RP0159-0254-Z	1.59	25.40	Zinc Plated Carbon Spring Steel	0.18-0.71	0.31	1.75	
	<i>0.063</i>	<i>1.000</i>			<i>0.012</i>	<i>0.069</i>	

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Pins - Roll - Zinc Plated

Part Number	Nominal Diameter (D) mm	Length (L) mm	Material	Chamfer (I)	Thickness (S) mm	Free Diameter mm	Type
	<i>inches</i>	<i>inches</i>			<i>inches</i>	<i>inches</i>	
# RP0198-0048-Z	1.98	4.80	Zinc Plated Carbon Spring Steel			2.25	
	<i>0.078</i>	<i>0.189</i>				<i>0.089</i>	
# RP0198-0064-Z	1.98	6.40	Zinc Plated Carbon Spring Steel			2.25	
	<i>0.078</i>	<i>0.252</i>				<i>0.089</i>	
# RP0198-0079-Z	1.98	7.90	Zinc Plated Carbon Spring Steel			2.25	
	<i>0.078</i>	<i>0.311</i>				<i>0.089</i>	
RP0198-0095-Z	1.98	9.50	Zinc Plated Carbon Spring Steel			2.25	
	<i>0.078</i>	<i>0.374</i>				<i>0.089</i>	
# RP0198-0111-Z	1.98	11.10	Zinc Plated Carbon Spring Steel			2.25	
	<i>0.078</i>	<i>0.437</i>				<i>0.089</i>	
# RP0198-0127-Z	1.98	12.70	Zinc Plated Carbon Spring Steel			2.25	
	<i>0.078</i>	<i>0.500</i>				<i>0.089</i>	
# RP0198-0143-Z	1.98	14.30	Zinc Plated Carbon Spring Steel			2.25	
	<i>0.078</i>	<i>0.563</i>				<i>0.089</i>	
# RP0198-0159-Z	1.98	15.90	Zinc Plated Carbon Spring Steel			2.25	
	<i>0.078</i>	<i>0.626</i>				<i>0.089</i>	

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Pins - Roll - Zinc Plated

Part Number	Nominal Diameter (D) mm	Length (L) mm	Material	Chamfer (I)	Thickness (S) mm	Free Diameter mm	Type
	<i>inches</i>	<i>inches</i>			<i>inches</i>	<i>inches</i>	
# RP0198-0175-Z	1.98	17.50	Zinc Plated Carbon Spring Steel			2.25	
	<i>0.078</i>	<i>0.689</i>				<i>0.089</i>	
# RP0198-0191-Z	1.98	19.10	Zinc Plated Carbon Spring Steel			2.25	
	<i>0.078</i>	<i>0.752</i>				<i>0.089</i>	
# RP0198-0206-Z	1.98	20.60	Zinc Plated Carbon Spring Steel			2.25	
	<i>0.078</i>	<i>0.811</i>				<i>0.089</i>	
# RP0198-0222-Z	1.98	22.20	Zinc Plated Carbon Spring Steel			2.25	
	<i>0.078</i>	<i>0.874</i>				<i>0.089</i>	
# RP0198-0238-Z	1.98	23.80	Zinc Plated Carbon Spring Steel			2.25	
	<i>0.078</i>	<i>0.937</i>				<i>0.089</i>	
# RP0198-0254-Z	1.98	25.40	Zinc Plated Carbon Spring Steel			2.25	
	<i>0.078</i>	<i>1.000</i>				<i>0.089</i>	
# RP0198-0286-Z	1.98	28.60	Zinc Plated Carbon Spring Steel			2.25	
	<i>0.078</i>	<i>1.126</i>				<i>0.089</i>	
# RP0198-0318-Z	1.98	31.80	Zinc Plated Carbon Spring Steel			2.25	
	<i>0.078</i>	<i>1.252</i>				<i>0.089</i>	

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Pins - Roll - Zinc Plated

Part Number	Nominal Diameter (D) mm	Length (L) mm	Material	Chamfer (I)	Thickness (S) mm	Free Diameter mm	Type
	<i>inches</i>	<i>inches</i>			<i>inches</i>	<i>inches</i>	
# RP0198-0349-Z	1.98 <i>0.078</i>	34.90 <i>1.374</i>	Zinc Plated Carbon Spring Steel			2.25 <i>0.089</i>	
# RP0198-0381-Z	1.98 <i>0.078</i>	38.10 <i>1.500</i>	Zinc Plated Carbon Spring Steel			2.25 <i>0.089</i>	
# RP0200-0040-Z	2.00 <i>0.079</i>	4.00 <i>0.157</i>	Zinc Plated Carbon Spring Steel	0.70	0.05 <i>0.002</i>	2.25 <i>0.089</i>	
# RP0200-0050-Z	2.00 <i>0.079</i>	5.00 <i>0.197</i>	Zinc Plated Carbon Spring Steel	0.70	0.05 <i>0.002</i>	2.25 <i>0.089</i>	
# RP0200-0060-Z	2.00 <i>0.079</i>	6.00 <i>0.236</i>	Zinc Plated Carbon Spring Steel	0.70	0.05 <i>0.002</i>	2.25 <i>0.089</i>	
# RP0200-0080-Z	2.00 <i>0.079</i>	8.00 <i>0.315</i>	Zinc Plated Carbon Spring Steel	0.70	0.05 <i>0.002</i>	2.25 <i>0.089</i>	
# RP0200-0100-Z	2.00 <i>0.079</i>	10.00 <i>0.394</i>	Zinc Plated Carbon Spring Steel	0.70	0.05 <i>0.002</i>	2.25 <i>0.089</i>	
# RP0200-0120-Z	2.00 <i>0.079</i>	12.00 <i>0.472</i>	Zinc Plated Carbon Spring Steel	0.70	0.05 <i>0.002</i>	2.25 <i>0.089</i>	

# Indicates item not stocked at time of printing - Please enquire for lead time  
 E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd  
 MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Pins - Roll - Zinc Plated

Part Number	Nominal Diameter (D) mm	Length (L) mm	Material	Chamfer (I)	Thickness (S) mm	Free Diameter mm	Type
	<i>inches</i>	<i>inches</i>			<i>inches</i>	<i>inches</i>	
# RP0200-0140-Z	2.00 <i>0.079</i>	14.00 <i>0.551</i>	Zinc Plated Carbon Spring Steel	0.70	0.05 <i>0.002</i>	2.25 <i>0.089</i>	
# RP0200-0160-Z	2.00 <i>0.079</i>	16.00 <i>0.630</i>	Zinc Plated Carbon Spring Steel	0.70	0.05 <i>0.002</i>	2.25 <i>0.089</i>	
# RP0200-0180-Z	2.00 <i>0.079</i>	18.00 <i>0.709</i>	Zinc Plated Carbon Spring Steel	0.70	0.05 <i>0.002</i>	2.25 <i>0.089</i>	
# RP0200-0200-Z	2.00 <i>0.079</i>	20.00 <i>0.787</i>	Zinc Plated Carbon Spring Steel	0.70	0.05 <i>0.002</i>	2.25 <i>0.089</i>	
# RP0200-0220-Z	2.00 <i>0.079</i>	22.00 <i>0.866</i>	Zinc Plated Carbon Spring Steel	0.70	0.05 <i>0.002</i>	2.25 <i>0.089</i>	
# RP0200-0240-Z	2.00 <i>0.079</i>	24.00 <i>0.945</i>	Zinc Plated Carbon Spring Steel	0.70	0.05 <i>0.002</i>	2.25 <i>0.089</i>	
# RP0200-0260-Z	2.00 <i>0.079</i>	26.00 <i>1.024</i>	Zinc Plated Carbon Spring Steel	0.70	0.05 <i>0.002</i>	2.25 <i>0.089</i>	
# RP0200-0280-Z	2.00 <i>0.079</i>	28.00 <i>1.102</i>	Zinc Plated Carbon Spring Steel	0.70	0.05 <i>0.002</i>	2.25 <i>0.089</i>	

# Indicates item not stocked at time of printing - Please enquire for lead time  
 E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd  
 MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Pins - Roll - Zinc Plated

Part Number	Nominal Diameter (D) mm	Length (L) mm	Material	Chamfer (I)	Thickness (S) mm	Free Diameter mm	Type
	<i>inches</i>	<i>inches</i>			<i>inches</i>	<i>inches</i>	
# RP0200-0300-Z	2.00 <i>0.079</i>	30.00 <i>1.181</i>	Zinc Plated Carbon Spring Steel	0.70	0.05 <i>0.002</i>	2.25 <i>0.089</i>	
# RP0238-0064-Z	2.38 <i>0.094</i>	6.40 <i>0.252</i>	Zinc Plated Carbon Spring Steel	0.20-0.97	0.56 <i>0.022</i>	2.62 <i>0.103</i>	
# RP0238-0079-Z	2.38 <i>0.094</i>	7.90 <i>0.311</i>	Zinc Plated Carbon Spring Steel	0.20-0.97	0.56 <i>0.022</i>	2.62 <i>0.103</i>	
# RP0238-0095-Z	2.38 <i>0.094</i>	9.50 <i>0.374</i>	Zinc Plated Carbon Spring Steel	0.20-0.97	0.56 <i>0.022</i>	2.62 <i>0.103</i>	
# RP0238-0111-Z	2.38 <i>0.094</i>	11.10 <i>0.437</i>	Zinc Plated Carbon Spring Steel	0.20-0.97	0.56 <i>0.022</i>	2.62 <i>0.103</i>	
# RP0238-0127-Z	2.38 <i>0.094</i>	12.70 <i>0.500</i>	Zinc Plated Carbon Spring Steel	0.20-0.97	0.56 <i>0.022</i>	2.62 <i>0.103</i>	
# RP0238-0143-Z	2.38 <i>0.094</i>	14.30 <i>0.563</i>	Zinc Plated Carbon Spring Steel	0.20-0.97	0.56 <i>0.022</i>	2.62 <i>0.103</i>	
# RP0238-0159-Z	2.38 <i>0.094</i>	15.90 <i>0.626</i>	Zinc Plated Carbon Spring Steel	0.20-0.97	0.56 <i>0.022</i>	2.62 <i>0.103</i>	

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Pins - Roll - Zinc Plated

Part Number	Nominal Diameter (D) mm	Length (L) mm	Material	Chamfer (I)	Thickness (S) mm	Free Diameter mm	Type
	<i>inches</i>	<i>inches</i>			<i>inches</i>	<i>inches</i>	
# RP0238-0175-Z	2.38	17.50	Zinc Plated Carbon Spring Steel	0.20-0.97	0.56	2.62	
	<i>0.094</i>	<i>0.689</i>			<i>0.022</i>	<i>0.103</i>	
# RP0238-0191-Z	2.38	19.10	Zinc Plated Carbon Spring Steel	0.20-0.97	0.56	2.62	
	<i>0.094</i>	<i>0.752</i>			<i>0.022</i>	<i>0.103</i>	
# RP0238-0206-Z	2.38	20.60	Zinc Plated Carbon Spring Steel	0.20-0.97	0.56	2.62	
	<i>0.094</i>	<i>0.811</i>			<i>0.022</i>	<i>0.103</i>	
# RP0238-0222-Z	2.38	22.20	Zinc Plated Carbon Spring Steel	0.20-0.97	0.56	2.62	
	<i>0.094</i>	<i>0.874</i>			<i>0.022</i>	<i>0.103</i>	
# RP0238-0238-Z	2.38	23.80	Zinc Plated Carbon Spring Steel	0.20-0.97	0.56	2.62	
	<i>0.094</i>	<i>0.937</i>			<i>0.022</i>	<i>0.103</i>	
# RP0238-0254-Z	2.38	25.40	Zinc Plated Carbon Spring Steel	0.20-0.97	0.56	2.62	
	<i>0.094</i>	<i>1.000</i>			<i>0.022</i>	<i>0.103</i>	
# RP0238-0286-Z	2.38	28.60	Zinc Plated Carbon Spring Steel	0.20-0.97	0.56	2.62	
	<i>0.094</i>	<i>1.126</i>			<i>0.022</i>	<i>0.103</i>	
# RP0238-0318-Z	2.38	31.80	Zinc Plated Carbon Spring Steel	0.20-0.97	0.56	2.62	
	<i>0.094</i>	<i>1.252</i>			<i>0.022</i>	<i>0.103</i>	

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Pins - Roll - Zinc Plated

Part Number	Nominal Diameter (D) mm	Length (L) mm	Material	Chamfer (I)	Thickness (S) mm	Free Diameter mm	Type
	<i>inches</i>	<i>inches</i>			<i>inches</i>	<i>inches</i>	
# RP0238-0349-Z	2.38	34.90	Zinc Plated Carbon Spring Steel	0.20-0.97	0.56	2.62	
	<i>0.094</i>	<i>1.374</i>			<i>0.022</i>	<i>0.103</i>	
# RP0238-0381-Z	2.38	38.10	Zinc Plated Carbon Spring Steel	0.20-0.97	0.56	2.62	
	<i>0.094</i>	<i>1.500</i>			<i>0.022</i>	<i>0.103</i>	
# RP0250-0040-Z	2.50	4.00	Zinc Plated Carbon Spring Steel	0.70	0.05	2.78	
	<i>0.098</i>	<i>0.157</i>			<i>0.002</i>	<i>0.109</i>	
# RP0250-0050-Z	2.50	5.00	Zinc Plated Carbon Spring Steel	0.70	0.05	2.78	
	<i>0.098</i>	<i>0.197</i>			<i>0.002</i>	<i>0.109</i>	
# RP0250-0060-Z	2.50	6.00	Zinc Plated Carbon Spring Steel	0.70	0.05	2.78	
	<i>0.098</i>	<i>0.236</i>			<i>0.002</i>	<i>0.109</i>	
# RP0250-0080-Z	2.50	8.00	Zinc Plated Carbon Spring Steel	0.70	0.05	2.78	
	<i>0.098</i>	<i>0.315</i>			<i>0.002</i>	<i>0.109</i>	
# RP0250-0100-Z	2.50	10.00	Zinc Plated Carbon Spring Steel	0.70	0.05	2.78	
	<i>0.098</i>	<i>0.394</i>			<i>0.002</i>	<i>0.109</i>	
# RP0250-0120-Z	2.50	12.00	Zinc Plated Carbon Spring Steel	0.70	0.05	2.78	
	<i>0.098</i>	<i>0.472</i>			<i>0.002</i>	<i>0.109</i>	

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Pins - Roll - Zinc Plated

Part Number	Nominal Diameter (D) mm	Length (L) mm	Material	Chamfer (I)	Thickness (S) mm	Free Diameter mm	Type
	<i>inches</i>	<i>inches</i>			<i>inches</i>	<i>inches</i>	
# RP0250-0140-Z	2.50 <i>0.098</i>	14.00 <i>0.551</i>	Zinc Plated Carbon Spring Steel	0.70	0.05 <i>0.002</i>	2.78 <i>0.109</i>	
# RP0250-0160-Z	2.50 <i>0.098</i>	16.00 <i>0.630</i>	Zinc Plated Carbon Spring Steel	0.45	0.05 <i>0.002</i>	2.78 <i>0.109</i>	
# RP0250-0180-Z	2.50 <i>0.098</i>	18.00 <i>0.709</i>	Zinc Plated Carbon Spring Steel	0.70	0.05 <i>0.002</i>	2.78 <i>0.109</i>	
# RP0250-0200-Z	2.50 <i>0.098</i>	20.00 <i>0.787</i>	Zinc Plated Carbon Spring Steel	0.70	0.05 <i>0.002</i>	2.78 <i>0.109</i>	
# RP0250-0220-Z	2.50 <i>0.098</i>	22.00 <i>0.866</i>	Zinc Plated Carbon Spring Steel	0.70	0.05 <i>0.002</i>	2.78 <i>0.109</i>	
# RP0250-0240-Z	2.50 <i>0.098</i>	24.00 <i>0.945</i>	Zinc Plated Carbon Spring Steel	0.70	0.05 <i>0.002</i>	2.78 <i>0.109</i>	
# RP0250-0260-Z	2.50 <i>0.098</i>	26.00 <i>1.024</i>	Zinc Plated Carbon Spring Steel	0.70	0.05 <i>0.002</i>	2.78 <i>0.109</i>	
# RP0250-0280-Z	2.50 <i>0.098</i>	28.00 <i>1.102</i>	Zinc Plated Carbon Spring Steel	0.70	0.05 <i>0.002</i>	2.78 <i>0.109</i>	

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Pins - Roll - Zinc Plated

Part Number	Nominal Diameter (D) mm	Length (L) mm	Material	Chamfer (I)	Thickness (S) mm	Free Diameter mm	Type
	<i>inches</i>	<i>inches</i>			<i>inches</i>	<i>inches</i>	
# RP0250-0300-Z	2.50	30.00	Zinc Plated Carbon Spring Steel	0.70	0.05	2.78	
	<i>0.098</i>	<i>1.181</i>			<i>0.002</i>	<i>0.109</i>	
# RP0300-0040-Z	3.00	4.00	Zinc Plated Carbon Spring Steel	0.90	0.05	3.30	
	<i>0.118</i>	<i>0.157</i>			<i>0.002</i>	<i>0.130</i>	
# RP0300-0050-Z	3.00	5.00	Zinc Plated Carbon Spring Steel			3.30	
	<i>0.118</i>	<i>0.197</i>				<i>0.130</i>	
# RP0300-0060-Z	3.00	6.00	Zinc Plated Carbon Spring Steel	0.90	0.05	3.30	
	<i>0.118</i>	<i>0.236</i>			<i>0.002</i>	<i>0.130</i>	
# RP0300-0080-Z	3.00	8.00	Zinc Plated Carbon Spring Steel	0.90	0.05	3.30	
	<i>0.118</i>	<i>0.315</i>			<i>0.002</i>	<i>0.130</i>	
# RP0300-0100-Z	3.00	10.00	Zinc Plated Carbon Spring Steel	0.90	0.05	3.30	
	<i>0.118</i>	<i>0.394</i>			<i>0.002</i>	<i>0.130</i>	
# RP0300-0120-Z	3.00	12.00	Zinc Plated Carbon Spring Steel	0.90	0.05	3.30	
	<i>0.118</i>	<i>0.472</i>			<i>0.002</i>	<i>0.130</i>	
# RP0300-0140-Z	3.00	14.00	Zinc Plated Carbon Spring Steel	0.90	0.05	3.30	
	<i>0.118</i>	<i>0.551</i>			<i>0.002</i>	<i>0.130</i>	

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Pins - Roll - Zinc Plated

Part Number	Nominal Diameter (D) mm	Length (L) mm	Material	Chamfer (I)	Thickness (S) mm	Free Diameter mm	Type
	<i>inches</i>	<i>inches</i>			<i>inches</i>	<i>inches</i>	
# RP0300-0160-Z	3.00	16.00	Zinc Plated Carbon Spring Steel	0.90	0.05	3.30	
	<i>0.118</i>	<i>0.630</i>			<i>0.002</i>	<i>0.130</i>	
# RP0300-0180-Z	3.00	18.00	Zinc Plated Carbon Spring Steel	0.90	0.05	3.30	
	<i>0.118</i>	<i>0.709</i>			<i>0.002</i>	<i>0.130</i>	
# RP0300-0200-Z	3.00	20.00	Zinc Plated Carbon Spring Steel	0.90	0.05	3.30	
	<i>0.118</i>	<i>0.787</i>			<i>0.002</i>	<i>0.130</i>	
# RP0300-0220-Z	3.00	22.00	Zinc Plated Carbon Spring Steel	0.90	0.05	3.30	
	<i>0.118</i>	<i>0.866</i>			<i>0.002</i>	<i>0.130</i>	
# RP0300-0240-Z	3.00	24.00	Zinc Plated Carbon Spring Steel	0.90	0.05	3.30	
	<i>0.118</i>	<i>0.945</i>			<i>0.002</i>	<i>0.130</i>	
# RP0300-0260-Z	3.00	26.00	Zinc Plated Carbon Spring Steel	0.90	0.05	3.30	
	<i>0.118</i>	<i>1.024</i>			<i>0.002</i>	<i>0.130</i>	
# RP0300-0280-Z	3.00	28.00	Zinc Plated Carbon Spring Steel	0.90	0.05	3.30	
	<i>0.118</i>	<i>1.102</i>			<i>0.002</i>	<i>0.130</i>	
# RP0300-0300-Z	3.00	30.00	Zinc Plated Carbon Spring Steel	0.90	0.05	3.30	
	<i>0.118</i>	<i>1.181</i>			<i>0.002</i>	<i>0.130</i>	

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Pins - Roll - Zinc Plated

Part Number	Nominal Diameter (D) mm	Length (L) mm	Material	Chamfer (I)	Thickness (S) mm	Free Diameter mm	Type
	<i>inches</i>	<i>inches</i>			<i>inches</i>	<i>inches</i>	
# RP0300-0320-Z	3.00	32.00	Zinc Plated Carbon Spring Steel	0.90	0.05	3.30	
	<i>0.118</i>	<i>1.260</i>			<i>0.002</i>	<i>0.130</i>	
# RP0300-0360-Z	3.00	36.00	Zinc Plated Carbon Spring Steel	0.90	0.05	3.30	
	<i>0.118</i>	<i>1.417</i>			<i>0.002</i>	<i>0.130</i>	
# RP0300-0400-Z	3.00	40.00	Zinc Plated Carbon Spring Steel	0.90	0.05	3.30	
	<i>0.118</i>	<i>1.575</i>			<i>0.002</i>	<i>0.130</i>	
# RP0300-0450-Z	3.00	45.00	Zinc Plated Carbon Spring Steel			3.30	
	<i>0.118</i>	<i>1.772</i>				<i>0.130</i>	
# RP0300-0500-Z	3.00	50.00	Zinc Plated Carbon Spring Steel			3.30	
	<i>0.118</i>	<i>1.969</i>				<i>0.130</i>	
# RP0318-0064-Z	3.18	6.40	Zinc Plated Carbon Spring Steel	0.20-1.12	0.71	3.43	
	<i>0.125</i>	<i>0.252</i>			<i>0.028</i>	<i>0.135</i>	
# RP0318-0079-Z	3.18	7.90	Zinc Plated Carbon Spring Steel			3.43	
	<i>0.125</i>	<i>0.311</i>				<i>0.135</i>	
# RP0318-0095-Z	3.18	9.50	Zinc Plated Carbon Spring Steel	0.20-1.12	0.71	3.43	
	<i>0.125</i>	<i>0.374</i>			<i>0.028</i>	<i>0.135</i>	

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Pins - Roll - Zinc Plated

Part Number	Nominal Diameter (D) mm	Length (L) mm	Material	Chamfer (I)	Thickness (S) mm	Free Diameter mm	Type
	<i>inches</i>	<i>inches</i>			<i>inches</i>	<i>inches</i>	
# RP0318-0111-Z	3.18	11.10	Zinc Plated Carbon Spring Steel	0.20-1.12	0.71	3.43	
	<i>0.125</i>	<i>0.437</i>			<i>0.028</i>	<i>0.135</i>	
# RP0318-0127-Z	3.18	12.70	Zinc Plated Carbon Spring Steel	0.20-1.12	0.71	3.43	
	<i>0.125</i>	<i>0.500</i>			<i>0.028</i>	<i>0.135</i>	
# RP0318-0143-Z	3.18	14.30	Zinc Plated Carbon Spring Steel	0.20-1.12	0.71	3.43	
	<i>0.125</i>	<i>0.563</i>			<i>0.028</i>	<i>0.135</i>	
RP0318-0159-Z	3.18	15.90	Zinc Plated Carbon Spring Steel	0.20-1.12	0.71	3.43	
	<i>0.125</i>	<i>0.626</i>			<i>0.028</i>	<i>0.135</i>	
# RP0318-0175-Z	3.18	17.50	Zinc Plated Carbon Spring Steel	0.20-1.12	0.71	3.43	
	<i>0.125</i>	<i>0.689</i>			<i>0.028</i>	<i>0.135</i>	
# RP0318-0191-Z	3.18	19.10	Zinc Plated Carbon Spring Steel	0.20-1.12	0.71	3.43	
	<i>0.125</i>	<i>0.752</i>			<i>0.028</i>	<i>0.135</i>	
# RP0318-0206-Z	3.18	20.60	Zinc Plated Carbon Spring Steel	0.20-1.12	0.71	3.43	
	<i>0.125</i>	<i>0.811</i>			<i>0.028</i>	<i>0.135</i>	
# RP0318-0222-Z	3.18	22.20	Zinc Plated Carbon Spring Steel	0.20-1.12	0.71	3.43	
	<i>0.125</i>	<i>0.874</i>			<i>0.028</i>	<i>0.135</i>	

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Pins - Roll - Zinc Plated

Part Number	Nominal Diameter (D) mm	Length (L) mm	Material	Chamfer (I)	Thickness (S) mm	Free Diameter mm	Type
	<i>inches</i>	<i>inches</i>			<i>inches</i>	<i>inches</i>	
# RP0318-0238-Z	3.18	23.80	Zinc Plated Carbon Spring Steel	0.20-1.12	0.71	3.43	
	<i>0.125</i>	<i>0.937</i>			<i>0.028</i>	<i>0.135</i>	
# RP0318-0254-Z	3.18	25.40	Zinc Plated Carbon Spring Steel	0.20-1.12	0.71	3.43	
	<i>0.125</i>	<i>1.000</i>			<i>0.028</i>	<i>0.135</i>	
# RP0318-0286-Z	3.18	28.60	Zinc Plated Carbon Spring Steel	0.20-1.12	0.71	3.43	
	<i>0.125</i>	<i>1.126</i>			<i>0.028</i>	<i>0.135</i>	
# RP0318-0318-Z	3.18	31.80	Zinc Plated Carbon Spring Steel	0.20-1.12	0.71	3.43	
	<i>0.125</i>	<i>1.252</i>			<i>0.028</i>	<i>0.135</i>	
# RP0318-0349-Z	3.18	34.90	Zinc Plated Carbon Spring Steel	0.20-1.12	0.71	3.43	
	<i>0.125</i>	<i>1.374</i>			<i>0.028</i>	<i>0.135</i>	
# RP0318-0381-Z	3.18	38.10	Zinc Plated Carbon Spring Steel	0.20-1.12	0.71	3.43	
	<i>0.125</i>	<i>1.500</i>			<i>0.028</i>	<i>0.135</i>	
# RP0318-0413-Z	3.18	41.30	Zinc Plated Carbon Spring Steel	0.20-1.12	0.71	3.43	
	<i>0.125</i>	<i>1.626</i>			<i>0.028</i>	<i>0.135</i>	
# RP0318-0445-Z	3.18	44.50	Zinc Plated Carbon Spring Steel	0.20-1.12	0.71	3.43	
	<i>0.125</i>	<i>1.752</i>			<i>0.028</i>	<i>0.135</i>	

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Pins - Roll - Zinc Plated

Part Number	Nominal Diameter (D) mm	Length (L) mm	Material	Chamfer (I)	Thickness (S) mm	Free Diameter mm	Type
	<i>inches</i>	<i>inches</i>			<i>inches</i>	<i>inches</i>	
# RP0318-0476-Z	3.18	47.60	Zinc Plated Carbon Spring Steel	0.20-1.12	0.71	3.43	
	<i>0.125</i>	<i>1.874</i>			<i>0.028</i>	<i>0.135</i>	
# RP0318-0508-Z	3.18	50.80	Zinc Plated Carbon Spring Steel	0.20-1.12	0.71	3.43	
	<i>0.125</i>	<i>2.000</i>			<i>0.028</i>	<i>0.135</i>	
# RP0397-0095-Z	3.97	9.50	Zinc Plated Carbon Spring Steel	0.25-1.22	0.81	4.24	
	<i>0.156</i>	<i>0.374</i>			<i>0.032</i>	<i>0.167</i>	
# RP0397-0111-Z	3.97	11.10	Zinc Plated Carbon Spring Steel	0.25-1.22	0.81	4.24	
	<i>0.156</i>	<i>0.437</i>			<i>0.032</i>	<i>0.167</i>	
# RP0397-0127-Z	3.97	12.70	Zinc Plated Carbon Spring Steel	0.25-1.22	0.81	4.24	
	<i>0.156</i>	<i>0.500</i>			<i>0.032</i>	<i>0.167</i>	
# RP0397-0143-Z	3.97	14.30	Zinc Plated Carbon Spring Steel	0.25-1.22	0.81	4.24	
	<i>0.156</i>	<i>0.563</i>			<i>0.032</i>	<i>0.167</i>	
# RP0397-0159-Z	3.97	15.90	Zinc Plated Carbon Spring Steel	0.25-1.22	0.81	4.24	
	<i>0.156</i>	<i>0.626</i>			<i>0.032</i>	<i>0.167</i>	
# RP0397-0175-Z	3.97	17.50	Zinc Plated Carbon Spring Steel	0.25-1.22	0.81	4.24	
	<i>0.156</i>	<i>0.689</i>			<i>0.032</i>	<i>0.167</i>	

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Pins - Roll - Zinc Plated

Part Number	Nominal Diameter (D) mm	Length (L) mm	Material	Chamfer (I)	Thickness (S) mm	Free Diameter mm	Type
	<i>inches</i>	<i>inches</i>			<i>inches</i>	<i>inches</i>	
# RP0397-0191-Z	3.97	19.10	Zinc Plated Carbon Spring Steel	0.25-1.22	0.81	4.24	
	<i>0.156</i>	<i>0.752</i>			<i>0.032</i>	<i>0.167</i>	
# RP0397-0206-Z	3.97	20.60	Zinc Plated Carbon Spring Steel	0.25-1.22	0.81	4.24	
	<i>0.156</i>	<i>0.811</i>			<i>0.032</i>	<i>0.167</i>	
# RP0397-0222-Z	3.97	22.20	Zinc Plated Carbon Spring Steel	0.25-1.22	0.81	4.24	
	<i>0.156</i>	<i>0.874</i>			<i>0.032</i>	<i>0.167</i>	
# RP0397-0238-Z	3.97	23.80	Zinc Plated Carbon Spring Steel	0.25-1.22	0.81	4.24	
	<i>0.156</i>	<i>0.937</i>			<i>0.032</i>	<i>0.167</i>	
# RP0397-0254-Z	3.97	25.40	Zinc Plated Carbon Spring Steel	0.25-1.22	0.81	4.24	
	<i>0.156</i>	<i>1.000</i>			<i>0.032</i>	<i>0.167</i>	
# RP0397-0286-Z	3.97	28.60	Zinc Plated Carbon Spring Steel	0.25-1.22	0.81	4.24	
	<i>0.156</i>	<i>1.126</i>			<i>0.032</i>	<i>0.167</i>	
# RP0397-0302-Z	3.97	30.20	Zinc Plated Carbon Spring Steel			4.24	
	<i>0.156</i>	<i>1.189</i>				<i>0.167</i>	
# RP0397-0318-Z	3.97	31.80	Zinc Plated Carbon Spring Steel	0.25-1.22	0.81	4.24	
	<i>0.156</i>	<i>1.252</i>			<i>0.032</i>	<i>0.167</i>	

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Pins - Roll - Zinc Plated

Part Number	Nominal Diameter (D) mm	Length (L) mm	Material	Chamfer (I)	Thickness (S) mm	Free Diameter mm	Type
	<i>inches</i>	<i>inches</i>			<i>inches</i>	<i>inches</i>	
# RP0397-0334-Z	3.97	33.40	Zinc Plated Carbon Spring Steel			4.24	
	<i>0.156</i>	<i>1.315</i>				<i>0.167</i>	
# RP0397-0349-Z	3.97	34.90	Zinc Plated Carbon Spring Steel	0.25-1.22	0.81	4.24	
	<i>0.156</i>	<i>1.374</i>			<i>0.032</i>	<i>0.167</i>	
# RP0397-0381-Z	3.97	38.10	Zinc Plated Carbon Spring Steel	0.25-1.22	0.81	4.24	
	<i>0.156</i>	<i>1.500</i>			<i>0.032</i>	<i>0.167</i>	
# RP0397-0413-Z	3.97	41.30	Zinc Plated Carbon Spring Steel	0.25-1.22	0.81	4.24	
	<i>0.156</i>	<i>1.626</i>			<i>0.032</i>	<i>0.167</i>	
# RP0397-0445-Z	3.97	44.50	Zinc Plated Carbon Spring Steel	0.25-1.22	0.81	4.24	
	<i>0.156</i>	<i>1.752</i>			<i>0.032</i>	<i>0.167</i>	
# RP0397-0476-Z	3.97	47.60	Zinc Plated Carbon Spring Steel	0.25-1.22	0.81	4.24	
	<i>0.156</i>	<i>1.874</i>			<i>0.032</i>	<i>0.167</i>	
# RP0397-0508-Z	3.97	50.80	Zinc Plated Carbon Spring Steel	0.25-1.22	0.81	4.24	
	<i>0.156</i>	<i>2.000</i>			<i>0.032</i>	<i>0.167</i>	
# RP0397-0572-Z	3.97	57.20	Zinc Plated Carbon Spring Steel	0.25-1.22	0.81	4.24	
	<i>0.156</i>	<i>2.252</i>			<i>0.032</i>	<i>0.167</i>	

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Pins - Roll - Zinc Plated

Part Number	Nominal Diameter (D) mm	Length (L) mm	Material	Chamfer (I)	Thickness (S) mm	Free Diameter mm	Type
	<i>inches</i>	<i>inches</i>			<i>inches</i>	<i>inches</i>	
# RP0397-0635-Z	3.97	63.50	Zinc Plated Carbon Spring Steel	0.25-1.22	0.81	4.24	
	<i>0.156</i>	<i>2.500</i>			<i>0.032</i>	<i>0.167</i>	
# RP0400-0080-Z	4.00	8.00	Zinc Plated Carbon Spring Steel	1.10	0.05	4.40	
	<i>0.157</i>	<i>0.315</i>			<i>0.002</i>	<i>0.173</i>	
# RP0400-0100-Z	4.00	10.00	Zinc Plated Carbon Spring Steel	1.10	0.05	4.40	
	<i>0.157</i>	<i>0.394</i>			<i>0.002</i>	<i>0.173</i>	
# RP0400-0120-Z	4.00	12.00	Zinc Plated Carbon Spring Steel	1.10	0.05	4.40	
	<i>0.157</i>	<i>0.472</i>			<i>0.002</i>	<i>0.173</i>	
# RP0400-0140-Z	4.00	14.00	Zinc Plated Carbon Spring Steel	1.10	0.05	4.40	
	<i>0.157</i>	<i>0.551</i>			<i>0.002</i>	<i>0.173</i>	
# RP0400-0160-Z	4.00	16.00	Zinc Plated Carbon Spring Steel	1.10	0.05	4.40	
	<i>0.157</i>	<i>0.630</i>			<i>0.002</i>	<i>0.173</i>	
# RP0400-0180-Z	4.00	18.00	Zinc Plated Carbon Spring Steel	1.10	0.05	4.40	
	<i>0.157</i>	<i>0.709</i>			<i>0.002</i>	<i>0.173</i>	
# RP0400-0200-Z	4.00	20.00	Zinc Plated Carbon Spring Steel	1.10	0.05	4.40	
	<i>0.157</i>	<i>0.787</i>			<i>0.002</i>	<i>0.173</i>	

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Pins - Roll - Zinc Plated

Part Number	Nominal Diameter (D) mm	Length (L) mm	Material	Chamfer (I)	Thickness (S) mm	Free Diameter mm	Type
	<i>inches</i>	<i>inches</i>			<i>inches</i>	<i>inches</i>	
# RP0400-0220-Z	4.00	22.00	Zinc Plated Carbon Spring Steel	1.10	0.05	4.40	
	<i>0.157</i>	<i>0.866</i>			<i>0.002</i>	<i>0.173</i>	
# RP0400-0240-Z	4.00	24.00	Zinc Plated Carbon Spring Steel	1.10	0.05	4.40	
	<i>0.157</i>	<i>0.945</i>			<i>0.002</i>	<i>0.173</i>	
# RP0400-0260-Z	4.00	26.00	Zinc Plated Carbon Spring Steel	1.10	0.05	4.40	
	<i>0.157</i>	<i>1.024</i>			<i>0.002</i>	<i>0.173</i>	
# RP0400-0280-Z	4.00	28.00	Zinc Plated Carbon Spring Steel	1.10	0.05	4.40	
	<i>0.157</i>	<i>1.102</i>			<i>0.002</i>	<i>0.173</i>	
# RP0400-0300-Z	4.00	30.00	Zinc Plated Carbon Spring Steel	1.10	0.05	4.40	
	<i>0.157</i>	<i>1.181</i>			<i>0.002</i>	<i>0.173</i>	
# RP0400-0320-Z	4.00	32.00	Zinc Plated Carbon Spring Steel	1.10	0.05	4.40	
	<i>0.157</i>	<i>1.260</i>			<i>0.002</i>	<i>0.173</i>	
# RP0400-0360-Z	4.00	36.00	Zinc Plated Carbon Spring Steel	1.10	0.05	4.40	
	<i>0.157</i>	<i>1.417</i>			<i>0.002</i>	<i>0.173</i>	
# RP0400-0400-Z	4.00	40.00	Zinc Plated Carbon Spring Steel	1.10	0.05	4.40	
	<i>0.157</i>	<i>1.575</i>			<i>0.002</i>	<i>0.173</i>	

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Pins - Roll - Zinc Plated

Part Number	Nominal Diameter (D) mm	Length (L) mm	Material	Chamfer (I)	Thickness (S) mm	Free Diameter mm	Type
	<i>inches</i>	<i>inches</i>			<i>inches</i>	<i>inches</i>	
# RP0400-0450-Z	4.00	45.00	Zinc Plated Carbon Spring Steel	1.10	0.05	4.40	
	<i>0.157</i>	<i>1.772</i>			<i>0.002</i>	<i>0.173</i>	
# RP0400-0500-Z	4.00	50.00	Zinc Plated Carbon Spring Steel	1.10	0.05	4.40	
	<i>0.157</i>	<i>1.969</i>			<i>0.002</i>	<i>0.173</i>	
# RP0400-0550-Z	4.00	55.00	Zinc Plated Carbon Spring Steel			4.40	
	<i>0.157</i>	<i>2.165</i>				<i>0.173</i>	
# RP0400-0600-Z	4.00	60.00	Zinc Plated Carbon Spring Steel	1.10	0.05	4.40	
	<i>0.157</i>	<i>2.362</i>			<i>0.002</i>	<i>0.173</i>	
# RP0476-0095-Z	4.76	9.50	Zinc Plated Carbon Spring Steel	0.28-1.40	1.07	5.05	
	<i>0.187</i>	<i>0.374</i>			<i>0.042</i>	<i>0.199</i>	
# RP0476-0111-Z	4.76	11.10	Zinc Plated Carbon Spring Steel			5.05	
	<i>0.187</i>	<i>0.437</i>				<i>0.199</i>	
# RP0476-0127-Z	4.76	12.70	Zinc Plated Carbon Spring Steel	0.28-1.40	1.07	5.05	
	<i>0.187</i>	<i>0.500</i>			<i>0.042</i>	<i>0.199</i>	
# RP0476-0143-Z	4.76	14.30	Zinc Plated Carbon Spring Steel	0.28-1.40	1.07	5.05	
	<i>0.187</i>	<i>0.563</i>			<i>0.042</i>	<i>0.199</i>	

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Pins - Roll - Zinc Plated

Part Number	Nominal Diameter (D) mm	Length (L) mm	Material	Chamfer (I)	Thickness (S) mm	Free Diameter mm	Type
	<i>inches</i>	<i>inches</i>			<i>inches</i>	<i>inches</i>	
# RP0476-0159-Z	4.76 <i>0.187</i>	15.90 <i>0.626</i>	Zinc Plated Carbon Spring Steel	0.28-1.40	1.07 <i>0.042</i>	5.05 <i>0.199</i>	
# RP0476-0175-Z	4.76 <i>0.187</i>	17.50 <i>0.689</i>	Zinc Plated Carbon Spring Steel	0.28-1.40	1.07 <i>0.042</i>	5.05 <i>0.199</i>	
# RP0476-0191-Z	4.76 <i>0.187</i>	19.10 <i>0.752</i>	Zinc Plated Carbon Spring Steel	0.28-1.40	1.07 <i>0.042</i>	5.05 <i>0.199</i>	
# RP0476-0206-Z	4.76 <i>0.187</i>	20.60 <i>0.811</i>	Zinc Plated Carbon Spring Steel	0.28-1.40	1.07 <i>0.042</i>	5.05 <i>0.199</i>	
# RP0476-0222-Z	4.76 <i>0.187</i>	22.20 <i>0.874</i>	Zinc Plated Carbon Spring Steel	0.28-1.40	1.07 <i>0.042</i>	5.05 <i>0.199</i>	
# RP0476-0238-Z	4.76 <i>0.187</i>	23.80 <i>0.937</i>	Zinc Plated Carbon Spring Steel	0.28-1.40	1.07 <i>0.042</i>	5.05 <i>0.199</i>	
# RP0476-0254-Z	4.76 <i>0.187</i>	25.40 <i>1.000</i>	Zinc Plated Carbon Spring Steel	0.28-1.40	1.07 <i>0.042</i>	5.05 <i>0.199</i>	
# RP0476-0286-Z	4.76 <i>0.187</i>	28.60 <i>1.126</i>	Zinc Plated Carbon Spring Steel	0.28-1.40	1.07 <i>0.042</i>	5.05 <i>0.199</i>	

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Pins - Roll - Zinc Plated

Part Number	Nominal Diameter (D) mm	Length (L) mm	Material	Chamfer (I)	Thickness (S) mm	Free Diameter mm	Type
	<i>inches</i>	<i>inches</i>			<i>inches</i>	<i>inches</i>	
# RP0476-0318-Z	4.76 <i>0.187</i>	31.80 <i>1.252</i>	Zinc Plated Carbon Spring Steel	0.28-1.40	1.07 <i>0.042</i>	5.05 <i>0.199</i>	
# RP0476-0349-Z	4.76 <i>0.187</i>	34.90 <i>1.374</i>	Zinc Plated Carbon Spring Steel	0.28-1.40	1.07 <i>0.042</i>	5.05 <i>0.199</i>	
# RP0476-0381-Z	4.76 <i>0.187</i>	38.10 <i>1.500</i>	Zinc Plated Carbon Spring Steel	0.28-1.40	1.07 <i>0.042</i>	5.05 <i>0.199</i>	
# RP0476-0413-Z	4.76 <i>0.187</i>	41.30 <i>1.626</i>	Zinc Plated Carbon Spring Steel	0.28-1.40	1.07 <i>0.042</i>	5.05 <i>0.199</i>	
# RP0476-0445-Z	4.76 <i>0.187</i>	44.50 <i>1.752</i>	Zinc Plated Carbon Spring Steel	0.28-1.40	1.07 <i>0.042</i>	5.05 <i>0.199</i>	
# RP0476-0476-Z	4.76 <i>0.187</i>	47.60 <i>1.874</i>	Zinc Plated Carbon Spring Steel	0.28-1.40	1.07 <i>0.042</i>	5.05 <i>0.199</i>	
# RP0476-0508-Z	4.76 <i>0.187</i>	50.80 <i>2.000</i>	Zinc Plated Carbon Spring Steel	0.28-1.40	1.07 <i>0.042</i>	5.05 <i>0.199</i>	
# RP0476-0572-Z	4.76 <i>0.187</i>	57.20 <i>2.252</i>	Zinc Plated Carbon Spring Steel	0.28-1.40	1.07 <i>0.042</i>	5.05 <i>0.199</i>	

# Indicates item not stocked at time of printing - Please enquire for lead time  
 E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd  
 MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Pins - Roll - Zinc Plated

Part Number	Nominal Diameter (D) mm	Length (L) mm	Material	Chamfer (I)	Thickness (S) mm	Free Diameter mm	Type
	<i>inches</i>	<i>inches</i>			<i>inches</i>	<i>inches</i>	
# RP0476-0635-Z	4.76	63.50	Zinc Plated Carbon Spring Steel	0.28-1.40	1.07	5.05	
	<i>0.187</i>	<i>2.500</i>			<i>0.042</i>	<i>0.199</i>	
# RP0476-0762-Z	4.76	76.20	Zinc Plated Carbon Spring Steel			5.05	
	<i>0.187</i>	<i>3.000</i>				<i>0.199</i>	
# RP0500-0080-Z	5.00	8.00	Zinc Plated Carbon Spring Steel			5.45	
	<i>0.197</i>	<i>0.315</i>				<i>0.215</i>	
# RP0500-0100-Z	5.00	10.00	Zinc Plated Carbon Spring Steel	1.30	0.08	5.45	
	<i>0.197</i>	<i>0.394</i>			<i>0.003</i>	<i>0.215</i>	
# RP0500-0120-Z	5.00	12.00	Zinc Plated Carbon Spring Steel	1.30	0.08	5.45	
	<i>0.197</i>	<i>0.472</i>			<i>0.003</i>	<i>0.215</i>	
# RP0500-0140-Z	5.00	14.00	Zinc Plated Carbon Spring Steel	1.30	0.08	5.45	
	<i>0.197</i>	<i>0.551</i>			<i>0.003</i>	<i>0.215</i>	
# RP0500-0160-Z	5.00	16.00	Zinc Plated Carbon Spring Steel	1.30	0.08	5.45	
	<i>0.197</i>	<i>0.630</i>			<i>0.003</i>	<i>0.215</i>	
# RP0500-0180-Z	5.00	18.00	Zinc Plated Carbon Spring Steel	1.30	0.08	5.45	
	<i>0.197</i>	<i>0.709</i>			<i>0.003</i>	<i>0.215</i>	

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Pins - Roll - Zinc Plated

Part Number	Nominal Diameter (D) mm	Length (L) mm	Material	Chamfer (I)	Thickness (S) mm	Free Diameter mm	Type
	<i>inches</i>	<i>inches</i>			<i>inches</i>	<i>inches</i>	
# RP0500-0200-Z	5.00 <i>0.197</i>	20.00 <i>0.787</i>	Zinc Plated Carbon Spring Steel	1.30	0.08 <i>0.003</i>	5.45 <i>0.215</i>	
# RP0500-0220-Z	5.00 <i>0.197</i>	22.00 <i>0.866</i>	Zinc Plated Carbon Spring Steel	1.30	0.08 <i>0.003</i>	5.45 <i>0.215</i>	
# RP0500-0240-Z	5.00 <i>0.197</i>	24.00 <i>0.945</i>	Zinc Plated Carbon Spring Steel	1.30	0.08 <i>0.003</i>	5.45 <i>0.215</i>	
# RP0500-0260-Z	5.00 <i>0.197</i>	26.00 <i>1.024</i>	Zinc Plated Carbon Spring Steel	1.30	0.08 <i>0.003</i>	5.45 <i>0.215</i>	
# RP0500-0280-Z	5.00 <i>0.197</i>	28.00 <i>1.102</i>	Zinc Plated Carbon Spring Steel	1.30	0.08 <i>0.003</i>	5.45 <i>0.215</i>	
# RP0500-0300-Z	5.00 <i>0.197</i>	30.00 <i>1.181</i>	Zinc Plated Carbon Spring Steel	1.30	0.08 <i>0.003</i>	5.45 <i>0.215</i>	
# RP0500-0320-Z	5.00 <i>0.197</i>	32.00 <i>1.260</i>	Zinc Plated Carbon Spring Steel	1.30	0.08 <i>0.003</i>	5.45 <i>0.215</i>	
# RP0500-0360-Z	5.00 <i>0.197</i>	36.00 <i>1.417</i>	Zinc Plated Carbon Spring Steel	1.30	0.08 <i>0.003</i>	5.45 <i>0.215</i>	

# Indicates item not stocked at time of printing - Please enquire for lead time  
 E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd  
 MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Pins - Roll - Zinc Plated

Part Number	Nominal Diameter (D) mm	Length (L) mm	Material	Chamfer (I)	Thickness (S) mm	Free Diameter mm	Type
	<i>inches</i>	<i>inches</i>			<i>inches</i>	<i>inches</i>	
# RP0500-0400-Z	5.00 <i>0.197</i>	40.00 <i>1.575</i>	Zinc Plated Carbon Spring Steel	1.30	0.08 <i>0.003</i>	5.45 <i>0.215</i>	
# RP0500-0450-Z	5.00 <i>0.197</i>	45.00 <i>1.772</i>	Zinc Plated Carbon Spring Steel	1.30	0.08 <i>0.003</i>	5.45 <i>0.215</i>	
# RP0500-0500-Z	5.00 <i>0.197</i>	50.00 <i>1.969</i>	Zinc Plated Carbon Spring Steel	1.30	0.08 <i>0.003</i>	5.45 <i>0.215</i>	
# RP0500-0550-Z	5.00 <i>0.197</i>	55.00 <i>2.165</i>	Zinc Plated Carbon Spring Steel	1.30	0.08 <i>0.003</i>	5.45 <i>0.215</i>	
# RP0500-0600-Z	5.00 <i>0.197</i>	60.00 <i>2.362</i>	Zinc Plated Carbon Spring Steel	1.30	0.08 <i>0.003</i>	5.45 <i>0.215</i>	
# RP0500-0650-Z	5.00 <i>0.197</i>	65.00 <i>2.559</i>	Zinc Plated Carbon Spring Steel	1.30	0.08 <i>0.003</i>	5.45 <i>0.215</i>	
# RP0500-0700-Z	5.00 <i>0.197</i>	70.00 <i>2.756</i>	Zinc Plated Carbon Spring Steel	1.30	0.08 <i>0.003</i>	5.45 <i>0.215</i>	
# RP0500-0750-Z	5.00 <i>0.197</i>	75.00 <i>2.953</i>	Zinc Plated Carbon Spring Steel	1.30	0.08 <i>0.003</i>	5.45 <i>0.215</i>	

# Indicates item not stocked at time of printing - Please enquire for lead time  
 E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd  
 MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Pins - Roll - Zinc Plated

Part Number	Nominal Diameter (D) mm	Length (L) mm	Material	Chamfer (I)	Thickness (S) mm	Free Diameter mm	Type
	<i>inches</i>	<i>inches</i>			<i>inches</i>	<i>inches</i>	
# RP0500-0800-Z	5.00 <i>0.197</i>	80.00 <i>3.150</i>	Zinc Plated Carbon Spring Steel	1.30	0.08 <i>0.003</i>	5.45 <i>0.215</i>	
# RP0556-0127-Z	5.56 <i>0.219</i>	12.70 <i>0.500</i>	Zinc Plated Carbon Spring Steel			6.25 <i>0.246</i>	
# RP0556-0143-Z	5.56 <i>0.219</i>	14.30 <i>0.563</i>	Zinc Plated Carbon Spring Steel			6.25 <i>0.246</i>	
# RP0556-0159-Z	5.56 <i>0.219</i>	15.90 <i>0.626</i>	Zinc Plated Carbon Spring Steel			6.25 <i>0.246</i>	
# RP0556-0175-Z	5.56 <i>0.219</i>	17.50 <i>0.689</i>	Zinc Plated Carbon Spring Steel			6.25 <i>0.246</i>	
# RP0556-0191-Z	5.56 <i>0.219</i>	19.10 <i>0.752</i>	Zinc Plated Carbon Spring Steel			6.25 <i>0.246</i>	
# RP0556-0206-Z	5.56 <i>0.219</i>	20.60 <i>0.811</i>	Zinc Plated Carbon Spring Steel			6.25 <i>0.246</i>	
# RP0556-0222-Z	5.56 <i>0.219</i>	22.20 <i>0.874</i>	Zinc Plated Carbon Spring Steel			6.25 <i>0.246</i>	

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Pins - Roll - Zinc Plated

Part Number	Nominal Diameter (D) mm	Length (L) mm	Material	Chamfer (I)	Thickness (S) mm	Free Diameter mm	Type
	<i>inches</i>	<i>inches</i>			<i>inches</i>	<i>inches</i>	
# RP0556-0238-Z	5.56 <i>0.219</i>	23.80 <i>0.937</i>	Zinc Plated Carbon Spring Steel			6.25 <i>0.246</i>	
# RP0556-0254-Z	5.56 <i>0.219</i>	25.40 <i>1.000</i>	Zinc Plated Carbon Spring Steel			6.25 <i>0.246</i>	
# RP0556-0286-Z	5.56 <i>0.219</i>	28.60 <i>1.126</i>	Zinc Plated Carbon Spring Steel			6.25 <i>0.246</i>	
# RP0556-0318-Z	5.56 <i>0.219</i>	31.80 <i>1.252</i>	Zinc Plated Carbon Spring Steel			6.25 <i>0.246</i>	
# RP0556-0349-Z	5.56 <i>0.219</i>	34.90 <i>1.374</i>	Zinc Plated Carbon Spring Steel			6.25 <i>0.246</i>	
# RP0556-0381-Z	5.56 <i>0.219</i>	38.10 <i>1.500</i>	Zinc Plated Carbon Spring Steel			6.25 <i>0.246</i>	
# RP0556-0413-Z	5.56 <i>0.219</i>	41.30 <i>1.626</i>	Zinc Plated Carbon Spring Steel			6.25 <i>0.246</i>	
# RP0556-0445-Z	5.56 <i>0.219</i>	44.50 <i>1.752</i>	Zinc Plated Carbon Spring Steel			6.25 <i>0.246</i>	

# Indicates item not stocked at time of printing - Please enquire for lead time  
 E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd  
 MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Pins - Roll - Zinc Plated

Part Number	Nominal Diameter (D) mm	Length (L) mm	Material	Chamfer (I)	Thickness (S) mm	Free Diameter mm	Type
	<i>inches</i>	<i>inches</i>			<i>inches</i>	<i>inches</i>	
# RP0556-0476-Z	5.56 <i>0.219</i>	47.60 <i>1.874</i>	Zinc Plated Carbon Spring Steel			6.25 <i>0.246</i>	
# RP0556-0508-Z	5.56 <i>0.219</i>	50.80 <i>2.000</i>	Zinc Plated Carbon Spring Steel			6.25 <i>0.246</i>	
# RP0556-0572-Z	5.56 <i>0.219</i>	57.20 <i>2.252</i>	Zinc Plated Carbon Spring Steel			6.25 <i>0.246</i>	
# RP0556-0635-Z	5.56 <i>0.219</i>	63.50 <i>2.500</i>	Zinc Plated Carbon Spring Steel			6.25 <i>0.246</i>	
# RP0556-0699-Z	5.56 <i>0.219</i>	69.90 <i>2.752</i>	Zinc Plated Carbon Spring Steel			6.25 <i>0.246</i>	
# RP0556-0762-Z	5.56 <i>0.219</i>	76.20 <i>3.000</i>	Zinc Plated Carbon Spring Steel			6.25 <i>0.246</i>	
# RP0600-0120-Z	6.00 <i>0.236</i>	12.00 <i>0.472</i>	Zinc Plated Carbon Spring Steel	1.50	0.08 <i>0.003</i>	6.50 <i>0.256</i>	
# RP0600-0140-Z	6.00 <i>0.236</i>	14.00 <i>0.551</i>	Zinc Plated Carbon Spring Steel	1.50	0.08 <i>0.003</i>	6.50 <i>0.256</i>	

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Pins - Roll - Zinc Plated

Part Number	Nominal Diameter (D) mm	Length (L) mm	Material	Chamfer (I)	Thickness (S) mm	Free Diameter mm	Type
	<i>inches</i>	<i>inches</i>			<i>inches</i>	<i>inches</i>	
# RP0600-0160-Z	6.00 <i>0.236</i>	16.00 <i>0.630</i>	Zinc Plated Carbon Spring Steel	1.50	0.08 <i>0.003</i>	6.50 <i>0.256</i>	
# RP0600-0180-Z	6.00 <i>0.236</i>	18.00 <i>0.709</i>	Zinc Plated Carbon Spring Steel	1.50	0.08 <i>0.003</i>	6.50 <i>0.256</i>	
# RP0600-0200-Z	6.00 <i>0.236</i>	20.00 <i>0.787</i>	Zinc Plated Carbon Spring Steel	1.50	0.08 <i>0.003</i>	6.50 <i>0.256</i>	
# RP0600-0220-Z	6.00 <i>0.236</i>	22.00 <i>0.866</i>	Zinc Plated Carbon Spring Steel	1.50	0.08 <i>0.003</i>	6.50 <i>0.256</i>	
# RP0600-0240-Z	6.00 <i>0.236</i>	24.00 <i>0.945</i>	Zinc Plated Carbon Spring Steel	1.50	0.08 <i>0.003</i>	6.50 <i>0.256</i>	
# RP0600-0260-Z	6.00 <i>0.236</i>	26.00 <i>1.024</i>	Zinc Plated Carbon Spring Steel	1.50	0.08 <i>0.003</i>	6.50 <i>0.256</i>	
# RP0600-0280-Z	6.00 <i>0.236</i>	28.00 <i>1.102</i>	Zinc Plated Carbon Spring Steel	1.50	0.08 <i>0.003</i>	6.50 <i>0.256</i>	
# RP0600-0300-Z	6.00 <i>0.236</i>	30.00 <i>1.181</i>	Zinc Plated Carbon Spring Steel	1.50	0.08 <i>0.003</i>	6.50 <i>0.256</i>	

# Indicates item not stocked at time of printing - Please enquire for lead time  
 E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd  
 MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Pins - Roll - Zinc Plated

Part Number	Nominal Diameter (D) mm	Length (L) mm	Material	Chamfer (I)	Thickness (S) mm	Free Diameter mm	Type
	<i>inches</i>	<i>inches</i>			<i>inches</i>	<i>inches</i>	
# RP0600-0320-Z	6.00 <i>0.236</i>	32.00 <i>1.260</i>	Zinc Plated Carbon Spring Steel	1.50	0.08 <i>0.003</i>	6.50 <i>0.256</i>	
# RP0600-0349-Z	6.00 <i>0.236</i>	34.90 <i>1.374</i>	Zinc Plated Carbon Spring Steel			6.50 <i>0.256</i>	
# RP0600-0360-Z	6.00 <i>0.236</i>	36.00 <i>1.417</i>	Zinc Plated Carbon Spring Steel	1.50	0.08 <i>0.003</i>	6.50 <i>0.256</i>	
# RP0600-0400-Z	6.00 <i>0.236</i>	40.00 <i>1.575</i>	Zinc Plated Carbon Spring Steel	1.50	0.08 <i>0.003</i>	6.50 <i>0.256</i>	
# RP0600-0450-Z	6.00 <i>0.236</i>	45.00 <i>1.772</i>	Zinc Plated Carbon Spring Steel	1.50	0.08 <i>0.003</i>	6.50 <i>0.256</i>	
# RP0600-0500-Z	6.00 <i>0.236</i>	50.00 <i>1.969</i>	Zinc Plated Carbon Spring Steel	1.50	0.08 <i>0.003</i>	6.50 <i>0.256</i>	
# RP0600-0550-Z	6.00 <i>0.236</i>	55.00 <i>2.165</i>	Zinc Plated Carbon Spring Steel	1.50	0.08 <i>0.003</i>	6.50 <i>0.256</i>	
# RP0600-0600-Z	6.00 <i>0.236</i>	60.00 <i>2.362</i>	Zinc Plated Carbon Spring Steel	1.50	0.08 <i>0.003</i>	6.50 <i>0.256</i>	

# Indicates item not stocked at time of printing - Please enquire for lead time  
 E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd  
 MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Pins - Roll - Zinc Plated

Part Number	Nominal Diameter (D) mm	Length (L) mm	Material	Chamfer (I)	Thickness (S) mm	Free Diameter mm	Type
	<i>inches</i>	<i>inches</i>			<i>inches</i>	<i>inches</i>	
# RP0600-0650-Z	6.00 <i>0.236</i>	65.00 <i>2.559</i>	Zinc Plated Carbon Spring Steel	1.50	0.08 <i>0.003</i>	6.50 <i>0.256</i>	
# RP0600-0700-Z	6.00 <i>0.236</i>	70.00 <i>2.756</i>	Zinc Plated Carbon Spring Steel	1.50	0.08 <i>0.003</i>	6.50 <i>0.256</i>	
# RP0600-0750-Z	6.00 <i>0.236</i>	75.00 <i>2.953</i>	Zinc Plated Carbon Spring Steel	1.50	0.08 <i>0.003</i>	6.50 <i>0.256</i>	
# RP0600-0800-Z	6.00 <i>0.236</i>	80.00 <i>3.150</i>	Zinc Plated Carbon Spring Steel	1.50	0.08 <i>0.003</i>	6.50 <i>0.256</i>	
# RP0600-0900-Z	6.00 <i>0.236</i>	90.00 <i>3.543</i>	Zinc Plated Carbon Spring Steel	1.50	0.08 <i>0.003</i>	6.50 <i>0.256</i>	
# RP0600-0950-Z	6.00 <i>0.236</i>	95.00 <i>3.740</i>	Zinc Plated Carbon Spring Steel	1.50	0.08 <i>0.003</i>	6.50 <i>0.256</i>	
# RP0600-1000-Z	6.00 <i>0.236</i>	100.00 <i>3.937</i>	Zinc Plated Carbon Spring Steel	1.50	0.08 <i>0.003</i>	6.50 <i>0.256</i>	
# RP0635-0127-Z	6.35 <i>0.250</i>	12.70 <i>0.500</i>	Zinc Plated Carbon Spring Steel			6.98 <i>0.275</i>	

# Indicates item not stocked at time of printing - Please enquire for lead time  
 E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd  
 MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Pins - Roll - Zinc Plated

Part Number	Nominal Diameter (D) mm	Length (L) mm	Material	Chamfer (I)	Thickness (S) mm	Free Diameter mm	Type
	<i>inches</i>	<i>inches</i>			<i>inches</i>	<i>inches</i>	
# RP0635-0159-Z	6.35 <i>0.250</i>	15.90 <i>0.626</i>	Zinc Plated Carbon Spring Steel			6.98 <i>0.275</i>	
# RP0635-0175-Z	6.35 <i>0.250</i>	17.50 <i>0.689</i>	Zinc Plated Carbon Spring Steel			6.98 <i>0.275</i>	
# RP0635-0191-Z	6.35 <i>0.250</i>	19.10 <i>0.752</i>	Zinc Plated Carbon Spring Steel			6.98 <i>0.275</i>	
# RP0635-0206-Z	6.35 <i>0.250</i>	20.60 <i>0.811</i>	Zinc Plated Carbon Spring Steel			6.98 <i>0.275</i>	
# RP0635-0222-Z	6.35 <i>0.250</i>	22.20 <i>0.874</i>	Zinc Plated Carbon Spring Steel			6.98 <i>0.275</i>	
# RP0635-0238-Z	6.35 <i>0.250</i>	23.80 <i>0.937</i>	Zinc Plated Carbon Spring Steel			6.98 <i>0.275</i>	
# RP0635-0254-Z	6.35 <i>0.250</i>	25.40 <i>1.000</i>	Zinc Plated Carbon Spring Steel			6.98 <i>0.275</i>	
# RP0635-0286-Z	6.35 <i>0.250</i>	28.60 <i>1.126</i>	Zinc Plated Carbon Spring Steel			6.98 <i>0.275</i>	

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Pins - Roll - Zinc Plated

Part Number	Nominal Diameter (D) mm	Length (L) mm	Material	Chamfer (I)	Thickness (S) mm	Free Diameter mm	Type
	<i>inches</i>	<i>inches</i>			<i>inches</i>	<i>inches</i>	
# RP0635-0318-Z	6.35 <i>0.250</i>	31.80 <i>1.252</i>	Zinc Plated Carbon Spring Steel			6.98 <i>0.275</i>	
# RP0635-0349-Z	6.35 <i>0.250</i>	34.90 <i>1.374</i>	Zinc Plated Carbon Spring Steel			6.98 <i>0.275</i>	
RP0635-0381-Z	6.35 <i>0.250</i>	38.10 <i>1.500</i>	Zinc Plated Carbon Spring Steel			6.98 <i>0.275</i>	
# RP0635-0413-Z	6.35 <i>0.250</i>	41.30 <i>1.626</i>	Zinc Plated Carbon Spring Steel			6.98 <i>0.275</i>	
# RP0635-0445-Z	6.35 <i>0.250</i>	44.50 <i>1.752</i>	Zinc Plated Carbon Spring Steel			6.98 <i>0.275</i>	
# RP0635-0476-Z	6.35 <i>0.250</i>	47.60 <i>1.874</i>	Zinc Plated Carbon Spring Steel			6.98 <i>0.275</i>	
# RP0635-0508-Z	6.35 <i>0.250</i>	50.80 <i>2.000</i>	Zinc Plated Carbon Spring Steel			6.98 <i>0.275</i>	
# RP0635-0572-Z	6.35 <i>0.250</i>	57.20 <i>2.252</i>	Zinc Plated Carbon Spring Steel			6.98 <i>0.275</i>	

# Indicates item not stocked at time of printing - Please enquire for lead time  
 E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd  
 MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Pins - Roll - Zinc Plated

Part Number	Nominal Diameter (D) mm	Length (L) mm	Material	Chamfer (I)	Thickness (S) mm	Free Diameter mm	Type
	<i>inches</i>	<i>inches</i>			<i>inches</i>	<i>inches</i>	
# RP0635-0635-Z	6.35	63.50	Zinc Plated Carbon Spring Steel			6.98	
	<i>0.250</i>	<i>2.500</i>				<i>0.275</i>	
# RP0635-0699-Z	6.35	69.90	Zinc Plated Carbon Spring Steel			6.98	
	<i>0.250</i>	<i>2.752</i>				<i>0.275</i>	
# RP0635-0762-Z	6.35	76.20	Zinc Plated Carbon Spring Steel			6.98	
	<i>0.250</i>	<i>3.000</i>				<i>0.275</i>	
# RP0635-0825-Z	6.35	82.50	Zinc Plated Carbon Spring Steel			6.98	
	<i>0.250</i>	<i>3.248</i>				<i>0.275</i>	
# RP0635-0889-Z	6.35	88.90	Zinc Plated Carbon Spring Steel			6.98	
	<i>0.250</i>	<i>3.500</i>				<i>0.275</i>	
# RP0635-1016-Z	6.35	101.60	Zinc Plated Carbon Spring Steel			6.98	
	<i>0.250</i>	<i>4.000</i>				<i>0.275</i>	
# RP0794-0191-Z	7.94	19.10	Zinc Plated Carbon Spring Steel			8.63	
	<i>0.313</i>	<i>0.752</i>				<i>0.340</i>	
# RP0794-0206-Z	7.94	20.60	Zinc Plated Carbon Spring Steel			8.63	
	<i>0.313</i>	<i>0.811</i>				<i>0.340</i>	

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Pins - Roll - Zinc Plated

Part Number	Nominal Diameter (D) mm	Length (L) mm	Material	Chamfer (I)	Thickness (S) mm	Free Diameter mm	Type
	<i>inches</i>	<i>inches</i>			<i>inches</i>	<i>inches</i>	
# RP0794-0222-Z	7.94	22.20	Zinc Plated Carbon Spring Steel			8.63	
	<i>0.313</i>	<i>0.874</i>				<i>0.340</i>	
# RP0794-0238-Z	7.94	23.80	Zinc Plated Carbon Spring Steel			8.63	
	<i>0.313</i>	<i>0.937</i>				<i>0.340</i>	
# RP0794-0254-Z	7.94	25.40	Zinc Plated Carbon Spring Steel			8.63	
	<i>0.313</i>	<i>1.000</i>				<i>0.340</i>	
# RP0794-0286-Z	7.94	28.60	Zinc Plated Carbon Spring Steel			8.63	
	<i>0.313</i>	<i>1.126</i>				<i>0.340</i>	
# RP0794-0318-Z	7.94	31.80	Zinc Plated Carbon Spring Steel			8.63	
	<i>0.313</i>	<i>1.252</i>				<i>0.340</i>	
# RP0794-0349-Z	7.94	34.90	Zinc Plated Carbon Spring Steel			8.63	
	<i>0.313</i>	<i>1.374</i>				<i>0.340</i>	
# RP0794-0381-Z	7.94	38.10	Zinc Plated Carbon Spring Steel			8.63	
	<i>0.313</i>	<i>1.500</i>				<i>0.340</i>	
# RP0794-0413-Z	7.94	41.30	Zinc Plated Carbon Spring Steel			8.63	
	<i>0.313</i>	<i>1.626</i>				<i>0.340</i>	

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Pins - Roll - Zinc Plated

Part Number	Nominal Diameter (D) mm	Length (L) mm	Material	Chamfer (I)	Thickness (S) mm	Free Diameter mm	Type
	<i>inches</i>	<i>inches</i>			<i>inches</i>	<i>inches</i>	
# RP0794-0445-Z	7.94	44.50	Zinc Plated Carbon Spring Steel			8.63	
	<i>0.313</i>	<i>1.752</i>				<i>0.340</i>	
# RP0794-0476-Z	7.94	47.60	Zinc Plated Carbon Spring Steel			8.63	
	<i>0.313</i>	<i>1.874</i>				<i>0.340</i>	
# RP0794-0508-Z	7.94	50.80	Zinc Plated Carbon Spring Steel			8.63	
	<i>0.313</i>	<i>2.000</i>				<i>0.340</i>	
# RP0794-0572-Z	7.94	57.20	Zinc Plated Carbon Spring Steel			8.63	
	<i>0.313</i>	<i>2.252</i>				<i>0.340</i>	
# RP0794-0635-Z	7.94	63.50	Zinc Plated Carbon Spring Steel			8.63	
	<i>0.313</i>	<i>2.500</i>				<i>0.340</i>	
# RP0794-0699-Z	7.94	69.90	Zinc Plated Carbon Spring Steel			8.63	
	<i>0.313</i>	<i>2.752</i>				<i>0.340</i>	
# RP0794-0762-Z	7.94	76.20	Zinc Plated Carbon Spring Steel			8.63	
	<i>0.313</i>	<i>3.000</i>				<i>0.340</i>	
# RP0794-0826-Z	7.94	82.60	Zinc Plated Carbon Spring Steel			8.63	
	<i>0.313</i>	<i>3.252</i>				<i>0.340</i>	

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Pins - Roll - Zinc Plated

Part Number	Nominal Diameter (D) mm	Length (L) mm	Material	Chamfer (I)	Thickness (S) mm	Free Diameter mm	Type
	<i>inches</i>	<i>inches</i>			<i>inches</i>	<i>inches</i>	
# RP0794-0889-Z	7.94	88.90	Zinc Plated Carbon Spring Steel			8.63	
	<i>0.313</i>	<i>3.500</i>				<i>0.340</i>	
# RP0794-0953-Z	7.94	95.30	Zinc Plated Carbon Spring Steel			8.63	
	<i>0.313</i>	<i>3.752</i>				<i>0.340</i>	
# RP0794-1016-Z	7.94	101.60	Zinc Plated Carbon Spring Steel			8.63	
	<i>0.313</i>	<i>4.000</i>				<i>0.340</i>	
# RP0800-0120-Z	8.00	12.00	Zinc Plated Carbon Spring Steel	2.00	0.10	8.63	
	<i>0.315</i>	<i>0.472</i>			<i>0.004</i>	<i>0.340</i>	
# RP0800-0160-Z	8.00	16.00	Zinc Plated Carbon Spring Steel	2.00	0.10	8.63	
	<i>0.315</i>	<i>0.630</i>			<i>0.004</i>	<i>0.340</i>	
# RP0800-0180-Z	8.00	18.00	Zinc Plated Carbon Spring Steel	2.00	0.10	8.63	
	<i>0.315</i>	<i>0.709</i>			<i>0.004</i>	<i>0.340</i>	
# RP0800-0200-Z	8.00	20.00	Zinc Plated Carbon Spring Steel	2.00	0.10	8.63	
	<i>0.315</i>	<i>0.787</i>			<i>0.004</i>	<i>0.340</i>	
# RP0800-0220-Z	8.00	22.00	Zinc Plated Carbon Spring Steel			8.63	
	<i>0.315</i>	<i>0.866</i>				<i>0.340</i>	

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Pins - Roll - Zinc Plated

Part Number	Nominal Diameter (D) mm	Length (L) mm	Material	Chamfer (I)	Thickness (S) mm	Free Diameter mm	Type
	<i>inches</i>	<i>inches</i>			<i>inches</i>	<i>inches</i>	
# RP0800-0240-Z	8.00	24.00	Zinc Plated Carbon Spring Steel	2.00	0.10	8.63	
	<i>0.315</i>	<i>0.945</i>			<i>0.004</i>	<i>0.340</i>	
# RP0800-0260-Z	8.00	26.00	Zinc Plated Carbon Spring Steel	2.00	0.10	8.63	
	<i>0.315</i>	<i>1.024</i>			<i>0.004</i>	<i>0.340</i>	
# RP0800-0280-Z	8.00	28.00	Zinc Plated Carbon Spring Steel	2.00	0.10	8.63	
	<i>0.315</i>	<i>1.102</i>			<i>0.004</i>	<i>0.340</i>	
# RP0800-0300-Z	8.00	30.00	Zinc Plated Carbon Spring Steel	2.00	0.10	8.63	
	<i>0.315</i>	<i>1.181</i>			<i>0.004</i>	<i>0.340</i>	
# RP0800-0320-Z	8.00	32.00	Zinc Plated Carbon Spring Steel	2.00	0.10	8.63	
	<i>0.315</i>	<i>1.260</i>			<i>0.004</i>	<i>0.340</i>	
# RP0800-0360-Z	8.00	36.00	Zinc Plated Carbon Spring Steel	2.00	0.10	8.63	
	<i>0.315</i>	<i>1.417</i>			<i>0.004</i>	<i>0.340</i>	
# RP0800-0400-Z	8.00	40.00	Zinc Plated Carbon Spring Steel	2.00	0.10	8.63	
	<i>0.315</i>	<i>1.575</i>			<i>0.004</i>	<i>0.340</i>	
# RP0800-0450-Z	8.00	45.00	Zinc Plated Carbon Spring Steel	2.00	0.10	8.63	
	<i>0.315</i>	<i>1.772</i>			<i>0.004</i>	<i>0.340</i>	

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Pins - Roll - Zinc Plated

Part Number	Nominal Diameter (D) mm	Length (L) mm	Material	Chamfer (I)	Thickness (S) mm	Free Diameter mm	Type
	<i>inches</i>	<i>inches</i>			<i>inches</i>	<i>inches</i>	
# RP0800-0500-Z	8.00	50.00	Zinc Plated Carbon Spring Steel	2.00	0.10	8.63	
	<i>0.315</i>	<i>1.969</i>			<i>0.004</i>	<i>0.340</i>	
# RP0800-0550-Z	8.00	55.00	Zinc Plated Carbon Spring Steel	2.00	0.10	8.63	
	<i>0.315</i>	<i>2.165</i>			<i>0.004</i>	<i>0.340</i>	
# RP0800-0600-Z	8.00	60.00	Zinc Plated Carbon Spring Steel	2.00	0.10	8.63	
	<i>0.315</i>	<i>2.362</i>			<i>0.004</i>	<i>0.340</i>	
# RP0800-0650-Z	8.00	65.00	Zinc Plated Carbon Spring Steel	2.00	0.10	8.63	
	<i>0.315</i>	<i>2.559</i>			<i>0.004</i>	<i>0.340</i>	
# RP0800-0700-Z	8.00	70.00	Zinc Plated Carbon Spring Steel	2.00	0.10	8.63	
	<i>0.315</i>	<i>2.756</i>			<i>0.004</i>	<i>0.340</i>	
# RP0800-0750-Z	8.00	75.00	Zinc Plated Carbon Spring Steel	2.00	0.10	8.63	
	<i>0.315</i>	<i>2.953</i>			<i>0.004</i>	<i>0.340</i>	
# RP0800-0800-Z	8.00	80.00	Zinc Plated Carbon Spring Steel	2.00	0.10	8.63	
	<i>0.315</i>	<i>3.150</i>			<i>0.004</i>	<i>0.340</i>	
# RP0800-0900-Z	8.00	90.00	Zinc Plated Carbon Spring Steel	2.00	0.10	8.63	
	<i>0.315</i>	<i>3.543</i>			<i>0.004</i>	<i>0.340</i>	

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Pins - Roll - Zinc Plated

Part Number	Nominal Diameter (D) mm	Length (L) mm	Material	Chamfer (I)	Thickness (S) mm	Free Diameter mm	Type
	<i>inches</i>	<i>inches</i>			<i>inches</i>	<i>inches</i>	
# RP0800-0950-Z	8.00 <i>0.315</i>	95.00 <i>3.740</i>	Zinc Plated Carbon Spring Steel			8.63 <i>0.340</i>	
# RP0800-1000-Z	8.00 <i>0.315</i>	100.00 <i>3.937</i>	Zinc Plated Carbon Spring Steel	2.00	0.10 <i>0.004</i>	8.63 <i>0.340</i>	
# RP0953-0191-Z	9.53 <i>0.375</i>	19.10 <i>0.752</i>	Zinc Plated Carbon Spring Steel			10.45 <i>0.411</i>	
# RP0953-0254-Z	9.53 <i>0.375</i>	25.40 <i>1.000</i>	Zinc Plated Carbon Spring Steel			10.45 <i>0.411</i>	
# RP0953-0286-Z	9.53 <i>0.375</i>	28.60 <i>1.126</i>	Zinc Plated Carbon Spring Steel			10.45 <i>0.411</i>	
# RP0953-0318-Z	9.53 <i>0.375</i>	31.80 <i>1.252</i>	Zinc Plated Carbon Spring Steel			10.45 <i>0.411</i>	
# RP0953-0349-Z	9.53 <i>0.375</i>	34.90 <i>1.374</i>	Zinc Plated Carbon Spring Steel			10.45 <i>0.411</i>	
# RP0953-0381-Z	9.53 <i>0.375</i>	38.10 <i>1.500</i>	Zinc Plated Carbon Spring Steel			10.45 <i>0.411</i>	

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Pins - Roll - Zinc Plated

Part Number	Nominal Diameter (D) mm	Length (L) mm	Material	Chamfer (I)	Thickness (S) mm	Free Diameter mm	Type
	<i>inches</i>	<i>inches</i>			<i>inches</i>	<i>inches</i>	
# RP0953-0445-Z	9.53	44.50	Zinc Plated Carbon Spring Steel			10.45	
	<i>0.375</i>	<i>1.752</i>				<i>0.411</i>	
# RP0953-0476-Z	9.53	47.60	Zinc Plated Carbon Spring Steel			10.45	
	<i>0.375</i>	<i>1.874</i>				<i>0.411</i>	
# RP0953-0508-Z	9.53	50.80	Zinc Plated Carbon Spring Steel			10.45	
	<i>0.375</i>	<i>2.000</i>				<i>0.411</i>	
# RP0953-0572-Z	9.53	57.20	Zinc Plated Carbon Spring Steel			10.45	
	<i>0.375</i>	<i>2.252</i>				<i>0.411</i>	
# RP0953-0635-Z	9.53	63.50	Zinc Plated Carbon Spring Steel			10.45	
	<i>0.375</i>	<i>2.500</i>				<i>0.411</i>	
# RP0953-0699-Z	9.53	69.90	Zinc Plated Carbon Spring Steel			10.45	
	<i>0.375</i>	<i>2.752</i>				<i>0.411</i>	
# RP0953-0762-Z	9.53	76.20	Zinc Plated Carbon Spring Steel			10.45	
	<i>0.375</i>	<i>3.000</i>				<i>0.411</i>	
# RP0953-0826-Z	9.53	82.60	Zinc Plated Carbon Spring Steel			10.45	
	<i>0.375</i>	<i>3.252</i>				<i>0.411</i>	

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Pins - Roll - Zinc Plated

Part Number	Nominal Diameter (D) mm	Length (L) mm	Material	Chamfer (I)	Thickness (S) mm	Free Diameter mm	Type
	<i>inches</i>	<i>inches</i>			<i>inches</i>	<i>inches</i>	
# RP0953-0889-Z	9.53 <i>0.375</i>	88.90 <i>3.500</i>	Zinc Plated Carbon Spring Steel			10.45 <i>0.411</i>	
# RP0953-0953-Z	9.53 <i>0.375</i>	95.30 <i>3.752</i>	Zinc Plated Carbon Spring Steel			10.45 <i>0.411</i>	
# RP0953-1016-Z	9.53 <i>0.375</i>	101.60 <i>4.000</i>	Zinc Plated Carbon Spring Steel			10.45 <i>0.411</i>	
# RP1000-0200-Z	10.00 <i>0.394</i>	20.00 <i>0.787</i>	Zinc Plated Carbon Spring Steel	2.50	0.13 <i>0.005</i>	10.75 <i>0.423</i>	
# RP1000-0220-Z	10.00 <i>0.394</i>	22.00 <i>0.866</i>	Zinc Plated Carbon Spring Steel			10.75 <i>0.423</i>	
# RP1000-0240-Z	10.00 <i>0.394</i>	24.00 <i>0.945</i>	Zinc Plated Carbon Spring Steel	2.50	0.13 <i>0.005</i>	10.75 <i>0.423</i>	
# RP1000-0260-Z	10.00 <i>0.394</i>	26.00 <i>1.024</i>	Zinc Plated Carbon Spring Steel	2.50	0.13 <i>0.005</i>	10.75 <i>0.423</i>	
# RP1000-0280-Z	10.00 <i>0.394</i>	28.00 <i>1.102</i>	Zinc Plated Carbon Spring Steel	2.50	0.13 <i>0.005</i>	10.75 <i>0.423</i>	

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Pins - Roll - Zinc Plated

Part Number	Nominal Diameter (D) mm	Length (L) mm	Material	Chamfer (I)	Thickness (S) mm	Free Diameter mm	Type
	<i>inches</i>	<i>inches</i>			<i>inches</i>	<i>inches</i>	
# RP1000-0300-Z	10.00	30.00	Zinc Plated Carbon Spring Steel	2.50	0.13	10.75	
	<i>0.394</i>	<i>1.181</i>			<i>0.005</i>	<i>0.423</i>	
# RP1000-0320-Z	10.00	32.00	Zinc Plated Carbon Spring Steel			10.75	
	<i>0.394</i>	<i>1.260</i>				<i>0.423</i>	
# RP1000-0360-Z	10.00	36.00	Zinc Plated Carbon Spring Steel	2.50	0.13	10.75	
	<i>0.394</i>	<i>1.417</i>			<i>0.005</i>	<i>0.423</i>	
# RP1000-0400-Z	10.00	40.00	Zinc Plated Carbon Spring Steel	2.50	0.13	10.75	
	<i>0.394</i>	<i>1.575</i>			<i>0.005</i>	<i>0.423</i>	
# RP1000-0450-Z	10.00	45.00	Zinc Plated Carbon Spring Steel	2.50	0.13	10.75	
	<i>0.394</i>	<i>1.772</i>			<i>0.005</i>	<i>0.423</i>	
# RP1000-0500-Z	10.00	50.00	Zinc Plated Carbon Spring Steel	2.50	0.13	10.75	
	<i>0.394</i>	<i>1.969</i>			<i>0.005</i>	<i>0.423</i>	
# RP1000-0550-Z	10.00	55.00	Zinc Plated Carbon Spring Steel	2.50	0.13	10.75	
	<i>0.394</i>	<i>2.165</i>			<i>0.005</i>	<i>0.423</i>	
# RP1000-0600-Z	10.00	60.00	Zinc Plated Carbon Spring Steel	2.50	0.13	10.75	
	<i>0.394</i>	<i>2.362</i>			<i>0.005</i>	<i>0.423</i>	

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Pins - Roll - Zinc Plated

Part Number	Nominal Diameter (D) mm	Length (L) mm	Material	Chamfer (I)	Thickness (S) mm	Free Diameter mm	Type
	<i>inches</i>	<i>inches</i>			<i>inches</i>	<i>inches</i>	
# RP1000-0650-Z	10.00	65.00	Zinc Plated Carbon Spring Steel	2.50	0.13	10.75	
	<i>0.394</i>	<i>2.559</i>			<i>0.005</i>	<i>0.423</i>	
# RP1000-0700-Z	10.00	70.00	Zinc Plated Carbon Spring Steel	2.50	0.13	10.75	
	<i>0.394</i>	<i>2.756</i>			<i>0.005</i>	<i>0.423</i>	
# RP1000-0750-Z	10.00	75.00	Zinc Plated Carbon Spring Steel	2.50	0.13	10.75	
	<i>0.394</i>	<i>2.953</i>			<i>0.005</i>	<i>0.423</i>	
# RP1000-0800-Z	10.00	80.00	Zinc Plated Carbon Spring Steel	2.50	0.13	10.75	
	<i>0.394</i>	<i>3.150</i>			<i>0.005</i>	<i>0.423</i>	
# RP1000-0850-Z	10.00	85.00	Zinc Plated Carbon Spring Steel			10.75	
	<i>0.394</i>	<i>3.346</i>				<i>0.423</i>	
# RP1000-0900-Z	10.00	90.00	Zinc Plated Carbon Spring Steel	2.50	0.13	10.75	
	<i>0.394</i>	<i>3.543</i>			<i>0.005</i>	<i>0.423</i>	
# RP1000-0950-Z	10.00	95.00	Zinc Plated Carbon Spring Steel			10.75	
	<i>0.394</i>	<i>3.740</i>				<i>0.423</i>	
# RP1000-1000-Z	10.00	100.00	Zinc Plated Carbon Spring Steel	2.50	0.13	10.75	
	<i>0.394</i>	<i>3.937</i>			<i>0.005</i>	<i>0.423</i>	

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Pins - Roll - Zinc Plated

Part Number	Nominal Diameter (D) mm	Length (L) mm	Material	Chamfer (I)	Thickness (S) mm	Free Diameter mm	Type
	<i>inches</i>	<i>inches</i>			<i>inches</i>	<i>inches</i>	
# RP1111-0254-Z	11.11 <i>0.437</i>	25.40 <i>1.000</i>	Zinc Plated Carbon Spring Steel			12.21 <i>0.481</i>	
# RP1111-0318-Z	11.11 <i>0.437</i>	31.80 <i>1.252</i>	Zinc Plated Carbon Spring Steel			12.21 <i>0.481</i>	
# RP1111-0381-Z	11.11 <i>0.437</i>	38.10 <i>1.500</i>	Zinc Plated Carbon Spring Steel			12.21 <i>0.481</i>	
# RP1111-0445-Z	11.11 <i>0.437</i>	44.50 <i>1.752</i>	Zinc Plated Carbon Spring Steel			12.21 <i>0.481</i>	
# RP1111-0508-Z	11.11 <i>0.437</i>	50.80 <i>2.000</i>	Zinc Plated Carbon Spring Steel			12.21 <i>0.481</i>	
# RP1111-0572-Z	11.11 <i>0.437</i>	57.20 <i>2.252</i>	Zinc Plated Carbon Spring Steel			12.21 <i>0.481</i>	
# RP1111-0635-Z	11.11 <i>0.437</i>	63.50 <i>2.500</i>	Zinc Plated Carbon Spring Steel			12.21 <i>0.481</i>	
# RP1111-0699-Z	11.11 <i>0.437</i>	69.90 <i>2.752</i>	Zinc Plated Carbon Spring Steel			12.21 <i>0.481</i>	

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Pins - Roll - Zinc Plated

Part Number	Nominal Diameter (D) mm	Length (L) mm	Material	Chamfer (I)	Thickness (S) mm	Free Diameter mm	Type
	<i>inches</i>	<i>inches</i>			<i>inches</i>	<i>inches</i>	
# RP1111-0762-Z	11.11 <i>0.437</i>	76.20 <i>3.000</i>	Zinc Plated Carbon Spring Steel			12.21 <i>0.481</i>	
# RP1111-0826-Z	11.11 <i>0.437</i>	82.60 <i>3.252</i>	Zinc Plated Carbon Spring Steel			12.21 <i>0.481</i>	
# RP1111-0889-Z	11.11 <i>0.437</i>	88.90 <i>3.500</i>	Zinc Plated Carbon Spring Steel			12.21 <i>0.481</i>	
# RP1111-0953-Z	11.11 <i>0.437</i>	95.30 <i>3.752</i>	Zinc Plated Carbon Spring Steel			12.21 <i>0.481</i>	
# RP1111-1016-Z	11.11 <i>0.437</i>	101.60 <i>4.000</i>	Zinc Plated Carbon Spring Steel			12.21 <i>0.481</i>	
# RP1200-0200-Z	12.00 <i>0.472</i>	20.00 <i>0.787</i>	Zinc Plated Carbon Spring Steel	3.00	0.15 <i>0.006</i>	12.85 <i>0.506</i>	
# RP1200-0220-Z	12.00 <i>0.472</i>	22.00 <i>0.866</i>	Zinc Plated Carbon Spring Steel	3.00	0.15 <i>0.006</i>	12.85 <i>0.506</i>	
# RP1200-0240-Z	12.00 <i>0.472</i>	24.00 <i>0.945</i>	Zinc Plated Carbon Spring Steel	3.00	0.15 <i>0.006</i>	12.85 <i>0.506</i>	

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Pins - Roll - Zinc Plated

Part Number	Nominal Diameter (D) mm	Length (L) mm	Material	Chamfer (I)	Thickness (S) mm	Free Diameter mm	Type
	<i>inches</i>	<i>inches</i>			<i>inches</i>	<i>inches</i>	
# RP1200-0260-Z	12.00	26.00	Zinc Plated Carbon Spring Steel	3.00	0.15	12.85	
	<i>0.472</i>	<i>1.024</i>			<i>0.006</i>	<i>0.506</i>	
# RP1200-0280-Z	12.00	28.00	Zinc Plated Carbon Spring Steel	3.00	0.15	12.85	
	<i>0.472</i>	<i>1.102</i>			<i>0.006</i>	<i>0.506</i>	
# RP1200-0300-Z	12.00	30.00	Zinc Plated Carbon Spring Steel	3.00	0.15	12.85	
	<i>0.472</i>	<i>1.181</i>			<i>0.006</i>	<i>0.506</i>	
# RP1200-0320-Z	12.00	32.00	Zinc Plated Carbon Spring Steel	3.00	0.15	12.85	
	<i>0.472</i>	<i>1.260</i>			<i>0.006</i>	<i>0.506</i>	
# RP1200-0360-Z	12.00	36.00	Zinc Plated Carbon Spring Steel	3.00	0.15	12.85	
	<i>0.472</i>	<i>1.417</i>			<i>0.006</i>	<i>0.506</i>	
# RP1200-0400-Z	12.00	40.00	Zinc Plated Carbon Spring Steel	3.00	0.15	12.85	
	<i>0.472</i>	<i>1.575</i>			<i>0.006</i>	<i>0.506</i>	
# RP1200-0450-Z	12.00	45.00	Zinc Plated Carbon Spring Steel	3.00	0.15	12.85	
	<i>0.472</i>	<i>1.772</i>			<i>0.006</i>	<i>0.506</i>	
# RP1200-0500-Z	12.00	50.00	Zinc Plated Carbon Spring Steel	3.00	0.15	12.85	
	<i>0.472</i>	<i>1.969</i>			<i>0.006</i>	<i>0.506</i>	

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Pins - Roll - Zinc Plated

Part Number	Nominal Diameter (D) mm	Length (L) mm	Material	Chamfer (I)	Thickness (S) mm	Free Diameter mm	Type
	<i>inches</i>	<i>inches</i>			<i>inches</i>	<i>inches</i>	
# RP1200-0550-Z	12.00	55.00	Zinc Plated Carbon Spring Steel	3.00	0.15	12.85	
	<i>0.472</i>	<i>2.165</i>			<i>0.006</i>	<i>0.506</i>	
# RP1200-0600-Z	12.00	60.00	Zinc Plated Carbon Spring Steel	3.00	0.15	12.85	
	<i>0.472</i>	<i>2.362</i>			<i>0.006</i>	<i>0.506</i>	
# RP1200-0650-Z	12.00	65.00	Zinc Plated Carbon Spring Steel			12.85	
	<i>0.472</i>	<i>2.559</i>				<i>0.506</i>	
# RP1200-0700-Z	12.00	70.00	Zinc Plated Carbon Spring Steel	3.00	0.15	12.85	
	<i>0.472</i>	<i>2.756</i>			<i>0.006</i>	<i>0.506</i>	
# RP1200-0750-Z	12.00	75.00	Zinc Plated Carbon Spring Steel	3.00	0.15	12.85	
	<i>0.472</i>	<i>2.953</i>			<i>0.006</i>	<i>0.506</i>	
# RP1200-0800-Z	12.00	80.00	Zinc Plated Carbon Spring Steel	3.00	0.15	12.85	
	<i>0.472</i>	<i>3.150</i>			<i>0.006</i>	<i>0.506</i>	
# RP1200-0850-Z	12.00	85.00	Zinc Plated Carbon Spring Steel			12.85	
	<i>0.472</i>	<i>3.346</i>				<i>0.506</i>	
# RP1200-0900-Z	12.00	90.00	Zinc Plated Carbon Spring Steel	3.00	0.15	12.85	
	<i>0.472</i>	<i>3.543</i>			<i>0.006</i>	<i>0.506</i>	

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Pins - Roll - Zinc Plated

Part Number	Nominal Diameter (D) mm	Length (L) mm	Material	Chamfer (I)	Thickness (S) mm	Free Diameter mm	Type
	<i>inches</i>	<i>inches</i>			<i>inches</i>	<i>inches</i>	
# RP1200-0950-Z	12.00	95.00	Zinc Plated Carbon Spring Steel	3.00	0.15	12.85	
	<i>0.472</i>	<i>3.740</i>			<i>0.006</i>	<i>0.506</i>	
# RP1200-1000-Z	12.00	100.00	Zinc Plated Carbon Spring Steel	3.00	0.15	12.85	
	<i>0.472</i>	<i>3.937</i>			<i>0.006</i>	<i>0.506</i>	
# RP1270-0318-Z	12.70	31.80	Zinc Plated Carbon Spring Steel			13.98	
	<i>0.500</i>	<i>1.252</i>				<i>0.550</i>	
# RP1270-0381-Z	12.70	38.10	Zinc Plated Carbon Spring Steel			13.98	
	<i>0.500</i>	<i>1.500</i>				<i>0.550</i>	
# RP1270-0445-Z	12.70	44.50	Zinc Plated Carbon Spring Steel			13.98	
	<i>0.500</i>	<i>1.752</i>				<i>0.550</i>	
# RP1270-0508-Z	12.70	50.80	Zinc Plated Carbon Spring Steel			13.98	
	<i>0.500</i>	<i>2.000</i>				<i>0.550</i>	
# RP1270-0572-Z	12.70	57.20	Zinc Plated Carbon Spring Steel			13.98	
	<i>0.500</i>	<i>2.252</i>				<i>0.550</i>	
# RP1270-0635-Z	12.70	63.50	Zinc Plated Carbon Spring Steel			13.98	
	<i>0.500</i>	<i>2.500</i>				<i>0.550</i>	

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Pins - Roll - Zinc Plated

Part Number	Nominal Diameter (D) mm	Length (L) mm	Material	Chamfer (I)	Thickness (S) mm	Free Diameter mm	Type
	<i>inches</i>	<i>inches</i>			<i>inches</i>	<i>inches</i>	
# RP1270-0699-Z	12.70	69.90	Zinc Plated Carbon Spring Steel			13.98	
	<i>0.500</i>	<i>2.752</i>				<i>0.550</i>	
# RP1270-0762-Z	12.70	76.20	Zinc Plated Carbon Spring Steel			13.98	
	<i>0.500</i>	<i>3.000</i>				<i>0.550</i>	
# RP1270-0826-Z	12.70	82.60	Zinc Plated Carbon Spring Steel			13.98	
	<i>0.500</i>	<i>3.252</i>				<i>0.550</i>	
# RP1270-0889-Z	12.70	88.90	Zinc Plated Carbon Spring Steel			13.98	
	<i>0.500</i>	<i>3.500</i>				<i>0.550</i>	
# RP1270-0953-Z	12.70	95.30	Zinc Plated Carbon Spring Steel			13.98	
	<i>0.500</i>	<i>3.752</i>				<i>0.550</i>	
# RP1270-1016-Z	12.70	101.60	Zinc Plated Carbon Spring Steel			13.98	
	<i>0.500</i>	<i>4.000</i>				<i>0.550</i>	

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to [catalogues@minibearings.com.au](mailto:catalogues@minibearings.com.au)

