


# MBA

## Pins - Taper - Extractable



1:50 Taper.

DIN 7978.

Mild Steel.

### Pins - Taper - Extractable

Part Number	Nom. Small End Diameter mm	Nom. Large End Diameter mm	Length mm	Thread
	<i>inches</i>	<i>inches</i>	<i>inches</i>	
# TPX6-16	6.0 <i>0.236</i>	6.64 <i>0.261</i>	16.0 <i>0.630</i>	M4
# TPX6-18	6.0 <i>0.236</i>	6.72 <i>0.265</i>	18.0 <i>0.709</i>	M4
# TPX6-20	6.0 <i>0.236</i>	6.80 <i>0.268</i>	20.0 <i>0.787</i>	M4
# TPX6-24	6.0 <i>0.236</i>	6.96 <i>0.274</i>	24.0 <i>0.945</i>	M4

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Pins - Taper - Extractable

Part Number	Nom. Small End Diameter mm <i>inches</i>	Nom. Large End Diameter mm <i>inches</i>	Length mm <i>inches</i>	Thread
# TPX6-26	6.0 <i>0.236</i>	7.04 <i>0.277</i>	26.0 <i>1.024</i>	M4
# TPX6-28	6.0 <i>0.236</i>	7.12 <i>0.280</i>	28.0 <i>1.102</i>	M4
TPX6-30	6.0 <i>0.236</i>	7.20 <i>0.283</i>	30.0 <i>1.181</i>	M4
# TPX6-32	6.0 <i>0.236</i>	7.28 <i>0.287</i>	32.0 <i>1.260</i>	M4
# TPX6-36	6.0 <i>0.236</i>	7.44 <i>0.293</i>	36.0 <i>1.417</i>	M4
# TPX6-40	6.0 <i>0.236</i>	7.60 <i>0.299</i>	40.0 <i>1.575</i>	M4
# TPX6-45	6.0 <i>0.236</i>	7.80 <i>0.307</i>	45.0 <i>1.772</i>	M4
# TPX6-50	6.0 <i>0.236</i>	8.00 <i>0.315</i>	50.0 <i>1.969</i>	M4
# TPX6-55	6.0 <i>0.236</i>	8.20 <i>0.323</i>	55.0 <i>2.165</i>	M4
# TPX6-60	6.0 <i>0.236</i>	8.40 <i>0.331</i>	60.0 <i>2.362</i>	M4

# Indicates item not stocked at time of printing - Please enquire for lead time  
 E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd  
 MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Pins - Taper - Extractable

Part Number	Nom. Small End Diameter mm <i>inches</i>	Nom. Large End Diameter mm <i>inches</i>	Length mm <i>inches</i>	Thread
# TPX6-70	6.0 <i>0.236</i>	8.80 <i>0.346</i>	70.0 <i>2.756</i>	M4
# TPX6-80	6.0 <i>0.236</i>	9.20 <i>0.362</i>	80.0 <i>3.150</i>	M4
# TPX6-90	6.0 <i>0.236</i>	9.60 <i>0.378</i>	90.0 <i>3.543</i>	M4
# TPX8-20	8.0 <i>0.315</i>	8.80 <i>0.346</i>	20.0 <i>0.787</i>	M5
# TPX8-24	8.0 <i>0.315</i>	8.96 <i>0.353</i>	24.0 <i>0.945</i>	M5
# TPX8-26	8.0 <i>0.315</i>	9.04 <i>0.356</i>	26.0 <i>1.024</i>	M5
# TPX8-28	8.0 <i>0.315</i>	9.12 <i>0.359</i>	28.0 <i>1.102</i>	M5
# TPX8-30	8.0 <i>0.315</i>	9.20 <i>0.362</i>	30.0 <i>1.181</i>	M5
# TPX8-32	8.0 <i>0.315</i>	9.28 <i>0.365</i>	32.0 <i>1.260</i>	M5
# TPX8-36	8.0 <i>0.315</i>	9.44 <i>0.372</i>	36.0 <i>1.417</i>	M5

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Pins - Taper - Extractable

Part Number	Nom. Small End Diameter mm <i>inches</i>	Nom. Large End Diameter mm <i>inches</i>	Length mm <i>inches</i>	Thread
# TPX8-40	8.0 <i>0.315</i>	9.60 <i>0.378</i>	40.0 <i>1.575</i>	M5
# TPX8-45	8.0 <i>0.315</i>	9.80 <i>0.386</i>	45.0 <i>1.772</i>	M5
# TPX8-50	8.0 <i>0.315</i>	10.00 <i>0.394</i>	50.0 <i>1.969</i>	M5
# TPX8-55	8.0 <i>0.315</i>	10.20 <i>0.402</i>	55.0 <i>2.165</i>	M5
# TPX8-60	8.0 <i>0.315</i>	10.40 <i>0.409</i>	60.0 <i>2.362</i>	M5
# TPX8-70	8.0 <i>0.315</i>	10.80 <i>0.425</i>	70.0 <i>2.756</i>	M5
# TPX8-80	8.0 <i>0.315</i>	11.20 <i>0.441</i>	80.0 <i>3.150</i>	M5
# TPX8-90	8.0 <i>0.315</i>	11.60 <i>0.457</i>	90.0 <i>3.543</i>	M5
# TPX8-100	8.0 <i>0.315</i>	12.00 <i>0.472</i>	100.0 <i>3.937</i>	M5
# TPX8-110	8.0 <i>0.315</i>	12.40 <i>0.488</i>	110.0 <i>4.331</i>	M5

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Pins - Taper - Extractable

Part Number	Nom. Small End Diameter mm <i>inches</i>	Nom. Large End Diameter mm <i>inches</i>	Length mm <i>inches</i>	Thread
# TPX8-120	8.0 <i>0.315</i>	12.80 <i>0.504</i>	120.0 <i>4.724</i>	M5
# TPX10-24	10.0 <i>0.394</i>	10.96 <i>0.431</i>	24.0 <i>0.945</i>	M6
# TPX10-26	10.0 <i>0.394</i>	11.04 <i>0.435</i>	26.0 <i>1.024</i>	M6
# TPX10-28	10.0 <i>0.394</i>	11.12 <i>0.438</i>	28.0 <i>1.102</i>	M6
# TPX10-30	10.0 <i>0.394</i>	11.20 <i>0.441</i>	30.0 <i>1.181</i>	M6
# TPX10-32	10.0 <i>0.394</i>	11.28 <i>0.444</i>	32.0 <i>1.260</i>	M6
# TPX10-36	10.0 <i>0.394</i>	11.44 <i>0.450</i>	36.0 <i>1.417</i>	M6
# TPX10-40	10.0 <i>0.394</i>	11.60 <i>0.457</i>	40.0 <i>1.575</i>	M6
# TPX10-45	10.0 <i>0.394</i>	11.80 <i>0.465</i>	45.0 <i>1.772</i>	M6
# TPX10-50	10.0 <i>0.394</i>	12.00 <i>0.472</i>	50.0 <i>1.969</i>	M6

# Indicates item not stocked at time of printing - Please enquire for lead time  
 E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd  
 MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Pins - Taper - Extractable

Part Number	Nom. Small End Diameter mm <i>inches</i>	Nom. Large End Diameter mm <i>inches</i>	Length mm <i>inches</i>	Thread
# TPX10-55	10.0 <i>0.394</i>	12.20 <i>0.480</i>	55.0 <i>2.165</i>	M6
# TPX10-60	10.0 <i>0.394</i>	12.40 <i>0.488</i>	60.0 <i>2.362</i>	M6
# TPX10-70	10.0 <i>0.394</i>	12.80 <i>0.504</i>	70.0 <i>2.756</i>	M6
# TPX10-80	10.0 <i>0.394</i>	13.20 <i>0.520</i>	80.0 <i>3.150</i>	M6
# TPX10-90	10.0 <i>0.394</i>	13.60 <i>0.535</i>	90.0 <i>3.543</i>	M6
# TPX10-100	10.0 <i>0.394</i>	14.00 <i>0.551</i>	100.0 <i>3.937</i>	M6
# TPX10-110	10.0 <i>0.394</i>	14.40 <i>0.567</i>	110.0 <i>4.331</i>	M6
# TPX10-120	10.0 <i>0.394</i>	14.80 <i>0.583</i>	120.0 <i>4.724</i>	M6
# TPX12-32	12.0 <i>0.472</i>	13.28 <i>0.523</i>	32.0 <i>1.260</i>	M8
# TPX12-36	12.0 <i>0.472</i>	13.44 <i>0.529</i>	36.0 <i>1.417</i>	M8

# Indicates item not stocked at time of printing - Please enquire for lead time  
 E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd  
 MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Pins - Taper - Extractable

Part Number	Nom. Small End Diameter mm <i>inches</i>	Nom. Large End Diameter mm <i>inches</i>	Length mm <i>inches</i>	Thread
# TPX12-40	12.0 <i>0.472</i>	13.60 <i>0.535</i>	40.0 <i>1.575</i>	M8
# TPX12-45	12.0 <i>0.472</i>	13.80 <i>0.543</i>	45.0 <i>1.772</i>	M8
# TPX12-50	12.0 <i>0.472</i>	14.00 <i>0.551</i>	50.0 <i>1.969</i>	M8
# TPX12-55	12.0 <i>0.472</i>	14.20 <i>0.559</i>	55.0 <i>2.165</i>	M8
# TPX12-60	12.0 <i>0.472</i>	14.40 <i>0.567</i>	60.0 <i>2.362</i>	M8
# TPX12-70	12.0 <i>0.472</i>	14.80 <i>0.583</i>	70.0 <i>2.756</i>	M8
TPX12-80	12.0 <i>0.472</i>	15.20 <i>0.598</i>	80.0 <i>3.150</i>	M8
# TPX12-90	12.0 <i>0.472</i>	15.60 <i>0.614</i>	90.0 <i>3.543</i>	M8
# TPX12-100	12.0 <i>0.472</i>	16.00 <i>0.630</i>	100.0 <i>3.937</i>	M8
# TPX12-110	12.0 <i>0.472</i>	16.40 <i>0.646</i>	110.0 <i>4.331</i>	M8

# Indicates item not stocked at time of printing - Please enquire for lead time  
 E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd  
 MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Pins - Taper - Extractable

Part Number	Nom. Small End Diameter mm <i>inches</i>	Nom. Large End Diameter mm <i>inches</i>	Length mm <i>inches</i>	Thread
# TPX12-120	12.0 <i>0.472</i>	16.80 <i>0.661</i>	120.0 <i>4.724</i>	M8
# TPX14-40	14.0 <i>0.551</i>	15.60 <i>0.614</i>	40.0 <i>1.575</i>	M8
# TPX14-45	14.0 <i>0.551</i>	15.80 <i>0.622</i>	45.0 <i>1.772</i>	M8
# TPX14-50	14.0 <i>0.551</i>	16.00 <i>0.630</i>	50.0 <i>1.969</i>	M8
# TPX14-55	14.0 <i>0.551</i>	16.20 <i>0.638</i>	55.0 <i>2.165</i>	M8
# TPX14-60	14.0 <i>0.551</i>	16.40 <i>0.646</i>	60.0 <i>2.362</i>	M8
# TPX14-70	14.0 <i>0.551</i>	16.80 <i>0.661</i>	70.0 <i>2.756</i>	M8
# TPX14-80	14.0 <i>0.551</i>	17.20 <i>0.677</i>	80.0 <i>3.150</i>	M8
# TPX14-90	14.0 <i>0.551</i>	17.60 <i>0.693</i>	90.0 <i>3.543</i>	M8
# TPX14-100	14.0 <i>0.551</i>	18.00 <i>0.709</i>	100.0 <i>3.937</i>	M8

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Pins - Taper - Extractable

Part Number	Nom. Small End Diameter mm <i>inches</i>	Nom. Large End Diameter mm <i>inches</i>	Length mm <i>inches</i>	Thread
# TPX14-110	14.0 <i>0.551</i>	18.40 <i>0.724</i>	110.0 <i>4.331</i>	M8
# TPX14-120	14.0 <i>0.551</i>	18.80 <i>0.740</i>	120.0 <i>4.724</i>	M8
# TPX16-40	16.0 <i>0.630</i>	17.60 <i>0.693</i>	40.0 <i>1.575</i>	M10
# TPX16-45	16.0 <i>0.630</i>	17.80 <i>0.701</i>	45.0 <i>1.772</i>	M10
# TPX16-50	16.0 <i>0.630</i>	18.00 <i>0.709</i>	50.0 <i>1.969</i>	M10
# TPX16-55	16.0 <i>0.630</i>	18.20 <i>0.717</i>	55.0 <i>2.165</i>	M10
# TPX16-60	16.0 <i>0.630</i>	18.40 <i>0.724</i>	60.0 <i>2.362</i>	M10
# TPX16-70	16.0 <i>0.630</i>	18.80 <i>0.740</i>	70.0 <i>2.756</i>	M10
# TPX16-80	16.0 <i>0.630</i>	19.20 <i>0.756</i>	80.0 <i>3.150</i>	M10
# TPX16-90	16.0 <i>0.630</i>	19.60 <i>0.772</i>	90.0 <i>3.543</i>	M10

# Indicates item not stocked at time of printing - Please enquire for lead time  
 E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd  
 MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Pins - Taper - Extractable

Part Number	Nom. Small End Diameter mm <i>inches</i>	Nom. Large End Diameter mm <i>inches</i>	Length mm <i>inches</i>	Thread
# TPX16-100	16.0 <i>0.630</i>	20.00 <i>0.787</i>	100.0 <i>3.937</i>	M10
# TPX16-110	16.0 <i>0.630</i>	20.40 <i>0.803</i>	110.0 <i>4.331</i>	M10
# TPX16-120	16.0 <i>0.630</i>	20.80 <i>0.819</i>	120.0 <i>4.724</i>	M10
# TPX20-40	20.0 <i>0.787</i>	21.60 <i>0.850</i>	40.0 <i>1.575</i>	M12
# TPX20-45	20.0 <i>0.787</i>	21.80 <i>0.858</i>	45.0 <i>1.772</i>	M12
# TPX20-50	20.0 <i>0.787</i>	22.00 <i>0.866</i>	50.0 <i>1.969</i>	M12
# TPX20-55	20.0 <i>0.787</i>	22.20 <i>0.874</i>	55.0 <i>2.165</i>	M12
# TPX20-60	20.0 <i>0.787</i>	22.40 <i>0.882</i>	60.0 <i>2.362</i>	M12
# TPX20-70	20.0 <i>0.787</i>	22.80 <i>0.898</i>	70.0 <i>2.756</i>	M12
# TPX20-80	20.0 <i>0.787</i>	23.20 <i>0.913</i>	80.0 <i>3.150</i>	M12

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Pins - Taper - Extractable

Part Number	Nom. Small End Diameter mm <i>inches</i>	Nom. Large End Diameter mm <i>inches</i>	Length mm <i>inches</i>	Thread
# TPX20-90	20.0 <i>0.787</i>	23.60 <i>0.929</i>	90.0 <i>3.543</i>	M12
# TPX20-100	20.0 <i>0.787</i>	24.00 <i>0.945</i>	100.0 <i>3.937</i>	M12
# TPX20-110	20.0 <i>0.787</i>	24.40 <i>0.961</i>	110.0 <i>4.331</i>	M12
# TPX20-120	20.0 <i>0.787</i>	24.80 <i>0.976</i>	120.0 <i>4.724</i>	M12

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to [catalogues@minibearings.com.au](mailto:catalogues@minibearings.com.au)
