




MBA

Pins - Taper - Metric



Metric Sizes 1:50 Taper

Metric Sizes to DIN 1.

Pins - Taper - Metric

Part Number	Nom. Small End Diameter (D) mm <i>inches</i>	Nom. Large End Diameter (D2) mm <i>inches</i>	Length (L) mm <i>inches</i>	Taper Ratio	Material
# TP-0100-0800-ST	1.00 <i>0.039</i>	1.16 <i>0.046</i>	8.00 <i>0.315</i>	1:50	Mild Steel
# TP-0100-0800-4	1.00 <i>0.039</i>	1.16 <i>0.046</i>	8.00 <i>0.315</i>	1:50	304 Stainless
# TP-0100-1000-4	1.00 <i>0.039</i>	1.20 <i>0.047</i>	10.00 <i>0.394</i>	1:50	304 Stainless
# TP-0100-1000-ST	1.00 <i>0.039</i>	1.20 <i>0.047</i>	10.00 <i>0.394</i>	1:50	Mild Steel

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Taper - Metric

Part Number	Nom. Small End Diameter (D)	Nom. Large End Diameter	Length (L) mm	Taper Ratio	Material
	mm	(D2) mm			
	<i>inches</i>	<i>inches</i>	<i>inches</i>		
# TP-0100-1200-4	1.00 <i>0.039</i>	1.24 <i>0.049</i>	12.00 <i>0.472</i>	1:50	304 Stainless
# TP-0100-1200-ST	1.00 <i>0.039</i>	1.24 <i>0.049</i>	12.00 <i>0.472</i>	1:50	Mild Steel
# TP-0100-1400-4	1.00 <i>0.039</i>	1.28 <i>0.050</i>	14.00 <i>0.551</i>	1:50	304 Stainless
# TP-0100-1400-ST	1.00 <i>0.039</i>	1.28 <i>0.050</i>	14.00 <i>0.551</i>	1:50	Mild Steel
# TP-0100-1600-4	1.00 <i>0.039</i>	1.32 <i>0.052</i>	16.00 <i>0.630</i>	1:50	304 Stainless
# TP-0100-1600-ST	1.00 <i>0.039</i>	1.32 <i>0.052</i>	16.00 <i>0.630</i>	1:50	Mild Steel
# TP-0100-1800-4	1.00 <i>0.039</i>	1.36 <i>0.054</i>	18.00 <i>0.709</i>	1:50	304 Stainless
# TP-0100-1800-ST	1.00 <i>0.039</i>	1.36 <i>0.054</i>	18.00 <i>0.709</i>	1:50	Mild Steel
TP-0150-0600-ST	1.50 <i>0.059</i>	1.62 <i>0.064</i>	6.00 <i>0.236</i>	1:50	Mild Steel
# TP-0150-0800-ST	1.50 <i>0.059</i>	1.66 <i>0.065</i>	8.00 <i>0.315</i>	1:50	Mild Steel

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Taper - Metric

Part Number	Nom. Small End Diameter (D)	Nom. Large End Diameter	Length (L) mm	Taper Ratio	Material
	mm	(D2) mm			
	<i>inches</i>	<i>inches</i>	<i>inches</i>		
# TP-0150-1000-ST	1.50 <i>0.059</i>	1.70 <i>0.067</i>	10.00 <i>0.394</i>	1:50	Mild Steel
# TP-0150-1000-4	1.50 <i>0.059</i>	1.70 <i>0.067</i>	10.00 <i>0.394</i>	1:50	304 Stainless
# TP-0150-1200-4	1.50 <i>0.059</i>	1.74 <i>0.069</i>	12.00 <i>0.472</i>	1:50	304 Stainless
# TP-0150-1200-ST	1.50 <i>0.059</i>	1.74 <i>0.069</i>	12.00 <i>0.472</i>	1:50	Mild Steel
# TP-0150-1400-4	1.50 <i>0.059</i>	1.78 <i>0.070</i>	14.00 <i>0.551</i>	1:50	304 Stainless
# TP-0150-1400-ST	1.50 <i>0.059</i>	1.78 <i>0.070</i>	14.00 <i>0.551</i>	1:50	Mild Steel
# TP-0150-1600-4	1.50 <i>0.059</i>	1.82 <i>0.072</i>	16.00 <i>0.630</i>	1:50	304 Stainless
# TP-0150-1600-ST	1.50 <i>0.059</i>	1.82 <i>0.072</i>	16.00 <i>0.630</i>	1:50	Mild Steel
# TP-0150-1800-4	1.50 <i>0.059</i>	1.86 <i>0.073</i>	18.00 <i>0.709</i>	1:50	304 Stainless
# TP-0150-1800-ST	1.50 <i>0.059</i>	1.86 <i>0.073</i>	18.00 <i>0.709</i>	1:50	Mild Steel

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Taper - Metric

Part Number	Nom. Small End Diameter (D)	Nom. Large End Diameter	Length (L) mm	Taper Ratio	Material
	mm	(D2) mm			
	<i>inches</i>	<i>inches</i>	<i>inches</i>		
# TP-0150-2000-ST	1.50 <i>0.059</i>	1.90 <i>0.075</i>	20.00 <i>0.787</i>	1:50	Mild Steel
# TP-0150-2000-4	1.50 <i>0.059</i>	1.90 <i>0.075</i>	20.00 <i>0.787</i>	1:50	304 Stainless
# TP-0150-2200-ST	1.50 <i>0.059</i>	1.94 <i>0.076</i>	22.00 <i>0.866</i>	1:50	Mild Steel
# TP-0150-2400-ST	1.50 <i>0.059</i>	1.98 <i>0.078</i>	24.00 <i>0.945</i>	1:50	Mild Steel
# TP-0150-2600-ST	1.50 <i>0.059</i>	2.02 <i>0.080</i>	26.00 <i>1.024</i>	1:50	Mild Steel
# TP-0200-0600-ST	2.00 <i>0.079</i>	2.12 <i>0.083</i>	6.00 <i>0.236</i>	1:50	Mild Steel
# TP-0200-0800-ST	2.00 <i>0.079</i>	2.16 <i>0.085</i>	8.00 <i>0.315</i>	1:50	Mild Steel
# TP-0200-1000-4	2.00 <i>0.079</i>	2.20 <i>0.087</i>	10.00 <i>0.394</i>	1:50	304 Stainless
# TP-0200-1000-ST	2.00 <i>0.079</i>	2.20 <i>0.087</i>	10.00 <i>0.394</i>	1:50	Mild Steel
# TP-0200-1200-4	2.00 <i>0.079</i>	2.24 <i>0.088</i>	12.00 <i>0.472</i>	1:50	304 Stainless

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Taper - Metric

Part Number	Nom. Small End Diameter (D)	Nom. Large End Diameter	Length (L) mm	Taper Ratio	Material
	mm	(D2) mm			
	<i>inches</i>	<i>inches</i>	<i>inches</i>		
# TP-0200-1200-ST	2.00 <i>0.079</i>	2.24 <i>0.088</i>	12.00 <i>0.472</i>	1:50	Mild Steel
# TP-0200-1400-4	2.00 <i>0.079</i>	2.28 <i>0.090</i>	14.00 <i>0.551</i>	1:50	304 Stainless
# TP-0200-1400-ST	2.00 <i>0.079</i>	2.28 <i>0.090</i>	14.00 <i>0.551</i>	1:50	Mild Steel
# TP-0200-1600-ST	2.00 <i>0.079</i>	2.32 <i>0.091</i>	16.00 <i>0.630</i>	1:50	Mild Steel
TP-0200-1600-4	2.00 <i>0.079</i>	2.32 <i>0.091</i>	16.00 <i>0.630</i>	1:50	304 Stainless
# TP-0200-1800-4	2.00 <i>0.079</i>	2.36 <i>0.093</i>	18.00 <i>0.709</i>	1:50	304 Stainless
# TP-0200-1800-ST	2.00 <i>0.079</i>	2.36 <i>0.093</i>	18.00 <i>0.709</i>	1:50	Mild Steel
# TP-0200-2000-4	2.00 <i>0.079</i>	2.40 <i>0.094</i>	20.00 <i>0.787</i>	1:50	304 Stainless
# TP-0200-2000-ST	2.00 <i>0.079</i>	2.40 <i>0.094</i>	20.00 <i>0.787</i>	1:50	Mild Steel
# TP-0200-2200-ST	2.00 <i>0.079</i>	2.44 <i>0.096</i>	22.00 <i>0.866</i>	1:50	Mild Steel

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Taper - Metric

Part Number	Nom. Small End Diameter (D)	Nom. Large End Diameter	Length (L) mm	Taper Ratio	Material
	mm	(D2) mm			
	<i>inches</i>	<i>inches</i>	<i>inches</i>		
# TP-0200-2200-STXX	2.00 <i>0.079</i>	2.44 <i>0.096</i>	22.00 <i>0.866</i>	1:50	Mild Steel
# TP-0200-2400-4	2.00 <i>0.079</i>	2.48 <i>0.098</i>	24.00 <i>0.945</i>	1:50	304 Stainless
# TP-0200-2400-ST	2.00 <i>0.079</i>	2.48 <i>0.098</i>	24.00 <i>0.945</i>	1:50	Mild Steel
# TP-0200-2600-4	2.00 <i>0.079</i>	2.52 <i>0.099</i>	26.00 <i>1.024</i>	1:50	304 Stainless
# TP-0200-2600-ST	2.00 <i>0.079</i>	2.52 <i>0.099</i>	26.00 <i>1.024</i>	1:50	Mild Steel
# TP-0200-2800-4	2.00 <i>0.079</i>	2.56 <i>0.101</i>	28.00 <i>1.102</i>	1 : 50	304 Stainless
# TP-0200-2800-ST	2.00 <i>0.079</i>	2.56 <i>0.101</i>	28.00 <i>1.102</i>	1:50	Mild Steel
# TP-0200-3000-ST	2.00 <i>0.079</i>	2.60 <i>0.102</i>	30.00 <i>1.181</i>	1:50	Mild Steel
# TP-0200-3000-4	2.00 <i>0.079</i>	2.60 <i>0.102</i>	30.00 <i>1.181</i>	1:50	304 Stainless
# TP-0200-4000-4	2.00 <i>0.079</i>	2.80 <i>0.110</i>	40.00 <i>1.575</i>	1:50	304 Stainless

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Taper - Metric

Part Number	Nom. Small End Diameter (D)	Nom. Large End Diameter	Length (L) mm	Taper Ratio	Material
	mm	(D2) mm			
	<i>inches</i>	<i>inches</i>	<i>inches</i>		
# TP-0200-5000-4	2.00 <i>0.079</i>	3.00 <i>0.118</i>	50.00 <i>1.969</i>	1:50	304 Stainless
# TP-0250-0600-ST	2.50 <i>0.098</i>	2.12 <i>0.083</i>	6.00 <i>0.236</i>	1:50	Mild Steel
# TP-0250-0800-ST	2.50 <i>0.098</i>	2.16 <i>0.085</i>	8.00 <i>0.315</i>	1:50	Mild Steel
# TP-0250-1000-ST	2.50 <i>0.098</i>	2.70 <i>0.106</i>	10.00 <i>0.394</i>	1:50	Mild Steel
# TP-0250-1200-ST	2.50 <i>0.098</i>	2.74 <i>0.108</i>	12.00 <i>0.472</i>	1:50	Mild Steel
# TP-0250-1400-ST	2.50 <i>0.098</i>	2.78 <i>0.109</i>	14.00 <i>0.551</i>	1:50	Mild Steel
# TP-0250-1600-4	2.50 <i>0.098</i>	2.82 <i>0.111</i>	16.00 <i>0.630</i>	1:50	304 Stainless
# TP-0250-1600-ST	2.50 <i>0.098</i>	2.82 <i>0.111</i>	16.00 <i>0.630</i>	1:50	Mild Steel
# TP-0250-1800-4	2.50 <i>0.098</i>	2.86 <i>0.113</i>	18.00 <i>0.709</i>	1:50	304 Stainless
# TP-0250-1800-ST	2.50 <i>0.098</i>	2.86 <i>0.113</i>	18.00 <i>0.709</i>	1:50	Mild Steel

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Taper - Metric

Part Number	Nom. Small End Diameter (D)	Nom. Large End Diameter	Length (L) mm	Taper Ratio	Material
	mm	(D2) mm			
	<i>inches</i>	<i>inches</i>	<i>inches</i>		
# TP-0250-2000-ST	2.50 <i>0.098</i>	2.90 <i>0.114</i>	20.00 <i>0.787</i>	1:50	Mild Steel
# TP-0250-2000-4	2.50 <i>0.098</i>	2.90 <i>0.114</i>	20.00 <i>0.787</i>	1:50	304 Stainless
# TP-0250-2200-ST	2.50 <i>0.098</i>	2.94 <i>0.116</i>	22.00 <i>0.866</i>	1:50	Mild Steel
# TP-0250-2400-ST	2.50 <i>0.098</i>	2.98 <i>0.117</i>	24.00 <i>0.945</i>	1:50	Mild Steel
# TP-0250-2400-4	2.50 <i>0.098</i>	2.98 <i>0.117</i>	24.00 <i>0.945</i>	1:50	304 Stainless
# TP-0250-2600-4	2.50 <i>0.098</i>	3.02 <i>0.119</i>	26.00 <i>1.024</i>	1:50	304 Stainless
# TP-0250-2600-ST	2.50 <i>0.098</i>	3.02 <i>0.119</i>	26.00 <i>1.024</i>	1:50	Mild Steel
# TP-0250-2800-ST	2.50 <i>0.098</i>	3.06 <i>0.120</i>	28.00 <i>1.102</i>	1:50	Mild Steel
# TP-0250-3000-4	2.50 <i>0.098</i>	3.10 <i>0.122</i>	30.00 <i>1.181</i>	1:50	304 Stainless
# TP-0250-3000-ST	2.50 <i>0.098</i>	3.10 <i>0.122</i>	30.00 <i>1.181</i>	1:50	Mild Steel

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Taper - Metric

Part Number	Nom. Small End Diameter (D)	Nom. Large End Diameter	Length (L) mm	Taper Ratio	Material
	mm	(D2) mm			
	<i>inches</i>	<i>inches</i>	<i>inches</i>		
# TP-0250-3200-ST	2.50 <i>0.098</i>	3.14 <i>0.124</i>	32.00 <i>1.260</i>	1:50	Mild Steel
# TP-0250-3600-4	2.50 <i>0.098</i>	3.22 <i>0.127</i>	36.00 <i>1.417</i>	1:50	304 Stainless
# TP-0250-3600-ST	2.50 <i>0.098</i>	3.22 <i>0.127</i>	36.00 <i>1.417</i>	1:50	Mild Steel
# TP-0250-4000-4	2.50 <i>0.098</i>	3.30 <i>0.130</i>	40.00 <i>1.575</i>	1:50	304 Stainless
# TP-0250-4000-ST	2.50 <i>0.098</i>	3.30 <i>0.130</i>	40.00 <i>1.575</i>	1:50	Mild Steel
# TP-0300-0600-ST	3.00 <i>0.118</i>	3.12 <i>0.123</i>	6.00 <i>0.236</i>	1:50	Mild Steel
# TP-0300-0800-ST	3.00 <i>0.118</i>	3.16 <i>0.124</i>	8.00 <i>0.315</i>	1:50	Mild Steel
# TP-0300-1000-ST	3.00 <i>0.118</i>	3.20 <i>0.126</i>	10.00 <i>0.394</i>	1:50	Mild Steel
# TP-0300-1200-4	3.00 <i>0.118</i>	3.24 <i>0.128</i>	12.00 <i>0.472</i>	1:50	304 Stainless
# TP-0300-1200-ST	3.00 <i>0.118</i>	3.24 <i>0.128</i>	12.00 <i>0.472</i>	1:50	Mild Steel

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Taper - Metric

Part Number	Nom. Small End Diameter (D)	Nom. Large End Diameter	Length (L) mm	Taper Ratio	Material
	mm	(D2) mm			
	<i>inches</i>	<i>inches</i>	<i>inches</i>		
# TP-0300-1400-4	3.00 <i>0.118</i>	3.28 <i>0.129</i>	14.00 <i>0.551</i>	1:50	304 Stainless
# TP-0300-1400-ST	3.00 <i>0.118</i>	3.28 <i>0.129</i>	14.00 <i>0.551</i>	1:50	Mild Steel
# TP-0300-1600-4	3.00 <i>0.118</i>	3.32 <i>0.131</i>	16.00 <i>0.630</i>	1:50	304 Stainless
# TP-0300-1600-ST	3.00 <i>0.118</i>	3.32 <i>0.131</i>	16.00 <i>0.630</i>	1:50	Mild Steel
# TP-0300-1800-4	3.00 <i>0.118</i>	3.36 <i>0.132</i>	18.00 <i>0.709</i>	1:50	304 Stainless
# TP-0300-1800-ST	3.00 <i>0.118</i>	3.36 <i>0.132</i>	18.00 <i>0.709</i>	1:50	Mild Steel
# TP-0300-2000-4	3.00 <i>0.118</i>	3.40 <i>0.134</i>	20.00 <i>0.787</i>	1:50	304 Stainless
# TP-0300-2000-ST	3.00 <i>0.118</i>	3.40 <i>0.134</i>	20.00 <i>0.787</i>	1:50	Mild Steel
# TP-0300-2200-ST	3.00 <i>0.118</i>	3.44 <i>0.135</i>	22.00 <i>0.866</i>	1:50	Mild Steel
# TP-0300-2400-4	3.00 <i>0.118</i>	3.48 <i>0.137</i>	24.00 <i>0.945</i>	1:50	304 Stainless

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Taper - Metric

Part Number	Nom. Small End Diameter (D)	Nom. Large End Diameter	Length (L) mm	Taper Ratio	Material
	mm	(D2) mm			
	<i>inches</i>	<i>inches</i>	<i>inches</i>		
# TP-0300-2400-ST	3.00 <i>0.118</i>	3.48 <i>0.137</i>	24.00 <i>0.945</i>	1:50	Mild Steel
# TP-0300-2600-4	3.00 <i>0.118</i>	3.52 <i>0.139</i>	26.00 <i>1.024</i>	1:50	304 Stainless
# TP-0300-2600-ST	3.00 <i>0.118</i>	3.52 <i>0.139</i>	26.00 <i>1.024</i>	1:50	Mild Steel
# TP-0300-2800-ST	3.00 <i>0.118</i>	3.56 <i>0.140</i>	28.00 <i>1.102</i>	1:50	Mild Steel
# TP-0300-3000-4	3.00 <i>0.118</i>	3.60 <i>0.142</i>	30.00 <i>1.181</i>	1:50	304 Stainless
# TP-0300-3000-ST	3.00 <i>0.118</i>	3.60 <i>0.142</i>	30.00 <i>1.181</i>	1:50	Mild Steel
# TP-0300-3200-ST	3.00 <i>0.118</i>	3.64 <i>0.143</i>	32.00 <i>1.260</i>	1:50	Mild Steel
# TP-0300-3600-4	3.00 <i>0.118</i>	3.72 <i>0.146</i>	36.00 <i>1.417</i>	1:50	304 Stainless
# TP-0300-3600-ST	3.00 <i>0.118</i>	3.72 <i>0.146</i>	36.00 <i>1.417</i>	1:50	Mild Steel
# TP-0300-4000-4	3.00 <i>0.118</i>	3.80 <i>0.150</i>	40.00 <i>1.575</i>	1:50	304 Stainless

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Taper - Metric

Part Number	Nom. Small End Diameter (D)	Nom. Large End Diameter	Length (L) mm	Taper Ratio	Material
	mm	(D2) mm			
	<i>inches</i>	<i>inches</i>	<i>inches</i>		
# TP-0300-4000-ST	3.00 <i>0.118</i>	3.80 <i>0.150</i>	40.00 <i>1.575</i>	1:50	Mild Steel
# TP-0300-4500-ST	3.00 <i>0.118</i>	3.90 <i>0.154</i>	45.00 <i>1.772</i>	1:50	Mild Steel
# TP-0300-5000-ST	3.00 <i>0.118</i>	4.00 <i>0.157</i>	50.00 <i>1.969</i>	1:50	Mild Steel
# TP-0300-5000-4	3.00 <i>0.118</i>	4.00 <i>0.157</i>	50.00 <i>1.969</i>	1:50	304 Stainless
# TP-0400-0600-ST	4.00 <i>0.157</i>	4.12 <i>0.162</i>	6.00 <i>0.236</i>	1:50	Mild Steel
# TP-0400-0800-ST	4.00 <i>0.157</i>	4.16 <i>0.164</i>	8.00 <i>0.315</i>	1:50	Mild Steel
# TP-0400-1000-ST	4.00 <i>0.157</i>	4.20 <i>0.165</i>	10.00 <i>0.394</i>	1:50	Mild Steel
# TP-0400-1200-ST	4.00 <i>0.157</i>	4.24 <i>0.167</i>	12.00 <i>0.472</i>	1:50	Mild Steel
# TP-0400-1400-ST	4.00 <i>0.157</i>	4.28 <i>0.169</i>	14.00 <i>0.551</i>	1:50	Mild Steel
# TP-0400-1600-4	4.00 <i>0.157</i>	4.32 <i>0.170</i>	16.00 <i>0.630</i>	1:50	304 Stainless

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Taper - Metric

Part Number	Nom. Small End Diameter (D)	Nom. Large End Diameter	Length (L) mm	Taper Ratio	Material
	mm	(D2) mm			
	<i>inches</i>	<i>inches</i>	<i>inches</i>		
# TP-0400-1600-ST	4.00 <i>0.157</i>	4.32 <i>0.170</i>	16.00 <i>0.630</i>	1:50	Mild Steel
# TP-0400-1800-ST	4.00 <i>0.157</i>	4.36 <i>0.172</i>	18.00 <i>0.709</i>	1:50	Mild Steel
# TP-0400-2000-4	4.00 <i>0.157</i>	4.40 <i>0.173</i>	20.00 <i>0.787</i>	1:50	304 Stainless
# TP-0400-2000-ST	4.00 <i>0.157</i>	4.40 <i>0.173</i>	20.00 <i>0.787</i>	1:50	Mild Steel
# TP-0400-2200-ST	4.00 <i>0.157</i>	4.44 <i>0.175</i>	22.00 <i>0.866</i>	1:50	Mild Steel
# TP-0400-2400-4	4.00 <i>0.157</i>	4.48 <i>0.176</i>	24.00 <i>0.945</i>	1:50	304 Stainless
TP-0400-2400-ST	4.00 <i>0.157</i>	4.48 <i>0.176</i>	24.00 <i>0.945</i>	1:50	Mild Steel
TP-0400-2600-ST	4.00 <i>0.157</i>	4.52 <i>0.178</i>	26.00 <i>1.024</i>	1:50	Mild Steel
# TP-0400-2600-4	4.00 <i>0.157</i>	4.52 <i>0.178</i>	26.00 <i>1.024</i>	1:50	304 Stainless
# TP-0400-2800-ST	4.00 <i>0.157</i>	4.56 <i>0.180</i>	28.00 <i>1.102</i>	1:50	Mild Steel

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Taper - Metric

Part Number	Nom. Small End Diameter (D)	Nom. Large End Diameter	Length (L) mm	Taper Ratio	Material
	mm	(D2) mm			
	<i>inches</i>	<i>inches</i>	<i>inches</i>		
# TP-0400-3000-4	4.00 <i>0.157</i>	4.60 <i>0.181</i>	30.00 <i>1.181</i>	1:50	304 Stainless
TP-0400-3000-ST	4.00 <i>0.157</i>	4.60 <i>0.181</i>	30.00 <i>1.181</i>	1:50	Mild Steel
# TP-0400-3200-ST	4.00 <i>0.157</i>	4.64 <i>0.183</i>	32.00 <i>1.260</i>	1:50	Mild Steel
# TP-0400-3600-4	4.00 <i>0.157</i>	4.72 <i>0.186</i>	36.00 <i>1.417</i>	1:50	304 Stainless
# TP-0400-3600-ST	4.00 <i>0.157</i>	4.72 <i>0.186</i>	36.00 <i>1.417</i>	1:50	Mild Steel
# TP-0400-4000-4	4.00 <i>0.157</i>	4.80 <i>0.189</i>	40.00 <i>1.575</i>	1:50	304 Stainless
# TP-0400-4000-ST	4.00 <i>0.157</i>	4.80 <i>0.189</i>	40.00 <i>1.575</i>	1:50	Mild Steel
# TP-0400-4500-ST	4.00 <i>0.157</i>	4.90 <i>0.193</i>	45.00 <i>1.772</i>	1:50	Mild Steel
# TP-0400-4500-4	4.00 <i>0.157</i>	4.90 <i>0.193</i>	45.00 <i>1.772</i>	1:50	304 Stainless
# TP-0400-5000-ST	4.00 <i>0.157</i>	5.00 <i>0.197</i>	50.00 <i>1.969</i>	1:50	Mild Steel

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Taper - Metric

Part Number	Nom. Small End Diameter (D)	Nom. Large End Diameter	Length (L) mm	Taper Ratio	Material
	mm	(D2) mm			
	<i>inches</i>	<i>inches</i>	<i>inches</i>		
# TP-0400-5000-4	4.00 <i>0.157</i>	5.00 <i>0.197</i>	50.00 <i>1.969</i>	1:50	304 Stainless
# TP-0400-6000-4	4.00 <i>0.157</i>	5.20 <i>0.205</i>	60.00 <i>2.362</i>	1:50	304 Stainless
# TP-0400-6000-ST	4.00 <i>0.157</i>	5.20 <i>0.205</i>	60.00 <i>2.362</i>	1:50	Mild Steel
# TP-0500-1000-ST	5.00 <i>0.197</i>	5.20 <i>0.205</i>	10.00 <i>0.394</i>	1:50	Mild Steel
# TP-0500-1200-ST	5.00 <i>0.197</i>	5.24 <i>0.206</i>	12.00 <i>0.472</i>	1:50	Mild Steel
# TP-0500-1400-ST	5.00 <i>0.197</i>	5.28 <i>0.208</i>	14.00 <i>0.551</i>	1:50	Mild Steel
# TP-0500-1600-ST	5.00 <i>0.197</i>	5.32 <i>0.209</i>	16.00 <i>0.630</i>	1:50	Mild Steel
# TP-0500-1800-ST	5.00 <i>0.197</i>	5.36 <i>0.211</i>	18.00 <i>0.709</i>	1:50	Mild Steel
# TP-0500-2000-ST	5.00 <i>0.197</i>	5.40 <i>0.213</i>	20.00 <i>0.787</i>	1:50	Mild Steel
# TP-0500-2200-ST	5.00 <i>0.197</i>	5.44 <i>0.214</i>	22.00 <i>0.866</i>	1:50	Mild Steel

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Taper - Metric

Part Number	Nom. Small End Diameter (D)	Nom. Large End Diameter	Length (L) mm	Taper Ratio	Material
	mm	(D2) mm			
	<i>inches</i>	<i>inches</i>	<i>inches</i>		
# TP-0500-2400-ST	5.00 <i>0.197</i>	5.48 <i>0.216</i>	24.00 <i>0.945</i>	1:50	Mild Steel
TP-0500-2600-ST	5.00 <i>0.197</i>	5.52 <i>0.217</i>	26.00 <i>1.024</i>	1:50	Mild Steel
# TP-0500-2800-ST	5.00 <i>0.197</i>	5.56 <i>0.219</i>	28.00 <i>1.102</i>	1:50	Mild Steel
# TP-0500-3000-ST	5.00 <i>0.197</i>	5.60 <i>0.220</i>	30.00 <i>1.181</i>	1:50	Mild Steel
# TP-0500-3200-ST	5.00 <i>0.197</i>	5.64 <i>0.222</i>	32.00 <i>1.260</i>	1:50	Mild Steel
# TP-0500-3600-ST	5.00 <i>0.197</i>	5.72 <i>0.225</i>	36.00 <i>1.417</i>	1:50	Mild Steel
# TP-0500-4000-ST	5.00 <i>0.197</i>	5.80 <i>0.228</i>	40.00 <i>1.575</i>	1:50	Mild Steel
# TP-0500-4500-ST	5.00 <i>0.197</i>	5.90 <i>0.232</i>	45.00 <i>1.772</i>	1:50	Mild Steel
TP-0500-5000-ST	5.00 <i>0.197</i>	6.00 <i>0.236</i>	50.00 <i>1.969</i>	1:50	Mild Steel
# TP-0600-1000-ST	6.00 <i>0.236</i>	6.20 <i>0.244</i>	10.00 <i>0.394</i>	1:50	Mild Steel

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Taper - Metric

Part Number	Nom. Small End Diameter (D)	Nom. Large End Diameter	Length (L) mm	Taper Ratio	Material
	mm	(D2) mm			
	<i>inches</i>	<i>inches</i>	<i>inches</i>		
# TP-0600-1200-ST	6.00 <i>0.236</i>	6.24 <i>0.246</i>	12.00 <i>0.472</i>	1:50	Mild Steel
# TP-0600-1400-ST	6.00 <i>0.236</i>	6.28 <i>0.247</i>	14.00 <i>0.551</i>	1:50	Mild Steel
# TP-0600-1600-ST	6.00 <i>0.236</i>	6.32 <i>0.249</i>	16.00 <i>0.630</i>	1:50	Mild Steel
# TP-0600-1800-ST	6.00 <i>0.236</i>	6.36 <i>0.250</i>	18.00 <i>0.709</i>	1:50	Mild Steel
# TP-0600-2000-ST	6.00 <i>0.236</i>	6.40 <i>0.252</i>	20.00 <i>0.787</i>	1:50	Mild Steel
# TP-0600-2200-ST	6.00 <i>0.236</i>	6.44 <i>0.254</i>	22.00 <i>0.866</i>	1:50	Mild Steel
# TP-0600-2400-ST	6.00 <i>0.236</i>	6.48 <i>0.255</i>	24.00 <i>0.945</i>	1:50	Mild Steel
# TP-0600-2800-ST	6.00 <i>0.236</i>	6.56 <i>0.258</i>	28.00 <i>1.102</i>	1:50	Mild Steel
TP-0600-3000-ST	6.00 <i>0.236</i>	6.60 <i>0.260</i>	30.00 <i>1.181</i>	1:50	Mild Steel
# TP-0600-3200-ST	6.00 <i>0.236</i>	6.64 <i>0.261</i>	32.00 <i>1.260</i>	1:50	Mild Steel

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Taper - Metric

Part Number	Nom. Small End Diameter (D)	Nom. Large End Diameter	Length (L) mm	Taper Ratio	Material
	mm	(D2) mm			
	<i>inches</i>	<i>inches</i>	<i>inches</i>		
# TP-0600-3600-ST	6.00 <i>0.236</i>	6.72 <i>0.265</i>	36.00 <i>1.417</i>	1:50	Mild Steel
# TP-0600-4000-ST	6.00 <i>0.236</i>	6.80 <i>0.268</i>	40.00 <i>1.575</i>	1:50	Mild Steel
# TP-0600-4500-ST	6.00 <i>0.236</i>	6.90 <i>0.272</i>	45.00 <i>1.772</i>	1:50	Mild Steel
TP-0600-5000-ST	6.00 <i>0.236</i>	7.00 <i>0.276</i>	50.00 <i>1.969</i>	1:50	Mild Steel
# TP-0600-5500-ST	6.00 <i>0.236</i>	7.10 <i>0.280</i>	55.00 <i>2.165</i>	1:50	Mild Steel
# TP-0600-6000-ST	6.00 <i>0.236</i>	7.20 <i>0.283</i>	60.00 <i>2.362</i>	1:50	Mild Steel
TP-0800-2000-ST	8.00 <i>0.315</i>	8.40 <i>0.331</i>	20.00 <i>0.787</i>	1:50	Mild Steel
# TP-0800-2200-ST	8.00 <i>0.315</i>	8.44 <i>0.332</i>	22.00 <i>0.866</i>	1:50	Mild Steel
# TP-0800-2400-ST	8.00 <i>0.315</i>	8.48 <i>0.334</i>	24.00 <i>0.945</i>	1:50	Mild Steel
# TP-0800-2800-ST	8.00 <i>0.315</i>	8.56 <i>0.337</i>	28.00 <i>1.102</i>	1:50	Mild Steel

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Taper - Metric

Part Number	Nom. Small End Diameter (D)	Nom. Large End Diameter	Length (L) mm	Taper Ratio	Material
	mm	(D2) mm			
	<i>inches</i>	<i>inches</i>	<i>inches</i>		
TP-0800-3000-ST	8.00 <i>0.315</i>	8.60 <i>0.339</i>	30.00 <i>1.181</i>	1:50	Mild Steel
# TP-0800-3200-ST	8.00 <i>0.315</i>	8.64 <i>0.340</i>	32.00 <i>1.260</i>	1:50	Mild Steel
# TP-0800-3600-ST	8.00 <i>0.315</i>	8.72 <i>0.343</i>	36.00 <i>1.417</i>	1:50	Mild Steel
TP-0800-4000-ST	8.00 <i>0.315</i>	8.80 <i>0.346</i>	40.00 <i>1.575</i>	1:50	Mild Steel
# TP-0800-4500-ST	8.00 <i>0.315</i>	8.90 <i>0.350</i>	45.00 <i>1.772</i>	1:50	Mild Steel
TP-0800-5000-ST	8.00 <i>0.315</i>	9.00 <i>0.354</i>	50.00 <i>1.969</i>	1:50	Mild Steel
TP-0800-5500-ST	8.00 <i>0.315</i>	9.10 <i>0.358</i>	55.00 <i>2.165</i>	1:50	Mild Steel
# TP-0800-6000-ST	8.00 <i>0.315</i>	9.20 <i>0.362</i>	60.00 <i>2.362</i>	1:50	Mild Steel
TP-0800-6500-ST	8.00 <i>0.315</i>	9.30 <i>0.366</i>	65.00 <i>2.559</i>	1:50	Mild Steel
TP-0800-7000-ST	8.00 <i>0.315</i>	9.40 <i>0.370</i>	70.00 <i>2.756</i>	1:50	Mild Steel

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Taper - Metric

Part Number	Nom. Small End Diameter (D) mm <i>inches</i>	Nom. Large End Diameter (D2) mm <i>inches</i>	Length (L) mm <i>inches</i>	Taper Ratio	Material
TP-0800-8000-ST	8.00 <i>0.315</i>	9.60 <i>0.378</i>	80.00 <i>3.150</i>	1:50	Mild Steel
# TP-1000-2800-ST	10.00 <i>0.394</i>	10.56 <i>0.416</i>	28.00 <i>1.102</i>	1:50	Mild Steel
TP-1000-3000-ST	10.00 <i>0.394</i>	10.60 <i>0.417</i>	30.00 <i>1.181</i>	1:50	Mild Steel
# TP-1000-3200-ST	10.00 <i>0.394</i>	10.64 <i>0.419</i>	32.00 <i>1.260</i>	1:50	Mild Steel
# TP-1000-3600-ST	10.00 <i>0.394</i>	10.72 <i>0.422</i>	36.00 <i>1.417</i>	1:50	Mild Steel
TP-1000-4000-ST	10.00 <i>0.394</i>	10.80 <i>0.425</i>	40.00 <i>1.575</i>	1:50	Mild Steel
# TP-1000-4500-ST	10.00 <i>0.394</i>	10.90 <i>0.429</i>	45.00 <i>1.772</i>	1:50	Mild Steel
TP-1000-5000-ST	10.00 <i>0.394</i>	11.00 <i>0.433</i>	50.00 <i>1.969</i>	1:50	Mild Steel
# TP-1000-5500-ST	10.00 <i>0.394</i>	11.10 <i>0.437</i>	55.00 <i>2.165</i>	1:50	Mild Steel
# TP-1000-6000-ST	10.00 <i>0.394</i>	11.20 <i>0.441</i>	60.00 <i>2.362</i>	1:50	Mild Steel

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Taper - Metric

Part Number	Nom. Small End Diameter (D) mm <i>inches</i>	Nom. Large End Diameter (D2) mm <i>inches</i>	Length (L) mm <i>inches</i>	Taper Ratio	Material
# TP-1000-6500-ST	10.00 <i>0.394</i>	11.30 <i>0.445</i>	65.00 <i>2.559</i>	1:50	Mild Steel
# TP-1000-7000-ST	10.00 <i>0.394</i>	11.40 <i>0.449</i>	70.00 <i>2.756</i>	1:50	Mild Steel
TP-1000-8000-ST	10.00 <i>0.394</i>	11.60 <i>0.457</i>	80.00 <i>3.150</i>	1:50	Mild Steel
TP-1000-9000-ST	10.00 <i>0.394</i>	11.80 <i>0.465</i>	90.00 <i>3.543</i>	1:50	Mild Steel
TP-1000-10000-ST	10.00 <i>0.394</i>	12.00 <i>0.472</i>	100.00 <i>3.937</i>	1:50	Mild Steel
TP-1200-3000-ST	12.00 <i>0.472</i>	12.60 <i>0.496</i>	30.00 <i>1.181</i>	1:50	Mild Steel
# TP-1200-3200-ST	12.00 <i>0.472</i>	12.64 <i>0.498</i>	32.00 <i>1.260</i>	1:50	Mild Steel
# TP-1200-3600-ST	12.00 <i>0.472</i>	12.72 <i>0.501</i>	36.00 <i>1.417</i>	1:50	Mild Steel
TP-1200-4000-ST	12.00 <i>0.472</i>	12.80 <i>0.504</i>	40.00 <i>1.575</i>	1:50	Mild Steel
# TP-1200-4500-ST	12.00 <i>0.472</i>	12.90 <i>0.508</i>	45.00 <i>1.772</i>	1:50	Mild Steel

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Taper - Metric

Part Number	Nom. Small End Diameter (D)	Nom. Large End Diameter	Length (L) mm	Taper Ratio	Material
	mm	(D2) mm			
	<i>inches</i>	<i>inches</i>	<i>inches</i>		
TP-1200-5000-ST	12.00 <i>0.472</i>	13.00 <i>0.512</i>	50.00 <i>1.969</i>	1:50	Mild Steel
# TP-1200-5500-ST	12.00 <i>0.472</i>	13.10 <i>0.516</i>	55.00 <i>2.165</i>	1:50	Mild Steel
# TP-1200-6000-ST	12.00 <i>0.472</i>	13.20 <i>0.520</i>	60.00 <i>2.362</i>	1:50	Mild Steel
# TP-1200-6500-ST	12.00 <i>0.472</i>	13.30 <i>0.524</i>	65.00 <i>2.559</i>	1:50	Mild Steel
# TP-1200-7000-ST	12.00 <i>0.472</i>	13.40 <i>0.528</i>	70.00 <i>2.756</i>	1:50	Mild Steel
# TP-1200-8000-ST	12.00 <i>0.472</i>	13.60 <i>0.535</i>	80.00 <i>3.150</i>	1:50	Mild Steel
# TP-1200-9000-ST	12.00 <i>0.472</i>	13.80 <i>0.543</i>	90.00 <i>3.543</i>	1:50	Mild Steel
# TP-1200-10000-ST	12.00 <i>0.472</i>	14.00 <i>0.551</i>	100.00 <i>3.937</i>	1:50	Mild Steel
# TP-1200-11000-ST	12.00 <i>0.472</i>	14.20 <i>0.559</i>	110.00 <i>4.331</i>	1:50	Mild Steel
# TP-1200-12000-ST	12.00 <i>0.472</i>	14.40 <i>0.567</i>	120.00 <i>4.724</i>	1:50	Mild Steel


Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

MBA

MINIATURE BEARINGS AUSTRALIA PTY LTD



ABN 94 069 113 800



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to catalogues@minibearings.com.au

SDPSI
Stock Drive Products / Spring Instrument

JK

ANOTHER QUALITY PRODUCT BY
MOLYTEC
AUSTRALIA

Origin
BEARING

WIB

THOMSON

EZO



myonic
solutions in microspace

rino



inox
Quality Products

GRW

DualVee[®]
Bishop-Wisecarver Corp.

ondrives
Precision Manufacturing

RMB

SOLARBOTICS[™]

KSK
BALL BEARING