




MBA

Plungers - Spring - Smooth



Stainless Steel or Plastic - No Thread.

Body BSD: Pom (Delrin) BSD-SS: W.-Nr 1.4305 (303) Stainless Steel.

Sleeve BSD: Thermoplastic BSD-SS: Stainless Steel.

Ball: W.-Nr 1.4034 (420) Stainless Steel.

Spring: W.-Nr 1.4310 (301) Stainless Steel.

Surface Finish BSD: Ball hardened, bright BSD-SS: Bright.

Plungers - Spring - Smooth

Part Number	Body Dia. (+0.1/-0.0) (D) mm	Ball Diameter (D1) mm	Lip Diameter (D2) mm	Length (L) mm	Ball Height (H) mm	Initial Pressure (F1) N	Final Pressure (F2) N	Weight (Approx) g	Material
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>				
BSD-4SS-COM	4 (Pressed not Machined)	3	4.6	5	0.80	2.5	6	0.30	303 Stainless
		<i>0.118</i>	<i>0.181</i>	<i>0.197</i>	<i>0.031</i>				
BSD-4SS	4 (Machined)	3	4.6	5	0.70	3	7	0.30	303 Stainless
		<i>0.118</i>	<i>0.181</i>	<i>0.197</i>	<i>0.028</i>				
BSD-4	4	3	4.6	5	0.7	3	7	0.17	Delrin
	<i>0.157</i>	<i>0.118</i>	<i>0.181</i>	<i>0.197</i>	<i>0.028</i>				

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Plungers - Spring - Smooth

Part Number	Body Dia. (+0.1/-0.0) (D) mm	Ball Diameter (D1) mm	Lip Diameter (D2) mm	Length (L) mm	Ball Height (H) mm	Initial Pressure (F1) N	Final Pressure (F2) N	Weight (Approx) g	Material
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>				
BSD-5SS	5 <i>0.197</i>	4 <i>0.157</i>	5.6 <i>0.220</i>	6 <i>0.236</i>	1.0 <i>0.039</i>	4	7	0.60	303 Stainless
BSD-5	5 <i>0.197</i>	4 <i>0.157</i>	5.6 <i>0.220</i>	6 <i>0.236</i>	1.0 <i>0.039</i>	4	7	0.35	Delrin
BSD-6SS	6 <i>0.236</i>	5 <i>0.197</i>	6.5 <i>0.256</i>	7 <i>0.276</i>	1.5 <i>0.059</i>	6	12	1.00	303 Stainless
BSD-6	6 <i>0.236</i>	5 <i>0.197</i>	6.5 <i>0.256</i>	7 <i>0.276</i>	1.5 <i>0.059</i>	6	12	0.66	Delrin
BSD-8	8 <i>0.315</i>	6.5 <i>0.256</i>	8.5 <i>0.335</i>	9 <i>0.354</i>	1.8 <i>0.071</i>	6	12	1.46	Delrin
BSD-8SS	8 <i>0.315</i>	6.5 <i>0.256</i>	8.5 <i>0.335</i>	9 <i>0.354</i>	1.8 <i>0.071</i>	6	12	2.00	303 Stainless

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to catalogues@minibearings.com.au

