




# MBA

## Pulleys - Conidrive N10



Self guiding system - no need for pulley flanges.

Aluminium Alloy.

Clear Anodised.

Fairloc® Hub Locking.

Smooth Running.

This catalogue to be read in conjunction with information at [http://www.minibearings.com.au/ogue/tech/conidrive/conidrive\\_tech.pdf](http://www.minibearings.com.au/ogue/tech/conidrive/conidrive_tech.pdf)

### Pulleys - Conidrive N10

Part Number	Rows	Face Width mm <i>inches</i>	Cavities per row mm <i>inches</i>	OD (D) mm <i>inches</i>	Bore (d) mm <i>inches</i>	Width (L) mm <i>inches</i>	Hub Diameter (D1) mm <i>inches</i>	Hub Projection (l) mm <i>inches</i>
# CDP-2-049-16.00	Double Row	20.00 <i>0.787</i>	16.00 <i>0.630</i>	49.49 <i>1.948</i>	16.00 <i>0.630</i>	38.50 <i>1.516</i>	38.00 <i>1.496</i>	18.50 <i>0.728</i>
# CDP-2-049-20.00	Double Row	20.00 <i>0.787</i>	16.00 <i>0.630</i>	49.49 <i>1.948</i>	20.00 <i>0.787</i>	42.00 <i>1.654</i>	49.50 <i>1.949</i>	22.00 <i>0.866</i>
# CDP-2-075-16.00	Double Row	20.00 <i>0.787</i>	24.00 <i>0.945</i>	74.95 <i>2.951</i>	16.00 <i>0.630</i>	38.50 <i>1.516</i>	38.00 <i>1.496</i>	18.50 <i>0.728</i>

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Pulleys - Conidrive N10

Part Number	Rows	Face Width mm <i>inches</i>	Cavities per row mm <i>inches</i>	OD (D) mm <i>inches</i>	Bore (d) mm <i>inches</i>	Width (L) mm <i>inches</i>	Hub Diameter (D1) mm <i>inches</i>	Hub Projection (I) mm <i>inches</i>
# CDP-2-075-20.00	Double Row	20.00 <i>0.787</i>	24.00 <i>0.945</i>	74.95 <i>2.951</i>	20.00 <i>0.787</i>	42.00 <i>1.654</i>	49.50 <i>1.949</i>	22.00 <i>0.866</i>
# CDP-2-100-16.00	Double Row	20.00 <i>0.787</i>	32.00 <i>1.260</i>	100.42 <i>3.954</i>	16.00 <i>0.630</i>	38.50 <i>1.516</i>	38.00 <i>1.496</i>	18.50 <i>0.728</i>
# CDP-2-100-20.00	Double Row	20.00 <i>0.787</i>	32.00 <i>1.260</i>	100.42 <i>3.954</i>	20.00 <i>0.787</i>	42.00 <i>1.654</i>	49.50 <i>1.949</i>	22.00 <i>0.866</i>
# CDP-2-151-16.00	Double Row	20.00 <i>0.787</i>	48.00 <i>1.890</i>	151.35 <i>5.959</i>	16.00 <i>0.630</i>	38.50 <i>1.516</i>	38.00 <i>1.496</i>	18.50 <i>0.728</i>
# CDP-2-151-20.00	Double Row	20.00 <i>0.787</i>	48.00 <i>1.890</i>	151.35 <i>5.959</i>	20.00 <i>0.787</i>	42.00 <i>1.654</i>	49.50 <i>1.949</i>	22.00 <i>0.866</i>
# CDP-3-049-16.00	Triple Row	30.00 <i>1.181</i>	16.00 <i>0.630</i>	49.49 <i>1.948</i>	16.00 <i>0.630</i>	48.50 <i>1.909</i>	38.00 <i>1.496</i>	18.50 <i>0.728</i>
# CDP-3-049-20.00	Triple Row	30.00 <i>1.181</i>	16.00 <i>0.630</i>	49.49 <i>1.948</i>	20.00 <i>0.787</i>	52.00 <i>2.047</i>	49.50 <i>1.949</i>	22.00 <i>0.866</i>
# CDP-3-075-16.00	Triple Row	30.00 <i>1.181</i>	24.00 <i>0.945</i>	74.95 <i>2.951</i>	16.00 <i>0.630</i>	48.50 <i>1.909</i>	44.90 <i>1.768</i>	18.50 <i>0.728</i>
# CDP-3-075-20.00	Triple Row	30.00 <i>1.181</i>	24.00 <i>0.945</i>	74.95 <i>2.951</i>	20.00 <i>0.787</i>	52.00 <i>2.047</i>	44.90 <i>1.768</i>	22.00 <i>0.866</i>
# CDP-3-100-16.00	Triple Row	30.00 <i>1.181</i>	32.00 <i>1.260</i>	100.42 <i>3.954</i>	16.00 <i>0.630</i>	48.50 <i>1.909</i>	44.90 <i>1.768</i>	18.50 <i>0.728</i>

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Pulleys - Conidrive N10

Part Number	Rows	Face Width mm <i>inches</i>	Cavities per row mm <i>inches</i>	OD (D) mm <i>inches</i>	Bore (d) mm <i>inches</i>	Width (L) mm <i>inches</i>	Hub Diameter (D1) mm <i>inches</i>	Hub Projection (l) mm <i>inches</i>
# CDP-3-100-20.00	Triple Row	30.00 <i>1.181</i>	32.00 <i>1.260</i>	100.42 <i>3.954</i>	20.00 <i>0.787</i>	52.00 <i>2.047</i>	44.90 <i>1.768</i>	22.00 <i>0.866</i>
# CDP-3-151-16.00	Triple Row	30.00 <i>1.181</i>	48.00 <i>1.890</i>	151.35 <i>5.959</i>	16.00 <i>0.630</i>	48.50 <i>1.909</i>	44.90 <i>1.768</i>	18.50 <i>0.728</i>
# CDP-3-151-20.00	Triple Row	30.00 <i>1.181</i>	48.00 <i>1.890</i>	151.35 <i>5.959</i>	20.00 <i>0.787</i>	52.00 <i>2.047</i>	44.90 <i>1.768</i>	22.00 <i>0.866</i>
# CDP-1-049-10.00	Single Row	10.00 <i>0.394</i>	16.00 <i>0.630</i>	49.49 <i>1.948</i>	10.00 <i>0.394</i>	23.00 <i>0.906</i>	32.00 <i>1.260</i>	13.00 <i>0.512</i>
# CDP-1-049-12.00	Single Row	10.00 <i>0.394</i>	16.00 <i>0.630</i>	49.49 <i>1.948</i>	12.00 <i>0.472</i>	23.00 <i>0.906</i>	32.00 <i>1.260</i>	13.00 <i>0.512</i>
# CDP-1-062-10.00	Single Row	10.00 <i>0.394</i>	20.00 <i>0.787</i>	62.22 <i>2.450</i>	10.00 <i>0.394</i>	23.00 <i>0.906</i>	32.00 <i>1.260</i>	13.00 <i>0.512</i>
# CDP-1-062-12.00	Single Row	10.00 <i>0.394</i>	20.00 <i>0.787</i>	62.22 <i>2.450</i>	12.00 <i>0.472</i>	23.00 <i>0.906</i>	32.00 <i>1.260</i>	13.00 <i>0.512</i>
# CDP-1-075-10.00	Single Row	10.00 <i>0.394</i>	24.00 <i>0.945</i>	74.95 <i>2.951</i>	10.00 <i>0.394</i>	23.00 <i>0.906</i>	32.00 <i>1.260</i>	13.00 <i>0.512</i>
# CDP-1-075-12.00	Single Row	10.00 <i>0.394</i>	24.00 <i>0.945</i>	74.95 <i>2.951</i>	12.00 <i>0.472</i>	23.00 <i>0.906</i>	32.00 <i>1.260</i>	13.00 <i>0.512</i>
# CDP-1-088-10.00	Single Row	10.00 <i>0.394</i>	28.00 <i>1.102</i>	87.69 <i>3.452</i>	10.00 <i>0.394</i>	23.00 <i>0.906</i>	32.00 <i>1.260</i>	13.00 <i>0.512</i>

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Pulleys - Conidrive N10

Part Number	Rows	Face Width mm <i>inches</i>	Cavities per row mm <i>inches</i>	OD (D) mm <i>inches</i>	Bore (d) mm <i>inches</i>	Width (L) mm <i>inches</i>	Hub Diameter (D1) mm <i>inches</i>	Hub Projection (l) mm <i>inches</i>
# CDP-1-088-12.00	Single Row	10.00 <i>0.394</i>	28.00 <i>1.102</i>	87.69 <i>3.452</i>	12.00 <i>0.472</i>	23.00 <i>0.906</i>	32.00 <i>1.260</i>	13.00 <i>0.512</i>
# CDP-1-100-10.00	Single Row	10.00 <i>0.394</i>	32.00 <i>1.260</i>	100.42 <i>3.954</i>	10.00 <i>0.394</i>	23.00 <i>0.906</i>	32.00 <i>1.260</i>	13.00 <i>0.512</i>
# CDP-1-100-12.00	Single Row	10.00 <i>0.394</i>	32.00 <i>1.260</i>	100.42 <i>3.954</i>	12.00 <i>0.472</i>	23.00 <i>0.906</i>	32.00 <i>1.260</i>	13.00 <i>0.512</i>
# CDP-1-113-10.00	Single Row	10.00 <i>0.394</i>	36.00 <i>1.417</i>	113.15 <i>4.455</i>	10.00 <i>0.394</i>	23.00 <i>0.906</i>	32.00 <i>1.260</i>	13.00 <i>0.512</i>
# CDP-1-113-12.00	Single Row	10.00 <i>0.394</i>	36.00 <i>1.417</i>	113.15 <i>4.455</i>	12.00 <i>0.472</i>	23.00 <i>0.906</i>	32.00 <i>1.260</i>	13.00 <i>0.512</i>
# CDP-1-126-10.00	Single Row	10.00 <i>0.394</i>	40.00 <i>1.575</i>	125.89 <i>4.956</i>	10.00 <i>0.394</i>	23.00 <i>0.906</i>	32.00 <i>1.260</i>	13.00 <i>0.512</i>
# CDP-1-126-12.00	Single Row	10.00 <i>0.394</i>	40.00 <i>1.575</i>	125.89 <i>4.956</i>	12.00 <i>0.472</i>	28.50 <i>1.122</i>	38.00 <i>1.496</i>	18.50 <i>0.728</i>
# CDP-1-139-12.00	Single Row	10.00 <i>0.394</i>	44.00 <i>1.732</i>	138.62 <i>5.457</i>	12.00 <i>0.472</i>	28.50 <i>1.122</i>	38.00 <i>1.496</i>	18.50 <i>0.728</i>
# CDP-1-139-16.00	Single Row	10.00 <i>0.394</i>	44.00 <i>1.732</i>	138.62 <i>5.457</i>	16.00 <i>0.630</i>	28.50 <i>1.122</i>	38.00 <i>1.496</i>	18.50 <i>0.728</i>
# CDP-1-151-12.00	Single Row	10.00 <i>0.394</i>	48.00 <i>1.890</i>	151.35 <i>5.959</i>	12.00 <i>0.472</i>	28.50 <i>1.122</i>	38.00 <i>1.496</i>	18.50 <i>0.728</i>

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Pulleys - Conidrive N10

Part Number	Rows	Face Width mm	Cavities per row mm	OD (D) mm	Bore (d) mm	Width (L) mm	Hub Diameter (D1) mm	Hub Projection (l) mm
		<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>
# CDP-1-151-16.00	Single Row	10.00	48.00	151.35	16.00	28.50	38.00	18.50
		<i>0.394</i>	<i>1.890</i>	<i>5.959</i>	<i>0.630</i>	<i>1.122</i>	<i>1.496</i>	<i>0.728</i>

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to [catalogues@minibearings.com.au](mailto:catalogues@minibearings.com.au)

