




MBA

Pulleys - Flat Belt



Polycarbonate pulleys for flat belts 6mm or 6.35mm wide.

Aluminium Knurled Inserts.

Gold Iridite Brass Knurled Inserts.

Set Screw Locking.

Pulleys - Flat Belt

Part Number	Outside Diameter (OD) mm	Bore (d) mm	Width (w) mm	Material	Bore Insert	Hub Diameter (h) mm	Hub Projection (p) mm
	<i>inches</i>	<i>inches</i>	<i>inches</i>			<i>inches</i>	<i>inches</i>
# P-FL-13.000-4.763-PAL	13.000	4.763	9.525	Polycarbonate	Aluminum Alloy - T Insert	12.700	6.350
	<i>0.512</i>	<i>0.188</i>	<i>0.375</i>			<i>0.500</i>	<i>0.250</i>
# P-FL-13.000-5.000-PAL	13.000	5.000	9.525	Polycarbonate	Aluminum Alloy - T Insert	12.700	6.400
	<i>0.512</i>	<i>0.197</i>	<i>0.375</i>			<i>0.500</i>	<i>0.252</i>
# P-FL-13.000-6.000-PAL	13.000	6.000	9.525	Polycarbonate	Aluminum Alloy - T Insert	12.700	6.400
	<i>0.512</i>	<i>0.236</i>	<i>0.375</i>			<i>0.500</i>	<i>0.252</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Flat Belt

Part Number	Outside Diameter (OD) mm	Bore (d) mm	Width (w) mm	Material	Bore Insert	Hub Diameter (h) mm	Hub Projection (p) mm
	<i>inches</i>	<i>inches</i>	<i>inches</i>			<i>inches</i>	<i>inches</i>
# P-FL-13.000-6.350-PAL	13.000	6.350	9.525	Polycarbonate	Aluminum Alloy - T Insert	12.700	6.350
	<i>0.512</i>	<i>0.250</i>	<i>0.375</i>			<i>0.500</i>	<i>0.250</i>
# P-FL-15.000-4.763-PAL	15.000	4.763	9.525	Polycarbonate	Aluminum Alloy - T Insert	12.700	6.350
	<i>0.591</i>	<i>0.188</i>	<i>0.375</i>			<i>0.500</i>	<i>0.250</i>
# P-FL-15.000-5.000-PAL	15.000	5.000	9.525	Polycarbonate	Aluminum Alloy - T Insert	12.700	6.400
	<i>0.591</i>	<i>0.197</i>	<i>0.375</i>			<i>0.500</i>	<i>0.252</i>
# P-FL-15.000-6.000-PAL	15.000	6.000	9.525	Polycarbonate	Aluminum Alloy - T Insert	12.700	6.400
	<i>0.591</i>	<i>0.236</i>	<i>0.375</i>			<i>0.500</i>	<i>0.252</i>
# P-FL-15.000-6.350-PAL	15.000	6.350	9.525	Polycarbonate	Aluminum Alloy - T Insert	12.700	6.350
	<i>0.591</i>	<i>0.250</i>	<i>0.375</i>			<i>0.500</i>	<i>0.250</i>
# P-FL-17.000-4.763-PAL	17.000	4.763	9.525	Polycarbonate	Aluminum Alloy - T Insert	12.700	6.350
	<i>0.669</i>	<i>0.188</i>	<i>0.375</i>			<i>0.500</i>	<i>0.250</i>
# P-FL-17.000-5.000-PAL	17.000	5.000	9.525	Polycarbonate	Aluminum Alloy - T Insert	12.700	6.400
	<i>0.669</i>	<i>0.197</i>	<i>0.375</i>			<i>0.500</i>	<i>0.252</i>
# P-FL-17.000-6.000-PAL	17.000	6.000	9.525	Polycarbonate	Aluminum Alloy - T Insert	12.700	6.400
	<i>0.669</i>	<i>0.236</i>	<i>0.375</i>			<i>0.500</i>	<i>0.252</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Flat Belt

Part Number	Outside Diameter (OD) mm	Bore (d) mm	Width (w) mm	Material	Bore Insert	Hub Diameter (h) mm	Hub Projection (p) mm
	<i>inches</i>	<i>inches</i>	<i>inches</i>			<i>inches</i>	<i>inches</i>
# P-FL-17.000-6.350-PAL	17.000	6.350	9.525	Polycarbonate	Aluminum Alloy - T Insert	12.700	6.350
	<i>0.669</i>	<i>0.250</i>	<i>0.375</i>			<i>0.500</i>	<i>0.250</i>
# P-FL-18.000-4.763-PAL	18.000	4.763	9.525	Polycarbonate	Aluminum Alloy - T Insert	12.700	6.350
	<i>0.709</i>	<i>0.188</i>	<i>0.375</i>			<i>0.500</i>	<i>0.250</i>
# P-FL-18.000-5.000-PAL	18.000	5.000	9.525	Polycarbonate	Aluminum Alloy - T Insert	12.700	6.400
	<i>0.709</i>	<i>0.197</i>	<i>0.375</i>			<i>0.500</i>	<i>0.252</i>
# P-FL-18.000-6.000-PAL	18.000	6.000	9.525	Polycarbonate	Aluminum Alloy - T Insert	12.700	6.400
	<i>0.709</i>	<i>0.236</i>	<i>0.375</i>			<i>0.500</i>	<i>0.252</i>
# P-FL-18.000-6.350-PAL	18.000	6.350	9.525	Polycarbonate	Aluminum Alloy - T Insert	12.700	6.350
	<i>0.709</i>	<i>0.250</i>	<i>0.375</i>			<i>0.500</i>	<i>0.250</i>
# P-FL-20.000-4.763-PAL	20.000	4.763	9.525	Polycarbonate	Aluminum Alloy - T Insert	12.700	6.350
	<i>0.787</i>	<i>0.188</i>	<i>0.375</i>			<i>0.500</i>	<i>0.250</i>
# P-FL-20.000-5.000-PAL	20.000	5.000	9.525	Polycarbonate	Aluminum Alloy - T Insert	12.700	6.400
	<i>0.787</i>	<i>0.197</i>	<i>0.375</i>			<i>0.500</i>	<i>0.252</i>
# P-FL-20.000-6.000-PAL	20.000	6.000	9.525	Polycarbonate	Aluminum Alloy - T Insert	12.700	6.400
	<i>0.787</i>	<i>0.236</i>	<i>0.375</i>			<i>0.500</i>	<i>0.252</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Flat Belt

Part Number	Outside Diameter (OD) mm	Bore (d) mm	Width (w) mm	Material	Bore Insert	Hub Diameter (h) mm	Hub Projection (p) mm
	<i>inches</i>	<i>inches</i>	<i>inches</i>			<i>inches</i>	<i>inches</i>
# P-FL-20.000-6.350-PAL	20.000 <i>0.787</i>	6.350 <i>0.250</i>	9.525 <i>0.375</i>	Polycarbonate	Aluminum Alloy - T Insert	12.700 <i>0.500</i>	6.350 <i>0.250</i>
# P-FL-23.000-4.763-PBR	23.000 <i>0.906</i>	4.763 <i>0.188</i>	9.525 <i>0.375</i>	Polycarbonate	Brass Straight Insert	17.475 <i>0.688</i>	6.350 <i>0.250</i>
# P-FL-23.000-5.000-PBR	23.000 <i>0.906</i>	5.000 <i>0.197</i>	9.525 <i>0.375</i>	Polycarbonate	Brass Straight Insert	17.000 <i>0.669</i>	6.400 <i>0.252</i>
# P-FL-23.000-6.000-PBR	23.000 <i>0.906</i>	6.000 <i>0.236</i>	9.525 <i>0.375</i>	Polycarbonate	Brass Straight Insert	17.000 <i>0.669</i>	6.400 <i>0.252</i>
# P-FL-23.000-6.350-PBR	23.000 <i>0.906</i>	6.350 <i>0.250</i>	9.525 <i>0.375</i>	Polycarbonate	Brass Straight Insert	17.475 <i>0.688</i>	6.350 <i>0.250</i>
# P-FL-24.000-4.763-PBR	24.000 <i>0.945</i>	4.763 <i>0.188</i>	9.525 <i>0.375</i>	Polycarbonate	Brass Straight Insert	17.475 <i>0.688</i>	6.350 <i>0.250</i>
# P-FL-24.000-5.000-PBR	24.000 <i>0.945</i>	5.000 <i>0.197</i>	9.525 <i>0.375</i>	Polycarbonate	Brass Straight Insert	17.000 <i>0.669</i>	6.400 <i>0.252</i>
# P-FL-24.000-6.000-PBR	24.000 <i>0.945</i>	6.000 <i>0.236</i>	9.525 <i>0.375</i>	Polycarbonate	Brass Straight Insert	17.000 <i>0.669</i>	6.400 <i>0.252</i>
# P-FL-24.000-6.350-PBR	24.000 <i>0.945</i>	6.350 <i>0.250</i>	9.525 <i>0.375</i>	Polycarbonate	Brass Straight Insert	17.475 <i>0.688</i>	6.350 <i>0.250</i>
# P-FL-26.000-4.763-PBR	26.000 <i>1.024</i>	4.763 <i>0.188</i>	9.525 <i>0.375</i>	Polycarbonate	Brass Straight Insert	17.475 <i>0.688</i>	6.350 <i>0.250</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Flat Belt

Part Number	Outside Diameter (OD) mm	Bore (d) mm	Width (w) mm	Material	Bore Insert	Hub Diameter (h) mm	Hub Projection (p) mm
	<i>inches</i>	<i>inches</i>	<i>inches</i>			<i>inches</i>	<i>inches</i>
# P-FL-26.000-5.000-PBR	26.000 <i>1.024</i>	5.000 <i>0.197</i>	9.525 <i>0.375</i>	Polycarbonate	Brass Straight Insert	17.000 <i>0.669</i>	6.400 <i>0.252</i>
# P-FL-26.000-6.000-PBR	26.000 <i>1.024</i>	6.000 <i>0.236</i>	9.525 <i>0.375</i>	Polycarbonate	Brass Straight Insert	17.000 <i>0.669</i>	6.400 <i>0.252</i>
# P-FL-26.000-6.350-PBR	26.000 <i>1.024</i>	6.350 <i>0.250</i>	9.525 <i>0.375</i>	Polycarbonate	Brass Straight Insert	17.475 <i>0.688</i>	6.350 <i>0.250</i>
# P-FL-28.000-4.763-PBR	28.000 <i>1.102</i>	4.763 <i>0.188</i>	9.525 <i>0.375</i>	Polycarbonate	Brass Straight Insert	17.475 <i>0.688</i>	6.350 <i>0.250</i>
# P-FL-28.000-5.000-PBR	28.000 <i>1.102</i>	5.000 <i>0.197</i>	9.525 <i>0.375</i>	Polycarbonate	Brass Straight Insert	17.000 <i>0.669</i>	6.400 <i>0.252</i>
# P-FL-28.000-6.000-PBR	28.000 <i>1.102</i>	6.000 <i>0.236</i>	9.525 <i>0.375</i>	Polycarbonate	Brass Straight Insert	17.000 <i>0.669</i>	6.400 <i>0.252</i>
# P-FL-28.000-6.350-PBR	28.000 <i>1.102</i>	6.350 <i>0.250</i>	9.525 <i>0.375</i>	Polycarbonate	Brass Straight Insert	17.475 <i>0.688</i>	6.350 <i>0.250</i>
# P-FL-36.000-4.763-PBR	36.000 <i>1.417</i>	4.763 <i>0.188</i>	9.525 <i>0.375</i>	Polycarbonate	Brass Straight Insert	17.475 <i>0.688</i>	6.350 <i>0.250</i>
# P-FL-36.000-5.000-PBR	36.000 <i>1.417</i>	5.000 <i>0.197</i>	9.525 <i>0.375</i>	Polycarbonate	Brass Straight Insert	17.000 <i>0.669</i>	6.400 <i>0.252</i>
# P-FL-36.000-6.000-PBR	36.000 <i>1.417</i>	6.000 <i>0.236</i>	9.525 <i>0.375</i>	Polycarbonate	Brass Straight Insert	17.000 <i>0.669</i>	6.400 <i>0.252</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Flat Belt

Part Number	Outside Diameter (OD) mm	Bore (d) mm	Width (w) mm	Material	Bore Insert	Hub Diamter (h) mm	Hub Projection (p) mm
	<i>inches</i>	<i>inches</i>	<i>inches</i>			<i>inches</i>	<i>inches</i>
# P-FL-36.000-6.350-PBR	36.000 <i>1.417</i>	6.350 <i>0.250</i>	9.525 <i>0.375</i>	Polycarbonate	Brass Straight Insert	17.475 <i>0.688</i>	6.350 <i>0.250</i>
# P-FL-39.000-4.763-PBR	39.000 <i>1.535</i>	4.763 <i>0.188</i>	9.525 <i>0.375</i>	Polycarbonate	Brass Straight Insert	17.475 <i>0.688</i>	6.350 <i>0.250</i>
# P-FL-39.000-5.000-PBR	39.000 <i>1.535</i>	5.000 <i>0.197</i>	9.525 <i>0.375</i>	Polycarbonate	Brass Straight Insert	17.000 <i>0.669</i>	6.400 <i>0.252</i>
# P-FL-39.000-6.000-PBR	39.000 <i>1.535</i>	6.000 <i>0.236</i>	9.525 <i>0.375</i>	Polycarbonate	Brass Straight Insert	17.000 <i>0.669</i>	6.400 <i>0.252</i>
# P-FL-39.000-6.350-PBR	39.000 <i>1.535</i>	6.350 <i>0.250</i>	9.525 <i>0.375</i>	Polycarbonate	Brass Straight Insert	17.475 <i>0.688</i>	6.350 <i>0.250</i>
# P-FL-44.000-4.763-PBR	44.000 <i>1.732</i>	4.763 <i>0.188</i>	9.525 <i>0.375</i>	Polycarbonate	Brass Straight Insert	17.475 <i>0.688</i>	6.350 <i>0.250</i>
# P-FL-44.000-5.000-PBR	44.000 <i>1.732</i>	5.000 <i>0.197</i>	9.525 <i>0.375</i>	Polycarbonate	Brass Straight Insert	17.000 <i>0.669</i>	6.400 <i>0.252</i>
# P-FL-44.000-6.000-PBR	44.000 <i>1.732</i>	6.000 <i>0.236</i>	9.525 <i>0.375</i>	Polycarbonate	Brass Straight Insert	17.000 <i>0.669</i>	6.400 <i>0.252</i>
# P-FL-44.000-6.350-PBR	44.000 <i>1.732</i>	6.350 <i>0.250</i>	9.525 <i>0.375</i>	Polycarbonate	Brass Straight Insert	17.475 <i>0.688</i>	6.350 <i>0.250</i>
# P-FL-49.000-4.763-PBR	49.000 <i>1.929</i>	4.763 <i>0.188</i>	9.525 <i>0.375</i>	Polycarbonate	Brass Straight Insert	17.475 <i>0.688</i>	6.350 <i>0.250</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Flat Belt

Part Number	Outside Diameter (OD) mm	Bore (d) mm	Width (w) mm	Material	Bore Insert	Hub Diameter (h) mm	Hub Projection (p) mm
	<i>inches</i>	<i>inches</i>	<i>inches</i>			<i>inches</i>	<i>inches</i>
# P-FL-49.000-5.000-PBR	49.000 <i>1.929</i>	5.000 <i>0.197</i>	9.525 <i>0.375</i>	Polycarbonate	Brass Straight Insert	17.000 <i>0.669</i>	6.400 <i>0.252</i>
# P-FL-49.000-6.000-PBR	49.000 <i>1.929</i>	6.000 <i>0.236</i>	9.525 <i>0.375</i>	Polycarbonate	Brass Straight Insert	17.000 <i>0.669</i>	6.400 <i>0.252</i>
# P-FL-49.000-6.350-PBR	49.000 <i>1.929</i>	6.350 <i>0.250</i>	9.525 <i>0.375</i>	Polycarbonate	Brass Straight Insert	17.475 <i>0.688</i>	6.350 <i>0.250</i>
# P-FL-55.000-4.763-PBR	55.000 <i>2.165</i>	4.763 <i>0.188</i>	9.525 <i>0.375</i>	Polycarbonate	Brass Straight Insert	17.475 <i>0.688</i>	6.350 <i>0.250</i>
# P-FL-55.000-5.000-PBR	55.000 <i>2.165</i>	5.000 <i>0.197</i>	9.525 <i>0.375</i>	Polycarbonate	Brass Straight Insert	17.000 <i>0.669</i>	6.400 <i>0.252</i>
# P-FL-55.000-6.000-PBR	55.000 <i>2.165</i>	6.000 <i>0.236</i>	9.525 <i>0.375</i>	Polycarbonate	Brass Straight Insert	17.000 <i>0.669</i>	6.400 <i>0.252</i>
# P-FL-55.000-6.350-PBR	55.000 <i>2.165</i>	6.350 <i>0.250</i>	9.525 <i>0.375</i>	Polycarbonate	Brass Straight Insert	17.475 <i>0.688</i>	6.350 <i>0.250</i>
# P-FL-62.000-4.763-PBR	62.000 <i>2.441</i>	4.763 <i>0.188</i>	9.525 <i>0.375</i>	Polycarbonate	Brass Straight Insert	17.475 <i>0.688</i>	6.350 <i>0.250</i>
# P-FL-62.000-5.000-PBR	62.000 <i>2.441</i>	5.000 <i>0.197</i>	9.525 <i>0.375</i>	Polycarbonate	Brass Straight Insert	17.000 <i>0.669</i>	6.400 <i>0.252</i>
# P-FL-62.000-6.000-PBR	62.000 <i>2.441</i>	6.000 <i>0.236</i>	9.525 <i>0.375</i>	Polycarbonate	Brass Straight Insert	17.000 <i>0.669</i>	6.400 <i>0.252</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Flat Belt

Part Number	Outside Diameter (OD) mm	Bore (d) mm	Width (w) mm	Material	Bore Insert	Hub Diamter (h) mm	Hub Projection (p) mm
	<i>inches</i>	<i>inches</i>	<i>inches</i>			<i>inches</i>	<i>inches</i>
# P-FL-62.000-6.350-PBR	62.000 <i>2.441</i>	6.350 <i>0.250</i>	9.525 <i>0.375</i>	Polycarbonate	Brass Straight Insert	17.475 <i>0.688</i>	6.350 <i>0.250</i>
# P-FL-68.000-4.763-PBR	68.000 <i>2.677</i>	4.763 <i>0.188</i>	9.525 <i>0.375</i>	Polycarbonate	Brass Straight Insert	17.475 <i>0.688</i>	6.350 <i>0.250</i>
# P-FL-68.000-5.000-PBR	68.000 <i>2.677</i>	5.000 <i>0.197</i>	9.525 <i>0.375</i>	Polycarbonate	Brass Straight Insert	17.000 <i>0.669</i>	6.400 <i>0.252</i>
# P-FL-68.000-6.000-PBR	68.000 <i>2.677</i>	6.000 <i>0.236</i>	9.525 <i>0.375</i>	Polycarbonate	Brass Straight Insert	17.000 <i>0.669</i>	6.400 <i>0.252</i>
# P-FL-68.000-6.350-PBR	68.000 <i>2.677</i>	6.350 <i>0.250</i>	9.525 <i>0.375</i>	Polycarbonate	Brass Straight Insert	17.475 <i>0.688</i>	6.350 <i>0.250</i>
# P-FL-75.000-4.763-PBR	75.000 <i>2.953</i>	4.763 <i>0.188</i>	9.525 <i>0.375</i>	Polycarbonate	Brass Straight Insert	17.475 <i>0.688</i>	6.350 <i>0.250</i>
# P-FL-75.000-5.000-PBR	75.000 <i>2.953</i>	5.000 <i>0.197</i>	9.525 <i>0.375</i>	Polycarbonate	Brass Straight Insert	17.000 <i>0.669</i>	6.400 <i>0.252</i>
# P-FL-75.000-6.000-PBR	75.000 <i>2.953</i>	6.000 <i>0.236</i>	9.525 <i>0.375</i>	Polycarbonate	Brass Straight Insert	17.000 <i>0.669</i>	6.400 <i>0.252</i>
# P-FL-75.000-6.350-PBR	75.000 <i>2.953</i>	6.350 <i>0.250</i>	9.525 <i>0.375</i>	Polycarbonate	Brass Straight Insert	17.475 <i>0.688</i>	6.350 <i>0.250</i>
# P-FL-81.000-4.763-PBR	81.000 <i>3.189</i>	4.763 <i>0.188</i>	9.525 <i>0.375</i>	Polycarbonate	Brass Straight Insert	17.475 <i>0.688</i>	6.350 <i>0.250</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Flat Belt

Part Number	Outside Diameter (OD) mm	Bore (d) mm	Width (w) mm	Material	Bore Insert	Hub Diameter (h) mm	Hub Projection (p) mm
	<i>inches</i>	<i>inches</i>	<i>inches</i>			<i>inches</i>	<i>inches</i>
# P-FL-81.000-5.000-PBR	81.000 <i>3.189</i>	5.000 <i>0.197</i>	9.525 <i>0.375</i>	Polycarbonate	Brass Straight Insert	17.000 <i>0.669</i>	6.400 <i>0.252</i>
# P-FL-81.000-6.000-PBR	81.000 <i>3.189</i>	6.000 <i>0.236</i>	9.525 <i>0.375</i>	Polycarbonate	Brass Straight Insert	17.000 <i>0.669</i>	6.400 <i>0.252</i>
P-FL-81.000-6.350-PBR	81.000 <i>3.189</i>	6.350 <i>0.250</i>	9.525 <i>0.375</i>	Polycarbonate	Brass Straight Insert	17.475 <i>0.688</i>	6.350 <i>0.250</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to catalogues@minibearings.com.au

