




MBA

Pulleys - Timing - 1.000mm Pitch - STOCK



For manufacture of timing pulleys or applications requiring multiple belts from a single drive.

Pulleys - Timing - 1.000mm Pitch - STOCK

Part Number	Grooves No.	Min. Usable Length (L) mm	Pitch Diameter (PD) mm	Outside Diameter (OD) mm	Material	Shank Diameter (D1) mm	Shank Length (SI) mm
		<i>inches</i>	<i>inches</i>	<i>inches</i>		<i>inches</i>	<i>inches</i>
# P-1MM-018-038-AL	18	38 <i>1.496</i>	5.73 <i>0.226</i>	5.38 <i>0.212</i>	Aluminium Alloy	25.4 <i>1.000</i>	
# P-1MM-019-038-AL	19	38 <i>1.496</i>	6.05 <i>0.238</i>	5.69 <i>0.224</i>	Aluminium Alloy	25.4 <i>1.000</i>	
# P-1MM-020-038-AL	20	38 <i>1.496</i>	6.37 <i>0.251</i>	6.01 <i>0.237</i>	Aluminium Alloy	25.4 <i>1.000</i>	
# P-1MM-021-038-AL	21	38 <i>1.496</i>	6.68 <i>0.263</i>	6.33 <i>0.249</i>	Aluminium Alloy	25.4 <i>1.000</i>	
# P-1MM-022-051-AL	22	50.8 <i>2.000</i>	7 <i>0.276</i>	6.65 <i>0.262</i>	Aluminium Alloy	25.4 <i>1.000</i>	

Indicates item not stocked at time of printing - Please enquire for lead time
 E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
 MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 1.000mm Pitch - STOCK

Part Number	Grooves No.	Min. Usable Length (L) mm	Pitch Diameter (PD) mm	Outside Diameter (OD) mm	Material	Shank Diameter (D1) mm	Shank Length (S1) mm
		<i>inches</i>	<i>inches</i>	<i>inches</i>		<i>inches</i>	<i>inches</i>
# P-1MM-023-051-AL	23	50.8 <i>2.000</i>	7.32 <i>0.288</i>	6.97 <i>0.274</i>	Aluminium Alloy	25.4 <i>1.000</i>	
# P-1MM-024-051-AL	24	50.8 <i>2.000</i>	7.64 <i>0.301</i>	7.28 <i>0.287</i>	Aluminium Alloy	25.4 <i>1.000</i>	
# P-1MM-025-051-AL	25	50.8 <i>2.000</i>	7.96 <i>0.313</i>	7.6 <i>0.299</i>	Aluminium Alloy	25.4 <i>1.000</i>	
# P-1MM-026-051-AL	26	50.8 <i>2.000</i>	8.28 <i>0.326</i>	7.92 <i>0.312</i>	Aluminium Alloy	25.4 <i>1.000</i>	
# P-1MM-027-051-AL	27	50.8 <i>2.000</i>	8.59 <i>0.338</i>	8.24 <i>0.324</i>	Aluminium Alloy	25.4 <i>1.000</i>	
# P-1MM-028-076-AL	28	76.2 <i>3.000</i>	8.91 <i>0.351</i>	8.56 <i>0.337</i>	Aluminium Alloy	25.4 <i>1.000</i>	
# P-1MM-029-076-AL	29	76.2 <i>3.000</i>	9.23 <i>0.363</i>	8.88 <i>0.350</i>	Aluminium Alloy	25.4 <i>1.000</i>	
# P-1MM-030-076-AL	30	76.2 <i>3.000</i>	9.55 <i>0.376</i>	9.19 <i>0.362</i>	Aluminium Alloy	25.4 <i>1.000</i>	
# P-1MM-031-076-AL	31	76.2 <i>3.000</i>	9.87 <i>0.389</i>	9.51 <i>0.374</i>	Aluminium Alloy	25.4 <i>1.000</i>	
# P-1MM-032-076-AL	32	76.2 <i>3.000</i>	10.19 <i>0.401</i>	9.83 <i>0.387</i>	Aluminium Alloy	25.4 <i>1.000</i>	

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 1.000mm Pitch - STOCK

Part Number	Grooves No.	Min. Usable Length (L) mm	Pitch Diameter (PD) mm	Outside Diameter (OD) mm	Material	Shank Diameter (D1) mm	Shank Length (Sl) mm
		<i>inches</i>	<i>inches</i>	<i>inches</i>		<i>inches</i>	<i>inches</i>
# P-1MM-033-076-AL	33	76.2 <i>3.000</i>	10.5 <i>0.413</i>	10.15 <i>0.400</i>	Aluminium Alloy	25.4 <i>1.000</i>	
# P-1MM-034-076-AL	34	76.2 <i>3.000</i>	10.82 <i>0.426</i>	10.47 <i>0.412</i>	Aluminium Alloy	25.4 <i>1.000</i>	
# P-1MM-035-076-AL	35	76.2 <i>3.000</i>	11.14 <i>0.439</i>	10.79 <i>0.425</i>	Aluminium Alloy	25.4 <i>1.000</i>	
# P-1MM-036-076-AL	36	76.2 <i>3.000</i>	11.46 <i>0.451</i>	11.1 <i>0.437</i>	Aluminium Alloy	25.4 <i>1.000</i>	
# P-1MM-037-076-AL	37	76.2 <i>3.000</i>	11.78 <i>0.464</i>	11.42 <i>0.450</i>	Aluminium Alloy	25.4 <i>1.000</i>	
# P-1MM-038-076-AL	38	76.2 <i>3.000</i>	12.1 <i>0.476</i>	11.74 <i>0.462</i>	Aluminium Alloy	25.4 <i>1.000</i>	
# P-1MM-039-102-AL	39	101.6 <i>4.000</i>	12.41 <i>0.489</i>	12.06 <i>0.475</i>	Aluminium Alloy	25.4 <i>1.000</i>	
# P-1MM-040-102-AL	40	101.6 <i>4.000</i>	12.73 <i>0.501</i>	12.38 <i>0.487</i>	Aluminium Alloy	25.4 <i>1.000</i>	
# P-1MM-041-102-AL	41	101.6 <i>4.000</i>	13.05 <i>0.514</i>	12.7 <i>0.500</i>	Aluminium Alloy	25.4 <i>1.000</i>	
# P-1MM-042-102-AL	42	101.6 <i>4.000</i>	13.37 <i>0.526</i>	13.01 <i>0.512</i>	Aluminium Alloy	25.4 <i>1.000</i>	

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 1.000mm Pitch - STOCK

Part Number	Grooves No.	Min. Usable Length (L) mm	Pitch Diameter (PD) mm	Outside Diameter (OD) mm	Material	Shank Diameter (D1) mm	Shank Length (Sl) mm
		<i>inches</i>	<i>inches</i>	<i>inches</i>		<i>inches</i>	<i>inches</i>
# P-1MM-043-102-AL	43	101.6 <i>4.000</i>	13.69 <i>0.539</i>	13.33 <i>0.525</i>	Aluminium Alloy	25.4 <i>1.000</i>	
# P-1MM-044-102-AL	44	101.6 <i>4.000</i>	14.01 <i>0.552</i>	13.65 <i>0.537</i>	Aluminium Alloy	25.4 <i>1.000</i>	
# P-1MM-045-102-AL	45	101.6 <i>4.000</i>	14.32 <i>0.564</i>	13.97 <i>0.550</i>	Aluminium Alloy	25.4 <i>1.000</i>	
# P-1MM-046-102-AL	46	101.6 <i>4.000</i>	14.64 <i>0.576</i>	14.29 <i>0.563</i>	Aluminium Alloy	25.4 <i>1.000</i>	
# P-1MM-047-102-AL	47	101.6 <i>4.000</i>	14.96 <i>0.589</i>	14.6 <i>0.575</i>	Aluminium Alloy	25.4 <i>1.000</i>	
# P-1MM-048-127-AL	48	127 <i>5.000</i>	15.28 <i>0.602</i>	14.92 <i>0.587</i>	Aluminium Alloy	25.4 <i>1.000</i>	
# P-1MM-049-127-AL	49	127 <i>5.000</i>	15.6 <i>0.614</i>	15.24 <i>0.600</i>	Aluminium Alloy	25.4 <i>1.000</i>	
# P-1MM-050-127-AL	50	127 <i>5.000</i>	15.92 <i>0.627</i>	15.56 <i>0.613</i>	Aluminium Alloy	25.4 <i>1.000</i>	
# P-1MM-051-127-AL	51	127 <i>5.000</i>	16.23 <i>0.639</i>	15.88 <i>0.625</i>	Aluminium Alloy	25.4 <i>1.000</i>	
# P-1MM-052-127-AL	52	127 <i>5.000</i>	16.55 <i>0.652</i>	16.2 <i>0.638</i>	Aluminium Alloy	25.4 <i>1.000</i>	

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 1.000mm Pitch - STOCK

Part Number	Grooves No.	Min. Usable Length (L) mm	Pitch Diameter (PD) mm	Outside Diameter (OD) mm	Material	Shank Diameter (D1) mm	Shank Length (Sl) mm
		<i>inches</i>	<i>inches</i>	<i>inches</i>		<i>inches</i>	<i>inches</i>
# P-1MM-053-127-AL	53	127 <i>5.000</i>	16.87 <i>0.664</i>	16.51 <i>0.650</i>	Aluminium Alloy	25.4 <i>1.000</i>	
# P-1MM-054-152-AL	54	152.4 <i>6.000</i>	17.19 <i>0.677</i>	16.83 <i>0.663</i>	Aluminium Alloy	25.4 <i>1.000</i>	
# P-1MM-055-152-AL	55	152.4 <i>6.000</i>	17.51 <i>0.689</i>	17.15 <i>0.675</i>	Aluminium Alloy	25.4 <i>1.000</i>	
# P-1MM-056-152-AL	56	152.4 <i>6.000</i>	17.83 <i>0.702</i>	17.47 <i>0.688</i>	Aluminium Alloy	25.4 <i>1.000</i>	
# P-1MM-057-152-AL	57	152.4 <i>6.000</i>	18.14 <i>0.714</i>	17.79 <i>0.700</i>	Aluminium Alloy	25.4 <i>1.000</i>	
# P-1MM-058-152-AL	58	152.4 <i>6.000</i>	18.46 <i>0.727</i>	18.11 <i>0.713</i>	Aluminium Alloy	25.4 <i>1.000</i>	
# P-1MM-059-152-AL	59	152.4 <i>6.000</i>	18.78 <i>0.739</i>	18.42 <i>0.725</i>	Aluminium Alloy	25.4 <i>1.000</i>	
# P-1MM-060-152-AL	60	152.4 <i>6.000</i>	19.1 <i>0.752</i>	18.74 <i>0.738</i>	Aluminium Alloy	25.4 <i>1.000</i>	
# P-1MM-061-152-AL	61	152.4 <i>6.000</i>	19.42 <i>0.765</i>	19.06 <i>0.750</i>	Aluminium Alloy	25.4 <i>1.000</i>	
# P-1MM-062-152-AL	62	152.4 <i>6.000</i>	19.74 <i>0.777</i>	19.38 <i>0.763</i>	Aluminium Alloy	25.4 <i>1.000</i>	

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 1.000mm Pitch - STOCK

Part Number	Grooves No.	Min. Usable Length (L) mm	Pitch Diameter (PD) mm	Outside Diameter (OD) mm	Material	Shank Diameter (D1) mm	Shank Length (Sl) mm
		<i>inches</i>	<i>inches</i>	<i>inches</i>		<i>inches</i>	<i>inches</i>
# P-1MM-063-152-AL	63	152.4 <i>6.000</i>	20.05 <i>0.789</i>	19.7 <i>0.776</i>	Aluminium Alloy	25.4 <i>1.000</i>	
# P-1MM-064-152-AL	64	152.4 <i>6.000</i>	20.37 <i>0.802</i>	20.02 <i>0.788</i>	Aluminium Alloy	25.4 <i>1.000</i>	
# P-1MM-065-152-AL	65	152.4 <i>6.000</i>	20.69 <i>0.815</i>	20.33 <i>0.800</i>	Aluminium Alloy	25.4 <i>1.000</i>	
# P-1MM-066-152-AL	66	152.4 <i>6.000</i>	21.01 <i>0.827</i>	20.65 <i>0.813</i>	Aluminium Alloy	25.4 <i>1.000</i>	
# P-1MM-067-152-AL	67	152.4 <i>6.000</i>	21.33 <i>0.840</i>	20.97 <i>0.826</i>	Aluminium Alloy	25.4 <i>1.000</i>	
# P-1MM-068-152-AL	68	152.4 <i>6.000</i>	21.65 <i>0.852</i>	21.29 <i>0.838</i>	Aluminium Alloy	25.4 <i>1.000</i>	
# P-1MM-069-152-AL	69	152.4 <i>6.000</i>	21.96 <i>0.865</i>	21.61 <i>0.851</i>	Aluminium Alloy	25.4 <i>1.000</i>	
# P-1MM-070-152-AL	70	152.4 <i>6.000</i>	22.28 <i>0.877</i>	21.93 <i>0.863</i>	Aluminium Alloy	25.4 <i>1.000</i>	
# P-1MM-071-152-AL	71	152.4 <i>6.000</i>	22.6 <i>0.890</i>	22.24 <i>0.876</i>	Aluminium Alloy	25.4 <i>1.000</i>	
# P-1MM-072-152-AL	72	152.4 <i>6.000</i>	22.92 <i>0.902</i>	22.56 <i>0.888</i>	Aluminium Alloy	25.4 <i>1.000</i>	

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 1.000mm Pitch - STOCK

Part Number	Grooves No.	Min. Usable Length (L) mm	Pitch Diameter (PD) mm	Outside Diameter (OD) mm	Material	Shank Diameter (D1) mm	Shank Length (Sl) mm
		<i>inches</i>	<i>inches</i>	<i>inches</i>		<i>inches</i>	<i>inches</i>
# P-1MM-073-152-AL	73	152.4 <i>6.000</i>	23.24 <i>0.915</i>	22.88 <i>0.901</i>	Aluminium Alloy	25.4 <i>1.000</i>	
# P-1MM-074-152-AL	74	152.4 <i>6.000</i>	23.55 <i>0.927</i>	23.2 <i>0.913</i>	Aluminium Alloy	25.4 <i>1.000</i>	
# P-1MM-075-152-AL	75	152.4 <i>6.000</i>	23.87 <i>0.940</i>	23.52 <i>0.926</i>	Aluminium Alloy	25.4 <i>1.000</i>	

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to catalogues@minibearings.com.au

