




MBA

**Pulleys - Timing - 2.032mm
Pitch - MXL - STOCK**



For manufacture of timing pulleys or applications requiring multiple belts from a single drive.

Pulleys - Timing - 2.032mm Pitch - MXL - STOCK

Part Number	Grooves No.	Min. Usable Length (L) mm	Pitch Diameter (PD) mm	Outside Diameter (OD) mm	Material	Shank Diameter (D1) mm	Shank Length (SI) mm
		<i>inches</i>	<i>inches</i>	<i>inches</i>		<i>inches</i>	<i>inches</i>
P-MX-010X050-ALU	10	50.00 <i>1.969</i>	6.50 <i>0.256</i>	5.96 <i>0.235</i>	Aluminum Alloy	8.00 <i>0.315</i>	25.00 <i>0.984</i>
# P-MX-010X051-ALU	10	50.80 <i>2.000</i>	6.48 <i>0.255</i>	6.10 <i>0.240</i>	Aluminum Alloy	7.87 <i>0.310</i>	25.40 <i>1.000</i>
# P-MX-011X050-ALU	11	50.00 <i>1.969</i>	7.10 <i>0.280</i>	6.61 <i>0.260</i>	Aluminum Alloy	8.00 <i>0.315</i>	25.00 <i>0.984</i>
# P-MX-011X051-ALU	11	50.80 <i>2.000</i>	7.11 <i>0.280</i>	6.60 <i>0.260</i>	Aluminum Alloy	7.87 <i>0.310</i>	25.40 <i>1.000</i>
P-MX-012X050-ALU	12	50.00 <i>1.969</i>	7.80 <i>0.307</i>	7.25 <i>0.285</i>	Aluminum Alloy	8.00 <i>0.315</i>	25.00 <i>0.984</i>

Indicates item not stocked at time of printing - Please enquire for lead time
E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 2.032mm Pitch - MXL - STOCK

Part Number	Grooves No.	Min. Usable Length (L) mm	Pitch Diameter (PD) mm	Outside Diameter (OD) mm	Material	Shank Diameter (D1) mm	Shank Length (Sl) mm
		<i>inches</i>	<i>inches</i>	<i>inches</i>		<i>inches</i>	<i>inches</i>
# P-MX-012X051-ALU	12	50.80 <i>2.000</i>	7.77 <i>0.306</i>	7.37 <i>0.290</i>	Aluminum Alloy	7.87 <i>0.310</i>	25.40 <i>1.000</i>
# P-MX-013X050-ALU	13	50.00 <i>1.969</i>	8.40 <i>0.331</i>	7.90 <i>0.311</i>	Aluminum Alloy	9.50 <i>0.374</i>	25.00 <i>0.984</i>
# P-MX-013X051-ALU	13	50.80 <i>2.000</i>	8.41 <i>0.331</i>	7.87 <i>0.310</i>	Aluminum Alloy	9.65 <i>0.380</i>	25.40 <i>1.000</i>
# P-MX-014X075-ALU	14	75.00 <i>2.953</i>	9.10 <i>0.358</i>	8.55 <i>0.337</i>	Aluminum Alloy	9.50 <i>0.374</i>	25.00 <i>0.984</i>
# P-MX-014X076-ALU	14	76.20 <i>3.000</i>	9.07 <i>0.357</i>	8.64 <i>0.340</i>	Aluminum Alloy	9.65 <i>0.380</i>	25.40 <i>1.000</i>
# P-MX-015X075-ALU	15	75.00 <i>2.953</i>	9.70 <i>0.382</i>	9.19 <i>0.362</i>	Aluminum Alloy	11.00 <i>0.433</i>	25.00 <i>0.984</i>
# P-MX-015X076-ALU	15	76.20 <i>3.000</i>	9.70 <i>0.382</i>	9.14 <i>0.360</i>	Aluminum Alloy	11.18 <i>0.440</i>	25.40 <i>1.000</i>
# P-MX-016X075-ALU	16	75.00 <i>2.953</i>	10.30 <i>0.406</i>	9.84 <i>0.387</i>	Aluminum Alloy	11.00 <i>0.433</i>	25.00 <i>0.984</i>
# P-MX-016X076-ALU	16	76.20 <i>3.000</i>	10.34 <i>0.407</i>	9.91 <i>0.390</i>	Aluminum Alloy	11.18 <i>0.440</i>	25.40 <i>1.000</i>
P-MX-017X075-ALU	17	75.00 <i>2.953</i>	11.00 <i>0.433</i>	10.49 <i>0.413</i>	Aluminum Alloy	11.00 <i>0.433</i>	25.00 <i>0.984</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 2.032mm Pitch - MXL - STOCK

Part Number	Grooves No.	Min. Usable Length (L) mm	Pitch Diameter (PD) mm	Outside Diameter (OD) mm	Material	Shank Diameter (D1) mm	Shank Length (Sl) mm
		<i>inches</i>	<i>inches</i>	<i>inches</i>		<i>inches</i>	<i>inches</i>
P-MX-017X076-ALU	17	76.20 <i>3.000</i>	11.00 <i>0.433</i>	10.41 <i>0.410</i>	Aluminum Alloy	11.18 <i>0.440</i>	25.40 <i>1.000</i>
# P-MX-018X075-ALU	18	75.00 <i>2.953</i>	11.60 <i>0.457</i>	11.13 <i>0.438</i>	Aluminum Alloy	13.00 <i>0.512</i>	25.00 <i>0.984</i>
# P-MX-018X076-ALU	18	76.20 <i>3.000</i>	11.63 <i>0.458</i>	11.18 <i>0.440</i>	Aluminum Alloy	12.70 <i>0.500</i>	25.40 <i>1.000</i>
# P-MX-019X075-ALU	19	75.00 <i>2.953</i>	12.30 <i>0.484</i>	11.78 <i>0.464</i>	Aluminum Alloy	13.00 <i>0.512</i>	25.00 <i>0.984</i>
# P-MX-019X076-ALU	19	76.20 <i>3.000</i>	12.29 <i>0.484</i>	11.68 <i>0.460</i>	Aluminum Alloy	12.70 <i>0.500</i>	25.40 <i>1.000</i>
# P-MX-020X100-ALU	20	100.00 <i>3.937</i>	12.90 <i>0.508</i>	12.43 <i>0.489</i>	Aluminum Alloy	9.50 <i>0.374</i>	22.00 <i>0.866</i>
# P-MX-020X102-ALU	20	101.60 <i>4.000</i>	12.93 <i>0.509</i>	12.45 <i>0.490</i>	Aluminum Alloy	9.65 <i>0.380</i>	22.35 <i>0.880</i>
# P-MX-021X100-ALU	21	100.00 <i>3.937</i>	13.60 <i>0.535</i>	13.07 <i>0.515</i>	Aluminum Alloy	9.50 <i>0.374</i>	22.00 <i>0.866</i>
# P-MX-021X102-ALU	21	101.60 <i>4.000</i>	13.59 <i>0.535</i>	13.21 <i>0.520</i>	Aluminum Alloy	9.65 <i>0.380</i>	22.35 <i>0.880</i>
# P-MX-022X100-ALU	22	100.00 <i>3.937</i>	14.20 <i>0.559</i>	13.72 <i>0.540</i>	Aluminum Alloy	9.50 <i>0.374</i>	22.00 <i>0.866</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 2.032mm Pitch - MXL - STOCK

Part Number	Grooves No.	Min. Usable Length (L) mm	Pitch Diameter (PD) mm	Outside Diameter (OD) mm	Material	Shank Diameter (D1) mm	Shank Length (Sl) mm
		<i>inches</i>	<i>inches</i>	<i>inches</i>		<i>inches</i>	<i>inches</i>
# P-MX-022X102-ALU	22	101.60 <i>4.000</i>	14.22 <i>0.560</i>	13.72 <i>0.540</i>	Aluminum Alloy	9.65 <i>0.380</i>	22.35 <i>0.880</i>
# P-MX-023X100-ALU	23	100.00 <i>3.937</i>	14.90 <i>0.587</i>	14.37 <i>0.566</i>	Aluminum Alloy	9.50 <i>0.374</i>	22.00 <i>0.866</i>
# P-MX-023X102-ALU	23	101.60 <i>4.000</i>	14.88 <i>0.586</i>	14.48 <i>0.570</i>	Aluminum Alloy	9.65 <i>0.380</i>	22.35 <i>0.880</i>
# P-MX-024X125-ALU	24	125.00 <i>4.921</i>	15.50 <i>0.610</i>	15.02 <i>0.591</i>	Aluminum Alloy	13.00 <i>0.512</i>	19.00 <i>0.748</i>
# P-MX-024X127-ALU	24	127.00 <i>5.000</i>	15.52 <i>0.611</i>	14.99 <i>0.590</i>	Aluminum Alloy	12.70 <i>0.500</i>	19.05 <i>0.750</i>
# P-MX-025X125-ALU	25	125.00 <i>4.921</i>	16.20 <i>0.638</i>	15.66 <i>0.617</i>	Aluminum Alloy	13.00 <i>0.512</i>	19.00 <i>0.748</i>
# P-MX-025X127-ALU	25	127.00 <i>5.000</i>	16.18 <i>0.637</i>	15.75 <i>0.620</i>	Aluminum Alloy	12.70 <i>0.500</i>	19.05 <i>0.750</i>
# P-MX-026X125-ALU	26	125.00 <i>4.921</i>	16.80 <i>0.661</i>	16.31 <i>0.642</i>	Aluminum Alloy	13.00 <i>0.512</i>	19.00 <i>0.748</i>
# P-MX-026X127-ALU	26	127.00 <i>5.000</i>	16.82 <i>0.662</i>	16.26 <i>0.640</i>	Aluminum Alloy	12.70 <i>0.500</i>	19.05 <i>0.750</i>
# P-MX-027X125-ALU	27	125.00 <i>4.921</i>	17.50 <i>0.689</i>	16.96 <i>0.668</i>	Aluminum Alloy	13.00 <i>0.512</i>	19.00 <i>0.748</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 2.032mm Pitch - MXL - STOCK

Part Number	Grooves No.	Min. Usable Length (L) mm	Pitch Diameter (PD) mm	Outside Diameter (OD) mm	Material	Shank Diameter (D1) mm	Shank Length (SI) mm
		<i>inches</i>	<i>inches</i>	<i>inches</i>		<i>inches</i>	<i>inches</i>
# P-MX-027X127-ALU	27	127.00 <i>5.000</i>	17.45 <i>0.687</i>	17.02 <i>0.670</i>	Aluminum Alloy	12.70 <i>0.500</i>	19.05 <i>0.750</i>
# P-MX-028X125-ALU	28	125.00 <i>4.921</i>	18.10 <i>0.713</i>	17.60 <i>0.693</i>	Aluminum Alloy	13.00 <i>0.512</i>	19.00 <i>0.748</i>
# P-MX-028X127-ALU	28	127.00 <i>5.000</i>	18.11 <i>0.713</i>	17.53 <i>0.690</i>	Aluminum Alloy	12.70 <i>0.500</i>	19.05 <i>0.750</i>
# P-MX-029X125-ALU	29	125.00 <i>4.921</i>	18.80 <i>0.740</i>	18.25 <i>0.719</i>	Aluminum Alloy	13.00 <i>0.512</i>	19.00 <i>0.748</i>
# P-MX-029X127-ALU	29	127.00 <i>5.000</i>	18.75 <i>0.738</i>	18.29 <i>0.720</i>	Aluminum Alloy	12.70 <i>0.500</i>	19.05 <i>0.750</i>
# P-MX-030X150-ALU	30	150.00 <i>5.906</i>	19.40 <i>0.764</i>	18.90 <i>0.744</i>	Aluminum Alloy	13.00 <i>0.512</i>	19.00 <i>0.748</i>
# P-MX-030X152-ALU	30	152.40 <i>6.000</i>	19.41 <i>0.764</i>	18.80 <i>0.740</i>	Aluminum Alloy	12.70 <i>0.500</i>	19.05 <i>0.750</i>
# P-MX-031X150-ALU	31	150.00 <i>5.906</i>	20.10 <i>0.791</i>	19.54 <i>0.769</i>	Aluminum Alloy	13.00 <i>0.512</i>	19.00 <i>0.748</i>
# P-MX-031X152-ALU	31	152.40 <i>6.000</i>	20.04 <i>0.789</i>	19.56 <i>0.770</i>	Aluminum Alloy	12.70 <i>0.500</i>	19.05 <i>0.750</i>
# P-MX-032X150-ALU	32	150.00 <i>5.906</i>	20.70 <i>0.815</i>	20.19 <i>0.795</i>	Aluminum Alloy	13.00 <i>0.512</i>	19.00 <i>0.748</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 2.032mm Pitch - MXL - STOCK

Part Number	Grooves No.	Min. Usable Length (L) mm	Pitch Diameter (PD) mm	Outside Diameter (OD) mm	Material	Shank Diameter (D1) mm	Shank Length (Sl) mm
		<i>inches</i>	<i>inches</i>	<i>inches</i>		<i>inches</i>	<i>inches</i>
# P-MX-032X152-ALU	32	152.40 <i>6.000</i>	20.70 <i>0.815</i>	20.32 <i>0.800</i>	Aluminum Alloy	12.70 <i>0.500</i>	19.05 <i>0.750</i>
# P-MX-033X150-ALU	33	150.00 <i>5.906</i>	21.30 <i>0.839</i>	20.84 <i>0.820</i>	Aluminum Alloy	13.00 <i>0.512</i>	19.00 <i>0.748</i>
# P-MX-033X152-ALU	33	152.40 <i>6.000</i>	21.34 <i>0.840</i>	20.83 <i>0.820</i>	Aluminum Alloy	12.70 <i>0.500</i>	19.05 <i>0.750</i>
# P-MX-034X150-ALU	34	150.00 <i>5.906</i>	22.00 <i>0.866</i>	21.48 <i>0.846</i>	Aluminum Alloy	13.00 <i>0.512</i>	19.00 <i>0.748</i>
# P-MX-034X152-ALU	34	152.40 <i>6.000</i>	22.00 <i>0.866</i>	21.49 <i>0.846</i>	Aluminum Alloy	12.70 <i>0.500</i>	19.05 <i>0.750</i>
# P-MX-035X150-ALU	35	150.00 <i>5.906</i>	22.60 <i>0.890</i>	22.13 <i>0.871</i>	Aluminum Alloy	13.00 <i>0.512</i>	19.00 <i>0.748</i>
# P-MX-035X152-ALU	35	152.40 <i>6.000</i>	22.63 <i>0.891</i>	22.12 <i>0.871</i>	Aluminum Alloy	12.70 <i>0.500</i>	19.05 <i>0.750</i>
# P-MX-036X150-ALU	36	150.00 <i>5.906</i>	23.30 <i>0.917</i>	22.78 <i>0.897</i>	Aluminum Alloy	13.00 <i>0.512</i>	19.00 <i>0.748</i>
# P-MX-036X152-ALU	36	152.40 <i>6.000</i>	23.29 <i>0.917</i>	22.78 <i>0.897</i>	Aluminum Alloy	12.70 <i>0.500</i>	19.05 <i>0.750</i>
# P-MX-037X150-ALU	37	150.00 <i>5.906</i>	23.90 <i>0.941</i>	23.42 <i>0.922</i>	Aluminum Alloy	13.00 <i>0.512</i>	19.00 <i>0.748</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 2.032mm Pitch - MXL - STOCK

Part Number	Grooves No.	Min. Usable Length (L) mm	Pitch Diameter (PD) mm	Outside Diameter (OD) mm	Material	Shank Diameter (D1) mm	Shank Length (Sl) mm
		<i>inches</i>	<i>inches</i>	<i>inches</i>		<i>inches</i>	<i>inches</i>
# P-MX-037X152-ALU	37	152.40 <i>6.000</i>	23.93 <i>0.942</i>	23.42 <i>0.922</i>	Aluminum Alloy	12.70 <i>0.500</i>	19.05 <i>0.750</i>
# P-MX-038X150-ALU	38	150.00 <i>5.906</i>	24.60 <i>0.969</i>	24.07 <i>0.948</i>	Aluminum Alloy	13.00 <i>0.512</i>	19.00 <i>0.748</i>
# P-MX-038X152-ALU	38	152.40 <i>6.000</i>	24.59 <i>0.968</i>	24.08 <i>0.948</i>	Aluminum Alloy	12.70 <i>0.500</i>	19.05 <i>0.750</i>
# P-MX-039X150-ALU	39	150.00 <i>5.906</i>	25.20 <i>0.992</i>	24.72 <i>0.973</i>	Aluminum Alloy	13.00 <i>0.512</i>	19.00 <i>0.748</i>
P-MX-039X152-ALU	39	152.40 <i>6.000</i>	25.22 <i>0.993</i>	24.71 <i>0.973</i>	Aluminum Alloy	12.70 <i>0.500</i>	19.05 <i>0.750</i>
# P-MX-040X175-ALU	40	175.00 <i>6.890</i>	25.90 <i>1.020</i>	25.36 <i>0.998</i>	Aluminum Alloy	13.00 <i>0.512</i>	19.00 <i>0.748</i>
# P-MX-040X178-ALU	40	177.80 <i>7.000</i>	25.88 <i>1.019</i>	25.38 <i>0.999</i>	Aluminum Alloy	12.70 <i>0.500</i>	19.05 <i>0.750</i>
# P-MX-042X175-ALU	42	175.00 <i>6.890</i>	27.20 <i>1.071</i>	26.66 <i>1.050</i>	Aluminum Alloy	13.00 <i>0.512</i>	19.00 <i>0.748</i>
# P-MX-042X178-ALU	42	177.80 <i>7.000</i>	27.18 <i>1.070</i>	26.67 <i>1.050</i>	Aluminum Alloy	12.70 <i>0.500</i>	19.05 <i>0.750</i>
# P-MX-044X175-ALU	44	175.00 <i>6.890</i>	28.50 <i>1.122</i>	27.95 <i>1.100</i>	Aluminum Alloy	13.00 <i>0.512</i>	19.00 <i>0.748</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 2.032mm Pitch - MXL - STOCK

Part Number	Grooves No.	Min. Usable Length (L) mm	Pitch Diameter (PD) mm	Outside Diameter (OD) mm	Material	Shank Diameter (D1) mm	Shank Length (Sl) mm
		<i>inches</i>	<i>inches</i>	<i>inches</i>		<i>inches</i>	<i>inches</i>
# P-MX-044X178-ALU	44	177.80 <i>7.000</i>	28.45 <i>1.120</i>	27.94 <i>1.100</i>	Aluminum Alloy	12.70 <i>0.500</i>	19.05 <i>0.750</i>
# P-MX-045X175-ALU	45	175.00 <i>6.890</i>	29.10 <i>1.146</i>	28.60 <i>1.126</i>	Aluminum Alloy	13.00 <i>0.512</i>	19.00 <i>0.748</i>
# P-MX-045X178-ALU	45	177.80 <i>7.000</i>	29.11 <i>1.146</i>	28.70 <i>1.130</i>	Aluminum Alloy	12.70 <i>0.500</i>	19.05 <i>0.750</i>
# P-MX-048X175-ALU	48	175.00 <i>6.890</i>	31.00 <i>1.220</i>	30.54 <i>1.202</i>	Aluminum Alloy	13.00 <i>0.512</i>	19.00 <i>0.748</i>
# P-MX-048X178-ALU	48	177.80 <i>7.000</i>	31.04 <i>1.222</i>	30.48 <i>1.200</i>	Aluminum Alloy	12.70 <i>0.500</i>	19.05 <i>0.750</i>
# P-MX-049X175-ALU	49	175.00 <i>6.890</i>	31.70 <i>1.248</i>	31.19 <i>1.228</i>	Aluminum Alloy	13.00 <i>0.512</i>	19.00 <i>0.748</i>
# P-MX-049X178-ALU	49	177.80 <i>7.000</i>	31.70 <i>1.248</i>	31.24 <i>1.230</i>	Aluminum Alloy	12.70 <i>0.500</i>	19.05 <i>0.750</i>
# P-MX-050X175-ALU	50	175.00 <i>6.890</i>	32.30 <i>1.272</i>	31.83 <i>1.253</i>	Aluminum Alloy	13.00 <i>0.512</i>	19.00 <i>0.748</i>
# P-MX-050X178-ALU	50	177.80 <i>7.000</i>	32.33 <i>1.273</i>	31.75 <i>1.250</i>	Aluminum Alloy	12.70 <i>0.500</i>	19.05 <i>0.750</i>
# P-MX-051X175-ALU	51	175.00 <i>6.890</i>	33.00 <i>1.299</i>	32.48 <i>1.279</i>	Aluminum Alloy	13.00 <i>0.512</i>	19.00 <i>0.748</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 2.032mm Pitch - MXL - STOCK

Part Number	Grooves No.	Min. Usable Length (L) mm	Pitch Diameter (PD) mm	Outside Diameter (OD) mm	Material	Shank Diameter (D1) mm	Shank Length (Sl) mm
		<i>inches</i>	<i>inches</i>	<i>inches</i>		<i>inches</i>	<i>inches</i>
# P-MX-051X178-ALU	51	177.80 <i>7.000</i>	33.00 <i>1.299</i>	32.51 <i>1.280</i>	Aluminum Alloy	12.70 <i>0.500</i>	19.05 <i>0.750</i>
# P-MX-052X175-ALU	52	175.00 <i>6.890</i>	33.60 <i>1.323</i>	33.13 <i>1.304</i>	Aluminum Alloy	13.00 <i>0.512</i>	19.00 <i>0.748</i>
# P-MX-052X178-ALU	52	177.80 <i>7.000</i>	33.63 <i>1.324</i>	33.02 <i>1.300</i>	Aluminum Alloy	12.70 <i>0.500</i>	19.05 <i>0.750</i>
# P-MX-054X175-ALU	54	175.00 <i>6.890</i>	34.90 <i>1.374</i>	34.42 <i>1.355</i>	Aluminum Alloy	13.00 <i>0.512</i>	19.00 <i>0.748</i>
# P-MX-054X178-ALU	54	177.80 <i>7.000</i>	34.93 <i>1.375</i>	34.54 <i>1.360</i>	Aluminum Alloy	12.70 <i>0.500</i>	19.05 <i>0.750</i>
# P-MX-055X175-ALU	55	175.00 <i>6.890</i>	35.60 <i>1.402</i>	35.07 <i>1.381</i>	Aluminum Alloy	13.00 <i>0.512</i>	19.00 <i>0.748</i>
# P-MX-055X178-ALU	55	177.80 <i>7.000</i>	35.59 <i>1.401</i>	35.05 <i>1.380</i>	Aluminum Alloy	12.70 <i>0.500</i>	19.05 <i>0.750</i>
# P-MX-056X175-ALU	56	175.00 <i>6.890</i>	36.20 <i>1.425</i>	35.71 <i>1.406</i>	Aluminum Alloy	13.00 <i>0.512</i>	19.00 <i>0.748</i>
# P-MX-056X178-ALU	56	177.80 <i>7.000</i>	36.22 <i>1.426</i>	35.81 <i>1.410</i>	Aluminum Alloy	12.70 <i>0.500</i>	19.05 <i>0.750</i>
# P-MX-057X175-ALU	57	175.00 <i>6.890</i>	36.90 <i>1.453</i>	36.36 <i>1.431</i>	Aluminum Alloy	13.00 <i>0.512</i>	19.00 <i>0.748</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 2.032mm Pitch - MXL - STOCK

Part Number	Grooves No.	Min. Usable Length (L) mm	Pitch Diameter (PD) mm	Outside Diameter (OD) mm	Material	Shank Diameter (D1) mm	Shank Length (Sl) mm
		<i>inches</i>	<i>inches</i>	<i>inches</i>		<i>inches</i>	<i>inches</i>
# P-MX-057X178-ALU	57	177.80 <i>7.000</i>	36.86 <i>1.451</i>	36.32 <i>1.430</i>	Aluminum Alloy	12.70 <i>0.500</i>	19.05 <i>0.750</i>
# P-MX-060X200-ALU	60	200.00 <i>7.874</i>	38.80 <i>1.528</i>	38.30 <i>1.508</i>	Aluminum Alloy	13.00 <i>0.512</i>	19.00 <i>0.748</i>
# P-MX-060X203-ALU	60	203.20 <i>8.000</i>	38.81 <i>1.528</i>	38.35 <i>1.510</i>	Aluminum Alloy	12.70 <i>0.500</i>	19.05 <i>0.750</i>
# P-MX-064X200-ALU	64	200.00 <i>7.874</i>	41.40 <i>1.630</i>	40.89 <i>1.610</i>	Aluminum Alloy	13.00 <i>0.512</i>	19.00 <i>0.748</i>
# P-MX-064X203-ALU	64	203.20 <i>8.000</i>	41.40 <i>1.630</i>	40.89 <i>1.610</i>	Aluminum Alloy	12.70 <i>0.500</i>	19.05 <i>0.750</i>
# P-MX-065X200-ALU	65	200.00 <i>7.874</i>	42.00 <i>1.654</i>	41.53 <i>1.635</i>	Aluminum Alloy	13.00 <i>0.512</i>	19.00 <i>0.748</i>
# P-MX-065X203-ALU	65	203.20 <i>8.000</i>	42.04 <i>1.655</i>	41.66 <i>1.640</i>	Aluminum Alloy	12.70 <i>0.500</i>	19.05 <i>0.750</i>
P-MX-066X200-ALU	66	200.00 <i>7.874</i>	42.70 <i>1.681</i>	42.18 <i>1.661</i>	Aluminum Alloy	13.00 <i>0.512</i>	19.00 <i>0.748</i>
# P-MX-066X203-ALU	66	203.20 <i>8.000</i>	42.70 <i>1.681</i>	42.16 <i>1.660</i>	Aluminum Alloy	12.70 <i>0.500</i>	19.05 <i>0.750</i>
# P-MX-070X200-ALU	70	200.00 <i>7.874</i>	45.30 <i>1.783</i>	44.77 <i>1.763</i>	Aluminum Alloy	13.00 <i>0.512</i>	19.00 <i>0.748</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 2.032mm Pitch - MXL - STOCK

Part Number	Grooves No.	Min. Usable Length (L) mm	Pitch Diameter (PD) mm	Outside Diameter (OD) mm	Material	Shank Diameter (D1) mm	Shank Length (Sl) mm
		<i>inches</i>	<i>inches</i>	<i>inches</i>		<i>inches</i>	<i>inches</i>
# P-MX-070X203-ALU	70	203.20 <i>8.000</i>	45.29 <i>1.783</i>	44.70 <i>1.760</i>	Aluminum Alloy	12.70 <i>0.500</i>	19.05 <i>0.750</i>
# P-MX-072X200-ALU	72	200.00 <i>7.874</i>	46.60 <i>1.835</i>	46.06 <i>1.813</i>	Aluminum Alloy	13.00 <i>0.512</i>	19.00 <i>0.748</i>
# P-MX-072X203-ALU	72	203.20 <i>8.000</i>	46.56 <i>1.833</i>	45.97 <i>1.810</i>	Aluminum Alloy	12.70 <i>0.500</i>	19.05 <i>0.750</i>
# P-MX-075X200-ALU	75	200.00 <i>7.874</i>	48.50 <i>1.909</i>	48.00 <i>1.890</i>	Aluminum Alloy	13.00 <i>0.512</i>	19.00 <i>0.748</i>
# P-MX-075X203-ALU	75	203.20 <i>8.000</i>	48.51 <i>1.910</i>	48.01 <i>1.890</i>	Aluminum Alloy	12.70 <i>0.500</i>	19.05 <i>0.750</i>
# P-MX-080X200-ALU	80	200.00 <i>7.874</i>	51.70 <i>2.035</i>	51.24 <i>2.017</i>	Aluminum Alloy	19.00 <i>0.748</i>	19.00 <i>0.748</i>
# P-MX-080X203-ALU	80	203.20 <i>8.000</i>	51.74 <i>2.037</i>	51.31 <i>2.020</i>	Aluminum Alloy	19.05 <i>0.750</i>	19.05 <i>0.750</i>
# P-MX-082X200-ALU	82	200.00 <i>7.874</i>	53.00 <i>2.087</i>	52.53 <i>2.068</i>	Aluminum Alloy	19.00 <i>0.748</i>	19.00 <i>0.748</i>
# P-MX-082X203-ALU	82	203.20 <i>8.000</i>	53.04 <i>2.088</i>	52.58 <i>2.070</i>	Aluminum Alloy	19.05 <i>0.750</i>	19.05 <i>0.750</i>
# P-MX-084X200-ALU	84	200.00 <i>7.874</i>	54.30 <i>2.138</i>	53.82 <i>2.119</i>	Aluminum Alloy	19.00 <i>0.748</i>	19.00 <i>0.748</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 2.032mm Pitch - MXL - STOCK

Part Number	Grooves No.	Min. Usable Length (L) mm	Pitch Diameter (PD) mm	Outside Diameter (OD) mm	Material	Shank Diameter (D1) mm	Shank Length (Sl) mm
		<i>inches</i>	<i>inches</i>	<i>inches</i>		<i>inches</i>	<i>inches</i>
# P-MX-084X203-ALU	84	203.20 <i>8.000</i>	54.33 <i>2.139</i>	53.85 <i>2.120</i>	Aluminum Alloy	19.05 <i>0.750</i>	19.05 <i>0.750</i>
# P-MX-088X200-ALU	88	200.00 <i>7.874</i>	56.90 <i>2.240</i>	56.41 <i>2.221</i>	Aluminum Alloy	19.00 <i>0.748</i>	19.00 <i>0.748</i>
# P-MX-088X203-ALU	88	203.20 <i>8.000</i>	56.92 <i>2.241</i>	56.39 <i>2.220</i>	Aluminum Alloy	19.05 <i>0.750</i>	19.05 <i>0.750</i>
P-MX-090X200-ALU	90	200.00 <i>7.874</i>	58.20 <i>2.291</i>	57.70 <i>2.272</i>	Aluminum Alloy	19.00 <i>0.748</i>	19.00 <i>0.748</i>
# P-MX-090X203-ALU	90	203.20 <i>8.000</i>	58.22 <i>2.292</i>	57.66 <i>2.270</i>	Aluminum Alloy	19.05 <i>0.750</i>	19.05 <i>0.750</i>
# P-MX-096X200-ALU	96	200.00 <i>7.874</i>	62.10 <i>2.445</i>	61.59 <i>2.425</i>	Aluminum Alloy	19.00 <i>0.748</i>	19.00 <i>0.748</i>
# P-MX-096X203-ALU	96	203.20 <i>8.000</i>	62.10 <i>2.445</i>	61.72 <i>2.430</i>	Aluminum Alloy	19.05 <i>0.750</i>	19.05 <i>0.750</i>
# P-MX-098X200-ALU	98	200.00 <i>7.874</i>	63.40 <i>2.496</i>	62.88 <i>2.476</i>	Aluminum Alloy	19.00 <i>0.748</i>	19.00 <i>0.748</i>
# P-MX-098X203-ALU	98	203.20 <i>8.000</i>	63.40 <i>2.496</i>	62.99 <i>2.480</i>	Aluminum Alloy	19.05 <i>0.750</i>	19.05 <i>0.750</i>
# P-MX-100X200-ALU	100	200.00 <i>7.874</i>	64.70 <i>2.547</i>	64.17 <i>2.526</i>	Aluminum Alloy	19.00 <i>0.748</i>	19.00 <i>0.748</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 2.032mm Pitch - MXL - STOCK

Part Number	Grooves No.	Min. Usable Length (L) mm	Pitch Diameter (PD) mm	Outside Diameter (OD) mm	Material	Shank Diameter (D1) mm	Shank Length (Sl) mm
		<i>inches</i>	<i>inches</i>	<i>inches</i>		<i>inches</i>	<i>inches</i>
# P-MX-100X203-ALU	100	203.20 <i>8.000</i>	64.67 <i>2.546</i>	64.26 <i>2.530</i>	Aluminum Alloy	19.05 <i>0.750</i>	19.05 <i>0.750</i>
# P-MX-102X200-ALU	102	200.00 <i>7.874</i>	66.00 <i>2.598</i>	65.47 <i>2.578</i>	Aluminum Alloy	19.00 <i>0.748</i>	19.00 <i>0.748</i>
# P-MX-102X203-ALU	102	203.20 <i>8.000</i>	65.96 <i>2.597</i>	65.53 <i>2.580</i>	Aluminum Alloy	19.05 <i>0.750</i>	19.05 <i>0.750</i>
# P-MX-108X200-ALU	108	200.00 <i>7.874</i>	69.90 <i>2.752</i>	69.35 <i>2.730</i>	Aluminum Alloy	19.00 <i>0.748</i>	19.00 <i>0.748</i>
# P-MX-108X203-ALU	108	203.20 <i>8.000</i>	69.85 <i>2.750</i>	69.34 <i>2.730</i>	Aluminum Alloy	19.05 <i>0.750</i>	19.05 <i>0.750</i>
# P-MX-110X200-ALU	110	200.00 <i>7.874</i>	71.10 <i>2.799</i>	70.64 <i>2.781</i>	Aluminum Alloy	19.00 <i>0.748</i>	19.00 <i>0.748</i>
# P-MX-110X203-ALU	110	203.20 <i>8.000</i>	71.15 <i>2.801</i>	70.61 <i>2.780</i>	Aluminum Alloy	19.05 <i>0.750</i>	19.05 <i>0.750</i>
# P-MX-120X200-ALU	120	200.00 <i>7.874</i>	77.60 <i>3.055</i>	77.11 <i>3.036</i>	Aluminum Alloy	19.00 <i>0.748</i>	19.00 <i>0.748</i>
# P-MX-120X203-ALU	120	203.20 <i>8.000</i>	77.62 <i>3.056</i>	77.22 <i>3.040</i>	Aluminum Alloy	19.05 <i>0.750</i>	19.05 <i>0.750</i>
# P-MX-130X200-ALU	130	200.00 <i>7.874</i>	84.10 <i>3.311</i>	83.58 <i>3.291</i>	Aluminum Alloy	19.00 <i>0.748</i>	19.00 <i>0.748</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 2.032mm Pitch - MXL - STOCK

Part Number	Grooves No.	Min. Usable Length (L) mm	Pitch Diameter (PD) mm	Outside Diameter (OD) mm	Material	Shank Diameter (D1) mm	Shank Length (Sl) mm
		<i>inches</i>	<i>inches</i>	<i>inches</i>		<i>inches</i>	<i>inches</i>
# P-MX-130X203-ALU	130	203.20 <i>8.000</i>	84.07 <i>3.310</i>	83.57 <i>3.290</i>	Aluminum Alloy	19.05 <i>0.750</i>	19.05 <i>0.750</i>
# P-MX-140X200-ALU	140	200.00 <i>7.874</i>	90.60 <i>3.567</i>	90.04 <i>3.545</i>	Aluminum Alloy	19.00 <i>0.748</i>	19.00 <i>0.748</i>
# P-MX-140X203-ALU	140	203.20 <i>8.000</i>	90.55 <i>3.565</i>	90.04 <i>3.545</i>	Aluminum Alloy	19.05 <i>0.750</i>	19.05 <i>0.750</i>
# P-MX-150X200-ALU	150	200.00 <i>7.874</i>	97.00 <i>3.819</i>	96.51 <i>3.800</i>	Aluminum Alloy	19.00 <i>0.748</i>	19.00 <i>0.748</i>
# P-MX-150X203-ALU	150	203.20 <i>8.000</i>	97.03 <i>3.820</i>	96.52 <i>3.800</i>	Aluminum Alloy	19.05 <i>0.750</i>	19.05 <i>0.750</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to catalogues@minibearings.com.au

