




MBA

**Pulleys - Timing - 2.073mm
Pitch - 40DP - STOCK**



For manufacture of timing pulleys or applications requiring multiple belts from a single drive.

Pulleys - Timing - 2.073mm Pitch - 40DP - STOCK

Part Number	Grooves No.	Min. Usable Length (L) mm	Pitch Diameter (PD) mm	Outside Diameter (OD) mm	Material	Shank Diameter (D1) mm	Shank Length (SI) mm
		<i>inches</i>	<i>inches</i>	<i>inches</i>		<i>inches</i>	<i>inches</i>
# P-40-010X051-ALU	10	50.80 <i>2.000</i>	6.60 <i>0.260</i>	6.35 <i>0.250</i>	Aluminum Alloy	7.87 <i>0.310</i>	25.40 <i>1.000</i>
# P-40-011X051-ALU	11	50.80 <i>2.000</i>	7.26 <i>0.286</i>	6.86 <i>0.270</i>	Aluminum Alloy	7.87 <i>0.310</i>	25.40 <i>1.000</i>
# P-40-012X051-ALU	12	50.80 <i>2.000</i>	7.93 <i>0.312</i>	7.62 <i>0.300</i>	Aluminum Alloy	7.87 <i>0.310</i>	25.40 <i>1.000</i>
# P-40-013X051-ALU	13	50.80 <i>2.000</i>	8.59 <i>0.338</i>	8.13 <i>0.320</i>	Aluminum Alloy	9.65 <i>0.380</i>	25.40 <i>1.000</i>
# P-40-014X051-ALU	14	50.80 <i>2.000</i>	9.25 <i>0.364</i>	8.89 <i>0.350</i>	Aluminum Alloy	9.65 <i>0.380</i>	25.40 <i>1.000</i>

Indicates item not stocked at time of printing - Please enquire for lead time
E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 2.073mm Pitch - 40DP - STOCK

Part Number	Grooves No.	Min. Usable Length (L) mm	Pitch Diameter (PD) mm	Outside Diameter (OD) mm	Material	Shank Diameter (D1) mm	Shank Length (Sl) mm
		<i>inches</i>	<i>inches</i>	<i>inches</i>		<i>inches</i>	<i>inches</i>
# P-40-015X076-ALU	15	76.20 <i>3.000</i>	9.91 <i>0.390</i>	9.65 <i>0.380</i>	Aluminum Alloy	11.18 <i>0.440</i>	25.40 <i>1.000</i>
# P-40-016X076-ALU	16	76.20 <i>3.000</i>	10.57 <i>0.416</i>	10.16 <i>0.400</i>	Aluminum Alloy	11.18 <i>0.440</i>	25.40 <i>1.000</i>
# P-40-017X076-ALU	17	76.20 <i>3.000</i>	11.23 <i>0.442</i>	10.92 <i>0.430</i>	Aluminum Alloy	11.18 <i>0.440</i>	25.40 <i>1.000</i>
# P-40-018X076-ALU	18	76.20 <i>3.000</i>	11.89 <i>0.468</i>	11.43 <i>0.450</i>	Aluminum Alloy	12.70 <i>0.500</i>	25.40 <i>1.000</i>
# P-40-019X076-ALU	19	76.20 <i>3.000</i>	12.55 <i>0.494</i>	12.19 <i>0.480</i>	Aluminum Alloy	12.70 <i>0.500</i>	25.40 <i>1.000</i>
# P-40-020X102-ALU	20	101.60 <i>4.000</i>	13.21 <i>0.520</i>	12.95 <i>0.510</i>	Aluminum Alloy	9.65 <i>0.380</i>	22.35 <i>0.880</i>
# P-40-021X102-ALU	21	101.60 <i>4.000</i>	13.87 <i>0.546</i>	13.46 <i>0.530</i>	Aluminum Alloy	9.65 <i>0.380</i>	22.35 <i>0.880</i>
# P-40-022X102-ALU	22	101.60 <i>4.000</i>	14.53 <i>0.572</i>	14.22 <i>0.560</i>	Aluminum Alloy	9.65 <i>0.380</i>	22.35 <i>0.880</i>
# P-40-023X102-ALU	23	101.60 <i>4.000</i>	15.19 <i>0.598</i>	14.73 <i>0.580</i>	Aluminum Alloy	9.65 <i>0.380</i>	22.35 <i>0.880</i>
# P-40-024X127-ALU	24	127.00 <i>5.000</i>	15.85 <i>0.624</i>	15.49 <i>0.610</i>	Aluminum Alloy	12.70 <i>0.500</i>	19.05 <i>0.750</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 2.073mm Pitch - 40DP - STOCK

Part Number	Grooves No.	Min. Usable Length (L) mm	Pitch Diameter (PD) mm	Outside Diameter (OD) mm	Material	Shank Diameter (D1) mm	Shank Length (Sl) mm
		<i>inches</i>	<i>inches</i>	<i>inches</i>		<i>inches</i>	<i>inches</i>
# P-40-025X127-ALU	25	127.00 <i>5.000</i>	16.51 <i>0.650</i>	16.26 <i>0.640</i>	Aluminum Alloy	12.70 <i>0.500</i>	19.05 <i>0.750</i>
# P-40-026X127-ALU	26	127.00 <i>5.000</i>	17.17 <i>0.676</i>	16.76 <i>0.660</i>	Aluminum Alloy	12.70 <i>0.500</i>	19.05 <i>0.750</i>
# P-40-027X127-ALU	27	127.00 <i>5.000</i>	17.83 <i>0.702</i>	17.53 <i>0.690</i>	Aluminum Alloy	12.70 <i>0.500</i>	19.05 <i>0.750</i>
# P-40-028X127-ALU	28	127.00 <i>5.000</i>	18.49 <i>0.728</i>	18.03 <i>0.710</i>	Aluminum Alloy	12.70 <i>0.500</i>	19.05 <i>0.750</i>
# P-40-029X127-ALU	29	127.00 <i>5.000</i>	19.15 <i>0.754</i>	18.80 <i>0.740</i>	Aluminum Alloy	12.70 <i>0.500</i>	19.05 <i>0.750</i>
# P-40-030X152-ALU	30	152.40 <i>6.000</i>	19.81 <i>0.780</i>	19.56 <i>0.770</i>	Aluminum Alloy	12.70 <i>0.500</i>	19.05 <i>0.750</i>
# P-40-031X152-ALU	31	152.40 <i>6.000</i>	20.47 <i>0.806</i>	20.07 <i>0.790</i>	Aluminum Alloy	12.70 <i>0.500</i>	19.05 <i>0.750</i>
# P-40-032X152-ALU	32	152.40 <i>6.000</i>	21.13 <i>0.832</i>	20.83 <i>0.820</i>	Aluminum Alloy	12.70 <i>0.500</i>	19.05 <i>0.750</i>
# P-40-033X152-ALU	33	152.40 <i>6.000</i>	21.79 <i>0.858</i>	21.34 <i>0.840</i>	Aluminum Alloy	12.70 <i>0.500</i>	19.05 <i>0.750</i>
# P-40-034X152-ALU	34	152.40 <i>6.000</i>	22.45 <i>0.884</i>	22.10 <i>0.870</i>	Aluminum Alloy	12.70 <i>0.500</i>	19.05 <i>0.750</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 2.073mm Pitch - 40DP - STOCK

Part Number	Grooves No.	Min. Usable Length (L) mm	Pitch Diameter (PD) mm	Outside Diameter (OD) mm	Material	Shank Diameter (D1) mm	Shank Length (Sl) mm
		<i>inches</i>	<i>inches</i>	<i>inches</i>		<i>inches</i>	<i>inches</i>
# P-40-035X152-ALU	35	152.40 <i>6.000</i>	23.11 <i>0.910</i>	22.76 <i>0.896</i>	Aluminum Alloy	12.70 <i>0.500</i>	19.05 <i>0.750</i>
# P-40-036X152-ALU	36	152.40 <i>6.000</i>	23.77 <i>0.936</i>	23.42 <i>0.922</i>	Aluminum Alloy	12.70 <i>0.500</i>	19.05 <i>0.750</i>
# P-40-037X152-ALU	37	152.40 <i>6.000</i>	24.44 <i>0.962</i>	24.08 <i>0.948</i>	Aluminum Alloy	12.70 <i>0.500</i>	19.05 <i>0.750</i>
# P-40-038X152-ALU	38	152.40 <i>6.000</i>	25.10 <i>0.988</i>	24.74 <i>0.974</i>	Aluminum Alloy	12.70 <i>0.500</i>	19.05 <i>0.750</i>
# P-40-039X152-ALU	39	152.40 <i>6.000</i>	25.76 <i>1.014</i>	25.40 <i>1.000</i>	Aluminum Alloy	12.70 <i>0.500</i>	19.05 <i>0.750</i>
# P-40-040X178-ALU	40	177.80 <i>7.000</i>	26.42 <i>1.040</i>	26.16 <i>1.030</i>	Aluminum Alloy	12.70 <i>0.500</i>	19.05 <i>0.750</i>
# P-40-042X178-ALU	42	177.80 <i>7.000</i>	27.74 <i>1.092</i>	27.43 <i>1.080</i>	Aluminum Alloy	12.70 <i>0.500</i>	19.05 <i>0.750</i>
# P-40-044X178-ALU	44	177.80 <i>7.000</i>	29.06 <i>1.144</i>	28.70 <i>1.130</i>	Aluminum Alloy	12.70 <i>0.500</i>	19.05 <i>0.750</i>
# P-40-045X178-ALU	45	177.80 <i>7.000</i>	29.72 <i>1.170</i>	29.46 <i>1.160</i>	Aluminum Alloy	12.70 <i>0.500</i>	19.05 <i>0.750</i>
# P-40-048X178-ALU	48	177.80 <i>7.000</i>	31.70 <i>1.248</i>	31.24 <i>1.230</i>	Aluminum Alloy	12.70 <i>0.500</i>	19.05 <i>0.750</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 2.073mm Pitch - 40DP - STOCK

Part Number	Grooves No.	Min. Usable Length (L) mm	Pitch Diameter (PD) mm	Outside Diameter (OD) mm	Material	Shank Diameter (D1) mm	Shank Length (Sl) mm
		<i>inches</i>	<i>inches</i>	<i>inches</i>		<i>inches</i>	<i>inches</i>
# P-40-049X178-ALU	49	177.80 <i>7.000</i>	32.36 <i>1.274</i>	32.00 <i>1.260</i>	Aluminum Alloy	12.70 <i>0.500</i>	19.05 <i>0.750</i>
# P-40-050X178-ALU	50	177.80 <i>7.000</i>	33.02 <i>1.300</i>	32.77 <i>1.290</i>	Aluminum Alloy	12.70 <i>0.500</i>	19.05 <i>0.750</i>
# P-40-051X178-ALU	51	177.80 <i>7.000</i>	33.68 <i>1.326</i>	33.27 <i>1.310</i>	Aluminum Alloy	12.70 <i>0.500</i>	19.05 <i>0.750</i>
# P-40-052X178-ALU	52	177.80 <i>7.000</i>	34.34 <i>1.352</i>	34.04 <i>1.340</i>	Aluminum Alloy	12.70 <i>0.500</i>	19.05 <i>0.750</i>
# P-40-054X178-ALU	54	177.80 <i>7.000</i>	35.66 <i>1.404</i>	35.31 <i>1.390</i>	Aluminum Alloy	12.70 <i>0.500</i>	19.05 <i>0.750</i>
# P-40-055X178-ALU	55	177.80 <i>7.000</i>	36.32 <i>1.430</i>	36.07 <i>1.420</i>	Aluminum Alloy	12.70 <i>0.500</i>	19.05 <i>0.750</i>
# P-40-056X178-ALU	56	177.80 <i>7.000</i>	36.98 <i>1.456</i>	36.58 <i>1.440</i>	Aluminum Alloy	12.70 <i>0.500</i>	19.05 <i>0.750</i>
# P-40-057X178-ALU	57	177.80 <i>7.000</i>	37.64 <i>1.482</i>	37.34 <i>1.470</i>	Aluminum Alloy	12.70 <i>0.500</i>	19.05 <i>0.750</i>
# P-40-060X203-ALU	60	203.20 <i>8.000</i>	39.62 <i>1.560</i>	39.37 <i>1.550</i>	Aluminum Alloy	12.70 <i>0.500</i>	19.05 <i>0.750</i>
# P-40-064X203-ALU	64	203.20 <i>8.000</i>	42.27 <i>1.664</i>	41.91 <i>1.650</i>	Aluminum Alloy	12.70 <i>0.500</i>	19.05 <i>0.750</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 2.073mm Pitch - 40DP - STOCK

Part Number	Grooves No.	Min. Usable Length (L) mm	Pitch Diameter (PD) mm	Outside Diameter (OD) mm	Material	Shank Diameter (D1) mm	Shank Length (Sl) mm
		<i>inches</i>	<i>inches</i>	<i>inches</i>		<i>inches</i>	<i>inches</i>
# P-40-065X203-ALU	65	203.20 <i>8.000</i>	42.93 <i>1.690</i>	42.67 <i>1.680</i>	Aluminum Alloy	12.70 <i>0.500</i>	19.05 <i>0.750</i>
# P-40-066X203-ALU	66	203.20 <i>8.000</i>	43.59 <i>1.716</i>	43.18 <i>1.700</i>	Aluminum Alloy	12.70 <i>0.500</i>	19.05 <i>0.750</i>
# P-40-070X203-ALU	70	203.20 <i>8.000</i>	46.23 <i>1.820</i>	45.97 <i>1.810</i>	Aluminum Alloy	12.70 <i>0.500</i>	19.05 <i>0.750</i>
# P-40-072X203-ALU	72	203.20 <i>8.000</i>	47.55 <i>1.872</i>	47.24 <i>1.860</i>	Aluminum Alloy	12.70 <i>0.500</i>	19.05 <i>0.750</i>
# P-40-075X203-ALU	75	203.20 <i>8.000</i>	49.53 <i>1.950</i>	49.28 <i>1.940</i>	Aluminum Alloy	12.70 <i>0.500</i>	19.05 <i>0.750</i>
# P-40-080X203-ALU	80	203.20 <i>8.000</i>	52.83 <i>2.080</i>	52.58 <i>2.070</i>	Aluminum Alloy	19.05 <i>0.750</i>	19.05 <i>0.750</i>
# P-40-082X203-ALU	82	203.20 <i>8.000</i>	54.15 <i>2.132</i>	53.85 <i>2.120</i>	Aluminum Alloy	19.05 <i>0.750</i>	19.05 <i>0.750</i>
# P-40-084X203-ALU	84	203.20 <i>8.000</i>	55.47 <i>2.184</i>	55.12 <i>2.170</i>	Aluminum Alloy	19.05 <i>0.750</i>	19.05 <i>0.750</i>
# P-40-088X203-ALU	88	203.20 <i>8.000</i>	58.12 <i>2.288</i>	57.66 <i>2.270</i>	Aluminum Alloy	19.05 <i>0.750</i>	19.05 <i>0.750</i>
# P-40-090X203-ALU	90	203.20 <i>8.000</i>	59.44 <i>2.340</i>	59.18 <i>2.330</i>	Aluminum Alloy	19.05 <i>0.750</i>	19.05 <i>0.750</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 2.073mm Pitch - 40DP - STOCK

Part Number	Grooves No.	Min. Usable Length (L) mm	Pitch Diameter (PD) mm	Outside Diameter (OD) mm	Material	Shank Diameter (D1) mm	Shank Length (Sl) mm
		<i>inches</i>	<i>inches</i>	<i>inches</i>		<i>inches</i>	<i>inches</i>
# P-40-096X203-ALU	96	203.20 <i>8.000</i>	63.40 <i>2.496</i>	62.99 <i>2.480</i>	Aluminum Alloy	19.05 <i>0.750</i>	19.05 <i>0.750</i>
# P-40-098X203-ALU	98	203.20 <i>8.000</i>	64.72 <i>2.548</i>	64.26 <i>2.530</i>	Aluminum Alloy	19.05 <i>0.750</i>	19.05 <i>0.750</i>
# P-40-100X203-ALU	100	203.20 <i>8.000</i>	66.04 <i>2.600</i>	65.79 <i>2.590</i>	Aluminum Alloy	19.05 <i>0.750</i>	19.05 <i>0.750</i>
# P-40-102X203-ALU	102	203.20 <i>8.000</i>	67.36 <i>2.652</i>	67.06 <i>2.640</i>	Aluminum Alloy	19.05 <i>0.750</i>	19.05 <i>0.750</i>
# P-40-108X203-ALU	108	203.20 <i>8.000</i>	71.32 <i>2.808</i>	70.87 <i>2.790</i>	Aluminum Alloy	19.05 <i>0.750</i>	19.05 <i>0.750</i>
# P-40-110X203-ALU	110	203.20 <i>8.000</i>	72.64 <i>2.860</i>	72.39 <i>2.850</i>	Aluminum Alloy	19.05 <i>0.750</i>	19.05 <i>0.750</i>
# P-40-120X203-ALU	120	203.20 <i>8.000</i>	79.25 <i>3.120</i>	78.89 <i>3.106</i>	Aluminum Alloy	19.05 <i>0.750</i>	19.05 <i>0.750</i>
# P-40-130X203-ALU	130	203.20 <i>8.000</i>	85.85 <i>3.380</i>	85.50 <i>3.366</i>	Aluminum Alloy	19.05 <i>0.750</i>	19.05 <i>0.750</i>
# P-40-140X203-ALU	140	203.20 <i>8.000</i>	92.46 <i>3.640</i>	92.10 <i>3.626</i>	Aluminum Alloy	19.05 <i>0.750</i>	19.05 <i>0.750</i>
# P-40-150X203-ALU	150	203.20 <i>8.000</i>	99.06 <i>3.900</i>	98.70 <i>3.886</i>	Aluminum Alloy	19.05 <i>0.750</i>	19.05 <i>0.750</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to catalogues@minibearings.com.au

