




MBA

Pulleys - Timing - 2.073mm Pitch - 40DP

Timing Pulleys to suit 40DP 2.070mm Pitch Timing Belts.

Various materials as shown.



Pulleys - Timing - 2.073mm Pitch - 40DP

Part Number	Teeth (No.)	Suit Belt Width mm	Bore (d) mm	Material	Locking Type	Type (See Diagram)	Pitch Diameter (PD) mm	Flange Diameter (FD) mm	Overall Length (OL) mm	Hub Diameter (HD) mm
		<i>inches</i>	<i>inches</i>				<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>
# P-40-010-047FH-ALA-SET-02.388	10	4.8	2.388	Aluminium, Clear Anodised	Set Screw	FH_G_H (Double Flange FH Type)	6.60	10.8	15.88	10.80
		<i>0.189</i>	<i>0.094</i>				<i>0.260</i>	<i>0.425</i>	<i>0.625</i>	<i>0.425</i>
# P-40-010-047FH-ALA-SET-03.175	10	4.8	3.175	Aluminium, Clear Anodised	Set Screw	FH_G_H (Double Flange FH Type)	6.60	10.8	15.88	10.80
		<i>0.189</i>	<i>0.125</i>				<i>0.260</i>	<i>0.425</i>	<i>0.625</i>	<i>0.425</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 2.073mm Pitch - 40DP

Part Number	Teeth (No.)	Suit Belt Width mm	Bore (d) mm	Material	Locking Type	Type (See Diagram)	Pitch Diameter (PD) mm	Flange Diameter (FD) mm	Overall Length (OL) mm	Hub Diameter (HD) mm
		<i>inches</i>	<i>inches</i>				<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>
# P-40-010-060FF-ACE-NIL-03.000	10	6.0	3.000	Acetal	No Locking Device	FF_NL_H (Double Flange)	6.60	11.0	17.50	11.00
		<i>0.236</i>	<i>0.118</i>				<i>0.260</i>	<i>0.433</i>	<i>0.689</i>	<i>0.433</i>
# P-40-010-060SF-ACE-NIL-03.000	10	6.0	3.000	Acetal	No Locking Device	SF_NL_2H (Single Flange)	6.60	11.0	17.50	11.00
		<i>0.236</i>	<i>0.118</i>				<i>0.260</i>	<i>0.433</i>	<i>0.689</i>	<i>0.433</i>
# P-40-010-063FF-ACE-NIL-02.388	10	6.4	2.388	Acetal	No Locking Device	FF_NL_H (Double Flange)	6.60	10.7	17.46	11.11
		<i>0.252</i>	<i>0.094</i>				<i>0.260</i>	<i>0.421</i>	<i>0.687</i>	<i>0.437</i>
# P-40-010-063SF-ACE-NIL-02.388	10	6.4	2.388	Acetal	No Locking Device	SF_NL_2H (Single Flange)	6.60	10.7	17.46	11.11
		<i>0.252</i>	<i>0.094</i>				<i>0.260</i>	<i>0.421</i>	<i>0.687</i>	<i>0.437</i>
# P-40-010-079FH-ALA-SET-02.388	10	7.9	2.388	Aluminium, Clear Anodised	Set Screw	FH_G_H (Double Flange FH Type)	6.60	10.8	15.88	10.80
		<i>0.311</i>	<i>0.094</i>				<i>0.260</i>	<i>0.425</i>	<i>0.625</i>	<i>0.425</i>
P-40-010-079FH-ALA-SET-03.175	10	7.9	3.175	Aluminium, Clear Anodised	Set Screw	FH_G_H (Double Flange FH Type)	6.60	10.8	15.88	10.80
		<i>0.311</i>	<i>0.125</i>				<i>0.260</i>	<i>0.425</i>	<i>0.625</i>	<i>0.425</i>
# P-40-011-047FH-ALA-SET-02.388	11	4.8	2.388	Aluminium, Clear Anodised	Set Screw	FH_G_H (Double Flange FH Type)	7.26	11.4	15.88	11.43
		<i>0.189</i>	<i>0.094</i>				<i>0.286</i>	<i>0.449</i>	<i>0.625</i>	<i>0.450</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 2.073mm Pitch - 40DP

Part Number	Teeth (No.)	Suit Belt Width mm	Bore (d) mm	Material	Locking Type	Type (See Diagram)	Pitch Diameter (PD) mm	Flange Diameter (FD) mm	Overall Length (OL) mm	Hub Diameter (HD) mm
		<i>inches</i>	<i>inches</i>				<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>
# P-40-011-047FH-ALA-SET-03.175	11	4.8	3.175	Aluminium, Clear Anodised	Set Screw	FH_G_H (Double Flange FH Type)	7.26	11.4	15.88	11.43
		<i>0.189</i>	<i>0.125</i>				<i>0.286</i>	<i>0.449</i>	<i>0.625</i>	<i>0.450</i>
# P-40-011-060SF-ACE-NIL-03.000	11	6.0	3.000	Acetal	No Locking Device	SF_NL_2H (Single Flange)	7.26	12.0	17.50	11.00
		<i>0.236</i>	<i>0.118</i>				<i>0.286</i>	<i>0.472</i>	<i>0.689</i>	<i>0.433</i>
P-40-011-060FF-ACE-NIL-03.000	11	6.0	3.000	Acetal	No Locking Device	FF_NL_H (Double Flange)	7.26	12.0	17.50	11.00
		<i>0.236</i>	<i>0.118</i>				<i>0.286</i>	<i>0.472</i>	<i>0.689</i>	<i>0.433</i>
# P-40-011-063FF-ACE-NIL-02.388	11	6.4	2.388	Acetal	No Locking Device	FF_NL_H (Double Flange)	7.26	11.4	17.46	11.11
		<i>0.252</i>	<i>0.094</i>				<i>0.286</i>	<i>0.449</i>	<i>0.687</i>	<i>0.437</i>
# P-40-011-063SF-ACE-NIL-02.388	11	6.4	2.388	Acetal	No Locking Device	SF_NL_2H (Single Flange)	7.26	11.4	17.46	11.11
		<i>0.252</i>	<i>0.094</i>				<i>0.286</i>	<i>0.449</i>	<i>0.687</i>	<i>0.437</i>
# P-40-011-079FH-ALA-SET-02.388	11	7.9	2.388	Aluminium, Clear Anodised	Set Screw	FH_G_H (Double Flange FH Type)	7.26	11.4	15.88	11.43
		<i>0.311</i>	<i>0.094</i>				<i>0.286</i>	<i>0.449</i>	<i>0.625</i>	<i>0.450</i>
# P-40-011-079FH-ALA-SET-03.175	11	7.9	3.175	Aluminium, Clear Anodised	Set Screw	FH_G_H (Double Flange FH Type)	7.26	11.4	15.88	11.43
		<i>0.311</i>	<i>0.125</i>				<i>0.286</i>	<i>0.449</i>	<i>0.625</i>	<i>0.450</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 2.073mm Pitch - 40DP

Part Number	Teeth (No.)	Suit Belt Width mm	Bore (d) mm	Material	Locking Type	Type (See Diagram)	Pitch Diameter (PD) mm	Flange Diameter (FD) mm	Overall Length (OL) mm	Hub Diameter (HD) mm
		<i>inches</i>	<i>inches</i>				<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>
# P-40-012-047FH-ALA-SET-02.388	12	4.8	2.388	Aluminium, Clear Anodised	Set Screw	FH_G_H (Double Flange FH Type)	7.92	12.2	15.88	12.19
		<i>0.189</i>	<i>0.094</i>				<i>0.312</i>	<i>0.480</i>	<i>0.625</i>	<i>0.480</i>
# P-40-012-047FH-ALA-SET-03.175	12	4.8	3.175	Aluminium, Clear Anodised	Set Screw	FH_G_H (Double Flange FH Type)	7.92	12.2	15.88	12.19
		<i>0.189</i>	<i>0.125</i>				<i>0.312</i>	<i>0.480</i>	<i>0.625</i>	<i>0.480</i>
# P-40-012-079FH-ALA-SET-02.388	12	7.9	2.388	Aluminium, Clear Anodised	Set Screw	FH_G_H (Double Flange FH Type)	7.92	12.2	15.88	12.19
		<i>0.311</i>	<i>0.094</i>				<i>0.312</i>	<i>0.480</i>	<i>0.625</i>	<i>0.480</i>
# P-40-012-079FH-ALA-SET-03.175	12	7.9	3.175	Aluminium, Clear Anodised	Set Screw	FH_G_H (Double Flange FH Type)	7.92	12.2	15.88	12.19
		<i>0.311</i>	<i>0.125</i>				<i>0.312</i>	<i>0.480</i>	<i>0.625</i>	<i>0.480</i>
# P-40-013-047FH-ALA-SET-03.175	13	4.8	3.175	Aluminium, Clear Anodised	Set Screw	FH_G_H (Double Flange FH Type)	8.57	12.8	15.88	12.83
		<i>0.189</i>	<i>0.125</i>				<i>0.337</i>	<i>0.504</i>	<i>0.625</i>	<i>0.505</i>
# P-40-013-079FH-ALA-SET-03.175	13	7.9	3.175	Aluminium, Clear Anodised	Set Screw	FH_G_H (Double Flange FH Type)	8.57	14.0	15.88	12.83
		<i>0.311</i>	<i>0.125</i>				<i>0.337</i>	<i>0.551</i>	<i>0.625</i>	<i>0.505</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 2.073mm Pitch - 40DP

Part Number	Teeth (No.)	Suit Belt Width mm	Bore (d) mm	Material	Locking Type	Type (See Diagram)	Pitch Diameter (PD) mm	Flange Diameter (FD) mm	Overall Length (OL) mm	Hub Diameter (HD) mm
		<i>inches</i>	<i>inches</i>				<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>
# P-40-014-047FH-ALA-SET-03.175	14	4.8	3.175	Aluminium, Clear Anodised	Set Screw	FH_G_H (Double Flange FH Type)	9.23	13.5	15.88	13.46
		<i>0.189</i>	<i>0.125</i>				<i>0.363</i>	<i>0.531</i>	<i>0.625</i>	<i>0.530</i>
# P-40-014-060FF-ACE-NIL-04.000	14	6.0	4.000	Acetal	No Locking Device	FF_NL_H (Double Flange)	9.23	14.0	17.50	11.00
		<i>0.236</i>	<i>0.157</i>				<i>0.363</i>	<i>0.551</i>	<i>0.689</i>	<i>0.433</i>
# P-40-014-060SF-ACE-NIL-04.000	14	6.0	4.000	Acetal	No Locking Device	SF_NL_2H (Single Flange)	9.23	14.0	17.50	11.00
		<i>0.236</i>	<i>0.157</i>				<i>0.363</i>	<i>0.551</i>	<i>0.689</i>	<i>0.433</i>
# P-40-014-063FF-ACE-NIL-03.175	14	6.4	3.175	Acetal	No Locking Device	FF_NL_H (Double Flange)	9.23	13.7	17.46	11.11
		<i>0.252</i>	<i>0.125</i>				<i>0.363</i>	<i>0.539</i>	<i>0.687</i>	<i>0.437</i>
# P-40-014-063SF-ACE-NIL-03.175	14	6.4	3.175	Acetal	No Locking Device	SF_NL_2H (Single Flange)	9.23	13.7	17.46	11.11
		<i>0.252</i>	<i>0.125</i>				<i>0.363</i>	<i>0.539</i>	<i>0.687</i>	<i>0.437</i>
# P-40-014-079FH-ALA-SET-03.175	14	7.9	3.175	Aluminium, Clear Anodised	Set Screw	FH_G_H (Double Flange FH Type)	9.23	13.5	15.88	13.46
		<i>0.311</i>	<i>0.125</i>				<i>0.363</i>	<i>0.531</i>	<i>0.625</i>	<i>0.530</i>
# P-40-015-047FH-ALA-SET-03.175	15	4.8	3.175	Aluminium, Clear Anodised	Set Screw	FH_G_H (Double Flange FH Type)	9.89	14.1	15.88	14.10
		<i>0.189</i>	<i>0.125</i>				<i>0.389</i>	<i>0.555</i>	<i>0.625</i>	<i>0.555</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 2.073mm Pitch - 40DP

Part Number	Teeth (No.)	Suit Belt Width mm	Bore (d) mm	Material	Locking Type	Type (See Diagram)	Pitch Diameter (PD) mm	Flange Diameter (FD) mm	Overall Length (OL) mm	Hub Diameter (HD) mm
		<i>inches</i>	<i>inches</i>				<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>
# P-40-015-047FH-ALA-SET-04.763	15	4.8	4.763	Aluminium, Clear Anodised	Set Screw	FH_G_H (Double Flange FH Type)	9.89	14.1	15.88	14.10
		<i>0.189</i>	<i>0.188</i>				<i>0.389</i>	<i>0.555</i>	<i>0.625</i>	<i>0.555</i>
# P-40-015-060FF-ACE-NIL-04.000	15	6.0	4.000	Acetal	No Locking Device	FF_NL_H (Double Flange)	9.89	14.0	17.50	11.00
		<i>0.236</i>	<i>0.157</i>				<i>0.389</i>	<i>0.551</i>	<i>0.689</i>	<i>0.433</i>
P-40-015-060SF-ACE-NIL-04.000	15	6.0	4.000	Acetal	No Locking Device	SF_NL_2H (Single Flange)	9.89	14.0	17.50	11.00
		<i>0.236</i>	<i>0.157</i>				<i>0.389</i>	<i>0.551</i>	<i>0.689</i>	<i>0.433</i>
# P-40-015-063FF-ACE-NIL-03.175	15	6.4	3.175	Acetal	No Locking Device	FF_NL_H (Double Flange)	9.89	14.2	17.46	11.11
		<i>0.252</i>	<i>0.125</i>				<i>0.389</i>	<i>0.559</i>	<i>0.687</i>	<i>0.437</i>
# P-40-015-063SF-ACE-NIL-03.175	15	6.4	3.175	Acetal	No Locking Device	SF_NL_2H (Single Flange)	9.89	14.2	17.46	11.11
		<i>0.252</i>	<i>0.125</i>				<i>0.389</i>	<i>0.559</i>	<i>0.687</i>	<i>0.437</i>
# P-40-015-079FH-ALA-SET-03.175	15	7.9	3.175	Aluminium, Clear Anodised	Set Screw	FH_G_H (Double Flange FH Type)	9.89	14.1	15.88	14.10
		<i>0.311</i>	<i>0.125</i>				<i>0.389</i>	<i>0.555</i>	<i>0.625</i>	<i>0.555</i>
# P-40-015-079FH-ALA-SET-04.763	15	7.9	4.763	Aluminium, Clear Anodised	Set Screw	FH_G_H (Double Flange FH Type)	9.89	14.1	15.88	14.10
		<i>0.311</i>	<i>0.188</i>				<i>0.389</i>	<i>0.555</i>	<i>0.625</i>	<i>0.555</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 2.073mm Pitch - 40DP

Part Number	Teeth (No.)	Suit Belt Width mm	Bore (d) mm	Material	Locking Type	Type (See Diagram)	Pitch Diameter (PD) mm	Flange Diameter (FD) mm	Overall Length (OL) mm	Hub Diameter (HD) mm
		<i>inches</i>	<i>inches</i>				<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>
# P-40-016-047FH-ALA-SET-03.175	16	4.8	3.175	Aluminium, Clear Anodised	Set Screw	FH_G_H (Double Flange FH Type)	10.55	14.7	15.88	14.73
		<i>0.189</i>	<i>0.125</i>				<i>0.415</i>	<i>0.579</i>	<i>0.625</i>	<i>0.580</i>
# P-40-016-047FH-ALA-SET-04.763	16	4.8	4.763	Aluminium, Clear Anodised	Set Screw	FH_G_H (Double Flange FH Type)	10.55	14.7	15.88	14.73
		<i>0.189</i>	<i>0.188</i>				<i>0.415</i>	<i>0.579</i>	<i>0.625</i>	<i>0.580</i>
# P-40-016-079FH-ALA-SET-03.175	16	7.9	3.175	Aluminium, Clear Anodised	Set Screw	FH_G_H (Double Flange FH Type)	10.55	14.7	15.88	14.73
		<i>0.311</i>	<i>0.125</i>				<i>0.415</i>	<i>0.579</i>	<i>0.625</i>	<i>0.580</i>
# P-40-016-079FH-ALA-SET-04.763	16	7.9	4.763	Aluminium, Clear Anodised	Set Screw	FH_G_H (Double Flange FH Type)	10.55	14.7	15.88	14.73
		<i>0.311</i>	<i>0.188</i>				<i>0.415</i>	<i>0.579</i>	<i>0.625</i>	<i>0.580</i>
# P-40-018-047FF-ALA-SET-03.175	18	4.8	3.175	Aluminium, Clear Anodised	Set Screw	FF_G_H (Double Flange)	11.87	16.1	17.46	7.93
		<i>0.189</i>	<i>0.125</i>				<i>0.467</i>	<i>0.634</i>	<i>0.687</i>	<i>0.312</i>
# P-40-018-047FF-ALA-SET-04.763	18	4.8	4.763	Aluminium, Clear Anodised	Set Screw	FF_G_H (Double Flange)	11.87	16.1	17.46	7.93
		<i>0.189</i>	<i>0.188</i>				<i>0.467</i>	<i>0.634</i>	<i>0.687</i>	<i>0.312</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 2.073mm Pitch - 40DP

Part Number	Teeth (No.)	Suit Belt Width mm	Bore (d) mm	Material	Locking Type	Type (See Diagram)	Pitch Diameter (PD) mm	Flange Diameter (FD) mm	Overall Length (OL) mm	Hub Diameter (HD) mm
		<i>inches</i>	<i>inches</i>				<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>
# P-40-018-047FH-ALA-SET-06.350	18	4.8	6.350	Aluminium, Clear Anodised	Set Screw	FH_G_H (Double Flange FH Type)	11.87	16.1	15.88	16.13
		<i>0.189</i>	<i>0.250</i>				<i>0.467</i>	<i>0.634</i>	<i>0.625</i>	<i>0.635</i>
P-40-018-060FF-ACE-NIL-06.000	18	6.0	6.000	Acetal	No Locking Device	FF_NL_H (Double Flange)	11.87	16.0	17.50	13.00
		<i>0.236</i>	<i>0.236</i>				<i>0.467</i>	<i>0.630</i>	<i>0.689</i>	<i>0.512</i>
# P-40-018-060SF-ACE-NIL-06.000	18	6.0	6.000	Acetal	No Locking Device	SF_NL_2H (Single Flange)	11.87	16.0	17.50	13.00
		<i>0.236</i>	<i>0.236</i>				<i>0.467</i>	<i>0.630</i>	<i>0.689</i>	<i>0.512</i>
# P-40-018-063SF-ACE-NIL-04.763	18	6.4	4.763	Acetal	No Locking Device	SF_NL_2H (Single Flange)	11.87	16.3	17.46	12.70
		<i>0.252</i>	<i>0.188</i>				<i>0.467</i>	<i>0.642</i>	<i>0.687</i>	<i>0.500</i>
P-40-018-063FF-ACE-NIL-04.763	18	6.4	4.763	Acetal	No Locking Device	FF_NL_H (Double Flange)	11.87	16.3	17.46	12.70
		<i>0.252</i>	<i>0.188</i>				<i>0.467</i>	<i>0.642</i>	<i>0.687</i>	<i>0.500</i>
# P-40-018-079FF-ALA-SET-03.175	18	7.9	3.175	Aluminium, Clear Anodised	Set Screw	FF_G_H (Double Flange)	11.87	16.1	17.46	7.93
		<i>0.311</i>	<i>0.125</i>				<i>0.467</i>	<i>0.634</i>	<i>0.687</i>	<i>0.312</i>
# P-40-018-079FF-ALA-SET-04.763	18	7.9	4.763	Aluminium, Clear Anodised	Set Screw	FF_G_H (Double Flange)	11.87	16.1	17.46	7.93
		<i>0.311</i>	<i>0.188</i>				<i>0.467</i>	<i>0.634</i>	<i>0.687</i>	<i>0.312</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 2.073mm Pitch - 40DP

Part Number	Teeth (No.)	Suit Belt Width mm	Bore (d) mm	Material	Locking Type	Type (See Diagram)	Pitch Diameter (PD) mm	Flange Diameter (FD) mm	Overall Length (OL) mm	Hub Diameter (HD) mm
		<i>inches</i>	<i>inches</i>				<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>
# P-40-018-079FH-ALA-SET-06.350	18	7.9	6.350	Aluminium, Clear Anodised	Set Screw	FH_G_H (Double Flange FH Type)	11.87	16.1	15.88	16.13
		<i>0.311</i>	<i>0.250</i>				<i>0.467</i>	<i>0.634</i>	<i>0.625</i>	<i>0.635</i>
# P-40-019-060FF-ACE-NIL-06.000	19	6.0	6.000	Acetal	No Locking Device	FF_NL_H (Double Flange)	12.53	17.0	17.50	13.00
		<i>0.236</i>	<i>0.236</i>				<i>0.493</i>	<i>0.669</i>	<i>0.689</i>	<i>0.512</i>
# P-40-019-060SF-ACE-NIL-06.000	19	6.0	6.000	Acetal	No Locking Device	SF_NL_2H (Single Flange)	12.53	17.0	17.50	13.00
		<i>0.236</i>	<i>0.236</i>				<i>0.493</i>	<i>0.669</i>	<i>0.689</i>	<i>0.512</i>
# P-40-019-063FF-ACE-NIL-04.763	19	6.4	4.763	Acetal	No Locking Device	FF_NL_H (Double Flange)	12.53	17.0	17.46	12.70
		<i>0.252</i>	<i>0.188</i>				<i>0.493</i>	<i>0.669</i>	<i>0.687</i>	<i>0.500</i>
# P-40-019-063SF-ACE-NIL-04.763	19	6.4	4.763	Acetal	No Locking Device	SF_NL_2H (Single Flange)	12.53	17.0	17.46	12.70
		<i>0.252</i>	<i>0.188</i>				<i>0.493</i>	<i>0.669</i>	<i>0.687</i>	<i>0.500</i>
# P-40-020-047FF-ALA-SET-03.175	20	4.8	3.175	Aluminium, Clear Anodised	Set Screw	FF_G_H (Double Flange)	13.19	17.4	17.46	9.25
		<i>0.189</i>	<i>0.125</i>				<i>0.519</i>	<i>0.685</i>	<i>0.687</i>	<i>0.364</i>
# P-40-020-047P-ALA-SET-04.763	20	4.8	4.763	Aluminium, Clear Anodised	Set Screw	P_G_H (Unflanged)	13.19		19.05	11.07
		<i>0.189</i>	<i>0.188</i>				<i>0.519</i>		<i>0.750</i>	<i>0.436</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 2.073mm Pitch - 40DP

Part Number	Teeth (No.)	Suit Belt Width mm	Bore (d) mm	Material	Locking Type	Type (See Diagram)	Pitch Diameter (PD) mm	Flange Diameter (FD) mm	Overall Length (OL) mm	Hub Diameter (HD) mm
		<i>inches</i>	<i>inches</i>				<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>
# P-40-020-047FF-ALA-SET-04.763	20	4.8	4.763	Aluminium, Clear Anodised	Set Screw	FF_G_H (Double Flange)	13.19	17.4	17.46	9.25
		<i>0.189</i>	<i>0.188</i>				<i>0.519</i>	<i>0.685</i>	<i>0.687</i>	<i>0.364</i>
P-40-020-047P-ALA-SET-06.350	20	4.8	6.350	Aluminium, Clear Anodised	Set Screw	P_G_H (Unflanged)	13.19		19.05	11.07
		<i>0.189</i>	<i>0.250</i>				<i>0.519</i>		<i>0.750</i>	<i>0.436</i>
# P-40-020-047FH-ALA-SET-06.350	20	4.8	6.350	Aluminium, Clear Anodised	Set Screw	FH_G_H (Double Flange FH Type)	13.19	17.4	15.88	17.40
		<i>0.189</i>	<i>0.250</i>				<i>0.519</i>	<i>0.685</i>	<i>0.625</i>	<i>0.685</i>
# P-40-020-060FF-ACE-NIL-06.000	20	6.0	6.000	Acetal	No Locking Device	FF_NL_H (Double Flange)	13.19	18.0	17.50	13.00
		<i>0.236</i>	<i>0.236</i>				<i>0.519</i>	<i>0.709</i>	<i>0.689</i>	<i>0.512</i>
# P-40-020-060SF-ACE-NIL-06.000	20	6.0	6.000	Acetal	No Locking Device	SF_NL_2H (Single Flange)	13.19	18.0	17.50	13.00
		<i>0.236</i>	<i>0.236</i>				<i>0.519</i>	<i>0.709</i>	<i>0.689</i>	<i>0.512</i>
# P-40-020-063FF-ACE-NIL-04.763	20	6.4	4.763	Acetal	No Locking Device	FF_NL_H (Double Flange)	13.19	17.5	17.46	12.70
		<i>0.252</i>	<i>0.188</i>				<i>0.519</i>	<i>0.689</i>	<i>0.687</i>	<i>0.500</i>
# P-40-020-063SF-ACE-NIL-04.763	20	6.4	4.763	Acetal	No Locking Device	SF_NL_2H (Single Flange)	13.19	17.5	17.46	12.70
		<i>0.252</i>	<i>0.188</i>				<i>0.519</i>	<i>0.689</i>	<i>0.687</i>	<i>0.500</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 2.073mm Pitch - 40DP

Part Number	Teeth (No.)	Suit Belt Width mm	Bore (d) mm	Material	Locking Type	Type (See Diagram)	Pitch Diameter (PD) mm	Flange Diameter (FD) mm	Overall Length (OL) mm	Hub Diameter (HD) mm
		<i>inches</i>	<i>inches</i>				<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>
# P-40-020-079FF-ALA-SET-03.175	20	7.9	3.175	Aluminium, Clear Anodised	Set Screw	FF_G_H (Double Flange)	13.19	17.4	17.46	9.25
		<i>0.311</i>	<i>0.125</i>				<i>0.519</i>	<i>0.685</i>	<i>0.687</i>	<i>0.364</i>
# P-40-020-079P-ALA-SET-04.763	20	7.9	4.763	Aluminium, Clear Anodised	Set Screw	P_G_H (Unflanged)	13.19		22.23	11.07
		<i>0.311</i>	<i>0.188</i>				<i>0.519</i>		<i>0.875</i>	<i>0.436</i>
P-40-020-079FF-ALA-SET-04.763	20	7.9	4.763	Aluminium, Clear Anodised	Set Screw	FF_G_H (Double Flange)	13.19	17.4	17.46	9.25
		<i>0.311</i>	<i>0.188</i>				<i>0.519</i>	<i>0.685</i>	<i>0.687</i>	<i>0.364</i>
# P-40-020-079FH-ALA-SET-06.350	20	7.9	6.350	Aluminium, Clear Anodised	Set Screw	FH_G_H (Double Flange FH Type)	13.19	17.4	15.88	17.40
		<i>0.311</i>	<i>0.250</i>				<i>0.519</i>	<i>0.685</i>	<i>0.625</i>	<i>0.685</i>
# P-40-020-079P-ALA-SET-06.350	20	7.9	6.350	Aluminium, Clear Anodised	Set Screw	P_G_H (Unflanged)	13.19		22.23	11.07
		<i>0.311</i>	<i>0.250</i>				<i>0.519</i>		<i>0.875</i>	<i>0.436</i>
# P-40-021-047FF-ALA-SET-03.175	21	4.8	3.175	Aluminium, Clear Anodised	Set Screw	FF_G_H (Double Flange)	13.85	18.0	17.46	9.91
		<i>0.189</i>	<i>0.125</i>				<i>0.545</i>	<i>0.709</i>	<i>0.687</i>	<i>0.390</i>
# P-40-021-047FF-ALA-SET-04.763	21	4.8	4.763	Aluminium, Clear Anodised	Set Screw	FF_G_H (Double Flange)	13.85	18.0	17.46	9.91
		<i>0.189</i>	<i>0.188</i>				<i>0.545</i>	<i>0.709</i>	<i>0.687</i>	<i>0.390</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 2.073mm Pitch - 40DP

Part Number	Teeth (No.)	Suit Belt Width mm	Bore (d) mm	Material	Locking Type	Type (See Diagram)	Pitch Diameter (PD) mm	Flange Diameter (FD) mm	Overall Length (OL) mm	Hub Diameter (HD) mm
		<i>inches</i>	<i>inches</i>				<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>
# P-40-021-047FH-ALA-SET-06.350	21	4.8	6.350	Aluminium, Clear Anodised	Set Screw	FH_G_H (Double Flange FH Type)	13.85	18.0	15.88	18.03
		<i>0.189</i>	<i>0.250</i>				<i>0.545</i>	<i>0.709</i>	<i>0.625</i>	<i>0.710</i>
# P-40-021-060FF-ACE-NIL-06.000	21	6.0	6.000	Acetal	No Locking Device	FF_NL_H (Double Flange)	13.85	19.0	17.50	13.00
		<i>0.236</i>	<i>0.236</i>				<i>0.545</i>	<i>0.748</i>	<i>0.689</i>	<i>0.512</i>
# P-40-021-060SF-ACE-NIL-06.000	21	6.0	6.000	Acetal	No Locking Device	SF_NL_2H (Single Flange)	13.85	19.0	17.50	13.00
		<i>0.236</i>	<i>0.236</i>				<i>0.545</i>	<i>0.748</i>	<i>0.689</i>	<i>0.512</i>
# P-40-021-063FF-ACE-NIL-04.763	21	6.4	4.763	Acetal	No Locking Device	FF_NL_H (Double Flange)	13.85	18.5	17.46	12.70
		<i>0.252</i>	<i>0.188</i>				<i>0.545</i>	<i>0.728</i>	<i>0.687</i>	<i>0.500</i>
# P-40-021-063SF-ACE-NIL-04.763	21	6.4	4.763	Acetal	No Locking Device	SF_NL_2H (Single Flange)	13.85	18.5	17.46	12.70
		<i>0.252</i>	<i>0.188</i>				<i>0.545</i>	<i>0.728</i>	<i>0.687</i>	<i>0.500</i>
# P-40-021-079FF-ALA-SET-03.175	21	7.9	3.175	Aluminium, Clear Anodised	Set Screw	FF_G_H (Double Flange)	13.85	18.0	17.46	9.91
		<i>0.311</i>	<i>0.125</i>				<i>0.545</i>	<i>0.709</i>	<i>0.687</i>	<i>0.390</i>
# P-40-021-079FF-ALA-SET-04.763	21	7.9	4.763	Aluminium, Clear Anodised	Set Screw	FF_G_H (Double Flange)	13.85	18.0	17.46	9.91
		<i>0.311</i>	<i>0.188</i>				<i>0.545</i>	<i>0.709</i>	<i>0.687</i>	<i>0.390</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 2.073mm Pitch - 40DP

Part Number	Teeth (No.)	Suit Belt Width mm	Bore (d) mm	Material	Locking Type	Type (See Diagram)	Pitch Diameter (PD) mm	Flange Diameter (FD) mm	Overall Length (OL) mm	Hub Diameter (HD) mm
		<i>inches</i>	<i>inches</i>				<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>
# P-40-021-079FH-ALA-SET-06.350	21	7.9	6.350	Aluminium, Clear Anodised	Set Screw	FH_G_H (Double Flange FH Type)	13.85	18.0	15.88	18.03
		<i>0.311</i>	<i>0.250</i>				<i>0.545</i>	<i>0.709</i>	<i>0.625</i>	<i>0.710</i>
# P-40-022-047FF-ALA-SET-03.175	22	4.8	3.175	Aluminium, Clear Anodised	Set Screw	FF_G_H (Double Flange)	14.51	18.8	17.46	9.91
		<i>0.189</i>	<i>0.125</i>				<i>0.571</i>	<i>0.740</i>	<i>0.687</i>	<i>0.390</i>
# P-40-022-047FF-ALA-SET-04.763	22	4.8	4.763	Aluminium, Clear Anodised	Set Screw	FF_G_H (Double Flange)	14.51	18.8	17.46	9.91
		<i>0.189</i>	<i>0.188</i>				<i>0.571</i>	<i>0.740</i>	<i>0.687</i>	<i>0.390</i>
# P-40-022-047FH-ALA-SET-06.350	22	4.8	6.350	Aluminium, Clear Anodised	Set Screw	FH_G_H (Double Flange FH Type)	14.51	18.8	15.88	18.80
		<i>0.189</i>	<i>0.250</i>				<i>0.571</i>	<i>0.740</i>	<i>0.625</i>	<i>0.740</i>
# P-40-022-079FF-ALA-SET-03.175	22	7.9	3.175	Aluminium, Clear Anodised	Set Screw	FF_G_H (Double Flange)	14.51	18.8	17.46	9.91
		<i>0.311</i>	<i>0.125</i>				<i>0.571</i>	<i>0.740</i>	<i>0.687</i>	<i>0.390</i>
# P-40-022-079FF-ALA-SET-04.763	22	7.9	4.763	Aluminium, Clear Anodised	Set Screw	FF_G_H (Double Flange)	14.51	18.8	17.46	9.91
		<i>0.311</i>	<i>0.188</i>				<i>0.571</i>	<i>0.740</i>	<i>0.687</i>	<i>0.390</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 2.073mm Pitch - 40DP

Part Number	Teeth (No.)	Suit Belt Width mm	Bore (d) mm	Material	Locking Type	Type (See Diagram)	Pitch Diameter (PD) mm	Flange Diameter (FD) mm	Overall Length (OL) mm	Hub Diameter (HD) mm
		<i>inches</i>	<i>inches</i>				<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>
# P-40-022-079FH-ALA-SET-06.350	22	7.9	6.350	Aluminium, Clear Anodised	Set Screw	FH_G_H (Double Flange FH Type)	14.51	18.8	15.88	18.80
		<i>0.311</i>	<i>0.250</i>				<i>0.571</i>	<i>0.740</i>	<i>0.625</i>	<i>0.740</i>
# P-40-024-047FF-ALA-SET-04.763	24	4.8	4.763	Aluminium, Clear Anodised	Set Screw	FF_G_H (Double Flange)	15.83	20.1	19.05	11.23
		<i>0.189</i>	<i>0.188</i>				<i>0.623</i>	<i>0.791</i>	<i>0.750</i>	<i>0.442</i>
# P-40-024-047P-ALA-SET-04.763	24	4.8	4.763	Aluminium, Clear Anodised	Set Screw	P_G_H (Unflanged)	15.83		19.05	12.70
		<i>0.189</i>	<i>0.188</i>				<i>0.623</i>		<i>0.750</i>	<i>0.500</i>
# P-40-024-047P-ALA-SET-06.350	24	4.8	6.350	Aluminium, Clear Anodised	Set Screw	P_G_H (Unflanged)	15.83		19.05	12.70
		<i>0.189</i>	<i>0.250</i>				<i>0.623</i>		<i>0.750</i>	<i>0.500</i>
# P-40-024-047FF-ALA-SET-06.350	24	4.8	6.350	Aluminium, Clear Anodised	Set Screw	FF_G_H (Double Flange)	15.83	20.1	19.05	11.23
		<i>0.189</i>	<i>0.250</i>				<i>0.623</i>	<i>0.791</i>	<i>0.750</i>	<i>0.442</i>
P-40-024-060FF-ACE-NIL-06.000	24	6.0	6.000	Acetal	No Locking Device	FF_NL_H (Double Flange)	15.83	20.0	17.50	13.00
		<i>0.236</i>	<i>0.236</i>				<i>0.623</i>	<i>0.787</i>	<i>0.689</i>	<i>0.512</i>
# P-40-024-060SF-ACE-NIL-06.000	24	6.0	6.000	Acetal	No Locking Device	SF_NL_2H (Single Flange)	15.83	20.0	17.50	13.00
		<i>0.236</i>	<i>0.236</i>				<i>0.623</i>	<i>0.787</i>	<i>0.689</i>	<i>0.512</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 2.073mm Pitch - 40DP

Part Number	Teeth (No.)	Suit Belt Width mm	Bore (d) mm	Material	Locking Type	Type (See Diagram)	Pitch Diameter (PD) mm	Flange Diameter (FD) mm	Overall Length (OL) mm	Hub Diameter (HD) mm
		<i>inches</i>	<i>inches</i>				<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>
# P-40-024-063FF-ACE-NIL-04.763	24	6.4	4.763	Acetal	No Locking Device	FF_NL_H (Double Flange)	15.83	20.3	17.46	12.70
		<i>0.252</i>	<i>0.188</i>				<i>0.623</i>	<i>0.799</i>	<i>0.687</i>	<i>0.500</i>
# P-40-024-063SF-ACE-NIL-04.763	24	6.4	4.763	Acetal	No Locking Device	SF_NL_2H (Single Flange)	15.83	20.3	17.46	12.70
		<i>0.252</i>	<i>0.188</i>				<i>0.623</i>	<i>0.799</i>	<i>0.687</i>	<i>0.500</i>
# P-40-024-079FF-ALA-SET-04.763	24	7.9	4.763	Aluminium, Clear Anodised	Set Screw	FF_G_H (Double Flange)	15.83	20.1	19.05	11.23
		<i>0.311</i>	<i>0.188</i>				<i>0.623</i>	<i>0.791</i>	<i>0.750</i>	<i>0.442</i>
# P-40-024-079P-ALA-SET-04.763	24	7.9	4.763	Aluminium, Clear Anodised	Set Screw	P_G_H (Unflanged)	15.83		22.23	12.70
		<i>0.311</i>	<i>0.188</i>				<i>0.623</i>		<i>0.875</i>	<i>0.500</i>
# P-40-024-079P-ALA-SET-06.350	24	7.9	6.350	Aluminium, Clear Anodised	Set Screw	P_G_H (Unflanged)	15.83		22.23	12.70
		<i>0.311</i>	<i>0.250</i>				<i>0.623</i>		<i>0.875</i>	<i>0.500</i>
# P-40-024-079FF-ALA-SET-06.350	24	7.9	6.350	Aluminium, Clear Anodised	Set Screw	FF_G_H (Double Flange)	15.83	20.1	19.05	11.23
		<i>0.311</i>	<i>0.250</i>				<i>0.623</i>	<i>0.791</i>	<i>0.750</i>	<i>0.442</i>
# P-40-025-047FF-ALA-SET-04.763	25	4.8	4.763	Aluminium, Clear Anodised	Set Screw	FF_G_H (Double Flange)	16.49	20.7	19.05	11.89
		<i>0.189</i>	<i>0.188</i>				<i>0.649</i>	<i>0.815</i>	<i>0.750</i>	<i>0.468</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 2.073mm Pitch - 40DP

Part Number	Teeth (No.)	Suit Belt Width mm	Bore (d) mm	Material	Locking Type	Type (See Diagram)	Pitch Diameter (PD) mm	Flange Diameter (FD) mm	Overall Length (OL) mm	Hub Diameter (HD) mm
		<i>inches</i>	<i>inches</i>				<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>
# P-40-025-047FF-ALA-SET-06.350	25	4.8	6.350	Aluminium, Clear Anodised	Set Screw	FF_G_H (Double Flange)	16.49	20.7	19.05	11.89
		<i>0.189</i>	<i>0.250</i>				<i>0.649</i>	<i>0.815</i>	<i>0.750</i>	<i>0.468</i>
# P-40-025-060FF-ACE-NIL-08.000	25	6.0	8.000	Acetal	No Locking Device	FF_NL_H (Double Flange)	16.49	21.0	17.50	13.00
		<i>0.236</i>	<i>0.315</i>				<i>0.649</i>	<i>0.827</i>	<i>0.689</i>	<i>0.512</i>
# P-40-025-060SF-ACE-NIL-08.000	25	6.0	8.000	Acetal	No Locking Device	SF_NL_2H (Single Flange)	16.49	21.0	17.50	13.00
		<i>0.236</i>	<i>0.315</i>				<i>0.649</i>	<i>0.827</i>	<i>0.689</i>	<i>0.512</i>
# P-40-025-063FF-ACE-NIL-06.350	25	6.4	6.350	Acetal	No Locking Device	FF_NL_H (Double Flange)	16.49	21.1	17.46	12.70
		<i>0.252</i>	<i>0.250</i>				<i>0.649</i>	<i>0.831</i>	<i>0.687</i>	<i>0.500</i>
# P-40-025-063SF-ACE-NIL-06.350	25	6.4	6.350	Acetal	No Locking Device	SF_NL_2H (Single Flange)	16.49	21.1	17.46	12.70
		<i>0.252</i>	<i>0.250</i>				<i>0.649</i>	<i>0.831</i>	<i>0.687</i>	<i>0.500</i>
# P-40-025-079FF-ALA-SET-04.763	25	7.9	4.763	Aluminium, Clear Anodised	Set Screw	FF_G_H (Double Flange)	16.49	20.7	19.05	11.89
		<i>0.311</i>	<i>0.188</i>				<i>0.649</i>	<i>0.815</i>	<i>0.750</i>	<i>0.468</i>
# P-40-025-079FF-ALA-SET-06.350	25	7.9	6.350	Aluminium, Clear Anodised	Set Screw	FF_G_H (Double Flange)	16.49	20.7	19.05	11.89
		<i>0.311</i>	<i>0.250</i>				<i>0.649</i>	<i>0.815</i>	<i>0.750</i>	<i>0.468</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 2.073mm Pitch - 40DP

Part Number	Teeth (No.)	Suit Belt Width mm	Bore (d) mm	Material	Locking Type	Type (See Diagram)	Pitch Diameter (PD) mm	Flange Diameter (FD) mm	Overall Length (OL) mm	Hub Diameter (HD) mm
		<i>inches</i>	<i>inches</i>				<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>
# P-40-026-047FF-ALA-SET-04.763	26	4.8	4.763	Aluminium, Clear Anodised	Set Screw	FF_G_H (Double Flange)	17.15	21.3	19.05	12.55
		<i>0.189</i>	<i>0.188</i>				<i>0.675</i>	<i>0.839</i>	<i>0.750</i>	<i>0.494</i>
# P-40-026-047FF-ALA-SET-06.350	26	4.8	6.350	Aluminium, Clear Anodised	Set Screw	FF_G_H (Double Flange)	17.15	21.3	19.05	12.55
		<i>0.189</i>	<i>0.250</i>				<i>0.675</i>	<i>0.839</i>	<i>0.750</i>	<i>0.494</i>
# P-40-026-079FF-ALA-SET-04.763	26	7.9	4.763	Aluminium, Clear Anodised	Set Screw	FF_G_H (Double Flange)	17.15	21.3	19.05	12.55
		<i>0.311</i>	<i>0.188</i>				<i>0.675</i>	<i>0.839</i>	<i>0.750</i>	<i>0.494</i>
# P-40-026-079FF-ALA-SET-06.350	26	7.9	6.350	Aluminium, Clear Anodised	Set Screw	FF_G_H (Double Flange)	17.15	21.3	19.05	12.55
		<i>0.311</i>	<i>0.250</i>				<i>0.675</i>	<i>0.839</i>	<i>0.750</i>	<i>0.494</i>
# P-40-028-047FF-ALA-SET-04.763	28	4.8	4.763	Aluminium, Clear Anodised	Set Screw	FF_G_H (Double Flange)	18.47	22.7	19.05	12.55
		<i>0.189</i>	<i>0.188</i>				<i>0.727</i>	<i>0.894</i>	<i>0.750</i>	<i>0.494</i>
# P-40-028-047FF-ALA-SET-06.350	28	4.8	6.350	Aluminium, Clear Anodised	Set Screw	FF_G_H (Double Flange)	18.47	22.7	19.05	12.55
		<i>0.189</i>	<i>0.250</i>				<i>0.727</i>	<i>0.894</i>	<i>0.750</i>	<i>0.494</i>
# P-40-028-060FF-ACE-NIL-08.000	28	6.0	8.000	Acetal	No Locking Device	FF_NL_H (Double Flange)	18.47	23.0	17.50	13.00
		<i>0.236</i>	<i>0.315</i>				<i>0.727</i>	<i>0.906</i>	<i>0.689</i>	<i>0.512</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 2.073mm Pitch - 40DP

Part Number	Teeth (No.)	Suit Belt Width mm	Bore (d) mm	Material	Locking Type	Type (See Diagram)	Pitch Diameter (PD) mm	Flange Diameter (FD) mm	Overall Length (OL) mm	Hub Diameter (HD) mm
		<i>inches</i>	<i>inches</i>				<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>
# P-40-028-060SF-ACE-NIL-08.000	28	6.0	8.000	Acetal	No Locking Device	SF_NL_2H (Single Flange)	18.47	23.0	17.50	13.00
		<i>0.236</i>	<i>0.315</i>				<i>0.727</i>	<i>0.906</i>	<i>0.689</i>	<i>0.512</i>
# P-40-028-063SF-ACE-NIL-06.350	28	6.4	6.350	Acetal	No Locking Device	SF_NL_2H (Single Flange)	18.47	22.9	17.46	12.70
		<i>0.252</i>	<i>0.250</i>				<i>0.727</i>	<i>0.902</i>	<i>0.687</i>	<i>0.500</i>
# P-40-028-063FF-ACE-NIL-06.350	28	6.4	6.350	Acetal	No Locking Device	FF_NL_H (Double Flange)	18.47	22.9	17.46	12.70
		<i>0.252</i>	<i>0.250</i>				<i>0.727</i>	<i>0.902</i>	<i>0.687</i>	<i>0.500</i>
# P-40-028-079FF-ALA-SET-04.763	28	7.9	4.763	Aluminium, Clear Anodised	Set Screw	FF_G_H (Double Flange)	18.47	21.6	19.05	12.55
		<i>0.311</i>	<i>0.188</i>				<i>0.727</i>	<i>0.850</i>	<i>0.750</i>	<i>0.494</i>
# P-40-028-079FF-ALA-SET-06.350	28	7.9	6.350	Aluminium, Clear Anodised	Set Screw	FF_G_H (Double Flange)	18.47	22.7	19.05	12.55
		<i>0.311</i>	<i>0.250</i>				<i>0.727</i>	<i>0.894</i>	<i>0.750</i>	<i>0.494</i>
# P-40-030-047FF-ALA-SET-04.763	30	4.8	4.763	Aluminium, Clear Anodised	Set Screw	FF_G_H (Double Flange)	19.79	24.0	19.05	13.87
		<i>0.189</i>	<i>0.188</i>				<i>0.779</i>	<i>0.945</i>	<i>0.750</i>	<i>0.546</i>
# P-40-030-047FF-ALA-SET-06.350	30	4.8	6.350	Aluminium, Clear Anodised	Set Screw	FF_G_H (Double Flange)	19.79	24.0	19.05	13.87
		<i>0.189</i>	<i>0.250</i>				<i>0.779</i>	<i>0.945</i>	<i>0.750</i>	<i>0.546</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 2.073mm Pitch - 40DP

Part Number	Teeth (No.)	Suit Belt Width mm	Bore (d) mm	Material	Locking Type	Type (See Diagram)	Pitch Diameter (PD) mm	Flange Diameter (FD) mm	Overall Length (OL) mm	Hub Diameter (HD) mm
		<i>inches</i>	<i>inches</i>				<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>
# P-40-030-047P-ALA-SET-06.350	30	4.8	6.350	Aluminium, Clear Anodised	Set Screw	P_G_H (Unflanged)	19.79		19.05	16.66
		<i>0.189</i>	<i>0.250</i>				<i>0.779</i>		<i>0.750</i>	<i>0.656</i>
# P-40-030-060FF-ACE-NIL-08.000	30	6.0	8.000	Acetal	No Locking Device	FF_NL_H (Double Flange)	19.79	24.0	17.50	13.00
		<i>0.236</i>	<i>0.315</i>				<i>0.779</i>	<i>0.945</i>	<i>0.689</i>	<i>0.512</i>
# P-40-030-060SF-ACE-NIL-08.000	30	6.0	8.000	Acetal	No Locking Device	SF_NL_2H (Single Flange)	19.79	24.0	17.50	13.00
		<i>0.236</i>	<i>0.315</i>				<i>0.779</i>	<i>0.945</i>	<i>0.689</i>	<i>0.512</i>
# P-40-030-063SF-ACE-NIL-06.350	30	6.4	6.350	Acetal	No Locking Device	SF_NL_2H (Single Flange)	19.79	24.1	17.46	12.70
		<i>0.252</i>	<i>0.250</i>				<i>0.779</i>	<i>0.949</i>	<i>0.687</i>	<i>0.500</i>
# P-40-030-063FF-ACE-NIL-06.350	30	6.4	6.350	Acetal	No Locking Device	FF_NL_H (Double Flange)	19.79	24.1	17.46	12.70
		<i>0.252</i>	<i>0.250</i>				<i>0.779</i>	<i>0.949</i>	<i>0.687</i>	<i>0.500</i>
P-40-030-079FF-ALA-SET-04.763	30	7.9	4.763	Aluminium, Clear Anodised	Set Screw	FF_G_H (Double Flange)	19.79	24.0	19.05	13.87
		<i>0.311</i>	<i>0.188</i>				<i>0.779</i>	<i>0.945</i>	<i>0.750</i>	<i>0.546</i>
# P-40-030-079P-ALA-SET-06.350	30	7.9	6.350	Aluminium, Clear Anodised	Set Screw	P_G_H (Unflanged)	19.79		22.23	16.66
		<i>0.311</i>	<i>0.250</i>				<i>0.779</i>		<i>0.875</i>	<i>0.656</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 2.073mm Pitch - 40DP

Part Number	Teeth (No.)	Suit Belt Width mm	Bore (d) mm	Material	Locking Type	Type (See Diagram)	Pitch Diameter (PD) mm	Flange Diameter (FD) mm	Overall Length (OL) mm	Hub Diameter (HD) mm
		<i>inches</i>	<i>inches</i>				<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>
# P-40-030-079FF-ALA-SET-06.350	30	7.9	6.350	Aluminium, Clear Anodised	Set Screw	FF_G_H (Double Flange)	19.79	24.0	19.05	13.87
		<i>0.311</i>	<i>0.250</i>				<i>0.779</i>	<i>0.945</i>	<i>0.750</i>	<i>0.546</i>
# P-40-032-047FF-ALA-SET-04.763	32	4.8	4.763	Aluminium, Clear Anodised	Set Screw	FF_G_H (Double Flange)	21.11	25.4	19.05	15.19
		<i>0.189</i>	<i>0.188</i>				<i>0.831</i>	<i>1.000</i>	<i>0.750</i>	<i>0.598</i>
# P-40-032-047FF-ALA-SET-06.350	32	4.8	6.350	Aluminium, Clear Anodised	Set Screw	FF_G_H (Double Flange)	21.11	25.4	19.05	15.19
		<i>0.189</i>	<i>0.250</i>				<i>0.831</i>	<i>1.000</i>	<i>0.750</i>	<i>0.598</i>
# P-40-032-060FF-ACE-NIL-08.000	32	6.0	8.000	Acetal	No Locking Device	FF_NL_H (Double Flange)	21.11	26.0	17.50	13.00
		<i>0.236</i>	<i>0.315</i>				<i>0.831</i>	<i>1.024</i>	<i>0.689</i>	<i>0.512</i>
# P-40-032-060SF-ACE-NIL-08.000	32	6.0	8.000	Acetal	No Locking Device	SF_NL_2H (Single Flange)	21.11	26.0	17.50	13.00
		<i>0.236</i>	<i>0.315</i>				<i>0.831</i>	<i>1.024</i>	<i>0.689</i>	<i>0.512</i>
# P-40-032-063FF-ACE-NIL-06.350	32	6.4	6.350	Acetal	No Locking Device	FF_NL_H (Double Flange)	21.11	25.4	17.46	12.70
		<i>0.252</i>	<i>0.250</i>				<i>0.831</i>	<i>1.000</i>	<i>0.687</i>	<i>0.500</i>
# P-40-032-063SF-ACE-NIL-06.350	32	6.4	6.350	Acetal	No Locking Device	SF_NL_2H (Single Flange)	21.11	25.4	17.46	12.70
		<i>0.252</i>	<i>0.250</i>				<i>0.831</i>	<i>1.000</i>	<i>0.687</i>	<i>0.500</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 2.073mm Pitch - 40DP

Part Number	Teeth (No.)	Suit Belt Width mm	Bore (d) mm	Material	Locking Type	Type (See Diagram)	Pitch Diameter (PD) mm	Flange Diameter (FD) mm	Overall Length (OL) mm	Hub Diameter (HD) mm
		<i>inches</i>	<i>inches</i>				<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>
# P-40-032-079FF-ALA-SET-04.763	32	7.9	4.763	Aluminium, Clear Anodised	Set Screw	FF_G_H (Double Flange)	21.11	25.4	19.05	15.19
		<i>0.311</i>	<i>0.188</i>				<i>0.831</i>	<i>1.000</i>	<i>0.750</i>	<i>0.598</i>
# P-40-032-079FF-ALA-SET-06.350	32	7.9	6.350	Aluminium, Clear Anodised	Set Screw	FF_G_H (Double Flange)	21.11	25.4	19.05	15.19
		<i>0.311</i>	<i>0.250</i>				<i>0.831</i>	<i>1.000</i>	<i>0.750</i>	<i>0.598</i>
# P-40-033-047FF-ALA-SET-04.763	33	4.8	4.763	Aluminium, Clear Anodised	Set Screw	FF_G_H (Double Flange)	21.77	26.0	19.05	15.85
		<i>0.189</i>	<i>0.188</i>				<i>0.857</i>	<i>1.024</i>	<i>0.750</i>	<i>0.624</i>
# P-40-033-047FF-ALA-SET-06.350	33	4.8	6.350	Aluminium, Clear Anodised	Set Screw	FF_G_H (Double Flange)	21.77	26.0	19.05	15.85
		<i>0.189</i>	<i>0.250</i>				<i>0.857</i>	<i>1.024</i>	<i>0.750</i>	<i>0.624</i>
# P-40-033-079FF-ALA-SET-04.763	33	7.9	4.763	Aluminium, Clear Anodised	Set Screw	FF_G_H (Double Flange)	21.77	26.0	19.05	15.85
		<i>0.311</i>	<i>0.188</i>				<i>0.857</i>	<i>1.024</i>	<i>0.750</i>	<i>0.624</i>
# P-40-033-079FF-ALA-SET-06.350	33	7.9	6.350	Aluminium, Clear Anodised	Set Screw	FF_G_H (Double Flange)	21.77	26.0	19.05	15.85
		<i>0.311</i>	<i>0.250</i>				<i>0.857</i>	<i>1.024</i>	<i>0.750</i>	<i>0.624</i>
# P-40-034-047FF-ALA-SET-04.763	34	4.8	4.763	Aluminium, Clear Anodised	Set Screw	FF_G_H (Double Flange)	22.43	26.7	19.05	15.85
		<i>0.189</i>	<i>0.188</i>				<i>0.883</i>	<i>1.051</i>	<i>0.750</i>	<i>0.624</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 2.073mm Pitch - 40DP

Part Number	Teeth (No.)	Suit Belt Width mm	Bore (d) mm	Material	Locking Type	Type (See Diagram)	Pitch Diameter (PD) mm	Flange Diameter (FD) mm	Overall Length (OL) mm	Hub Diameter (HD) mm
		<i>inches</i>	<i>inches</i>				<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>
# P-40-034-047FF-ALA-SET-06.350	34	4.8	6.350	Aluminium, Clear Anodised	Set Screw	FF_G_H (Double Flange)	22.43	26.7	19.05	15.85
		<i>0.189</i>	<i>0.250</i>				<i>0.883</i>	<i>1.051</i>	<i>0.750</i>	<i>0.624</i>
# P-40-034-060SF-ACE-BIS-05.000	34	6.0	5.000	Acetal	Set Screw, Brass Insert	SF_GI_2H (Single Flange)	22.43	26.0	17.50	17.50
		<i>0.236</i>	<i>0.197</i>				<i>0.883</i>	<i>1.024</i>	<i>0.689</i>	<i>0.689</i>
# P-40-034-060FF-ACE-BIS-05.000	34	6.0	5.000	Acetal	Set Screw, Brass Insert	FF_GI_HW (Double Flange)	22.43	26.0	17.50	17.50
		<i>0.236</i>	<i>0.197</i>				<i>0.883</i>	<i>1.024</i>	<i>0.689</i>	<i>0.689</i>
P-40-034-060FF-ACE-BIS-06.000	34	6.0	6.000	Acetal	Set Screw, Brass Insert	FF_GI_HW (Double Flange)	22.43	26.0	17.50	17.50
		<i>0.236</i>	<i>0.236</i>				<i>0.883</i>	<i>1.024</i>	<i>0.689</i>	<i>0.689</i>
# P-40-034-060SF-ACE-BIS-06.000	34	6.0	6.000	Acetal	Set Screw, Brass Insert	SF_GI_2H (Single Flange)	22.43	26.0	17.50	17.50
		<i>0.236</i>	<i>0.236</i>				<i>0.883</i>	<i>1.024</i>	<i>0.689</i>	<i>0.689</i>
# P-40-034-060SF-ACE-NIL-08.000	34	6.0	8.000	Acetal	No Locking Device	SF_NL_2H (Single Flange)	22.43	26.0	17.50	13.00
		<i>0.236</i>	<i>0.315</i>				<i>0.883</i>	<i>1.024</i>	<i>0.689</i>	<i>0.512</i>
# P-40-034-060SF-ACE-BIS-08.000	34	6.0	8.000	Acetal	Set Screw, Brass Insert	SF_GI_2H (Single Flange)	22.43	26.0	17.50	17.50
		<i>0.236</i>	<i>0.315</i>				<i>0.883</i>	<i>1.024</i>	<i>0.689</i>	<i>0.689</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 2.073mm Pitch - 40DP

Part Number	Teeth (No.)	Suit Belt Width mm	Bore (d) mm	Material	Locking Type	Type (See Diagram)	Pitch Diameter (PD) mm	Flange Diameter (FD) mm	Overall Length (OL) mm	Hub Diameter (HD) mm
		<i>inches</i>	<i>inches</i>				<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>
# P-40-034-060FF-ACE-BIS-08.000	34	6.0	8.000	Acetal	Set Screw, Brass Insert	FF_GI_HW (Double Flange)	22.43	26.0	17.50	17.50
		<i>0.236</i>	<i>0.315</i>				<i>0.883</i>	<i>1.024</i>	<i>0.689</i>	<i>0.689</i>
# P-40-034-060FF-ACE-NIL-08.000	34	6.0	8.000	Acetal	No Locking Device	FF_NL_H (Double Flange)	22.43	26.0	17.50	13.00
		<i>0.236</i>	<i>0.315</i>				<i>0.883</i>	<i>1.024</i>	<i>0.689</i>	<i>0.512</i>
# P-40-034-063SF-ACE-BIS-04.763	34	6.4	4.763	Acetal	Set Screw	SF_GI_2H (Single Flange)	22.43	25.4	17.46	17.46
		<i>0.252</i>	<i>0.188</i>				<i>0.883</i>	<i>1.000</i>	<i>0.687</i>	<i>0.687</i>
# P-40-034-063FF-ACE-BIS-04.763	34	6.4	4.763	Acetal	Set Screw	FF_GI_HW (Double Flange)	22.43	25.4	17.46	17.46
		<i>0.252</i>	<i>0.188</i>				<i>0.883</i>	<i>1.000</i>	<i>0.687</i>	<i>0.687</i>
# P-40-034-063FF-ACE-BIS-06.350	34	6.4	6.350	Acetal	Set Screw	FF_GI_HW (Double Flange)	22.43	25.4	17.46	17.46
		<i>0.252</i>	<i>0.250</i>				<i>0.883</i>	<i>1.000</i>	<i>0.687</i>	<i>0.687</i>
# P-40-034-063SF-ACE-NIL-06.350	34	6.4	6.350	Acetal	No Locking Device	SF_NL_2H (Single Flange)	22.43	25.4	17.46	17.46
		<i>0.252</i>	<i>0.250</i>				<i>0.883</i>	<i>1.000</i>	<i>0.687</i>	<i>0.687</i>
# P-40-034-063SF-ACE-BIS-06.350	34	6.4	6.350	Acetal	Set Screw	SF_GI_2H (Single Flange)	22.43	25.4	17.46	17.46
		<i>0.252</i>	<i>0.250</i>				<i>0.883</i>	<i>1.000</i>	<i>0.687</i>	<i>0.687</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 2.073mm Pitch - 40DP

Part Number	Teeth (No.)	Suit Belt Width mm	Bore (d) mm	Material	Locking Type	Type (See Diagram)	Pitch Diameter (PD) mm	Flange Diameter (FD) mm	Overall Length (OL) mm	Hub Diameter (HD) mm
		<i>inches</i>	<i>inches</i>				<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>
# P-40-034-063FF-ACE-NIL-06.350	34	6.4	6.350	Acetal	No Locking Device	FF_NL_H (Double Flange)	22.43	25.4	17.46	17.46
		<i>0.252</i>	<i>0.250</i>				<i>0.883</i>	<i>1.000</i>	<i>0.687</i>	<i>0.687</i>
# P-40-034-063SF-ACE-BIS-07.938	34	6.4	7.938	Acetal	Set Screw	SF_GI_2H (Single Flange)	22.43	25.4	17.46	17.46
		<i>0.252</i>	<i>0.313</i>				<i>0.883</i>	<i>1.000</i>	<i>0.687</i>	<i>0.687</i>
# P-40-034-063FF-ACE-BIS-07.938	34	6.4	7.938	Acetal	Set Screw	FF_GI_HW (Double Flange)	22.43	25.4	17.46	17.46
		<i>0.252</i>	<i>0.313</i>				<i>0.883</i>	<i>1.000</i>	<i>0.687</i>	<i>0.687</i>
# P-40-034-079FF-ALA-SET-04.763	34	7.9	4.763	Aluminium, Clear Anodised	Set Screw	FF_G_H (Double Flange)	22.43	26.7	19.05	15.85
		<i>0.311</i>	<i>0.188</i>				<i>0.883</i>	<i>1.051</i>	<i>0.750</i>	<i>0.624</i>
# P-40-034-079FF-ALA-SET-06.350	34	7.9	6.350	Aluminium, Clear Anodised	Set Screw	FF_G_H (Double Flange)	22.43	26.7	19.05	15.85
		<i>0.311</i>	<i>0.250</i>				<i>0.883</i>	<i>1.051</i>	<i>0.750</i>	<i>0.624</i>
# P-40-035-047FF-ALA-SET-04.763	35	4.8	4.763	Aluminium, Clear Anodised	Set Screw	FF_G_H (Double Flange)	23.09	27.4	19.05	16.51
		<i>0.189</i>	<i>0.188</i>				<i>0.909</i>	<i>1.079</i>	<i>0.750</i>	<i>0.650</i>
# P-40-035-047FF-ALA-SET-06.350	35	4.8	6.350	Aluminium, Clear Anodised	Set Screw	FF_G_H (Double Flange)	23.09	27.4	19.05	16.51
		<i>0.189</i>	<i>0.250</i>				<i>0.909</i>	<i>1.079</i>	<i>0.750</i>	<i>0.650</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 2.073mm Pitch - 40DP

Part Number	Teeth (No.)	Suit Belt Width mm	Bore (d) mm	Material	Locking Type	Type (See Diagram)	Pitch Diameter (PD) mm	Flange Diameter (FD) mm	Overall Length (OL) mm	Hub Diameter (HD) mm
		<i>inches</i>	<i>inches</i>				<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>
# P-40-035-079FF-ALA-SET-04.763	35	7.9	4.763	Aluminium, Clear Anodised	Set Screw	FF_G_H (Double Flange)	23.09	27.4	19.05	16.51
		<i>0.311</i>	<i>0.188</i>				<i>0.909</i>	<i>1.079</i>	<i>0.750</i>	<i>0.650</i>
# P-40-035-079FF-ALA-SET-06.350	35	7.9	6.350	Aluminium, Clear Anodised	Set Screw	FF_G_H (Double Flange)	23.09	27.4	19.05	16.51
		<i>0.311</i>	<i>0.250</i>				<i>0.909</i>	<i>1.079</i>	<i>0.750</i>	<i>0.650</i>
# P-40-036-047FF-ALA-SET-04.763	36	4.8	4.763	Aluminium, Clear Anodised	Set Screw	FF_G_H (Double Flange)	23.75	28.1	19.05	17.17
		<i>0.189</i>	<i>0.188</i>				<i>0.935</i>	<i>1.106</i>	<i>0.750</i>	<i>0.676</i>
# P-40-036-047FF-ALA-SET-06.350	36	4.8	6.350	Aluminium, Clear Anodised	Set Screw	FF_G_H (Double Flange)	23.75	28.1	19.05	17.17
		<i>0.189</i>	<i>0.250</i>				<i>0.935</i>	<i>1.106</i>	<i>0.750</i>	<i>0.676</i>
# P-40-036-060FF-ACE-BIS-05.000	36	6.0	5.000	Acetal	Set Screw, Brass Insert	FF_GI_HW (Double Flange)	23.75	28.0	17.50	17.50
		<i>0.236</i>	<i>0.197</i>				<i>0.935</i>	<i>1.102</i>	<i>0.689</i>	<i>0.689</i>
# P-40-036-060SF-ACE-BIS-05.000	36	6.0	5.000	Acetal	Set Screw, Brass Insert	SF_GI_2H (Single Flange)	23.75	28.0	17.50	17.50
		<i>0.236</i>	<i>0.197</i>				<i>0.935</i>	<i>1.102</i>	<i>0.689</i>	<i>0.689</i>
# P-40-036-060SF-ACE-BIS-06.000	36	6.0	6.000	Acetal	Set Screw, Brass Insert	SF_GI_2H (Single Flange)	23.75	28.0	17.50	17.50
		<i>0.236</i>	<i>0.236</i>				<i>0.935</i>	<i>1.102</i>	<i>0.689</i>	<i>0.689</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 2.073mm Pitch - 40DP

Part Number	Teeth (No.)	Suit Belt Width mm	Bore (d) mm	Material	Locking Type	Type (See Diagram)	Pitch Diameter (PD) mm	Flange Diameter (FD) mm	Overall Length (OL) mm	Hub Diameter (HD) mm
		<i>inches</i>	<i>inches</i>				<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>
# P-40-036-060FF-ACE-BIS-06.000	36	6.0	6.000	Acetal	Set Screw, Brass Insert	FF_GI_HW (Double Flange)	23.75	28.0	17.50	17.50
		<i>0.236</i>	<i>0.236</i>				<i>0.935</i>	<i>1.102</i>	<i>0.689</i>	<i>0.689</i>
# P-40-036-060SF-ACE-BIS-08.000	36	6.0	8.000	Acetal	Set Screw, Brass Insert	SF_GI_2H (Single Flange)	23.75	28.0	17.50	17.50
		<i>0.236</i>	<i>0.315</i>				<i>0.935</i>	<i>1.102</i>	<i>0.689</i>	<i>0.689</i>
# P-40-036-060SF-ACE-NIL-08.000	36	6.0	8.000	Acetal	No Locking Device	SF_NL_2H (Single Flange)	23.75	28.0	17.50	17.50
		<i>0.236</i>	<i>0.315</i>				<i>0.935</i>	<i>1.102</i>	<i>0.689</i>	<i>0.689</i>
# P-40-036-060FF-ACE-NIL-08.000	36	6.0	8.000	Acetal	No Locking Device	FF_NL_H (Double Flange)	23.75	28.0	17.50	17.50
		<i>0.236</i>	<i>0.315</i>				<i>0.935</i>	<i>1.102</i>	<i>0.689</i>	<i>0.689</i>
# P-40-036-060FF-ACE-BIS-08.000	36	6.0	8.000	Acetal	Set Screw, Brass Insert	FF_GI_HW (Double Flange)	23.75	28.0	17.50	17.50
		<i>0.236</i>	<i>0.315</i>				<i>0.935</i>	<i>1.102</i>	<i>0.689</i>	<i>0.689</i>
# P-40-036-063FF-ACE-BIS-04.763	36	6.4	4.763	Acetal	Set Screw	FF_GI_HW (Double Flange)	23.75	27.9	17.46	17.46
		<i>0.252</i>	<i>0.188</i>				<i>0.935</i>	<i>1.098</i>	<i>0.687</i>	<i>0.687</i>
# P-40-036-063SF-ACE-BIS-04.763	36	6.4	4.763	Acetal	Set Screw	SF_GI_2H (Single Flange)	23.75	27.9	17.46	17.46
		<i>0.252</i>	<i>0.188</i>				<i>0.935</i>	<i>1.098</i>	<i>0.687</i>	<i>0.687</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 2.073mm Pitch - 40DP

Part Number	Teeth (No.)	Suit Belt Width mm	Bore (d) mm	Material	Locking Type	Type (See Diagram)	Pitch Diameter (PD) mm	Flange Diameter (FD) mm	Overall Length (OL) mm	Hub Diameter (HD) mm
		<i>inches</i>	<i>inches</i>				<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>
# P-40-036-063SF-ACE-NIL-06.350	36	6.4	6.350	Acetal	No Locking Device	SF_NL_2H (Single Flange)	23.75	27.9	17.46	17.46
		<i>0.252</i>	<i>0.250</i>				<i>0.935</i>	<i>1.098</i>	<i>0.687</i>	<i>0.687</i>
# P-40-036-063FF-ACE-BIS-06.350	36	6.4	6.350	Acetal	Set Screw	FF_GI_HW (Double Flange)	23.75	27.9	17.46	17.46
		<i>0.252</i>	<i>0.250</i>				<i>0.935</i>	<i>1.098</i>	<i>0.687</i>	<i>0.687</i>
P-40-036-063FF-ACE-NIL-06.350	36	6.4	6.350	Acetal	No Locking Device	FF_NL_H (Double Flange)	23.75	27.9	17.46	17.46
		<i>0.252</i>	<i>0.250</i>				<i>0.935</i>	<i>1.098</i>	<i>0.687</i>	<i>0.687</i>
# P-40-036-063SF-ACE-BIS-06.350	36	6.4	6.350	Acetal	Set Screw	SF_GI_2H (Single Flange)	23.75	27.9	17.46	17.46
		<i>0.252</i>	<i>0.250</i>				<i>0.935</i>	<i>1.098</i>	<i>0.687</i>	<i>0.687</i>
# P-40-036-063SF-ACE-BIS-07.938	36	6.4	7.938	Acetal	Set Screw	SF_GI_2H (Single Flange)	23.75	27.9	17.46	17.46
		<i>0.252</i>	<i>0.313</i>				<i>0.935</i>	<i>1.098</i>	<i>0.687</i>	<i>0.687</i>
# P-40-036-063FF-ACE-BIS-07.938	36	6.4	7.938	Acetal	Set Screw	FF_GI_HW (Double Flange)	23.75	27.9	17.46	17.46
		<i>0.252</i>	<i>0.313</i>				<i>0.935</i>	<i>1.098</i>	<i>0.687</i>	<i>0.687</i>
# P-40-036-079FF-ALA-SET-04.763	36	7.9	4.763	Aluminium, Clear Anodised	Set Screw	FF_G_H (Double Flange)	23.75	28.1	19.05	17.17
		<i>0.311</i>	<i>0.188</i>				<i>0.935</i>	<i>1.106</i>	<i>0.750</i>	<i>0.676</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 2.073mm Pitch - 40DP

Part Number	Teeth (No.)	Suit Belt Width mm	Bore (d) mm	Material	Locking Type	Type (See Diagram)	Pitch Diameter (PD) mm	Flange Diameter (FD) mm	Overall Length (OL) mm	Hub Diameter (HD) mm
		<i>inches</i>	<i>inches</i>				<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>
# P-40-036-079FF-ALA-SET-06.350	36	7.9	6.350	Aluminium, Clear Anodised	Set Screw	FF_G_H (Double Flange)	23.75	28.1	19.05	17.17
		<i>0.311</i>	<i>0.250</i>				<i>0.935</i>	<i>1.106</i>	<i>0.750</i>	<i>0.676</i>
# P-40-038-047FF-ALA-SET-06.350	38	4.8	6.350	Aluminium, Clear Anodised	Set Screw	FF_G_H (Double Flange)	25.06	29.3	19.05	18.49
		<i>0.189</i>	<i>0.250</i>				<i>0.987</i>	<i>1.154</i>	<i>0.750</i>	<i>0.728</i>
# P-40-038-047FF-ALA-SET-07.938	38	4.8	7.938	Aluminium, Clear Anodised	Set Screw	FF_G_H (Double Flange)	25.06	29.3	19.05	18.49
		<i>0.189</i>	<i>0.313</i>				<i>0.987</i>	<i>1.154</i>	<i>0.750</i>	<i>0.728</i>
# P-40-038-060FF-ACE-BIS-05.000	38	6.0	5.000	Acetal	Set Screw, Brass Insert	FF_GI_HW (Double Flange)	25.06	29.0	17.50	17.50
		<i>0.236</i>	<i>0.197</i>				<i>0.987</i>	<i>1.142</i>	<i>0.689</i>	<i>0.689</i>
# P-40-038-060SF-ACE-BIS-05.000	38	6.0	5.000	Acetal	Set Screw, Brass Insert	SF_GI_2H (Single Flange)	25.06	29.0	17.50	17.50
		<i>0.236</i>	<i>0.197</i>				<i>0.987</i>	<i>1.142</i>	<i>0.689</i>	<i>0.689</i>
# P-40-038-060SF-ACE-BIS-06.000	38	6.0	6.000	Acetal	Set Screw, Brass Insert	SF_GI_2H (Single Flange)	25.06	29.0	17.50	17.50
		<i>0.236</i>	<i>0.236</i>				<i>0.987</i>	<i>1.142</i>	<i>0.689</i>	<i>0.689</i>
# P-40-038-060FF-ACE-BIS-06.000	38	6.0	6.000	Acetal	Set Screw, Brass Insert	FF_GI_HW (Double Flange)	25.06	29.0	17.50	17.50
		<i>0.236</i>	<i>0.236</i>				<i>0.987</i>	<i>1.142</i>	<i>0.689</i>	<i>0.689</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 2.073mm Pitch - 40DP

Part Number	Teeth (No.)	Suit Belt Width mm	Bore (d) mm	Material	Locking Type	Type (See Diagram)	Pitch Diameter (PD) mm	Flange Diameter (FD) mm	Overall Length (OL) mm	Hub Diameter (HD) mm
		<i>inches</i>	<i>inches</i>				<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>
# P-40-038-060SF-ACE-BIS-08.000	38	6.0	8.000	Acetal	Set Screw, Brass Insert	SF_GI_2H (Single Flange)	25.06	29.0	17.50	17.50
		<i>0.236</i>	<i>0.315</i>				<i>0.987</i>	<i>1.142</i>	<i>0.689</i>	<i>0.689</i>
# P-40-038-060FF-ACE-NIL-08.000	38	6.0	8.000	Acetal	No Locking Device	FF_NL_H (Double Flange)	25.06	29.0	17.50	17.50
		<i>0.236</i>	<i>0.315</i>				<i>0.987</i>	<i>1.142</i>	<i>0.689</i>	<i>0.689</i>
# P-40-038-060FF-ACE-BIS-08.000	38	6.0	8.000	Acetal	Set Screw, Brass Insert	FF_GI_HW (Double Flange)	25.06	29.0	17.50	17.50
		<i>0.236</i>	<i>0.315</i>				<i>0.987</i>	<i>1.142</i>	<i>0.689</i>	<i>0.689</i>
# P-40-038-060SF-ACE-NIL-08.000	38	6.0	8.000	Acetal	No Locking Device	SF_NL_2H (Single Flange)	25.06	29.0	17.50	17.50
		<i>0.236</i>	<i>0.315</i>				<i>0.987</i>	<i>1.142</i>	<i>0.689</i>	<i>0.689</i>
# P-40-038-063FF-ACE-BIS-04.763	38	6.4	4.763	Acetal	Set Screw	FF_GI_HW (Double Flange)	25.06	29.2	17.46	17.46
		<i>0.252</i>	<i>0.188</i>				<i>0.987</i>	<i>1.150</i>	<i>0.687</i>	<i>0.687</i>
# P-40-038-063SF-ACE-BIS-04.763	38	6.4	4.763	Acetal	Set Screw	SF_GI_2H (Single Flange)	25.06	29.2	17.46	17.46
		<i>0.252</i>	<i>0.188</i>				<i>0.987</i>	<i>1.150</i>	<i>0.687</i>	<i>0.687</i>
# P-40-038-063SF-ACE-NIL-06.350	38	6.4	6.350	Acetal	No Locking Device	SF_NL_2H (Single Flange)	25.06	29.2	17.46	17.46
		<i>0.252</i>	<i>0.250</i>				<i>0.987</i>	<i>1.150</i>	<i>0.687</i>	<i>0.687</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 2.073mm Pitch - 40DP

Part Number	Teeth (No.)	Suit Belt Width mm	Bore (d) mm	Material	Locking Type	Type (See Diagram)	Pitch Diameter (PD) mm	Flange Diameter (FD) mm	Overall Length (OL) mm	Hub Diameter (HD) mm
		<i>inches</i>	<i>inches</i>				<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>
# P-40-038-063FF-ACE-BIS-06.350	38	6.4	6.350	Acetal	Set Screw	FF_GI_HW (Double Flange)	25.06	29.2	17.46	17.46
		<i>0.252</i>	<i>0.250</i>				<i>0.987</i>	<i>1.150</i>	<i>0.687</i>	<i>0.687</i>
# P-40-038-063FF-ACE-NIL-06.350	38	6.4	6.350	Acetal	No Locking Device	FF_NL_H (Double Flange)	25.06	29.2	17.46	17.46
		<i>0.252</i>	<i>0.250</i>				<i>0.987</i>	<i>1.150</i>	<i>0.687</i>	<i>0.687</i>
# P-40-038-063SF-ACE-BIS-06.350	38	6.4	6.350	Acetal	Set Screw	SF_GI_2H (Single Flange)	25.06	29.2	17.46	17.46
		<i>0.252</i>	<i>0.250</i>				<i>0.987</i>	<i>1.150</i>	<i>0.687</i>	<i>0.687</i>
# P-40-038-063FF-ACE-BIS-07.938	38	6.4	7.938	Acetal	Set Screw	FF_GI_HW (Double Flange)	25.06	29.2	17.46	17.46
		<i>0.252</i>	<i>0.313</i>				<i>0.987</i>	<i>1.150</i>	<i>0.687</i>	<i>0.687</i>
# P-40-038-063SF-ACE-BIS-07.938	38	6.4	7.938	Acetal	Set Screw	SF_GI_2H (Single Flange)	25.06	29.2	17.46	17.46
		<i>0.252</i>	<i>0.313</i>				<i>0.987</i>	<i>1.150</i>	<i>0.687</i>	<i>0.687</i>
# P-40-038-079FF-ALA-SET-06.350	38	7.9	6.350	Aluminium, Clear Anodised	Set Screw	FF_G_H (Double Flange)	25.06	29.3	19.05	18.49
		<i>0.311</i>	<i>0.250</i>				<i>0.987</i>	<i>1.154</i>	<i>0.750</i>	<i>0.728</i>
# P-40-038-079FF-ALA-SET-07.938	38	7.9	7.938	Aluminium, Clear Anodised	Set Screw	FF_G_H (Double Flange)	25.06	29.3	19.05	18.49
		<i>0.311</i>	<i>0.313</i>				<i>0.987</i>	<i>1.154</i>	<i>0.750</i>	<i>0.728</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 2.073mm Pitch - 40DP

Part Number	Teeth (No.)	Suit Belt Width mm	Bore (d) mm	Material	Locking Type	Type (See Diagram)	Pitch Diameter (PD) mm	Flange Diameter (FD) mm	Overall Length (OL) mm	Hub Diameter (HD) mm
		<i>inches</i>	<i>inches</i>				<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>
# P-40-040-047FF-ALA-SET-06.350	40	4.8	6.350	Aluminium, Clear Anodised	Set Screw	FF_G_H (Double Flange)	26.38	30.7	19.84	19.15
		<i>0.189</i>	<i>0.250</i>				<i>1.039</i>	<i>1.209</i>	<i>0.781</i>	<i>0.754</i>
# P-40-040-047P-ALA-SET-06.350	40	4.8	6.350	Aluminium, Clear Anodised	Set Screw	P_G_H (Unflanged)	26.38		19.05	16.92
		<i>0.189</i>	<i>0.250</i>				<i>1.039</i>		<i>0.750</i>	<i>0.666</i>
# P-40-040-047FF-ALA-SET-07.938	40	4.8	7.938	Aluminium, Clear Anodised	Set Screw	FF_G_H (Double Flange)	26.38	30.7	19.84	19.15
		<i>0.189</i>	<i>0.313</i>				<i>1.039</i>	<i>1.209</i>	<i>0.781</i>	<i>0.754</i>
# P-40-040-060FF-ACE-BIS-05.000	40	6.0	5.000	Acetal	Set Screw, Brass Insert	FF_GI_HW (Double Flange)	26.38	31.0	17.50	17.50
		<i>0.236</i>	<i>0.197</i>				<i>1.039</i>	<i>1.220</i>	<i>0.689</i>	<i>0.689</i>
# P-40-040-060SF-ACE-BIS-05.000	40	6.0	5.000	Acetal	Set Screw, Brass Insert	SF_GI_2HW (Single Flange)	26.38	31.0	17.50	17.50
		<i>0.236</i>	<i>0.197</i>				<i>1.039</i>	<i>1.220</i>	<i>0.689</i>	<i>0.689</i>
# P-40-040-060SF-ACE-BIS-06.000	40	6.0	6.000	Acetal	Set Screw, Brass Insert	SF_GI_2HW (Single Flange)	26.38	31.0	17.50	17.50
		<i>0.236</i>	<i>0.236</i>				<i>1.039</i>	<i>1.220</i>	<i>0.689</i>	<i>0.689</i>
# P-40-040-060FF-ACE-BIS-06.000	40	6.0	6.000	Acetal	Set Screw, Brass Insert	FF_GI_HW (Double Flange)	26.38	31.0	17.50	17.50
		<i>0.236</i>	<i>0.236</i>				<i>1.039</i>	<i>1.220</i>	<i>0.689</i>	<i>0.689</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 2.073mm Pitch - 40DP

Part Number	Teeth (No.)	Suit Belt Width mm	Bore (d) mm	Material	Locking Type	Type (See Diagram)	Pitch Diameter (PD) mm	Flange Diameter (FD) mm	Overall Length (OL) mm	Hub Diameter (HD) mm
		<i>inches</i>	<i>inches</i>				<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>
# P-40-040-060SF-ACE-NIL-08.000	40	6.0	8.000	Acetal	No Locking Device	SF_NL_2HW (Single Flange)	26.38	31.0	17.50	17.50
		<i>0.236</i>	<i>0.315</i>				<i>1.039</i>	<i>1.220</i>	<i>0.689</i>	<i>0.689</i>
# P-40-040-060SF-ACE-BIS-08.000	40	6.0	8.000	Acetal	Set Screw, Brass Insert	SF_GI_2HW (Single Flange)	26.38	31.0	17.50	17.50
		<i>0.236</i>	<i>0.315</i>				<i>1.039</i>	<i>1.220</i>	<i>0.689</i>	<i>0.689</i>
# P-40-040-060FF-ACE-NIL-08.000	40	6.0	8.000	Acetal	No Locking Device	FF_NL_HW (Double Flange)	26.38	31.0	17.50	17.50
		<i>0.236</i>	<i>0.315</i>				<i>1.039</i>	<i>1.220</i>	<i>0.689</i>	<i>0.689</i>
# P-40-040-060FF-ACE-BIS-08.000	40	6.0	8.000	Acetal	Set Screw, Brass Insert	FF_GI_HW (Double Flange)	26.38	31.0	17.50	17.50
		<i>0.236</i>	<i>0.315</i>				<i>1.039</i>	<i>1.220</i>	<i>0.689</i>	<i>0.689</i>
# P-40-040-063FF-ACE-BIS-04.763	40	6.4	4.763	Acetal	Set Screw	FF_GI_HW (Double Flange)	26.38	30.7	17.46	17.46
		<i>0.252</i>	<i>0.188</i>				<i>1.039</i>	<i>1.209</i>	<i>0.687</i>	<i>0.687</i>
# P-40-040-063SF-ACE-BIS-04.763	40	6.4	4.763	Acetal	Set Screw	SF_GI_2HW (Single Flange)	26.38	30.7	17.46	17.46
		<i>0.252</i>	<i>0.188</i>				<i>1.039</i>	<i>1.209</i>	<i>0.687</i>	<i>0.687</i>
# P-40-040-063SF-ACE-BIS-06.350	40	6.4	6.350	Acetal	Set Screw	SF_GI_2HW (Single Flange)	26.38	30.7	17.46	17.46
		<i>0.252</i>	<i>0.250</i>				<i>1.039</i>	<i>1.209</i>	<i>0.687</i>	<i>0.687</i>
# P-40-040-063SF-ACE-NIL-06.350	40	6.4	6.350	Acetal	No Locking Device	SF_NL_2HW (Single Flange)	26.38	30.7	17.46	17.46
		<i>0.252</i>	<i>0.250</i>				<i>1.039</i>	<i>1.209</i>	<i>0.687</i>	<i>0.687</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 2.073mm Pitch - 40DP

Part Number	Teeth (No.)	Suit Belt Width mm	Bore (d) mm	Material	Locking Type	Type (See Diagram)	Pitch Diameter (PD) mm	Flange Diameter (FD) mm	Overall Length (OL) mm	Hub Diameter (HD) mm
		<i>inches</i>	<i>inches</i>				<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>
# P-40-040-063FF-ACE-NIL-06.350	40	6.4	6.350	Acetal	No Locking Device	FF_NL_HW (Double Flange)	26.38	30.7	17.46	17.46
		<i>0.252</i>	<i>0.250</i>				<i>1.039</i>	<i>1.209</i>	<i>0.687</i>	<i>0.687</i>
# P-40-040-063FF-ACE-BIS-06.350	40	6.4	6.350	Acetal	Set Screw	FF_GI_HW (Double Flange)	26.38	30.7	17.46	17.46
		<i>0.252</i>	<i>0.250</i>				<i>1.039</i>	<i>1.209</i>	<i>0.687</i>	<i>0.687</i>
# P-40-040-063FF-ACE-BIS-07.938	40	6.4	7.938	Acetal	Set Screw	FF_GI_HW (Double Flange)	26.38	30.7	17.46	17.46
		<i>0.252</i>	<i>0.313</i>				<i>1.039</i>	<i>1.209</i>	<i>0.687</i>	<i>0.687</i>
# P-40-040-063SF-ACE-BIS-07.938	40	6.4	7.938	Acetal	Set Screw	SF_GI_2HW (Single Flange)	26.38	30.7	17.46	17.46
		<i>0.252</i>	<i>0.313</i>				<i>1.039</i>	<i>1.209</i>	<i>0.687</i>	<i>0.687</i>
# P-40-040-079FF-ALA-SET-06.350	40	7.9	6.350	Aluminium, Clear Anodised	Set Screw	FF_G_H (Double Flange)	26.38	30.7	19.84	19.15
		<i>0.311</i>	<i>0.250</i>				<i>1.039</i>	<i>1.209</i>	<i>0.781</i>	<i>0.754</i>
# P-40-040-079P-ALA-SET-06.350	40	7.9	6.350	Aluminium, Clear Anodised	Set Screw	P_G_H (Unflanged)	26.38		22.23	16.92
		<i>0.311</i>	<i>0.250</i>				<i>1.039</i>		<i>0.875</i>	<i>0.666</i>
P-40-040-079FF-ALA-SET-07.938	40	7.9	7.938	Aluminium, Clear Anodised	Set Screw	FF_G_H (Double Flange)	26.38	30.7	19.84	19.15
		<i>0.311</i>	<i>0.313</i>				<i>1.039</i>	<i>1.209</i>	<i>0.781</i>	<i>0.754</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 2.073mm Pitch - 40DP

Part Number	Teeth (No.)	Suit Belt Width mm	Bore (d) mm	Material	Locking Type	Type (See Diagram)	Pitch Diameter (PD) mm	Flange Diameter (FD) mm	Overall Length (OL) mm	Hub Diameter (HD) mm
		<i>inches</i>	<i>inches</i>				<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>
# P-40-042-047FF-ALA-SET-06.350	42	4.8	6.350	Aluminium, Clear Anodised	Set Screw	FF_G_H (Double Flange)	27.70	32.0	19.84	20.47
		<i>0.189</i>	<i>0.250</i>				<i>1.091</i>	<i>1.260</i>	<i>0.781</i>	<i>0.806</i>
# P-40-042-047FF-ALA-SET-07.938	42	4.8	7.938	Aluminium, Clear Anodised	Set Screw	FF_G_H (Double Flange)	27.70	32.0	19.84	20.47
		<i>0.189</i>	<i>0.313</i>				<i>1.091</i>	<i>1.260</i>	<i>0.781</i>	<i>0.806</i>
# P-40-042-060SF-ACE-BIS-05.000	42	6.0	5.000	Acetal	Set Screw, Brass Insert	SF_GI_2HW (Single Flange)	27.70	32.0	17.50	17.50
		<i>0.236</i>	<i>0.197</i>				<i>1.091</i>	<i>1.260</i>	<i>0.689</i>	<i>0.689</i>
# P-40-042-060FF-ACE-BIS-05.000	42	6.0	5.000	Acetal	Set Screw, Brass Insert	FF_GI_HW (Double Flange)	27.70	32.0	17.50	17.50
		<i>0.236</i>	<i>0.197</i>				<i>1.091</i>	<i>1.260</i>	<i>0.689</i>	<i>0.689</i>
# P-40-042-060FF-ACE-BIS-06.000	42	6.0	6.000	Acetal	Set Screw, Brass Insert	FF_GI_HW (Double Flange)	27.70	32.0	17.50	17.50
		<i>0.236</i>	<i>0.236</i>				<i>1.091</i>	<i>1.260</i>	<i>0.689</i>	<i>0.689</i>
# P-40-042-060SF-ACE-BIS-06.000	42	6.0	6.000	Acetal	Set Screw, Brass Insert	SF_GI_2HW (Single Flange)	27.70	32.0	17.50	17.50
		<i>0.236</i>	<i>0.236</i>				<i>1.091</i>	<i>1.260</i>	<i>0.689</i>	<i>0.689</i>
# P-40-042-060FF-ACE-BIS-08.000	42	6.0	8.000	Acetal	Set Screw, Brass Insert	FF_GI_HW (Double Flange)	27.70	32.0	17.50	17.50
		<i>0.236</i>	<i>0.315</i>				<i>1.091</i>	<i>1.260</i>	<i>0.689</i>	<i>0.689</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 2.073mm Pitch - 40DP

Part Number	Teeth (No.)	Suit Belt Width mm	Bore (d) mm	Material	Locking Type	Type (See Diagram)	Pitch Diameter (PD) mm	Flange Diameter (FD) mm	Overall Length (OL) mm	Hub Diameter (HD) mm
		<i>inches</i>	<i>inches</i>				<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>
# P-40-042-060FF-ACE-NIL-08.000	42	6.0	8.000	Acetal	No Locking Device	FF_NL_HW (Double Flange)	27.70	32.0	17.50	17.50
		<i>0.236</i>	<i>0.315</i>				<i>1.091</i>	<i>1.260</i>	<i>0.689</i>	<i>0.689</i>
# P-40-042-060SF-ACE-BIS-08.000	42	6.0	8.000	Acetal	Set Screw, Brass Insert	SF_GI_2HW (Single Flange)	27.70	32.0	17.50	17.50
		<i>0.236</i>	<i>0.315</i>				<i>1.091</i>	<i>1.260</i>	<i>0.689</i>	<i>0.689</i>
# P-40-042-060SF-ACE-NIL-08.000	42	6.0	8.000	Acetal	No Locking Device	SF_NL_2HW (Single Flange)	27.70	32.0	17.50	17.50
		<i>0.236</i>	<i>0.315</i>				<i>1.091</i>	<i>1.260</i>	<i>0.689</i>	<i>0.689</i>
# P-40-042-063FF-ACE-BIS-04.763	42	6.4	4.763	Acetal	Set Screw	FF_GI_HW (Double Flange)	27.70	32.0	17.46	17.46
		<i>0.252</i>	<i>0.188</i>				<i>1.091</i>	<i>1.260</i>	<i>0.687</i>	<i>0.687</i>
# P-40-042-063SF-ACE-BIS-04.763	42	6.4	4.763	Acetal	Set Screw	SF_GI_2HW (Single Flange)	27.70	32.0	17.46	17.46
		<i>0.252</i>	<i>0.188</i>				<i>1.091</i>	<i>1.260</i>	<i>0.687</i>	<i>0.687</i>
# P-40-042-063FF-ACE-BIS-06.350	42	6.4	6.350	Acetal	Set Screw	FF_GI_HW (Double Flange)	27.70	32.0	17.46	17.46
		<i>0.252</i>	<i>0.250</i>				<i>1.091</i>	<i>1.260</i>	<i>0.687</i>	<i>0.687</i>
# P-40-042-063SF-ACE-NIL-06.350	42	6.4	6.350	Acetal	No Locking Device	SF_NL_2HW (Single Flange)	27.70	32.0	17.46	17.46
		<i>0.252</i>	<i>0.250</i>				<i>1.091</i>	<i>1.260</i>	<i>0.687</i>	<i>0.687</i>
# P-40-042-063SF-ACE-BIS-06.350	42	6.4	6.350	Acetal	Set Screw	SF_GI_2HW (Single Flange)	27.70	32.0	17.46	17.46
		<i>0.252</i>	<i>0.250</i>				<i>1.091</i>	<i>1.260</i>	<i>0.687</i>	<i>0.687</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 2.073mm Pitch - 40DP

Part Number	Teeth (No.)	Suit Belt Width mm	Bore (d) mm	Material	Locking Type	Type (See Diagram)	Pitch Diameter (PD) mm	Flange Diameter (FD) mm	Overall Length (OL) mm	Hub Diameter (HD) mm
		<i>inches</i>	<i>inches</i>				<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>
# P-40-042-063FF-ACE-NIL-06.350	42	6.4	6.350	Acetal	No Locking Device	FF_NL_HW (Double Flange)	27.70	32.0	17.46	17.46
		<i>0.252</i>	<i>0.250</i>				<i>1.091</i>	<i>1.260</i>	<i>0.687</i>	<i>0.687</i>
# P-40-042-063SF-ACE-BIS-07.938	42	6.4	7.938	Acetal	Set Screw	SF_GI_2HW (Single Flange)	27.70	32.0	17.46	17.46
		<i>0.252</i>	<i>0.313</i>				<i>1.091</i>	<i>1.260</i>	<i>0.687</i>	<i>0.687</i>
# P-40-042-063FF-ACE-BIS-07.938	42	6.4	7.938	Acetal	Set Screw	FF_GI_HW (Double Flange)	27.70	32.0	17.46	17.46
		<i>0.252</i>	<i>0.313</i>				<i>1.091</i>	<i>1.260</i>	<i>0.687</i>	<i>0.687</i>
# P-40-042-079FF-ALA-SET-06.350	42	7.9	6.350	Aluminium, Clear Anodised	Set Screw	FF_G_H (Double Flange)	27.70	32.0	19.84	20.47
		<i>0.311</i>	<i>0.250</i>				<i>1.091</i>	<i>1.260</i>	<i>0.781</i>	<i>0.806</i>
# P-40-042-079FF-ALA-SET-07.938	42	7.9	7.938	Aluminium, Clear Anodised	Set Screw	FF_G_H (Double Flange)	27.70	32.0	19.84	20.47
		<i>0.311</i>	<i>0.313</i>				<i>1.091</i>	<i>1.260</i>	<i>0.781</i>	<i>0.806</i>
# P-40-044-047FF-ALA-SET-06.350	44	4.8	6.350	Aluminium, Clear Anodised	Set Screw	FF_G_H (Double Flange)	29.02	33.4	19.84	21.79
		<i>0.189</i>	<i>0.250</i>				<i>1.143</i>	<i>1.315</i>	<i>0.781</i>	<i>0.858</i>
# P-40-044-047FF-ALA-SET-07.938	44	4.8	7.938	Aluminium, Clear Anodised	Set Screw	FF_G_H (Double Flange)	29.02	33.4	19.84	21.79
		<i>0.189</i>	<i>0.313</i>				<i>1.143</i>	<i>1.315</i>	<i>0.781</i>	<i>0.858</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 2.073mm Pitch - 40DP

Part Number	Teeth (No.)	Suit Belt Width mm	Bore (d) mm	Material	Locking Type	Type (See Diagram)	Pitch Diameter (PD) mm	Flange Diameter (FD) mm	Overall Length (OL) mm	Hub Diameter (HD) mm
		<i>inches</i>	<i>inches</i>				<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>
# P-40-044-060SF-ACE-BIS-05.000	44	6.0	5.000	Acetal	Set Screw, Brass Insert	SF_GI_2HW (Single Flange)	29.02	33.0	17.50	17.50
		<i>0.236</i>	<i>0.197</i>				<i>1.143</i>	<i>1.299</i>	<i>0.689</i>	<i>0.689</i>
# P-40-044-060FF-ACE-BIS-05.000	44	6.0	5.000	Acetal	Set Screw, Brass Insert	FF_GI_HW (Double Flange)	29.02	33.0	17.50	17.50
		<i>0.236</i>	<i>0.197</i>				<i>1.143</i>	<i>1.299</i>	<i>0.689</i>	<i>0.689</i>
# P-40-044-060FF-ACE-BIS-06.000	44	6.0	6.000	Acetal	Set Screw, Brass Insert	FF_GI_HW (Double Flange)	29.02	33.0	17.50	17.50
		<i>0.236</i>	<i>0.236</i>				<i>1.143</i>	<i>1.299</i>	<i>0.689</i>	<i>0.689</i>
# P-40-044-060SF-ACE-BIS-06.000	44	6.0	6.000	Acetal	Set Screw, Brass Insert	SF_GI_2HW (Single Flange)	29.02	33.0	17.50	17.50
		<i>0.236</i>	<i>0.236</i>				<i>1.143</i>	<i>1.299</i>	<i>0.689</i>	<i>0.689</i>
# P-40-044-060SF-ACE-NIL-08.000	44	6.0	8.000	Acetal	No Locking Device	SF_NL_2HW (Single Flange)	29.02	33.0	17.50	17.50
		<i>0.236</i>	<i>0.315</i>				<i>1.143</i>	<i>1.299</i>	<i>0.689</i>	<i>0.689</i>
# P-40-044-060FF-ACE-BIS-08.000	44	6.0	8.000	Acetal	Set Screw, Brass Insert	FF_GI_HW (Double Flange)	29.02	33.0	17.50	17.50
		<i>0.236</i>	<i>0.315</i>				<i>1.143</i>	<i>1.299</i>	<i>0.689</i>	<i>0.689</i>
# P-40-044-060FF-ACE-NIL-08.000	44	6.0	8.000	Acetal	No Locking Device	FF_NL_HW (Double Flange)	29.02	33.0	17.50	17.50
		<i>0.236</i>	<i>0.315</i>				<i>1.143</i>	<i>1.299</i>	<i>0.689</i>	<i>0.689</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 2.073mm Pitch - 40DP

Part Number	Teeth (No.)	Suit Belt Width mm	Bore (d) mm	Material	Locking Type	Type (See Diagram)	Pitch Diameter (PD) mm	Flange Diameter (FD) mm	Overall Length (OL) mm	Hub Diameter (HD) mm
		<i>inches</i>	<i>inches</i>				<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>
# P-40-044-060SF-ACE-BIS-08.000	44	6.0	8.000	Acetal	Set Screw, Brass Insert	SF_GI_2HW (Single Flange)	29.02	33.0	17.50	17.50
		<i>0.236</i>	<i>0.315</i>				<i>1.143</i>	<i>1.299</i>	<i>0.689</i>	<i>0.689</i>
# P-40-044-063SF-ACE-BIS-04.763	44	6.4	4.763	Acetal	Set Screw	SF_GI_2HW (Single Flange)	29.02	33.3	17.46	17.46
		<i>0.252</i>	<i>0.188</i>				<i>1.143</i>	<i>1.311</i>	<i>0.687</i>	<i>0.687</i>
# P-40-044-063FF-ACE-BIS-04.763	44	6.4	4.763	Acetal	Set Screw	FF_GI_HW (Double Flange)	29.02	33.3	17.46	17.46
		<i>0.252</i>	<i>0.188</i>				<i>1.143</i>	<i>1.311</i>	<i>0.687</i>	<i>0.687</i>
# P-40-044-063FF-ACE-NIL-06.350	44	6.4	6.350	Acetal	No Locking Device	FF_NL_HW (Double Flange)	29.02	33.3	17.46	17.46
		<i>0.252</i>	<i>0.250</i>				<i>1.143</i>	<i>1.311</i>	<i>0.687</i>	<i>0.687</i>
# P-40-044-063SF-ACE-BIS-06.350	44	6.4	6.350	Acetal	Set Screw	SF_GI_2HW (Single Flange)	29.02	33.3	17.46	17.46
		<i>0.252</i>	<i>0.250</i>				<i>1.143</i>	<i>1.311</i>	<i>0.687</i>	<i>0.687</i>
# P-40-044-063SF-ACE-NIL-06.350	44	6.4	6.350	Acetal	No Locking Device	SF_NL_2HW (Single Flange)	29.02	33.3	17.46	17.46
		<i>0.252</i>	<i>0.250</i>				<i>1.143</i>	<i>1.311</i>	<i>0.687</i>	<i>0.687</i>
# P-40-044-063FF-ACE-BIS-06.350	44	6.4	6.350	Acetal	Set Screw	FF_GI_HW (Double Flange)	29.02	33.3	17.46	17.46
		<i>0.252</i>	<i>0.250</i>				<i>1.143</i>	<i>1.311</i>	<i>0.687</i>	<i>0.687</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 2.073mm Pitch - 40DP

Part Number	Teeth (No.)	Suit Belt Width mm	Bore (d) mm	Material	Locking Type	Type (See Diagram)	Pitch Diameter (PD) mm	Flange Diameter (FD) mm	Overall Length (OL) mm	Hub Diameter (HD) mm
		<i>inches</i>	<i>inches</i>				<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>
# P-40-044-063FF-ACE-BIS-07.938	44	6.4	7.938	Acetal	Set Screw	FF_GI_HW (Double Flange)	29.02	33.3	17.46	17.46
		<i>0.252</i>	<i>0.313</i>				<i>1.143</i>	<i>1.311</i>	<i>0.687</i>	<i>0.687</i>
# P-40-044-063SF-ACE-BIS-07.938	44	6.4	7.938	Acetal	Set Screw	SF_GI_2HW (Single Flange)	29.02	33.3	17.46	17.46
		<i>0.252</i>	<i>0.313</i>				<i>1.143</i>	<i>1.311</i>	<i>0.687</i>	<i>0.687</i>
# P-40-044-079FF-ALA-SET-06.350	44	7.9	6.350	Aluminium, Clear Anodised	Set Screw	FF_G_H (Double Flange)	29.02	33.4	19.84	21.79
		<i>0.311</i>	<i>0.250</i>				<i>1.143</i>	<i>1.315</i>	<i>0.781</i>	<i>0.858</i>
# P-40-044-079FF-ALA-SET-07.938	44	7.9	7.938	Aluminium, Clear Anodised	Set Screw	FF_G_H (Double Flange)	29.02	33.4	19.84	21.79
		<i>0.311</i>	<i>0.313</i>				<i>1.143</i>	<i>1.315</i>	<i>0.781</i>	<i>0.858</i>
# P-40-045-047P-ALA-SET-06.350	45	4.8	6.350	Aluminium, Clear Anodised	Set Screw	P_G_H (Unflanged)	29.68		19.05	20.22
		<i>0.189</i>	<i>0.250</i>				<i>1.169</i>		<i>0.750</i>	<i>0.796</i>
# P-40-045-047FF-ALA-SET-06.350	45	4.8	6.350	Aluminium, Clear Anodised	Set Screw	FF_G_H (Double Flange)	29.68	34.0	19.84	22.45
		<i>0.189</i>	<i>0.250</i>				<i>1.169</i>	<i>1.339</i>	<i>0.781</i>	<i>0.884</i>
# P-40-045-047FF-ALA-SET-07.938	45	4.8	7.938	Aluminium, Clear Anodised	Set Screw	FF_G_H (Double Flange)	29.68	34.0	19.84	22.45
		<i>0.189</i>	<i>0.313</i>				<i>1.169</i>	<i>1.339</i>	<i>0.781</i>	<i>0.884</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 2.073mm Pitch - 40DP

Part Number	Teeth (No.)	Suit Belt Width mm	Bore (d) mm	Material	Locking Type	Type (See Diagram)	Pitch Diameter (PD) mm	Flange Diameter (FD) mm	Overall Length (OL) mm	Hub Diameter (HD) mm
		<i>inches</i>	<i>inches</i>				<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>
# P-40-045-079FF-ALA-SET-06.350	45	7.9	6.350	Aluminium, Clear Anodised	Set Screw	FF_G_H (Double Flange)	29.68	34.0	19.84	22.45
		<i>0.311</i>	<i>0.250</i>				<i>1.169</i>	<i>1.339</i>	<i>0.781</i>	<i>0.884</i>
# P-40-045-079P-ALA-SET-06.350	45	7.9	6.350	Aluminium, Clear Anodised	Set Screw	P_G_H (Unflanged)	29.68		22.23	20.22
		<i>0.311</i>	<i>0.250</i>				<i>1.169</i>		<i>0.875</i>	<i>0.796</i>
# P-40-045-079FF-ALA-SET-07.938	45	7.9	7.938	Aluminium, Clear Anodised	Set Screw	FF_G_H (Double Flange)	29.68	34.0	19.84	22.45
		<i>0.311</i>	<i>0.313</i>				<i>1.169</i>	<i>1.339</i>	<i>0.781</i>	<i>0.884</i>
# P-40-046-060FF-ACE-BIS-05.000	46	6.0	5.000	Acetal	Set Screw, Brass Insert	FF_GI_HW (Double Flange)	30.34	35.0	17.50	17.50
		<i>0.236</i>	<i>0.197</i>				<i>1.194</i>	<i>1.378</i>	<i>0.689</i>	<i>0.689</i>
# P-40-046-060SF-ACE-BIS-05.000	46	6.0	5.000	Acetal	Set Screw, Brass Insert	SF_GI_2HW (Single Flange)	30.34	35.0	17.50	17.50
		<i>0.236</i>	<i>0.197</i>				<i>1.194</i>	<i>1.378</i>	<i>0.689</i>	<i>0.689</i>
# P-40-046-060FF-ACE-BIS-06.000	46	6.0	6.000	Acetal	Set Screw, Brass Insert	FF_GI_HW (Double Flange)	30.34	35.0	17.50	17.50
		<i>0.236</i>	<i>0.236</i>				<i>1.194</i>	<i>1.378</i>	<i>0.689</i>	<i>0.689</i>
# P-40-046-060SF-ACE-BIS-06.000	46	6.0	6.000	Acetal	Set Screw, Brass Insert	SF_GI_2HW (Single Flange)	30.34	35.0	17.50	17.50
		<i>0.236</i>	<i>0.236</i>				<i>1.194</i>	<i>1.378</i>	<i>0.689</i>	<i>0.689</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 2.073mm Pitch - 40DP

Part Number	Teeth (No.)	Suit Belt Width mm	Bore (d) mm	Material	Locking Type	Type (See Diagram)	Pitch Diameter (PD) mm	Flange Diameter (FD) mm	Overall Length (OL) mm	Hub Diameter (HD) mm
		<i>inches</i>	<i>inches</i>				<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>
# P-40-046-060SF-ACE-NIL-08.000	46	6.0	8.000	Acetal	No Locking Device	SF_NL_2HW (Single Flange)	30.34	35.0	17.50	17.50
		<i>0.236</i>	<i>0.315</i>				<i>1.194</i>	<i>1.378</i>	<i>0.689</i>	<i>0.689</i>
# P-40-046-060SF-ACE-BIS-08.000	46	6.0	8.000	Acetal	Set Screw, Brass Insert	SF_GI_2HW (Single Flange)	30.34	35.0	17.50	17.50
		<i>0.236</i>	<i>0.315</i>				<i>1.194</i>	<i>1.378</i>	<i>0.689</i>	<i>0.689</i>
# P-40-046-060FF-ACE-BIS-08.000	46	6.0	8.000	Acetal	Set Screw, Brass Insert	FF_GI_HW (Double Flange)	30.34	35.0	17.50	17.50
		<i>0.236</i>	<i>0.315</i>				<i>1.194</i>	<i>1.378</i>	<i>0.689</i>	<i>0.689</i>
# P-40-046-060FF-ACE-NIL-08.000	46	6.0	8.000	Acetal	No Locking Device	FF_NL_HW (Double Flange)	30.34	35.0	17.50	17.50
		<i>0.236</i>	<i>0.315</i>				<i>1.194</i>	<i>1.378</i>	<i>0.689</i>	<i>0.689</i>
# P-40-046-063SF-ACE-BIS-04.763	46	6.4	4.763	Acetal	Set Screw	SF_GI_2HW (Single Flange)	30.34	34.8	17.46	17.46
		<i>0.252</i>	<i>0.188</i>				<i>1.194</i>	<i>1.370</i>	<i>0.687</i>	<i>0.687</i>
# P-40-046-063FF-ACE-BIS-04.763	46	6.4	4.763	Acetal	Set Screw	FF_GI_HW (Double Flange)	30.34	34.8	17.46	17.46
		<i>0.252</i>	<i>0.188</i>				<i>1.194</i>	<i>1.370</i>	<i>0.687</i>	<i>0.687</i>
# P-40-046-063SF-ACE-BIS-06.350	46	6.4	6.350	Acetal	Set Screw	SF_GI_2HW (Single Flange)	30.34	34.8	17.46	17.46
		<i>0.252</i>	<i>0.250</i>				<i>1.194</i>	<i>1.370</i>	<i>0.687</i>	<i>0.687</i>
# P-40-046-063SF-ACE-NIL-06.350	46	6.4	6.350	Acetal	No Locking Device	SF_NL_2HW (Single Flange)	30.34	34.8	17.46	17.46
		<i>0.252</i>	<i>0.250</i>				<i>1.194</i>	<i>1.370</i>	<i>0.687</i>	<i>0.687</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 2.073mm Pitch - 40DP

Part Number	Teeth (No.)	Suit Belt Width mm	Bore (d) mm	Material	Locking Type	Type (See Diagram)	Pitch Diameter (PD) mm	Flange Diameter (FD) mm	Overall Length (OL) mm	Hub Diameter (HD) mm
		<i>inches</i>	<i>inches</i>				<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>
# P-40-046-063FF-ACE-BIS-06.350	46	6.4	6.350	Acetal	Set Screw	FF_GI_HW (Double Flange)	30.34	34.8	17.46	17.46
		<i>0.252</i>	<i>0.250</i>				<i>1.194</i>	<i>1.370</i>	<i>0.687</i>	<i>0.687</i>
# P-40-046-063FF-ACE-NIL-06.350	46	6.4	6.350	Acetal	No Locking Device	FF_NL_HW (Double Flange)	30.34	34.8	17.46	17.46
		<i>0.252</i>	<i>0.250</i>				<i>1.194</i>	<i>1.370</i>	<i>0.687</i>	<i>0.687</i>
# P-40-046-063SF-ACE-BIS-07.938	46	6.4	7.938	Acetal	Set Screw	SF_GI_2HW (Single Flange)	30.34	34.8	17.46	17.46
		<i>0.252</i>	<i>0.313</i>				<i>1.194</i>	<i>1.370</i>	<i>0.687</i>	<i>0.687</i>
# P-40-046-063FF-ACE-BIS-07.938	46	6.4	7.938	Acetal	Set Screw	FF_GI_HW (Double Flange)	30.34	34.8	17.46	17.46
		<i>0.252</i>	<i>0.313</i>				<i>1.194</i>	<i>1.370</i>	<i>0.687</i>	<i>0.687</i>
# P-40-048-047FF-ALA-SET-06.350	48	4.8	6.350	Aluminium, Clear Anodised	Set Screw	FF_G_H (Double Flange)	31.66	36.1	19.84	23.70
		<i>0.189</i>	<i>0.250</i>				<i>1.246</i>	<i>1.421</i>	<i>0.781</i>	<i>0.933</i>
# P-40-048-047FF-ALA-SET-07.938	48	4.8	7.938	Aluminium, Clear Anodised	Set Screw	FF_G_H (Double Flange)	31.66	36.1	19.84	23.70
		<i>0.189</i>	<i>0.313</i>				<i>1.246</i>	<i>1.421</i>	<i>0.781</i>	<i>0.933</i>
# P-40-048-060SF-ACE-BIS-05.000	48	6.0	5.000	Acetal	Set Screw, Brass Insert	SF_GI_2HW (Single Flange)	31.66	36.0	17.50	17.50
		<i>0.236</i>	<i>0.197</i>				<i>1.246</i>	<i>1.417</i>	<i>0.689</i>	<i>0.689</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 2.073mm Pitch - 40DP

Part Number	Teeth (No.)	Suit Belt Width mm	Bore (d) mm	Material	Locking Type	Type (See Diagram)	Pitch Diameter (PD) mm	Flange Diameter (FD) mm	Overall Length (OL) mm	Hub Diameter (HD) mm
		<i>inches</i>	<i>inches</i>				<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>
# P-40-048-060FF-ACE-BIS-05.000	48	6.0	5.000	Acetal	Set Screw, Brass Insert	FF_GI_HW (Double Flange)	31.66	36.0	17.50	17.50
		<i>0.236</i>	<i>0.197</i>				<i>1.246</i>	<i>1.417</i>	<i>0.689</i>	<i>0.689</i>
# P-40-048-060FF-ACE-BIS-06.000	48	6.0	6.000	Acetal	Set Screw, Brass Insert	FF_GI_HW (Double Flange)	31.66	36.0	17.50	17.50
		<i>0.236</i>	<i>0.236</i>				<i>1.246</i>	<i>1.417</i>	<i>0.689</i>	<i>0.689</i>
# P-40-048-060SF-ACE-BIS-06.000	48	6.0	6.000	Acetal	Set Screw, Brass Insert	SF_GI_2HW (Single Flange)	31.66	36.0	17.50	17.50
		<i>0.236</i>	<i>0.236</i>				<i>1.246</i>	<i>1.417</i>	<i>0.689</i>	<i>0.689</i>
# P-40-048-060SF-ACE-NIL-08.000	48	6.0	8.000	Acetal	No Locking Device	SF_NL_2HW (Single Flange)	31.66	36.0	17.50	17.50
		<i>0.236</i>	<i>0.315</i>				<i>1.246</i>	<i>1.417</i>	<i>0.689</i>	<i>0.689</i>
# P-40-048-060SF-ACE-BIS-08.000	48	6.0	8.000	Acetal	Set Screw, Brass Insert	SF_GI_2HW (Single Flange)	31.66	36.0	17.50	17.50
		<i>0.236</i>	<i>0.315</i>				<i>1.246</i>	<i>1.417</i>	<i>0.689</i>	<i>0.689</i>
# P-40-048-060FF-ACE-BIS-08.000	48	6.0	8.000	Acetal	Set Screw, Brass Insert	FF_GI_HW (Double Flange)	31.66	36.0	17.50	17.50
		<i>0.236</i>	<i>0.315</i>				<i>1.246</i>	<i>1.417</i>	<i>0.689</i>	<i>0.689</i>
# P-40-048-060FF-ACE-NIL-08.000	48	6.0	8.000	Acetal	No Locking Device	FF_NL_HW (Double Flange)	31.66	36.0	17.50	17.50
		<i>0.236</i>	<i>0.315</i>				<i>1.246</i>	<i>1.417</i>	<i>0.689</i>	<i>0.689</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 2.073mm Pitch - 40DP

Part Number	Teeth (No.)	Suit Belt Width mm	Bore (d) mm	Material	Locking Type	Type (See Diagram)	Pitch Diameter (PD) mm	Flange Diameter (FD) mm	Overall Length (OL) mm	Hub Diameter (HD) mm
		<i>inches</i>	<i>inches</i>				<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>
# P-40-048-063FF-ACE-BIS-04.763	48	6.4	4.763	Acetal	Set Screw	FF_GI_HW (Double Flange)	31.66	36.1	17.46	17.46
		<i>0.252</i>	<i>0.188</i>				<i>1.246</i>	<i>1.421</i>	<i>0.687</i>	<i>0.687</i>
# P-40-048-063SF-ACE-BIS-04.763	48	6.4	4.763	Acetal	Set Screw	SF_GI_2HW (Single Flange)	31.66	36.1	17.46	17.46
		<i>0.252</i>	<i>0.188</i>				<i>1.246</i>	<i>1.421</i>	<i>0.687</i>	<i>0.687</i>
# P-40-048-063FF-ACE-NIL-06.350	48	6.4	6.350	Acetal	No Locking Device	FF_NL_HW (Double Flange)	31.66	36.1	17.46	17.46
		<i>0.252</i>	<i>0.250</i>				<i>1.246</i>	<i>1.421</i>	<i>0.687</i>	<i>0.687</i>
# P-40-048-063FF-ACE-BIS-06.350	48	6.4	6.350	Acetal	Set Screw	FF_GI_HW (Double Flange)	31.66	36.1	17.46	17.46
		<i>0.252</i>	<i>0.250</i>				<i>1.246</i>	<i>1.421</i>	<i>0.687</i>	<i>0.687</i>
# P-40-048-063SF-ACE-BIS-06.350	48	6.4	6.350	Acetal	Set Screw	SF_GI_2HW (Single Flange)	31.66	36.1	17.46	17.46
		<i>0.252</i>	<i>0.250</i>				<i>1.246</i>	<i>1.421</i>	<i>0.687</i>	<i>0.687</i>
# P-40-048-063SF-ACE-NIL-06.350	48	6.4	6.350	Acetal	No Locking Device	SF_NL_2HW (Single Flange)	31.66	36.1	17.46	17.46
		<i>0.252</i>	<i>0.250</i>				<i>1.246</i>	<i>1.421</i>	<i>0.687</i>	<i>0.687</i>
# P-40-048-063SF-ACE-BIS-07.938	48	6.4	7.938	Acetal	Set Screw	SF_GI_2HW (Single Flange)	31.66	36.1	17.46	17.46
		<i>0.252</i>	<i>0.313</i>				<i>1.246</i>	<i>1.421</i>	<i>0.687</i>	<i>0.687</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 2.073mm Pitch - 40DP

Part Number	Teeth (No.)	Suit Belt Width mm	Bore (d) mm	Material	Locking Type	Type (See Diagram)	Pitch Diameter (PD) mm	Flange Diameter (FD) mm	Overall Length (OL) mm	Hub Diameter (HD) mm
		<i>inches</i>	<i>inches</i>				<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>
# P-40-048-063FF-ACE-BIS-07.938	48	6.4	7.938	Acetal	Set Screw	FF_GI_HW (Double Flange)	31.66	36.1	17.46	17.46
		<i>0.252</i>	<i>0.313</i>				<i>1.246</i>	<i>1.421</i>	<i>0.687</i>	<i>0.687</i>
# P-40-048-079FF-ALA-SET-06.350	48	7.9	6.350	Aluminium, Clear Anodised	Set Screw	FF_G_H (Double Flange)	31.66	36.1	19.84	23.70
		<i>0.311</i>	<i>0.250</i>				<i>1.246</i>	<i>1.421</i>	<i>0.781</i>	<i>0.933</i>
# P-40-048-079FF-ALA-SET-07.938	48	7.9	7.938	Aluminium, Clear Anodised	Set Screw	FF_G_H (Double Flange)	31.66	36.1	19.84	23.70
		<i>0.311</i>	<i>0.313</i>				<i>1.246</i>	<i>1.421</i>	<i>0.781</i>	<i>0.933</i>
# P-40-050-047P-ALA-SET-03.366	50	4.8	3.366	Aluminium, Clear Anodised	Set Screw	P_G_H (Unflanged)	32.98		19.05	23.52
		<i>0.189</i>	<i>0.133</i>				<i>1.298</i>		<i>0.750</i>	<i>0.926</i>
# P-40-050-047FF-ALA-SET-06.350	50	4.8	6.350	Aluminium, Clear Anodised	Set Screw	FF_G_H (Double Flange)	32.98	37.3	19.84	25.10
		<i>0.189</i>	<i>0.250</i>				<i>1.298</i>	<i>1.469</i>	<i>0.781</i>	<i>0.988</i>
# P-40-050-047P-ALA-SET-06.350	50	4.8	6.350	Aluminium, Clear Anodised	Set Screw	P_G_H (Unflanged)	32.98		19.05	23.52
		<i>0.189</i>	<i>0.250</i>				<i>1.298</i>		<i>0.750</i>	<i>0.926</i>
# P-40-050-047FF-ALA-SET-07.938	50	4.8	7.938	Aluminium, Clear Anodised	Set Screw	FF_G_H (Double Flange)	32.98	37.3	19.84	25.10
		<i>0.189</i>	<i>0.313</i>				<i>1.298</i>	<i>1.469</i>	<i>0.781</i>	<i>0.988</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 2.073mm Pitch - 40DP

Part Number	Teeth (No.)	Suit Belt Width mm	Bore (d) mm	Material	Locking Type	Type (See Diagram)	Pitch Diameter (PD) mm	Flange Diameter (FD) mm	Overall Length (OL) mm	Hub Diameter (HD) mm
		<i>inches</i>	<i>inches</i>				<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>
# P-40-050-060FF-ACE-BIS-05.000	50	6.0	5.000	Acetal	Set Screw, Brass Insert	FF_GI_HW (Double Flange)	32.98	37.0	17.50	17.50
		<i>0.236</i>	<i>0.197</i>				<i>1.298</i>	<i>1.457</i>	<i>0.689</i>	<i>0.689</i>
# P-40-050-060SF-ACE-BIS-05.000	50	6.0	5.000	Acetal	Set Screw, Brass Insert	SF_GI_2HW (Single Flange)	32.98	37.0	17.50	17.50
		<i>0.236</i>	<i>0.197</i>				<i>1.298</i>	<i>1.457</i>	<i>0.689</i>	<i>0.689</i>
# P-40-050-060SF-ACE-BIS-06.000	50	6.0	6.000	Acetal	Set Screw, Brass Insert	SF_GI_2HW (Single Flange)	32.98	37.0	17.50	17.50
		<i>0.236</i>	<i>0.236</i>				<i>1.298</i>	<i>1.457</i>	<i>0.689</i>	<i>0.689</i>
# P-40-050-060FF-ACE-BIS-06.000	50	6.0	6.000	Acetal	Set Screw, Brass Insert	FF_GI_HW (Double Flange)	32.98	37.0	17.50	17.50
		<i>0.236</i>	<i>0.236</i>				<i>1.298</i>	<i>1.457</i>	<i>0.689</i>	<i>0.689</i>
# P-40-050-060FF-ACE-NIL-08.000	50	6.0	8.000	Acetal	No Locking Device	FF_NL_HW (Double Flange)	32.98	37.0	17.50	17.50
		<i>0.236</i>	<i>0.315</i>				<i>1.298</i>	<i>1.457</i>	<i>0.689</i>	<i>0.689</i>
# P-40-050-060SF-ACE-BIS-08.000	50	6.0	8.000	Acetal	Set Screw, Brass Insert	SF_GI_2HW (Single Flange)	32.98	37.0	17.50	17.50
		<i>0.236</i>	<i>0.315</i>				<i>1.298</i>	<i>1.457</i>	<i>0.689</i>	<i>0.689</i>
# P-40-050-060SF-ACE-NIL-08.000	50	6.0	8.000	Acetal	No Locking Device	SF_NL_2HW (Single Flange)	32.98	37.0	17.50	17.50
		<i>0.236</i>	<i>0.315</i>				<i>1.298</i>	<i>1.457</i>	<i>0.689</i>	<i>0.689</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 2.073mm Pitch - 40DP

Part Number	Teeth (No.)	Suit Belt Width mm	Bore (d) mm	Material	Locking Type	Type (See Diagram)	Pitch Diameter (PD) mm	Flange Diameter (FD) mm	Overall Length (OL) mm	Hub Diameter (HD) mm
		<i>inches</i>	<i>inches</i>				<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>
# P-40-050-060FF-ACE-BIS-08.000	50	6.0	8.000	Acetal	Set Screw, Brass Insert	FF_GI_HW (Double Flange)	32.98	37.0	17.50	17.50
		<i>0.236</i>	<i>0.315</i>				<i>1.298</i>	<i>1.457</i>	<i>0.689</i>	<i>0.689</i>
# P-40-050-063SF-ACE-BIS-04.763	50	6.4	4.763	Acetal	Set Screw	SF_GI_2HW (Single Flange)	32.98	37.3	17.46	17.46
		<i>0.252</i>	<i>0.188</i>				<i>1.298</i>	<i>1.469</i>	<i>0.687</i>	<i>0.687</i>
# P-40-050-063FF-ACE-BIS-04.763	50	6.4	4.763	Acetal	Set Screw	FF_GI_HW (Double Flange)	32.98	37.3	17.46	17.46
		<i>0.252</i>	<i>0.188</i>				<i>1.298</i>	<i>1.469</i>	<i>0.687</i>	<i>0.687</i>
# P-40-050-063FF-ACE-BIS-06.350	50	6.4	6.350	Acetal	Set Screw	FF_GI_HW (Double Flange)	32.98	37.3	17.46	17.46
		<i>0.252</i>	<i>0.250</i>				<i>1.298</i>	<i>1.469</i>	<i>0.687</i>	<i>0.687</i>
# P-40-050-063SF-ACE-NIL-06.350	50	6.4	6.350	Acetal	No Locking Device	SF_NL_2HW (Single Flange)	32.98	37.3	17.46	17.46
		<i>0.252</i>	<i>0.250</i>				<i>1.298</i>	<i>1.469</i>	<i>0.687</i>	<i>0.687</i>
# P-40-050-063SF-ACE-BIS-06.350	50	6.4	6.350	Acetal	Set Screw	SF_GI_2HW (Single Flange)	32.98	37.3	17.46	17.46
		<i>0.252</i>	<i>0.250</i>				<i>1.298</i>	<i>1.469</i>	<i>0.687</i>	<i>0.687</i>
# P-40-050-063FF-ACE-NIL-06.350	50	6.4	6.350	Acetal	No Locking Device	FF_NL_HW (Double Flange)	32.98	37.3	17.46	17.46
		<i>0.252</i>	<i>0.250</i>				<i>1.298</i>	<i>1.469</i>	<i>0.687</i>	<i>0.687</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 2.073mm Pitch - 40DP

Part Number	Teeth (No.)	Suit Belt Width mm	Bore (d) mm	Material	Locking Type	Type (See Diagram)	Pitch Diameter (PD) mm	Flange Diameter (FD) mm	Overall Length (OL) mm	Hub Diameter (HD) mm
		<i>inches</i>	<i>inches</i>				<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>
# P-40-050-063SF-ACE-BIS-07.938	50	6.4	7.938	Acetal	Set Screw	SF_GI_2HW (Single Flange)	32.98	37.3	17.46	17.46
		<i>0.252</i>	<i>0.313</i>				<i>1.298</i>	<i>1.469</i>	<i>0.687</i>	<i>0.687</i>
# P-40-050-063FF-ACE-BIS-07.938	50	6.4	7.938	Acetal	Set Screw	FF_GI_HW (Double Flange)	32.98	37.3	17.46	17.46
		<i>0.252</i>	<i>0.313</i>				<i>1.298</i>	<i>1.469</i>	<i>0.687</i>	<i>0.687</i>
# P-40-050-079FF-ALA-SET-06.350	50	7.9	6.350	Aluminium, Clear Anodised	Set Screw	FF_G_H (Double Flange)	32.98	37.3	19.84	25.10
		<i>0.311</i>	<i>0.250</i>				<i>1.298</i>	<i>1.469</i>	<i>0.781</i>	<i>0.988</i>
# P-40-050-079P-ALA-SET-06.350	50	7.9	6.350	Aluminium, Clear Anodised	Set Screw	P_G_H (Unflanged)	32.98		22.23	23.52
		<i>0.311</i>	<i>0.250</i>				<i>1.298</i>		<i>0.875</i>	<i>0.926</i>
# P-40-050-079FF-ALA-SET-07.938	50	7.9	7.938	Aluminium, Clear Anodised	Set Screw	FF_G_H (Double Flange)	32.98	37.3	19.84	22.35
		<i>0.311</i>	<i>0.313</i>				<i>1.298</i>	<i>1.469</i>	<i>0.781</i>	<i>0.880</i>
# P-40-050-079P-ALA-SET-07.938	50	7.9	7.938	Aluminium, Clear Anodised	Set Screw	P_G_H (Unflanged)	32.98		22.23	23.52
		<i>0.311</i>	<i>0.313</i>				<i>1.298</i>		<i>0.875</i>	<i>0.926</i>
# P-40-051-060FF-ACE-BIS-06.000	51	6.0	6.000	Acetal	Set Screw, Brass Insert	FF_GI_HW (Double Flange)	33.64	38.0	17.50	17.50
		<i>0.236</i>	<i>0.236</i>				<i>1.324</i>	<i>1.496</i>	<i>0.689</i>	<i>0.689</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 2.073mm Pitch - 40DP

Part Number	Teeth (No.)	Suit Belt Width mm	Bore (d) mm	Material	Locking Type	Type (See Diagram)	Pitch Diameter (PD) mm	Flange Diameter (FD) mm	Overall Length (OL) mm	Hub Diameter (HD) mm
		<i>inches</i>	<i>inches</i>				<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>
# P-40-051-060SF-ACE-BIS-06.000	51	6.0	6.000	Acetal	Set Screw, Brass Insert	SF_GI_2HW (Single Flange)	33.64	38.0	17.50	17.50
		<i>0.236</i>	<i>0.236</i>				<i>1.324</i>	<i>1.496</i>	<i>0.689</i>	<i>0.689</i>
# P-40-051-060SF-ACE-NIL-08.000	51	6.0	8.000	Acetal	No Locking Device	SF_NL_2HW (Single Flange)	33.64	38.0	17.50	17.50
		<i>0.236</i>	<i>0.315</i>				<i>1.324</i>	<i>1.496</i>	<i>0.689</i>	<i>0.689</i>
# P-40-051-060SF-ACE-BIS-08.000	51	6.0	8.000	Acetal	Set Screw, Brass Insert	SF_GI_2HW (Single Flange)	33.64	38.0	17.50	17.50
		<i>0.236</i>	<i>0.315</i>				<i>1.324</i>	<i>1.496</i>	<i>0.689</i>	<i>0.689</i>
# P-40-051-060FF-ACE-BIS-08.000	51	6.0	8.000	Acetal	Set Screw, Brass Insert	FF_GI_HW (Double Flange)	33.64	38.0	17.50	17.50
		<i>0.236</i>	<i>0.315</i>				<i>1.324</i>	<i>1.496</i>	<i>0.689</i>	<i>0.689</i>
# P-40-051-060FF-ACE-NIL-08.000	51	6.0	8.000	Acetal	No Locking Device	FF_NL_HW (Double Flange)	33.64	38.0	17.50	17.50
		<i>0.236</i>	<i>0.315</i>				<i>1.324</i>	<i>1.496</i>	<i>0.689</i>	<i>0.689</i>
# P-40-051-063SF-ACE-BIS-03.373	51	6.4	3.373	Acetal	Set Screw	SF_GI_2HW (Single Flange)	33.64	37.8	17.46	17.46
		<i>0.252</i>	<i>0.133</i>				<i>1.324</i>	<i>1.488</i>	<i>0.687</i>	<i>0.687</i>
# P-40-051-063SF-ACE-NIL-06.350	51	6.4	6.350	Acetal	No Locking Device	SF_NL_2HW (Single Flange)	33.64	37.8	17.46	17.46
		<i>0.252</i>	<i>0.250</i>				<i>1.324</i>	<i>1.488</i>	<i>0.687</i>	<i>0.687</i>
# P-40-051-063SF-ACE-BIS-06.350	51	6.4	6.350	Acetal	Set Screw	SF_GI_2HW (Single Flange)	33.64	37.8	17.46	17.46
		<i>0.252</i>	<i>0.250</i>				<i>1.324</i>	<i>1.488</i>	<i>0.687</i>	<i>0.687</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 2.073mm Pitch - 40DP

Part Number	Teeth (No.)	Suit Belt Width mm	Bore (d) mm	Material	Locking Type	Type (See Diagram)	Pitch Diameter (PD) mm	Flange Diameter (FD) mm	Overall Length (OL) mm	Hub Diameter (HD) mm
		<i>inches</i>	<i>inches</i>				<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>
# P-40-051-063FF-ACE-BIS-06.350	51	6.4	6.350	Acetal	Set Screw	FF_GI_HW (Double Flange)	33.64	37.8	17.46	17.46
		<i>0.252</i>	<i>0.250</i>				<i>1.324</i>	<i>1.488</i>	<i>0.687</i>	<i>0.687</i>
# P-40-051-063FF-ACE-NIL-06.350	51	6.4	6.350	Acetal	No Locking Device	FF_NL_HW (Double Flange)	33.64	37.8	17.46	17.46
		<i>0.252</i>	<i>0.250</i>				<i>1.324</i>	<i>1.488</i>	<i>0.687</i>	<i>0.687</i>
# P-40-051-063FF-ACE-BIS-07.938	51	6.4	7.938	Acetal	Set Screw	FF_GI_HW (Double Flange)	33.64	37.8	17.46	17.46
		<i>0.252</i>	<i>0.313</i>				<i>1.324</i>	<i>1.488</i>	<i>0.687</i>	<i>0.687</i>
# P-40-054-047FF-ALA-SET-06.350	54	4.8	6.350	Aluminium, Clear Anodised	Set Screw	FF_G_H (Double Flange)	35.62	40.0	19.84	27.08
		<i>0.189</i>	<i>0.250</i>				<i>1.402</i>	<i>1.575</i>	<i>0.781</i>	<i>1.066</i>
# P-40-054-047FF-ALA-SET-07.938	54	4.8	7.938	Aluminium, Clear Anodised	Set Screw	FF_G_H (Double Flange)	35.62	40.0	19.84	27.08
		<i>0.189</i>	<i>0.313</i>				<i>1.402</i>	<i>1.575</i>	<i>0.781</i>	<i>1.066</i>
# P-40-054-060SF-ACE-BIS-06.000	54	6.0	6.000	Acetal	Set Screw, Brass Insert	SF_GI_2HW (Single Flange)	35.62	40.0	17.50	17.50
		<i>0.236</i>	<i>0.236</i>				<i>1.402</i>	<i>1.575</i>	<i>0.689</i>	<i>0.689</i>
# P-40-054-060FF-ACE-BIS-06.000	54	6.0	6.000	Acetal	Set Screw, Brass Insert	FF_GI_HW (Double Flange)	35.62	40.0	17.50	17.50
		<i>0.236</i>	<i>0.236</i>				<i>1.402</i>	<i>1.575</i>	<i>0.689</i>	<i>0.689</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 2.073mm Pitch - 40DP

Part Number	Teeth (No.)	Suit Belt Width mm	Bore (d) mm	Material	Locking Type	Type (See Diagram)	Pitch Diameter (PD) mm	Flange Diameter (FD) mm	Overall Length (OL) mm	Hub Diameter (HD) mm
		<i>inches</i>	<i>inches</i>				<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>
# P-40-054-060SF-ACE-BIS-08.000	54	6.0	8.000	Acetal	Set Screw, Brass Insert	SF_GI_2HW (Single Flange)	35.62	40.0	17.50	17.50
		<i>0.236</i>	<i>0.315</i>				<i>1.402</i>	<i>1.575</i>	<i>0.689</i>	<i>0.689</i>
# P-40-054-060FF-ACE-NIL-08.000	54	6.0	8.000	Acetal	No Locking Device	FF_NL_HW (Double Flange)	35.62	40.0	17.50	17.50
		<i>0.236</i>	<i>0.315</i>				<i>1.402</i>	<i>1.575</i>	<i>0.689</i>	<i>0.689</i>
# P-40-054-060FF-ACE-BIS-08.000	54	6.0	8.000	Acetal	Set Screw, Brass Insert	FF_GI_HW (Double Flange)	35.62	40.0	17.50	17.50
		<i>0.236</i>	<i>0.315</i>				<i>1.402</i>	<i>1.575</i>	<i>0.689</i>	<i>0.689</i>
# P-40-054-060SF-ACE-NIL-08.000	54	6.0	8.000	Acetal	No Locking Device	SF_NL_2HW (Single Flange)	35.62	40.0	17.50	17.50
		<i>0.236</i>	<i>0.315</i>				<i>1.402</i>	<i>1.575</i>	<i>0.689</i>	<i>0.689</i>
# P-40-054-063SF-ACE-BIS-03.366	54	6.4	3.366	Acetal	Set Screw	SF_GI_2HW (Single Flange)	35.62	39.9	17.46	17.46
		<i>0.252</i>	<i>0.133</i>				<i>1.402</i>	<i>1.571</i>	<i>0.687</i>	<i>0.687</i>
# P-40-054-063FF-ACE-BIS-06.350	54	6.4	6.350	Acetal	Set Screw	FF_GI_HW (Double Flange)	35.62	39.9	17.46	17.46
		<i>0.252</i>	<i>0.250</i>				<i>1.402</i>	<i>1.571</i>	<i>0.687</i>	<i>0.687</i>
# P-40-054-063FF-ACE-NIL-06.350	54	6.4	6.350	Acetal	No Locking Device	FF_NL_HW (Double Flange)	35.62	39.9	17.46	17.46
		<i>0.252</i>	<i>0.250</i>				<i>1.402</i>	<i>1.571</i>	<i>0.687</i>	<i>0.687</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 2.073mm Pitch - 40DP

Part Number	Teeth (No.)	Suit Belt Width mm	Bore (d) mm	Material	Locking Type	Type (See Diagram)	Pitch Diameter (PD) mm	Flange Diameter (FD) mm	Overall Length (OL) mm	Hub Diameter (HD) mm
		<i>inches</i>	<i>inches</i>				<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>
# P-40-054-063SF-ACE-BIS-06.350	54	6.4	6.350	Acetal	Set Screw	SF_GI_2HW (Single Flange)	35.62	39.9	17.46	17.46
		<i>0.252</i>	<i>0.250</i>				<i>1.402</i>	<i>1.571</i>	<i>0.687</i>	<i>0.687</i>
# P-40-054-063SF-ACE-NIL-06.350	54	6.4	6.350	Acetal	No Locking Device	SF_NL_2HW (Single Flange)	35.62	39.9	17.46	17.46
		<i>0.252</i>	<i>0.250</i>				<i>1.402</i>	<i>1.571</i>	<i>0.687</i>	<i>0.687</i>
# P-40-054-063FF-ACE-BIS-07.938	54	6.4	7.938	Acetal	Set Screw	FF_GI_HW (Double Flange)	35.62	39.9	17.46	17.46
		<i>0.252</i>	<i>0.313</i>				<i>1.402</i>	<i>1.571</i>	<i>0.687</i>	<i>0.687</i>
# P-40-054-079FF-ALA-SET-06.350	54	7.9	6.350	Aluminium, Clear Anodised	Set Screw	FF_G_H (Double Flange)	35.62	40.0	19.84	27.08
		<i>0.311</i>	<i>0.250</i>				<i>1.402</i>	<i>1.575</i>	<i>0.781</i>	<i>1.066</i>
# P-40-054-079FF-ALA-SET-07.938	54	7.9	7.938	Aluminium, Clear Anodised	Set Screw	FF_G_H (Double Flange)	35.62	40.0	19.84	27.08
		<i>0.311</i>	<i>0.313</i>				<i>1.402</i>	<i>1.575</i>	<i>0.781</i>	<i>1.066</i>
# P-40-060-047FF-ALA-SET-06.350	60	4.8	6.350	Aluminium, Clear Anodised	Set Screw	FF_G_H (Double Flange)	39.58	43.9	19.84	31.04
		<i>0.189</i>	<i>0.250</i>				<i>1.558</i>	<i>1.728</i>	<i>0.781</i>	<i>1.222</i>
# P-40-060-047P-ALA-SET-06.350	60	4.8	6.350	Aluminium, Clear Anodised	Set Screw	P_G_H (Unflanged)	39.58		19.05	30.12
		<i>0.189</i>	<i>0.250</i>				<i>1.558</i>		<i>0.750</i>	<i>1.186</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 2.073mm Pitch - 40DP

Part Number	Teeth (No.)	Suit Belt Width mm	Bore (d) mm	Material	Locking Type	Type (See Diagram)	Pitch Diameter (PD) mm	Flange Diameter (FD) mm	Overall Length (OL) mm	Hub Diameter (HD) mm
		<i>inches</i>	<i>inches</i>				<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>
# P-40-060-047FF-ALA-SET-07.938	60	4.8	7.938	Aluminium, Clear Anodised	Set Screw	FF_G_H (Double Flange)	39.58	43.9	19.84	31.04
		<i>0.189</i>	<i>0.313</i>				<i>1.558</i>	<i>1.728</i>	<i>0.781</i>	<i>1.222</i>
# P-40-060-047P-ALA-SET-07.938	60	4.8	7.938	Aluminium, Clear Anodised	Set Screw	P_G_H (Unflanged)	39.58		19.05	30.12
		<i>0.189</i>	<i>0.313</i>				<i>1.558</i>		<i>0.750</i>	<i>1.186</i>
# P-40-060-060SF-ACE-BIS-06.000	60	6.0	6.000	Acetal	Set Screw, Brass Insert	SF_GI_2HW (Single Flange)	39.58	44.0	17.50	17.50
		<i>0.236</i>	<i>0.236</i>				<i>1.558</i>	<i>1.732</i>	<i>0.689</i>	<i>0.689</i>
# P-40-060-060FF-ACE-BIS-06.000	60	6.0	6.000	Acetal	Set Screw, Brass Insert	FF_GI_HW (Double Flange)	39.58	44.0	17.50	17.50
		<i>0.236</i>	<i>0.236</i>				<i>1.558</i>	<i>1.732</i>	<i>0.689</i>	<i>0.689</i>
# P-40-060-060SF-ACE-BIS-08.000	60	6.0	8.000	Acetal	Set Screw, Brass Insert	SF_GI_2HW (Single Flange)	39.58	44.0	17.50	17.50
		<i>0.236</i>	<i>0.315</i>				<i>1.558</i>	<i>1.732</i>	<i>0.689</i>	<i>0.689</i>
# P-40-060-060FF-ACE-NIL-08.000	60	6.0	8.000	Acetal	No Locking Device	FF_NL_HW (Double Flange)	39.58	44.0	17.50	17.50
		<i>0.236</i>	<i>0.315</i>				<i>1.558</i>	<i>1.732</i>	<i>0.689</i>	<i>0.689</i>
# P-40-060-060FF-ACE-BIS-08.000	60	6.0	8.000	Acetal	Set Screw, Brass Insert	FF_GI_HW (Double Flange)	39.58	44.0	17.50	17.50
		<i>0.236</i>	<i>0.315</i>				<i>1.558</i>	<i>1.732</i>	<i>0.689</i>	<i>0.689</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 2.073mm Pitch - 40DP

Part Number	Teeth (No.)	Suit Belt Width mm	Bore (d) mm	Material	Locking Type	Type (See Diagram)	Pitch Diameter (PD) mm	Flange Diameter (FD) mm	Overall Length (OL) mm	Hub Diameter (HD) mm
		<i>inches</i>	<i>inches</i>				<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>
# P-40-060-060SF-ACE-NIL-08.000	60	6.0	8.000	Acetal	No Locking Device	SF_NL_2HW (Single Flange)	39.58	44.0	17.50	17.50
		<i>0.236</i>	<i>0.315</i>				<i>1.558</i>	<i>1.732</i>	<i>0.689</i>	<i>0.689</i>
# P-40-060-063FF-ACE-BIS-06.350	60	6.4	6.350	Acetal	Set Screw	FF_GI_HW (Double Flange)	39.58	43.7	17.46	17.46
		<i>0.252</i>	<i>0.250</i>				<i>1.558</i>	<i>1.720</i>	<i>0.687</i>	<i>0.687</i>
# P-40-060-063FF-ACE-NIL-06.350	60	6.4	6.350	Acetal	No Locking Device	FF_NL_HW (Double Flange)	39.58	43.7	17.46	17.46
		<i>0.252</i>	<i>0.250</i>				<i>1.558</i>	<i>1.720</i>	<i>0.687</i>	<i>0.687</i>
# P-40-060-063SF-ACE-BIS-06.350	60	6.4	6.350	Acetal	Set Screw	SF_GI_2HW (Single Flange)	39.58	43.7	17.46	17.46
		<i>0.252</i>	<i>0.250</i>				<i>1.558</i>	<i>1.720</i>	<i>0.687</i>	<i>0.687</i>
# P-40-060-063SF-ACE-NIL-06.350	60	6.4	6.350	Acetal	No Locking Device	SF_NL_2HW (Single Flange)	39.58	43.7	17.46	17.46
		<i>0.252</i>	<i>0.250</i>				<i>1.558</i>	<i>1.720</i>	<i>0.687</i>	<i>0.687</i>
# P-40-060-063FF-ACE-BIS-07.938	60	6.4	7.938	Acetal	Set Screw	FF_GI_HW (Double Flange)	39.58	43.7	17.46	17.46
		<i>0.252</i>	<i>0.313</i>				<i>1.558</i>	<i>1.720</i>	<i>0.687</i>	<i>0.687</i>
# P-40-060-063SF-ACE-BIS-07.938	60	6.4	7.938	Acetal	Set Screw	SF_GI_2HW (Single Flange)	39.58	43.7	17.46	17.46
		<i>0.252</i>	<i>0.313</i>				<i>1.558</i>	<i>1.720</i>	<i>0.687</i>	<i>0.687</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 2.073mm Pitch - 40DP

Part Number	Teeth (No.)	Suit Belt Width mm	Bore (d) mm	Material	Locking Type	Type (See Diagram)	Pitch Diameter (PD) mm	Flange Diameter (FD) mm	Overall Length (OL) mm	Hub Diameter (HD) mm
		<i>inches</i>	<i>inches</i>				<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>
# P-40-060-079FF-ALA-SET-06.350	60	7.9	6.350	Aluminium, Clear Anodised	Set Screw	FF_G_H (Double Flange)	39.58	43.9	19.84	31.04
		<i>0.311</i>	<i>0.250</i>				<i>1.558</i>	<i>1.728</i>	<i>0.781</i>	<i>1.222</i>
# P-40-060-079P-ALA-SET-06.350	60	7.9	6.350	Aluminium, Clear Anodised	Set Screw	P_G_H (Unflanged)	39.58		22.23	30.12
		<i>0.311</i>	<i>0.250</i>				<i>1.558</i>		<i>0.875</i>	<i>1.186</i>
# P-40-060-079FF-ALA-SET-07.938	60	7.9	7.938	Aluminium, Clear Anodised	Set Screw	FF_G_H (Double Flange)	39.58	43.9	19.84	31.04
		<i>0.311</i>	<i>0.313</i>				<i>1.558</i>	<i>1.728</i>	<i>0.781</i>	<i>1.222</i>
# P-40-060-079P-ALA-SET-07.938	60	7.9	7.938	Aluminium, Clear Anodised	Set Screw	P_G_H (Unflanged)	39.58		22.23	30.12
		<i>0.311</i>	<i>0.313</i>				<i>1.558</i>		<i>0.875</i>	<i>1.186</i>
# P-40-070-047P-ALA-SET-06.350	70	4.8	6.350	Aluminium, Clear Anodised	Set Screw	P_G_H (Unflanged)	46.17		19.05	29.21
		<i>0.189</i>	<i>0.250</i>				<i>1.818</i>		<i>0.750</i>	<i>1.150</i>
# P-40-070-047P-ALA-SET-09.525	70	4.8	9.525	Aluminium, Clear Anodised	Set Screw	P_G_H (Unflanged)	46.17		19.05	29.21
		<i>0.189</i>	<i>0.375</i>				<i>1.818</i>		<i>0.750</i>	<i>1.150</i>
# P-40-070-060FF-ACE-BIS-06.000	70	6.0	6.000	Acetal	Set Screw, Brass Insert	FF_GI_HW (Double Flange)	46.17	51.0	17.50	17.50
		<i>0.236</i>	<i>0.236</i>				<i>1.818</i>	<i>2.008</i>	<i>0.689</i>	<i>0.689</i>
# P-40-070-060SF-ACE-BIS-06.000	70	6.0	6.000	Acetal	Set Screw, Brass Insert	SF_GI_2HW (Single Flange)	46.17	51.0	17.50	17.50
		<i>0.236</i>	<i>0.236</i>				<i>1.818</i>	<i>2.008</i>	<i>0.689</i>	<i>0.689</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 2.073mm Pitch - 40DP

Part Number	Teeth (No.)	Suit Belt Width mm	Bore (d) mm	Material	Locking Type	Type (See Diagram)	Pitch Diameter (PD) mm	Flange Diameter (FD) mm	Overall Length (OL) mm	Hub Diameter (HD) mm
		<i>inches</i>	<i>inches</i>				<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>
# P-40-070-060SF-ACE-BIS-08.000	70	6.0	8.000	Acetal	Set Screw, Brass Insert	SF_GI_2HW (Single Flange)	46.17	51.0	17.50	17.50
		<i>0.236</i>	<i>0.315</i>				<i>1.818</i>	<i>2.008</i>	<i>0.689</i>	<i>0.689</i>
# P-40-070-060SF-ACE-NIL-08.000	70	6.0	8.000	Acetal	No Locking Device	SF_NL_2HW (Single Flange)	46.17	51.0	17.50	17.50
		<i>0.236</i>	<i>0.315</i>				<i>1.818</i>	<i>2.008</i>	<i>0.689</i>	<i>0.689</i>
# P-40-070-060FF-ACE-NIL-08.000	70	6.0	8.000	Acetal	No Locking Device	FF_NL_HW (Double Flange)	46.17	51.0	17.50	17.50
		<i>0.236</i>	<i>0.315</i>				<i>1.818</i>	<i>2.008</i>	<i>0.689</i>	<i>0.689</i>
# P-40-070-060FF-ACE-BIS-08.000	70	6.0	8.000	Acetal	Set Screw, Brass Insert	FF_GI_HW (Double Flange)	46.17	51.0	17.50	17.50
		<i>0.236</i>	<i>0.315</i>				<i>1.818</i>	<i>2.008</i>	<i>0.689</i>	<i>0.689</i>
# P-40-070-063FF-ACE-NIL-06.350	70	6.4	6.350	Acetal	No Locking Device	FF_NL_HW (Double Flange)	46.17	50.5	17.46	17.46
		<i>0.252</i>	<i>0.250</i>				<i>1.818</i>	<i>1.988</i>	<i>0.687</i>	<i>0.687</i>
# P-40-070-063SF-ACE-BIS-06.350	70	6.4	6.350	Acetal	Set Screw	SF_GI_2HW (Single Flange)	46.17	50.5	17.46	17.46
		<i>0.252</i>	<i>0.250</i>				<i>1.818</i>	<i>1.988</i>	<i>0.687</i>	<i>0.687</i>
# P-40-070-063SF-ACE-NIL-06.350	70	6.4	6.350	Acetal	No Locking Device	SF_NL_2HW (Single Flange)	46.17	50.5	17.46	17.46
		<i>0.252</i>	<i>0.250</i>				<i>1.818</i>	<i>1.988</i>	<i>0.687</i>	<i>0.687</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 2.073mm Pitch - 40DP

Part Number	Teeth (No.)	Suit Belt Width mm	Bore (d) mm	Material	Locking Type	Type (See Diagram)	Pitch Diameter (PD) mm	Flange Diameter (FD) mm	Overall Length (OL) mm	Hub Diameter (HD) mm
		<i>inches</i>	<i>inches</i>				<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>
# P-40-070-063FF-ACE-BIS-06.350	70	6.4	6.350	Acetal	Set Screw	FF_GI_HW (Double Flange)	46.17	50.5	17.46	17.46
		<i>0.252</i>	<i>0.250</i>				<i>1.818</i>	<i>1.988</i>	<i>0.687</i>	<i>0.687</i>
# P-40-070-063FF-ACE-BIS-07.938	70	6.4	7.938	Acetal	Set Screw	FF_GI_HW (Double Flange)	46.17	50.5	17.46	17.46
		<i>0.252</i>	<i>0.313</i>				<i>1.818</i>	<i>1.988</i>	<i>0.687</i>	<i>0.687</i>
# P-40-070-063SF-ACE-BIS-07.938	70	6.4	7.938	Acetal	Set Screw	SF_GI_2HW (Single Flange)	46.17	50.5	17.46	17.46
		<i>0.252</i>	<i>0.313</i>				<i>1.818</i>	<i>1.988</i>	<i>0.687</i>	<i>0.687</i>
# P-40-070-079P-ALA-SET-06.350	70	7.9	6.350	Aluminium, Clear Anodised	Set Screw	P_G_H (Unflanged)	46.17		22.23	29.21
		<i>0.311</i>	<i>0.250</i>				<i>1.818</i>		<i>0.875</i>	<i>1.150</i>
# P-40-070-079P-ALA-SET-07.938	70	7.9	7.938	Aluminium, Clear Anodised	Set Screw	P_G_H (Unflanged)	46.17		22.23	29.21
		<i>0.311</i>	<i>0.313</i>				<i>1.818</i>		<i>0.875</i>	<i>1.150</i>
# P-40-072-047P-ALA-SET-06.350	72	4.8	6.350	Aluminium, Clear Anodised	Set Screw	P_G_H (Unflanged)	47.49		19.05	30.53
		<i>0.189</i>	<i>0.250</i>				<i>1.870</i>		<i>0.750</i>	<i>1.202</i>
# P-40-072-047P-ALA-SET-09.525	72	4.8	9.525	Aluminium, Clear Anodised	Set Screw	P_G_H (Unflanged)	47.49		19.05	30.53
		<i>0.189</i>	<i>0.375</i>				<i>1.870</i>		<i>0.750</i>	<i>1.202</i>
# P-40-072-060SF-ACE-BIS-06.000	72	6.0	6.000	Acetal	Set Screw, Brass Insert	SF_GI_2HW (Single Flange)	47.49	52.0	17.50	17.50
		<i>0.236</i>	<i>0.236</i>				<i>1.870</i>	<i>2.047</i>	<i>0.689</i>	<i>0.689</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 2.073mm Pitch - 40DP

Part Number	Teeth (No.)	Suit Belt Width mm	Bore (d) mm	Material	Locking Type	Type (See Diagram)	Pitch Diameter (PD) mm	Flange Diameter (FD) mm	Overall Length (OL) mm	Hub Diameter (HD) mm
		<i>inches</i>	<i>inches</i>				<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>
# P-40-072-060FF-ACE-BIS-06.000	72	6.0	6.000	Acetal	Set Screw, Brass Insert	FF_GI_HW (Double Flange)	47.49	52.0	17.50	17.50
		<i>0.236</i>	<i>0.236</i>				<i>1.870</i>	<i>2.047</i>	<i>0.689</i>	<i>0.689</i>
# P-40-072-060FF-ACE-BIS-08.000	72	6.0	8.000	Acetal	Set Screw, Brass Insert	FF_GI_HW (Double Flange)	47.49	52.0	17.50	17.50
		<i>0.236</i>	<i>0.315</i>				<i>1.870</i>	<i>2.047</i>	<i>0.689</i>	<i>0.689</i>
# P-40-072-060FF-ACE-NIL-08.000	72	6.0	8.000	Acetal	No Locking Device	FF_NL_HW (Double Flange)	47.49	52.0	17.50	17.50
		<i>0.236</i>	<i>0.315</i>				<i>1.870</i>	<i>2.047</i>	<i>0.689</i>	<i>0.689</i>
# P-40-072-060SF-ACE-BIS-08.000	72	6.0	8.000	Acetal	Set Screw, Brass Insert	SF_GI_2HW (Single Flange)	47.49	52.0	17.50	17.50
		<i>0.236</i>	<i>0.315</i>				<i>1.870</i>	<i>2.047</i>	<i>0.689</i>	<i>0.689</i>
# P-40-072-060SF-ACE-NIL-08.000	72	6.0	8.000	Acetal	No Locking Device	SF_NL_2HW (Single Flange)	47.49	52.0	17.50	17.50
		<i>0.236</i>	<i>0.315</i>				<i>1.870</i>	<i>2.047</i>	<i>0.689</i>	<i>0.689</i>
# P-40-072-063SF-ACE-BIS-06.350	72	6.4	6.350	Acetal	Set Screw	SF_GI_2HW (Single Flange)	47.49	51.6	17.46	17.46
		<i>0.252</i>	<i>0.250</i>				<i>1.870</i>	<i>2.031</i>	<i>0.687</i>	<i>0.687</i>
# P-40-072-063FF-ACE-BIS-06.350	72	6.4	6.350	Acetal	Set Screw	FF_GI_HW (Double Flange)	47.49	51.6	17.46	17.46
		<i>0.252</i>	<i>0.250</i>				<i>1.870</i>	<i>2.031</i>	<i>0.687</i>	<i>0.687</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 2.073mm Pitch - 40DP

Part Number	Teeth (No.)	Suit Belt Width mm	Bore (d) mm	Material	Locking Type	Type (See Diagram)	Pitch Diameter (PD) mm	Flange Diameter (FD) mm	Overall Length (OL) mm	Hub Diameter (HD) mm
		<i>inches</i>	<i>inches</i>				<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>
# P-40-072-063SF-ACE-NIL-07.938	72	6.4	7.938	Acetal	No Locking Device	SF_NL_2HW (Single Flange)	47.49	51.6	17.46	17.46
		<i>0.252</i>	<i>0.313</i>				<i>1.870</i>	<i>2.031</i>	<i>0.687</i>	<i>0.687</i>
# P-40-072-063FF-ACE-NIL-07.938	72	6.4	7.938	Acetal	No Locking Device	FF_NL_HW (Double Flange)	47.49	51.6	17.46	17.46
		<i>0.252</i>	<i>0.313</i>				<i>1.870</i>	<i>2.031</i>	<i>0.687</i>	<i>0.687</i>
# P-40-072-063FF-ACE-BIS-07.938	72	6.4	7.938	Acetal	Set Screw	FF_GI_HW (Double Flange)	47.49	51.6	17.46	17.46
		<i>0.252</i>	<i>0.313</i>				<i>1.870</i>	<i>2.031</i>	<i>0.687</i>	<i>0.687</i>
# P-40-072-063SF-ACE-BIS-07.938	72	6.4	7.938	Acetal	Set Screw	SF_GI_2HW (Single Flange)	47.49	51.6	17.46	17.46
		<i>0.252</i>	<i>0.313</i>				<i>1.870</i>	<i>2.031</i>	<i>0.687</i>	<i>0.687</i>
# P-40-072-079P-ALA-SET-06.350	72	7.9	6.350	Aluminium, Clear Anodised	Set Screw	P_G_H (Unflanged)	47.49		22.23	30.53
		<i>0.311</i>	<i>0.250</i>				<i>1.870</i>		<i>0.875</i>	<i>1.202</i>
# P-40-072-079P-ALA-SET-09.525	72	7.9	9.525	Aluminium, Clear Anodised	Set Screw	P_G_H (Unflanged)	47.49		22.23	30.53
		<i>0.311</i>	<i>0.375</i>				<i>1.870</i>		<i>0.875</i>	<i>1.202</i>
# P-40-075-047P-ALA-SET-06.350	75	4.8	6.350	Aluminium, Clear Anodised	Set Screw	P_G_H (Unflanged)	49.47		19.05	32.16
		<i>0.189</i>	<i>0.250</i>				<i>1.948</i>		<i>0.750</i>	<i>1.266</i>
# P-40-075-047P-ALA-SET-09.525	75	4.8	9.525	Aluminium, Clear Anodised	Set Screw	P_G_H (Unflanged)	49.47		19.05	32.16
		<i>0.189</i>	<i>0.375</i>				<i>1.948</i>		<i>0.750</i>	<i>1.266</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 2.073mm Pitch - 40DP

Part Number	Teeth (No.)	Suit Belt Width mm	Bore (d) mm	Material	Locking Type	Type (See Diagram)	Pitch Diameter (PD) mm	Flange Diameter (FD) mm	Overall Length (OL) mm	Hub Diameter (HD) mm
		<i>inches</i>	<i>inches</i>				<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>
# P-40-075-060SF-ACE-BIS-06.000	75	6.0	6.000	Acetal	Set Screw, Brass Insert	SF_GI_2HW (Single Flange)	49.47	54.0	17.50	17.50
		<i>0.236</i>	<i>0.236</i>				<i>1.948</i>	<i>2.126</i>	<i>0.689</i>	<i>0.689</i>
# P-40-075-060FF-ACE-BIS-06.000	75	6.0	6.000	Acetal	Set Screw, Brass Insert	FF_GI_HW (Double Flange)	49.47	54.0	17.50	17.50
		<i>0.236</i>	<i>0.236</i>				<i>1.948</i>	<i>2.126</i>	<i>0.689</i>	<i>0.689</i>
# P-40-075-060SF-ACE-BIS-08.000	75	6.0	8.000	Acetal	Set Screw, Brass Insert	SF_GI_2HW (Single Flange)	49.47	54.0	17.50	17.50
		<i>0.236</i>	<i>0.315</i>				<i>1.948</i>	<i>2.126</i>	<i>0.689</i>	<i>0.689</i>
# P-40-075-060SF-ACE-NIL-08.000	75	6.0	8.000	Acetal	No Locking Device	SF_NL_2HW (Single Flange)	49.47	54.0	17.50	17.50
		<i>0.236</i>	<i>0.315</i>				<i>1.948</i>	<i>2.126</i>	<i>0.689</i>	<i>0.689</i>
# P-40-075-060FF-ACE-NIL-08.000	75	6.0	8.000	Acetal	No Locking Device	FF_NL_HW (Double Flange)	49.47	54.0	17.50	17.50
		<i>0.236</i>	<i>0.315</i>				<i>1.948</i>	<i>2.126</i>	<i>0.689</i>	<i>0.689</i>
# P-40-075-060FF-ACE-BIS-08.000	75	6.0	8.000	Acetal	Set Screw, Brass Insert	FF_GI_HW (Double Flange)	49.47	54.0	17.50	17.50
		<i>0.236</i>	<i>0.315</i>				<i>1.948</i>	<i>2.126</i>	<i>0.689</i>	<i>0.689</i>
# P-40-075-063FF-ACE-BIS-06.350	75	6.4	6.350	Acetal	Set Screw	FF_GI_HW (Double Flange)	49.47	53.8	17.46	17.46
		<i>0.252</i>	<i>0.250</i>				<i>1.948</i>	<i>2.118</i>	<i>0.687</i>	<i>0.687</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 2.073mm Pitch - 40DP

Part Number	Teeth (No.)	Suit Belt Width mm	Bore (d) mm	Material	Locking Type	Type (See Diagram)	Pitch Diameter (PD) mm	Flange Diameter (FD) mm	Overall Length (OL) mm	Hub Diameter (HD) mm
		<i>inches</i>	<i>inches</i>				<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>
# P-40-075-063SF-ACE-BIS-06.350	75	6.4	6.350	Acetal	Set Screw	SF_GI_2HW (Single Flange)	49.47	53.8	17.46	17.46
		<i>0.252</i>	<i>0.250</i>				<i>1.948</i>	<i>2.118</i>	<i>0.687</i>	<i>0.687</i>
# P-40-075-063SF-ACE-NIL-07.938	75	6.4	7.938	Acetal	No Locking Device	SF_NL_2HW (Single Flange)	49.47	53.8	17.46	17.46
		<i>0.252</i>	<i>0.313</i>				<i>1.948</i>	<i>2.118</i>	<i>0.687</i>	<i>0.687</i>
# P-40-075-063FF-ACE-BIS-07.938	75	6.4	7.938	Acetal	Set Screw	FF_GI_HW (Double Flange)	49.47	53.8	17.46	17.46
		<i>0.252</i>	<i>0.313</i>				<i>1.948</i>	<i>2.118</i>	<i>0.687</i>	<i>0.687</i>
# P-40-075-063FF-ACE-NIL-07.938	75	6.4	7.938	Acetal	No Locking Device	FF_NL_HW (Double Flange)	49.47	53.8	17.46	17.46
		<i>0.252</i>	<i>0.313</i>				<i>1.948</i>	<i>2.118</i>	<i>0.687</i>	<i>0.687</i>
# P-40-075-063SF-ACE-BIS-07.938	75	6.4	7.938	Acetal	Set Screw	SF_GI_2HW (Single Flange)	49.47	53.8	17.46	17.46
		<i>0.252</i>	<i>0.313</i>				<i>1.948</i>	<i>2.118</i>	<i>0.687</i>	<i>0.687</i>
# P-40-075-079P-ALA-SET-06.350	75	7.9	6.350	Aluminium, Clear Anodised	Set Screw	P_G_H (Unflanged)	49.47		22.23	32.16
		<i>0.311</i>	<i>0.250</i>				<i>1.948</i>		<i>0.875</i>	<i>1.266</i>
# P-40-075-079P-ALA-SET-09.525	75	7.9	9.525	Aluminium, Clear Anodised	Set Screw	P_G_H (Unflanged)	49.47		22.23	32.16
		<i>0.311</i>	<i>0.375</i>				<i>1.948</i>		<i>0.875</i>	<i>1.266</i>
# P-40-080-047P-ALA-SET-06.350	80	4.8	6.350	Aluminium, Clear Anodised	Set Screw	P_G_H (Unflanged)	52.77		19.05	35.46
		<i>0.189</i>	<i>0.250</i>				<i>2.078</i>		<i>0.750</i>	<i>1.396</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 2.073mm Pitch - 40DP

Part Number	Teeth (No.)	Suit Belt Width mm	Bore (d) mm	Material	Locking Type	Type (See Diagram)	Pitch Diameter (PD) mm	Flange Diameter (FD) mm	Overall Length (OL) mm	Hub Diameter (HD) mm
		<i>inches</i>	<i>inches</i>				<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>
# P-40-080-047P-ALA-SET-09.525	80	4.8	9.525	Aluminium, Clear Anodised	Set Screw	P_G_H (Unflanged)	52.77		19.05	35.46
		<i>0.189</i>	<i>0.375</i>				<i>2.078</i>		<i>0.750</i>	<i>1.396</i>
# P-40-080-060SF-ACE-BIS-06.000	80	6.0	6.000	Acetal	Set Screw, Brass Insert	SF_GI_2HW (Single Flange)	52.77	57.0	17.50	17.50
		<i>0.236</i>	<i>0.236</i>				<i>2.078</i>	<i>2.244</i>	<i>0.689</i>	<i>0.689</i>
# P-40-080-060FF-ACE-BIS-06.000	80	6.0	6.000	Acetal	Set Screw, Brass Insert	FF_GI_HW (Double Flange)	52.77	57.0	17.50	17.50
		<i>0.236</i>	<i>0.236</i>				<i>2.078</i>	<i>2.244</i>	<i>0.689</i>	<i>0.689</i>
# P-40-080-060SF-ACE-NIL-08.000	80	6.0	8.000	Acetal	No Locking Device	SF_NL_2HW (Single Flange)	52.77	57.0	17.50	17.50
		<i>0.236</i>	<i>0.315</i>				<i>2.078</i>	<i>2.244</i>	<i>0.689</i>	<i>0.689</i>
# P-40-080-060SF-ACE-BIS-08.000	80	6.0	8.000	Acetal	Set Screw, Brass Insert	SF_GI_2HW (Single Flange)	52.77	57.0	17.50	17.50
		<i>0.236</i>	<i>0.315</i>				<i>2.078</i>	<i>2.244</i>	<i>0.689</i>	<i>0.689</i>
# P-40-080-060FF-ACE-BIS-08.000	80	6.0	8.000	Acetal	Set Screw, Brass Insert	FF_GI_HW (Double Flange)	52.77	57.0	17.50	17.50
		<i>0.236</i>	<i>0.315</i>				<i>2.078</i>	<i>2.244</i>	<i>0.689</i>	<i>0.689</i>
# P-40-080-060FF-ACE-NIL-08.000	80	6.0	8.000	Acetal	No Locking Device	FF_NL_HW (Double Flange)	52.77	57.0	17.50	17.50
		<i>0.236</i>	<i>0.315</i>				<i>2.078</i>	<i>2.244</i>	<i>0.689</i>	<i>0.689</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 2.073mm Pitch - 40DP

Part Number	Teeth (No.)	Suit Belt Width mm	Bore (d) mm	Material	Locking Type	Type (See Diagram)	Pitch Diameter (PD) mm	Flange Diameter (FD) mm	Overall Length (OL) mm	Hub Diameter (HD) mm
		<i>inches</i>	<i>inches</i>				<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>
# P-40-080-063FF-ACE-BIS-06.350	80	6.4	6.350	Acetal	Set Screw	FF_GI_HW (Double Flange)	52.77	57.2	17.46	17.46
		<i>0.252</i>	<i>0.250</i>				<i>2.078</i>	<i>2.252</i>	<i>0.687</i>	<i>0.687</i>
# P-40-080-063SF-ACE-BIS-06.350	80	6.4	6.350	Acetal	Set Screw	SF_GI_2HW (Single Flange)	52.77	57.2	17.46	17.46
		<i>0.252</i>	<i>0.250</i>				<i>2.078</i>	<i>2.252</i>	<i>0.687</i>	<i>0.687</i>
# P-40-080-063FF-ACE-BIS-07.938	80	6.4	7.938	Acetal	Set Screw	FF_GI_HW (Double Flange)	52.77	57.2	17.46	17.46
		<i>0.252</i>	<i>0.313</i>				<i>2.078</i>	<i>2.252</i>	<i>0.687</i>	<i>0.687</i>
# P-40-080-063FF-ACE-NIL-07.938	80	6.4	7.938	Acetal	No Locking Device	FF_NL_HW (Double Flange)	52.77	57.2	17.46	17.46
		<i>0.252</i>	<i>0.313</i>				<i>2.078</i>	<i>2.252</i>	<i>0.687</i>	<i>0.687</i>
# P-40-080-063SF-ACE-BIS-07.938	80	6.4	7.938	Acetal	Set Screw	SF_GI_2HW (Single Flange)	52.77	57.2	17.46	17.46
		<i>0.252</i>	<i>0.313</i>				<i>2.078</i>	<i>2.252</i>	<i>0.687</i>	<i>0.687</i>
# P-40-080-063SF-ACE-NIL-07.938	80	6.4	7.938	Acetal	No Locking Device	SF_NL_2HW (Single Flange)	52.77	57.2	17.46	17.46
		<i>0.252</i>	<i>0.313</i>				<i>2.078</i>	<i>2.252</i>	<i>0.687</i>	<i>0.687</i>
# P-40-080-079P-ALA-SET-06.350	80	7.9	6.350	Aluminium, Clear Anodised	Set Screw	P_G_H (Unflanged)	52.77		22.23	35.46
		<i>0.311</i>	<i>0.250</i>				<i>2.078</i>		<i>0.875</i>	<i>1.396</i>
# P-40-080-079P-ALA-SET-09.525	80	7.9	9.525	Aluminium, Clear Anodised	Set Screw	P_G_H (Unflanged)	52.77		22.23	3.55
		<i>0.311</i>	<i>0.375</i>				<i>2.078</i>		<i>0.875</i>	<i>0.140</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 2.073mm Pitch - 40DP

Part Number	Teeth (No.)	Suit Belt Width mm	Bore (d) mm	Material	Locking Type	Type (See Diagram)	Pitch Diameter (PD) mm	Flange Diameter (FD) mm	Overall Length (OL) mm	Hub Diameter (HD) mm
		<i>inches</i>	<i>inches</i>				<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>
# P-40-084-047P-ALA-SET-06.350	84	4.8	6.350	Aluminium, Clear Anodised	Set Screw	P_G_H (Unflanged)	55.41		19.05	38.10
		<i>0.189</i>	<i>0.250</i>				<i>2.181</i>		<i>0.750</i>	<i>1.500</i>
# P-40-084-047P-ALA-SET-09.525	84	4.8	9.525	Aluminium, Clear Anodised	Set Screw	P_G_H (Unflanged)	55.41		19.05	38.10
		<i>0.189</i>	<i>0.375</i>				<i>2.181</i>		<i>0.750</i>	<i>1.500</i>
# P-40-084-060FF-ACE-BIS-06.000	84	6.0	6.000	Acetal	Set Screw, Brass Insert	FF_GI_HW (Double Flange)	55.41	60.0	17.50	17.50
		<i>0.236</i>	<i>0.236</i>				<i>2.181</i>	<i>2.362</i>	<i>0.689</i>	<i>0.689</i>
# P-40-084-060SF-ACE-BIS-06.000	84	6.0	6.000	Acetal	Set Screw, Brass Insert	SF_GI_2HW (Single Flange)	55.41	60.0	17.50	17.50
		<i>0.236</i>	<i>0.236</i>				<i>2.181</i>	<i>2.362</i>	<i>0.689</i>	<i>0.689</i>
# P-40-084-060SF-ACE-NIL-08.000	84	6.0	8.000	Acetal	No Locking Device	SF_NL_2HW (Single Flange)	55.41	60.0	17.50	17.50
		<i>0.236</i>	<i>0.315</i>				<i>2.181</i>	<i>2.362</i>	<i>0.689</i>	<i>0.689</i>
# P-40-084-060FF-ACE-BIS-08.000	84	6.0	8.000	Acetal	Set Screw, Brass Insert	FF_GI_HW (Double Flange)	55.41	60.0	17.50	17.50
		<i>0.236</i>	<i>0.315</i>				<i>2.181</i>	<i>2.362</i>	<i>0.689</i>	<i>0.689</i>
# P-40-084-060FF-ACE-NIL-08.000	84	6.0	8.000	Acetal	No Locking Device	FF_NL_HW (Double Flange)	55.41	60.0	17.50	17.50
		<i>0.236</i>	<i>0.315</i>				<i>2.181</i>	<i>2.362</i>	<i>0.689</i>	<i>0.689</i>
# P-40-084-060SF-ACE-BIS-08.000	84	6.0	8.000	Acetal	Set Screw, Brass Insert	SF_GI_2HW (Single Flange)	55.41	60.0	17.50	17.50
		<i>0.236</i>	<i>0.315</i>				<i>2.181</i>	<i>2.362</i>	<i>0.689</i>	<i>0.689</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 2.073mm Pitch - 40DP

Part Number	Teeth (No.)	Suit Belt Width mm	Bore (d) mm	Material	Locking Type	Type (See Diagram)	Pitch Diameter (PD) mm	Flange Diameter (FD) mm	Overall Length (OL) mm	Hub Diameter (HD) mm
		<i>inches</i>	<i>inches</i>				<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>
# P-40-084-063SF-ACE-BIS-06.350	84	6.4	6.350	Acetal	Set Screw	SF_GI_2HW (Single Flange)	55.41	59.7	17.46	17.46
		<i>0.252</i>	<i>0.250</i>				<i>2.181</i>	<i>2.350</i>	<i>0.687</i>	<i>0.687</i>
# P-40-084-063FF-ACE-BIS-06.350	84	6.4	6.350	Acetal	Set Screw	FF_GI_HW (Double Flange)	55.41	59.7	17.46	17.46
		<i>0.252</i>	<i>0.250</i>				<i>2.181</i>	<i>2.350</i>	<i>0.687</i>	<i>0.687</i>
# P-40-084-063FF-ACE-NIL-07.938	84	6.4	7.938	Acetal	No Locking Device	FF_NL_HW (Double Flange)	55.41	59.7	17.46	17.46
		<i>0.252</i>	<i>0.313</i>				<i>2.181</i>	<i>2.350</i>	<i>0.687</i>	<i>0.687</i>
# P-40-084-063FF-ACE-BIS-07.938	84	6.4	7.938	Acetal	Set Screw	FF_GI_HW (Double Flange)	55.41	59.7	17.46	17.46
		<i>0.252</i>	<i>0.313</i>				<i>2.181</i>	<i>2.350</i>	<i>0.687</i>	<i>0.687</i>
# P-40-084-063SF-ACE-BIS-07.938	84	6.4	7.938	Acetal	Set Screw	SF_GI_2HW (Single Flange)	55.41	59.7	17.46	17.46
		<i>0.252</i>	<i>0.313</i>				<i>2.181</i>	<i>2.350</i>	<i>0.687</i>	<i>0.687</i>
# P-40-084-063SF-ACE-NIL-07.938	84	6.4	7.938	Acetal	No Locking Device	SF_NL_2HW (Single Flange)	55.41	59.7	17.46	17.46
		<i>0.252</i>	<i>0.313</i>				<i>2.181</i>	<i>2.350</i>	<i>0.687</i>	<i>0.687</i>
# P-40-084-079P-ALA-SET-06.350	84	7.9	6.350	Aluminium, Clear Anodised	Set Screw	P_G_H (Unflanged)	55.41		22.23	38.10
		<i>0.311</i>	<i>0.250</i>				<i>2.181</i>		<i>0.875</i>	<i>1.500</i>
# P-40-084-079P-ALA-SET-09.525	84	7.9	9.525	Aluminium, Clear Anodised	Set Screw	P_G_H (Unflanged)	55.41		22.23	38.10
		<i>0.311</i>	<i>0.375</i>				<i>2.181</i>		<i>0.875</i>	<i>1.500</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 2.073mm Pitch - 40DP

Part Number	Teeth (No.)	Suit Belt Width mm	Bore (d) mm	Material	Locking Type	Type (See Diagram)	Pitch Diameter (PD) mm	Flange Diameter (FD) mm	Overall Length (OL) mm	Hub Diameter (HD) mm
		<i>inches</i>	<i>inches</i>				<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>
# P-40-088-047P-ALA-SET-06.350	88	4.8	6.350	Aluminium, Clear Anodised	Set Screw	P_G_H (Unflanged)	58.04		19.05	38.10
		<i>0.189</i>	<i>0.250</i>				<i>2.285</i>		<i>0.750</i>	<i>1.500</i>
# P-40-088-047P-ALA-SET-09.525	88	4.8	9.525	Aluminium, Clear Anodised	Set Screw	P_G_H (Unflanged)	58.04		19.05	38.10
		<i>0.189</i>	<i>0.375</i>				<i>2.285</i>		<i>0.750</i>	<i>1.500</i>
# P-40-088-079P-ALA-SET-06.350	88	7.9	6.350	Aluminium, Clear Anodised	Set Screw	P_G_H (Unflanged)	58.04		22.23	38.10
		<i>0.311</i>	<i>0.250</i>				<i>2.285</i>		<i>0.875</i>	<i>1.500</i>
# P-40-088-079P-ALA-SET-09.525	88	7.9	9.525	Aluminium, Clear Anodised	Set Screw	P_G_H (Unflanged)	58.04		22.23	38.10
		<i>0.311</i>	<i>0.375</i>				<i>2.285</i>		<i>0.875</i>	<i>1.500</i>
# P-40-090-047P-ALA-SET-06.350	90	4.8	6.350	Aluminium, Clear Anodised	Set Screw	P_G_H (Unflanged)	59.36		19.05	38.10
		<i>0.189</i>	<i>0.250</i>				<i>2.337</i>		<i>0.750</i>	<i>1.500</i>
# P-40-090-047P-ALA-SET-09.525	90	4.8	9.525	Aluminium, Clear Anodised	Set Screw	P_G_H (Unflanged)	59.36		19.05	38.10
		<i>0.189</i>	<i>0.375</i>				<i>2.337</i>		<i>0.750</i>	<i>1.500</i>
# P-40-090-060FF-ACE-BIS-06.000	90	6.0	6.000	Acetal	Set Screw, Brass Insert	FF_GI_HW (Double Flange)	59.36	64.0	17.50	17.50
		<i>0.236</i>	<i>0.236</i>				<i>2.337</i>	<i>2.520</i>	<i>0.689</i>	<i>0.689</i>
# P-40-090-060SF-ACE-BIS-06.000	90	6.0	6.000	Acetal	Set Screw, Brass Insert	SF_GI_2HW (Single Flange)	59.36	64.0	17.50	17.50
		<i>0.236</i>	<i>0.236</i>				<i>2.337</i>	<i>2.520</i>	<i>0.689</i>	<i>0.689</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 2.073mm Pitch - 40DP

Part Number	Teeth (No.)	Suit Belt Width mm	Bore (d) mm	Material	Locking Type	Type (See Diagram)	Pitch Diameter (PD) mm	Flange Diameter (FD) mm	Overall Length (OL) mm	Hub Diameter (HD) mm
		<i>inches</i>	<i>inches</i>				<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>
# P-40-090-060FF-ACE-BIS-08.000	90	6.0	8.000	Acetal	Set Screw, Brass Insert	FF_GI_HW (Double Flange)	59.36	64.0	17.50	17.50
		<i>0.236</i>	<i>0.315</i>				<i>2.337</i>	<i>2.520</i>	<i>0.689</i>	<i>0.689</i>
# P-40-090-060FF-ACE-NIL-08.000	90	6.0	8.000	Acetal	No Locking Device	FF_NL_HW (Double Flange)	59.36	64.0	17.50	17.50
		<i>0.236</i>	<i>0.315</i>				<i>2.337</i>	<i>2.520</i>	<i>0.689</i>	<i>0.689</i>
# P-40-090-060SF-ACE-BIS-08.000	90	6.0	8.000	Acetal	Set Screw, Brass Insert	SF_GI_2HW (Single Flange)	59.36	64.0	17.50	17.50
		<i>0.236</i>	<i>0.315</i>				<i>2.337</i>	<i>2.520</i>	<i>0.689</i>	<i>0.689</i>
# P-40-090-060SF-ACE-NIL-08.000	90	6.0	8.000	Acetal	No Locking Device	SF_NL_2HW (Single Flange)	59.36	64.0	17.50	17.50
		<i>0.236</i>	<i>0.315</i>				<i>2.337</i>	<i>2.520</i>	<i>0.689</i>	<i>0.689</i>
# P-40-090-063SF-ACE-BIS-06.350	90	6.4	6.350	Acetal	Set Screw	SF_GI_2HW (Single Flange)	59.36	63.8	17.46	17.46
		<i>0.252</i>	<i>0.250</i>				<i>2.337</i>	<i>2.512</i>	<i>0.687</i>	<i>0.687</i>
# P-40-090-063FF-ACE-BIS-06.350	90	6.4	6.350	Acetal	Set Screw	FF_GI_HW (Double Flange)	59.36	63.8	17.46	17.46
		<i>0.252</i>	<i>0.250</i>				<i>2.337</i>	<i>2.512</i>	<i>0.687</i>	<i>0.687</i>
# P-40-090-063FF-ACE-NIL-07.938	90	6.4	7.938	Acetal	No Locking Device	FF_NL_HW (Double Flange)	59.36	63.8	17.46	17.46
		<i>0.252</i>	<i>0.313</i>				<i>2.337</i>	<i>2.512</i>	<i>0.687</i>	<i>0.687</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 2.073mm Pitch - 40DP

Part Number	Teeth (No.)	Suit Belt Width mm	Bore (d) mm	Material	Locking Type	Type (See Diagram)	Pitch Diameter (PD) mm	Flange Diameter (FD) mm	Overall Length (OL) mm	Hub Diameter (HD) mm
		<i>inches</i>	<i>inches</i>				<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>
# P-40-090-063SF-ACE-BIS-07.938	90	6.4	7.938	Acetal	Set Screw	SF_GI_2HW (Single Flange)	59.36	63.8	17.46	17.46
		<i>0.252</i>	<i>0.313</i>				<i>2.337</i>	<i>2.512</i>	<i>0.687</i>	<i>0.687</i>
# P-40-090-063SF-ACE-NIL-07.938	90	6.4	7.938	Acetal	No Locking Device	SF_NL_2HW (Single Flange)	59.36	63.8	17.46	17.46
		<i>0.252</i>	<i>0.313</i>				<i>2.337</i>	<i>2.512</i>	<i>0.687</i>	<i>0.687</i>
# P-40-090-063FF-ACE-BIS-07.938	90	6.4	7.938	Acetal	Set Screw	FF_GI_HW (Double Flange)	59.36	63.8	17.46	17.46
		<i>0.252</i>	<i>0.313</i>				<i>2.337</i>	<i>2.512</i>	<i>0.687</i>	<i>0.687</i>
# P-40-090-079P-ALA-SET-06.350	90	7.9	6.350	Aluminium, Clear Anodised	Set Screw	P_G_H (Unflanged)	59.36		22.23	38.10
		<i>0.311</i>	<i>0.250</i>				<i>2.337</i>		<i>0.875</i>	<i>1.500</i>
# P-40-090-079P-ALA-SET-09.525	90	7.9	9.525	Aluminium, Clear Anodised	Set Screw	P_G_H (Unflanged)	59.36		22.23	38.10
		<i>0.311</i>	<i>0.375</i>				<i>2.337</i>		<i>0.875</i>	<i>1.500</i>
# P-40-096-047P-ALA-SET-06.350	96	4.8	6.350	Aluminium, Clear Anodised	Set Screw	P_G_H (Unflanged)	63.32		19.05	38.10
		<i>0.189</i>	<i>0.250</i>				<i>2.493</i>		<i>0.750</i>	<i>1.500</i>
# P-40-096-047P-ALA-SET-09.525	96	4.8	9.525	Aluminium, Clear Anodised	Set Screw	P_G_H (Unflanged)	63.32		19.05	38.10
		<i>0.189</i>	<i>0.375</i>				<i>2.493</i>		<i>0.750</i>	<i>1.500</i>
# P-40-096-060SF-ACE-BIS-06.000	96	6.0	6.000	Acetal	Set Screw, Brass Insert	SF_GI_2HW (Single Flange)	63.32	68.0	17.50	17.50
		<i>0.236</i>	<i>0.236</i>				<i>2.493</i>	<i>2.677</i>	<i>0.689</i>	<i>0.689</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 2.073mm Pitch - 40DP

Part Number	Teeth (No.)	Suit Belt Width mm	Bore (d) mm	Material	Locking Type	Type (See Diagram)	Pitch Diameter (PD) mm	Flange Diameter (FD) mm	Overall Length (OL) mm	Hub Diameter (HD) mm
		<i>inches</i>	<i>inches</i>				<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>
# P-40-096-060FF-ACE-BIS-06.000	96	6.0	6.000	Acetal	Set Screw, Brass Insert	FF_GI_HW (Double Flange)	63.32	68.0	17.50	17.50
		<i>0.236</i>	<i>0.236</i>				<i>2.493</i>	<i>2.677</i>	<i>0.689</i>	<i>0.689</i>
# P-40-096-060FF-ACE-NIL-08.000	96	6.0	8.000	Acetal	No Locking Device	FF_NL_HW (Double Flange)	63.32	68.0	17.50	17.50
		<i>0.236</i>	<i>0.315</i>				<i>2.493</i>	<i>2.677</i>	<i>0.689</i>	<i>0.689</i>
# P-40-096-060SF-ACE-BIS-08.000	96	6.0	8.000	Acetal	Set Screw, Brass Insert	SF_GI_2HW (Single Flange)	63.32	68.0	17.50	17.50
		<i>0.236</i>	<i>0.315</i>				<i>2.493</i>	<i>2.677</i>	<i>0.689</i>	<i>0.689</i>
# P-40-096-060SF-ACE-NIL-08.000	96	6.0	8.000	Acetal	No Locking Device	SF_NL_2HW (Single Flange)	63.32	68.0	17.50	17.50
		<i>0.236</i>	<i>0.315</i>				<i>2.493</i>	<i>2.677</i>	<i>0.689</i>	<i>0.689</i>
# P-40-096-060FF-ACE-BIS-08.000	96	6.0	8.000	Acetal	Set Screw, Brass Insert	FF_GI_HW (Double Flange)	63.32	68.0	17.50	17.50
		<i>0.236</i>	<i>0.315</i>				<i>2.493</i>	<i>2.677</i>	<i>0.689</i>	<i>0.689</i>
# P-40-096-063FF-ACE-BIS-06.350	96	6.4	6.350	Acetal	Set Screw	FF_GI_HW (Double Flange)	63.32	67.6	17.46	17.46
		<i>0.252</i>	<i>0.250</i>				<i>2.493</i>	<i>2.661</i>	<i>0.687</i>	<i>0.687</i>
# P-40-096-063SF-ACE-BIS-06.350	96	6.4	6.350	Acetal	Set Screw	SF_GI_2HW (Single Flange)	63.32	67.6	17.46	17.46
		<i>0.252</i>	<i>0.250</i>				<i>2.493</i>	<i>2.661</i>	<i>0.687</i>	<i>0.687</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 2.073mm Pitch - 40DP

Part Number	Teeth (No.)	Suit Belt Width mm	Bore (d) mm	Material	Locking Type	Type (See Diagram)	Pitch Diameter (PD) mm	Flange Diameter (FD) mm	Overall Length (OL) mm	Hub Diameter (HD) mm
		<i>inches</i>	<i>inches</i>				<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>
# P-40-096-063SF-ACE-NIL-07.938	96	6.4	7.938	Acetal	No Locking Device	SF_NL_2HW (Single Flange)	63.32	67.6	17.46	17.46
		<i>0.252</i>	<i>0.313</i>				<i>2.493</i>	<i>2.661</i>	<i>0.687</i>	<i>0.687</i>
# P-40-096-063FF-ACE-BIS-07.938	96	6.4	7.938	Acetal	Set Screw	FF_GI_HW (Double Flange)	63.32	67.6	17.46	17.46
		<i>0.252</i>	<i>0.313</i>				<i>2.493</i>	<i>2.661</i>	<i>0.687</i>	<i>0.687</i>
# P-40-096-063SF-ACE-BIS-07.938	96	6.4	7.938	Acetal	Set Screw	SF_GI_2HW (Single Flange)	63.32	67.6	17.46	17.46
		<i>0.252</i>	<i>0.313</i>				<i>2.493</i>	<i>2.661</i>	<i>0.687</i>	<i>0.687</i>
# P-40-096-063FF-ACE-NIL-07.938	96	6.4	7.938	Acetal	No Locking Device	FF_NL_HW (Double Flange)	63.32	67.6	17.46	17.46
		<i>0.252</i>	<i>0.313</i>				<i>2.493</i>	<i>2.661</i>	<i>0.687</i>	<i>0.687</i>
# P-40-096-079P-ALA-SET-06.350	96	7.9	6.350	Aluminium, Clear Anodised	Set Screw	P_G_H (Unflanged)	63.32		22.23	38.10
		<i>0.311</i>	<i>0.250</i>				<i>2.493</i>		<i>0.875</i>	<i>1.500</i>
# P-40-096-079P-ALA-SET-09.525	96	7.9	9.525	Aluminium, Clear Anodised	Set Screw	P_G_H (Unflanged)	63.32		22.23	38.10
		<i>0.311</i>	<i>0.375</i>				<i>2.493</i>		<i>0.875</i>	<i>1.500</i>
# P-40-097-060SF-ACE-BIS-06.000	97	6.0	6.000	Acetal	Set Screw, Brass Insert	SF_GI_2HW (Single Flange)	63.98	68.0	17.50	17.50
		<i>0.236</i>	<i>0.236</i>				<i>2.519</i>	<i>2.677</i>	<i>0.689</i>	<i>0.689</i>
# P-40-097-060FF-ACE-BIS-06.000	97	6.0	6.000	Acetal	Set Screw, Brass Insert	FF_GI_HW (Double Flange)	63.98	68.0	17.50	17.50
		<i>0.236</i>	<i>0.236</i>				<i>2.519</i>	<i>2.677</i>	<i>0.689</i>	<i>0.689</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 2.073mm Pitch - 40DP

Part Number	Teeth (No.)	Suit Belt Width mm	Bore (d) mm	Material	Locking Type	Type (See Diagram)	Pitch Diameter (PD) mm	Flange Diameter (FD) mm	Overall Length (OL) mm	Hub Diameter (HD) mm
		<i>inches</i>	<i>inches</i>				<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>
# P-40-097-060SF-ACE-BIS-08.000	97	6.0	8.000	Acetal	Set Screw, Brass Insert	SF_GI_2HW (Single Flange)	63.98	68.0	17.50	17.50
		<i>0.236</i>	<i>0.315</i>				<i>2.519</i>	<i>2.677</i>	<i>0.689</i>	<i>0.689</i>
# P-40-097-060FF-ACE-NIL-08.000	97	6.0	8.000	Acetal	No Locking Device	FF_NL_HW (Double Flange)	63.98	68.0	17.50	17.50
		<i>0.236</i>	<i>0.315</i>				<i>2.519</i>	<i>2.677</i>	<i>0.689</i>	<i>0.689</i>
# P-40-097-060FF-ACE-BIS-08.000	97	6.0	8.000	Acetal	Set Screw, Brass Insert	FF_GI_HW (Double Flange)	63.98	68.0	17.50	17.50
		<i>0.236</i>	<i>0.315</i>				<i>2.519</i>	<i>2.677</i>	<i>0.689</i>	<i>0.689</i>
# P-40-097-060SF-ACE-NIL-08.000	97	6.0	8.000	Acetal	No Locking Device	SF_NL_2HW (Single Flange)	63.98	68.0	17.50	17.50
		<i>0.236</i>	<i>0.315</i>				<i>2.519</i>	<i>2.677</i>	<i>0.689</i>	<i>0.689</i>
# P-40-097-063FF-ACE-BIS-06.350	97	6.4	6.350	Acetal	Set Screw	FF_GI_HW (Double Flange)	63.98	67.8	17.46	17.46
		<i>0.252</i>	<i>0.250</i>				<i>2.519</i>	<i>2.669</i>	<i>0.687</i>	<i>0.687</i>
# P-40-097-063SF-ACE-BIS-06.350	97	6.4	6.350	Acetal	Set Screw	SF_GI_2HW (Single Flange)	63.98	67.8	17.46	17.46
		<i>0.252</i>	<i>0.250</i>				<i>2.519</i>	<i>2.669</i>	<i>0.687</i>	<i>0.687</i>
# P-40-097-063FF-ACE-BIS-07.938	97	6.4	7.938	Acetal	Set Screw	FF_GI_HW (Double Flange)	63.98	67.8	17.46	17.46
		<i>0.252</i>	<i>0.313</i>				<i>2.519</i>	<i>2.669</i>	<i>0.687</i>	<i>0.687</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 2.073mm Pitch - 40DP

Part Number	Teeth (No.)	Suit Belt Width mm	Bore (d) mm	Material	Locking Type	Type (See Diagram)	Pitch Diameter (PD) mm	Flange Diameter (FD) mm	Overall Length (OL) mm	Hub Diameter (HD) mm
		<i>inches</i>	<i>inches</i>				<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>
# P-40-097-063FF-ACE-NIL-07.938	97	6.4	7.938	Acetal	No Locking Device	FF_NL_HW (Double Flange)	63.98	67.8	17.46	17.46
		<i>0.252</i>	<i>0.313</i>				<i>2.519</i>	<i>2.669</i>	<i>0.687</i>	<i>0.687</i>
# P-40-097-063SF-ACE-BIS-07.938	97	6.4	7.938	Acetal	Set Screw	SF_GI_2HW (Single Flange)	63.98	67.8	17.46	17.46
		<i>0.252</i>	<i>0.313</i>				<i>2.519</i>	<i>2.669</i>	<i>0.687</i>	<i>0.687</i>
# P-40-097-063SF-ACE-NIL-07.938	97	6.4	7.938	Acetal	No Locking Device	SF_NL_2HW (Single Flange)	63.98	67.8	17.46	17.46
		<i>0.252</i>	<i>0.313</i>				<i>2.519</i>	<i>2.669</i>	<i>0.687</i>	<i>0.687</i>
# P-40-097-079P-ALA-SET-06.350	97	7.9	6.350	Aluminium, Clear Anodised	Set Screw	P_G_H (Unflanged)	63.98		22.23	38.10
		<i>0.311</i>	<i>0.250</i>				<i>2.519</i>		<i>0.875</i>	<i>1.500</i>
# P-40-097-079P-ALA-SET-09.525	97	7.9	9.530	Aluminium, Clear Anodised	Set Screw	P_G_H (Unflanged)	63.98		22.23	38.10
		<i>0.311</i>	<i>0.375</i>				<i>2.519</i>		<i>0.875</i>	<i>1.500</i>
# P-40-098-047P-ALA-SET-06.350	98	4.8	6.350	Aluminium, Clear Anodised	Set Screw	P_G_H (Unflanged)	64.64		19.05	38.10
		<i>0.189</i>	<i>0.250</i>				<i>2.545</i>		<i>0.750</i>	<i>1.500</i>
# P-40-098-047P-ALA-SET-09.525	98	4.8	9.525	Aluminium, Clear Anodised	Set Screw	P_G_H (Unflanged)	64.64		19.05	38.10
		<i>0.189</i>	<i>0.375</i>				<i>2.545</i>		<i>0.750</i>	<i>1.500</i>
# P-40-098-060FF-ACE-BIS-06.000	98	6.0	6.000	Acetal	Set Screw, Brass Insert	FF_GI_HW (Double Flange)	64.64	69.0	17.50	17.50
		<i>0.236</i>	<i>0.236</i>				<i>2.545</i>	<i>2.717</i>	<i>0.689</i>	<i>0.689</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 2.073mm Pitch - 40DP

Part Number	Teeth (No.)	Suit Belt Width mm	Bore (d) mm	Material	Locking Type	Type (See Diagram)	Pitch Diameter (PD) mm	Flange Diameter (FD) mm	Overall Length (OL) mm	Hub Diameter (HD) mm
		<i>inches</i>	<i>inches</i>				<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>
# P-40-098-060SF-ACE-BIS-06.000	98	6.0	6.000	Acetal	Set Screw, Brass Insert	SF_GI_2HW (Single Flange)	64.64	69.0	17.50	17.50
		<i>0.236</i>	<i>0.236</i>				<i>2.545</i>	<i>2.717</i>	<i>0.689</i>	<i>0.689</i>
# P-40-098-060FF-ACE-BIS-08.000	98	6.0	8.000	Acetal	Set Screw, Brass Insert	FF_GI_HW (Double Flange)	64.64	69.0	17.50	17.50
		<i>0.236</i>	<i>0.315</i>				<i>2.545</i>	<i>2.717</i>	<i>0.689</i>	<i>0.689</i>
# P-40-098-060FF-ACE-NIL-08.000	98	6.0	8.000	Acetal	No Locking Device	FF_NL_HW (Double Flange)	64.64	69.0	17.50	17.50
		<i>0.236</i>	<i>0.315</i>				<i>2.545</i>	<i>2.717</i>	<i>0.689</i>	<i>0.689</i>
# P-40-098-060SF-ACE-BIS-08.000	98	6.0	8.000	Acetal	Set Screw, Brass Insert	SF_GI_2HW (Single Flange)	64.64	69.0	17.50	17.50
		<i>0.236</i>	<i>0.315</i>				<i>2.545</i>	<i>2.717</i>	<i>0.689</i>	<i>0.689</i>
# P-40-098-060SF-ACE-NIL-08.000	98	6.0	8.000	Acetal	No Locking Device	SF_NL_2HW (Single Flange)	64.64	69.0	17.50	17.50
		<i>0.236</i>	<i>0.315</i>				<i>2.545</i>	<i>2.717</i>	<i>0.689</i>	<i>0.689</i>
# P-40-098-063SF-ACE-BIS-06.350	98	6.4	6.350	Acetal	Set Screw	SF_GI_2HW (Single Flange)	64.64	68.8	17.46	17.46
		<i>0.252</i>	<i>0.250</i>				<i>2.545</i>	<i>2.709</i>	<i>0.687</i>	<i>0.687</i>
# P-40-098-063FF-ACE-BIS-06.350	98	6.4	6.350	Acetal	Set Screw	FF_GI_HW (Double Flange)	64.64	68.8	17.46	17.46
		<i>0.252</i>	<i>0.250</i>				<i>2.545</i>	<i>2.709</i>	<i>0.687</i>	<i>0.687</i>
# P-40-098-063SF-ACE-NIL-07.938	98	6.4	7.938	Acetal	No Locking Device	SF_NL_2HW (Single Flange)	64.64	68.8	17.46	17.46
		<i>0.252</i>	<i>0.313</i>				<i>2.545</i>	<i>2.709</i>	<i>0.687</i>	<i>0.687</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 2.073mm Pitch - 40DP

Part Number	Teeth (No.)	Suit Belt Width mm	Bore (d) mm	Material	Locking Type	Type (See Diagram)	Pitch Diameter (PD) mm	Flange Diameter (FD) mm	Overall Length (OL) mm	Hub Diameter (HD) mm
		<i>inches</i>	<i>inches</i>				<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>
# P-40-098-063SF-ACE-BIS-07.938	98	6.4	7.938	Acetal	Set Screw	SF_GI_2HW (Single Flange)	64.64	68.8	17.46	17.46
		<i>0.252</i>	<i>0.313</i>				<i>2.545</i>	<i>2.709</i>	<i>0.687</i>	<i>0.687</i>
# P-40-098-063FF-ACE-BIS-07.938	98	6.4	7.938	Acetal	Set Screw	FF_GI_HW (Double Flange)	64.64	68.8	17.46	17.46
		<i>0.252</i>	<i>0.313</i>				<i>2.545</i>	<i>2.709</i>	<i>0.687</i>	<i>0.687</i>
# P-40-098-063FF-ACE-NIL-07.938	98	6.4	7.938	Acetal	No Locking Device	FF_NL_HW (Double Flange)	64.64	68.8	17.46	17.46
		<i>0.252</i>	<i>0.313</i>				<i>2.545</i>	<i>2.709</i>	<i>0.687</i>	<i>0.687</i>
# P-40-098-079P-ALA-SET-06.350	98	7.9	6.350	Aluminium, Clear Anodised	Set Screw	P_G_H (Unflanged)	64.64		22.23	38.10
		<i>0.311</i>	<i>0.250</i>				<i>2.545</i>		<i>0.875</i>	<i>1.500</i>
# P-40-098-079P-ALA-SET-09.525	98	7.9	9.525	Aluminium, Clear Anodised	Set Screw	P_G_H (Unflanged)	64.64		22.23	38.10
		<i>0.311</i>	<i>0.375</i>				<i>2.545</i>		<i>0.875</i>	<i>1.500</i>
# P-40-099-060FF-ACE-BIS-06.000	99	6.0	6.000	Acetal	Set Screw, Brass Insert	FF_GI_HW (Double Flange)	65.30	70.0	17.50	17.50
		<i>0.236</i>	<i>0.236</i>				<i>2.571</i>	<i>2.756</i>	<i>0.689</i>	<i>0.689</i>
# P-40-099-060SF-ACE-BIS-06.000	99	6.0	6.000	Acetal	Set Screw, Brass Insert	SF_GI_2HW (Single Flange)	65.30	70.0	17.50	17.50
		<i>0.236</i>	<i>0.236</i>				<i>2.571</i>	<i>2.756</i>	<i>0.689</i>	<i>0.689</i>
# P-40-099-060SF-ACE-BIS-08.000	99	6.0	8.000	Acetal	Set Screw, Brass Insert	SF_GI_2HW (Single Flange)	65.30	70.0	17.50	17.50
		<i>0.236</i>	<i>0.315</i>				<i>2.571</i>	<i>2.756</i>	<i>0.689</i>	<i>0.689</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 2.073mm Pitch - 40DP

Part Number	Teeth (No.)	Suit Belt Width mm	Bore (d) mm	Material	Locking Type	Type (See Diagram)	Pitch Diameter (PD) mm	Flange Diameter (FD) mm	Overall Length (OL) mm	Hub Diameter (HD) mm
		<i>inches</i>	<i>inches</i>				<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>
# P-40-099-060SF-ACE-NIL-08.000	99	6.0	8.000	Acetal	No Locking Device	SF_NL_2HW (Single Flange)	65.30	70.0	17.50	17.50
		<i>0.236</i>	<i>0.315</i>				<i>2.571</i>	<i>2.756</i>	<i>0.689</i>	<i>0.689</i>
# P-40-099-060FF-ACE-NIL-08.000	99	6.0	8.000	Acetal	No Locking Device	FF_NL_HW (Double Flange)	65.30	70.0	17.50	17.50
		<i>0.236</i>	<i>0.315</i>				<i>2.571</i>	<i>2.756</i>	<i>0.689</i>	<i>0.689</i>
# P-40-099-060FF-ACE-BIS-08.000	99	6.0	8.000	Acetal	Set Screw, Brass Insert	FF_GI_HW (Double Flange)	65.30	70.0	17.50	17.50
		<i>0.236</i>	<i>0.315</i>				<i>2.571</i>	<i>2.756</i>	<i>0.689</i>	<i>0.689</i>
# P-40-099-063FF-ACE-BIS-06.350	99	6.4	6.350	Acetal	Set Screw	FF_GI_HW (Double Flange)	65.30	69.9	17.46	17.46
		<i>0.252</i>	<i>0.250</i>				<i>2.571</i>	<i>2.752</i>	<i>0.687</i>	<i>0.687</i>
# P-40-099-063SF-ACE-BIS-06.350	99	6.4	6.350	Acetal	Set Screw	SF_GI_2HW (Single Flange)	65.30	69.9	17.46	17.46
		<i>0.252</i>	<i>0.250</i>				<i>2.571</i>	<i>2.752</i>	<i>0.687</i>	<i>0.687</i>
# P-40-099-063FF-ACE-BIS-07.938	99	6.4	7.938	Acetal	Set Screw	FF_GI_HW (Double Flange)	65.30	69.9	17.46	17.46
		<i>0.252</i>	<i>0.313</i>				<i>2.571</i>	<i>2.752</i>	<i>0.687</i>	<i>0.687</i>
# P-40-099-063FF-ACE-NIL-07.938	99	6.4	7.938	Acetal	No Locking Device	FF_NL_HW (Double Flange)	65.30	69.9	17.46	17.46
		<i>0.252</i>	<i>0.313</i>				<i>2.571</i>	<i>2.752</i>	<i>0.687</i>	<i>0.687</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 2.073mm Pitch - 40DP

Part Number	Teeth (No.)	Suit Belt Width mm	Bore (d) mm	Material	Locking Type	Type (See Diagram)	Pitch Diameter (PD) mm	Flange Diameter (FD) mm	Overall Length (OL) mm	Hub Diameter (HD) mm
		<i>inches</i>	<i>inches</i>				<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>
# P-40-099-063SF-ACE-BIS-07.938	99	6.4	7.938	Acetal	Set Screw	SF_GI_2HW (Single Flange)	65.30	69.9	17.46	17.46
		<i>0.252</i>	<i>0.313</i>				<i>2.571</i>	<i>2.752</i>	<i>0.687</i>	<i>0.687</i>
# P-40-099-063SF-ACE-NIL-07.938	99	6.4	7.938	Acetal	No Locking Device	SF_NL_2HW (Single Flange)	65.30	69.9	17.46	17.46
		<i>0.252</i>	<i>0.313</i>				<i>2.571</i>	<i>2.752</i>	<i>0.687</i>	<i>0.687</i>
# P-40-100-047P-ALA-SET-07.938	100	4.8	7.938	Aluminium, Clear Anodised	Set Screw	P_G_H (Unflanged)	65.96		19.05	38.10
		<i>0.189</i>	<i>0.313</i>				<i>2.597</i>		<i>0.750</i>	<i>1.500</i>
# P-40-100-047P-ALA-SET-09.525	100	4.8	9.525	Aluminium, Clear Anodised	Set Screw	P_G_H (Unflanged)	65.96		19.05	38.10
		<i>0.189</i>	<i>0.375</i>				<i>2.597</i>		<i>0.750</i>	<i>1.500</i>
# P-40-100-060SF-ACE-BIS-06.000	100	6.0	6.000	Acetal	Set Screw, Brass Insert	SF_GI_2HW (Single Flange)	65.96	70.0	17.50	17.50
		<i>0.236</i>	<i>0.236</i>				<i>2.597</i>	<i>2.756</i>	<i>0.689</i>	<i>0.689</i>
# P-40-100-060FF-ACE-BIS-06.000	100	6.0	6.000	Acetal	Set Screw, Brass Insert	FF_GI_HW (Double Flange)	65.96	70.0	17.50	17.50
		<i>0.236</i>	<i>0.236</i>				<i>2.597</i>	<i>2.756</i>	<i>0.689</i>	<i>0.689</i>
# P-40-100-060FF-ACE-NIL-08.000	100	6.0	8.000	Acetal	No Locking Device	FF_NL_HW (Double Flange)	65.96	70.0	17.50	17.50
		<i>0.236</i>	<i>0.315</i>				<i>2.597</i>	<i>2.756</i>	<i>0.689</i>	<i>0.689</i>
# P-40-100-060SF-ACE-BIS-08.000	100	6.0	8.000	Acetal	Set Screw, Brass Insert	SF_GI_2HW (Single Flange)	65.96	70.0	17.50	17.50
		<i>0.236</i>	<i>0.315</i>				<i>2.597</i>	<i>2.756</i>	<i>0.689</i>	<i>0.689</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 2.073mm Pitch - 40DP

Part Number	Teeth (No.)	Suit Belt Width mm	Bore (d) mm	Material	Locking Type	Type (See Diagram)	Pitch Diameter (PD) mm	Flange Diameter (FD) mm	Overall Length (OL) mm	Hub Diameter (HD) mm
		<i>inches</i>	<i>inches</i>				<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>
# P-40-100-060SF-ACE-NIL-08.000	100	6.0	8.000	Acetal	No Locking Device	SF_NL_2HW (Single Flange)	65.96	70.0	17.50	17.50
		<i>0.236</i>	<i>0.315</i>				<i>2.597</i>	<i>2.756</i>	<i>0.689</i>	<i>0.689</i>
# P-40-100-060FF-ACE-BIS-08.000	100	6.0	8.000	Acetal	Set Screw, Brass Insert	FF_GI_HW (Double Flange)	65.96	70.0	17.50	17.50
		<i>0.236</i>	<i>0.315</i>				<i>2.597</i>	<i>2.756</i>	<i>0.689</i>	<i>0.689</i>
# P-40-100-063SF-ACE-BIS-06.350	100	6.4	6.350	Acetal	Set Screw	SF_GI_2HW (Single Flange)	65.96	70.4	17.46	17.46
		<i>0.252</i>	<i>0.250</i>				<i>2.597</i>	<i>2.772</i>	<i>0.687</i>	<i>0.687</i>
# P-40-100-063FF-ACE-BIS-06.350	100	6.4	6.350	Acetal	Set Screw	FF_GI_HW (Double Flange)	65.96	70.4	17.46	17.46
		<i>0.252</i>	<i>0.250</i>				<i>2.597</i>	<i>2.772</i>	<i>0.687</i>	<i>0.687</i>
# P-40-100-063SF-ACE-NIL-07.938	100	6.4	7.938	Acetal	No Locking Device	SF_NL_2HW (Single Flange)	65.96	70.4	17.46	17.46
		<i>0.252</i>	<i>0.313</i>				<i>2.597</i>	<i>2.772</i>	<i>0.687</i>	<i>0.687</i>
# P-40-100-063SF-ACE-BIS-07.938	100	6.4	7.938	Acetal	Set Screw	SF_GI_2HW (Single Flange)	65.96	70.4	17.46	17.46
		<i>0.252</i>	<i>0.313</i>				<i>2.597</i>	<i>2.772</i>	<i>0.687</i>	<i>0.687</i>
# P-40-100-063FF-ACE-NIL-07.938	100	6.4	7.938	Acetal	No Locking Device	FF_NL_HW (Double Flange)	65.96	70.4	17.46	17.46
		<i>0.252</i>	<i>0.313</i>				<i>2.597</i>	<i>2.772</i>	<i>0.687</i>	<i>0.687</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 2.073mm Pitch - 40DP

Part Number	Teeth (No.)	Suit Belt Width mm	Bore (d) mm	Material	Locking Type	Type (See Diagram)	Pitch Diameter (PD) mm	Flange Diameter (FD) mm	Overall Length (OL) mm	Hub Diameter (HD) mm
		<i>inches</i>	<i>inches</i>				<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>
# P-40-100-063FF-ACE-BIS-07.938	100	6.4	7.938	Acetal	Set Screw	FF_GI_HW (Double Flange)	65.96	70.4	17.46	17.46
		<i>0.252</i>	<i>0.313</i>				<i>2.597</i>	<i>2.772</i>	<i>0.687</i>	<i>0.687</i>
# P-40-100-079P-ALA-SET-07.938	100	7.9	7.938	Aluminium, Clear Anodised	Set Screw	P_G_H (Unflanged)	65.96		22.23	38.10
		<i>0.311</i>	<i>0.313</i>				<i>2.597</i>		<i>0.875</i>	<i>1.500</i>
# P-40-100-079P-ALA-SET-09.525	100	7.9	9.525	Aluminium, Clear Anodised	Set Screw	P_G_H (Unflanged)	65.96		22.23	38.10
		<i>0.311</i>	<i>0.375</i>				<i>2.597</i>		<i>0.875</i>	<i>1.500</i>
# P-40-102-060SF-ACE-BIS-06.000	102	6.0	6.000	Acetal	Set Screw, Brass Insert	SF_GI_2HW (Single Flange)	67.28	72.0	17.50	17.50
		<i>0.236</i>	<i>0.236</i>				<i>2.649</i>	<i>2.835</i>	<i>0.689</i>	<i>0.689</i>
# P-40-102-060FF-ACE-BIS-06.000	102	6.0	6.000	Acetal	Set Screw, Brass Insert	FF_GI_HW (Double Flange)	67.28	72.0	17.50	17.50
		<i>0.236</i>	<i>0.236</i>				<i>2.649</i>	<i>2.835</i>	<i>0.689</i>	<i>0.689</i>
# P-40-102-060SF-ACE-BIS-08.000	102	6.0	8.000	Acetal	Set Screw, Brass Insert	SF_GI_2HW (Single Flange)	67.28	72.0	17.50	17.50
		<i>0.236</i>	<i>0.315</i>				<i>2.649</i>	<i>2.835</i>	<i>0.689</i>	<i>0.689</i>
# P-40-102-060FF-ACE-NIL-08.000	102	6.0	8.000	Acetal	No Locking Device	FF_NL_HW (Double Flange)	67.28	72.0	17.50	17.50
		<i>0.236</i>	<i>0.315</i>				<i>2.649</i>	<i>2.835</i>	<i>0.689</i>	<i>0.689</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 2.073mm Pitch - 40DP

Part Number	Teeth (No.)	Suit Belt Width mm	Bore (d) mm	Material	Locking Type	Type (See Diagram)	Pitch Diameter (PD) mm	Flange Diameter (FD) mm	Overall Length (OL) mm	Hub Diameter (HD) mm
		<i>inches</i>	<i>inches</i>				<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>
# P-40-102-060FF-ACE-BIS-08.000	102	6.0	8.000	Acetal	Set Screw, Brass Insert	FF_GI_HW (Double Flange)	67.28	72.0	17.50	17.50
		<i>0.236</i>	<i>0.315</i>				<i>2.649</i>	<i>2.835</i>	<i>0.689</i>	<i>0.689</i>
# P-40-102-060SF-ACE-NIL-08.000	102	6.0	8.000	Acetal	No Locking Device	SF_NL_2HW (Single Flange)	67.28	72.0	17.50	17.50
		<i>0.236</i>	<i>0.315</i>				<i>2.649</i>	<i>2.835</i>	<i>0.689</i>	<i>0.689</i>
# P-40-102-063FF-ACE-BIS-06.350	102	6.4	6.350	Acetal	Set Screw	FF_GI_HW (Double Flange)	67.28	71.6	17.46	17.46
		<i>0.252</i>	<i>0.250</i>				<i>2.649</i>	<i>2.819</i>	<i>0.687</i>	<i>0.687</i>
# P-40-102-063SF-ACE-BIS-06.350	102	6.4	6.350	Acetal	Set Screw	SF_GI_2HW (Single Flange)	67.28	71.6	17.46	17.46
		<i>0.252</i>	<i>0.250</i>				<i>2.649</i>	<i>2.819</i>	<i>0.687</i>	<i>0.687</i>
# P-40-102-063SF-ACE-NIL-07.938	102	6.4	7.938	Acetal	No Locking Device	SF_NL_2HW (Single Flange)	67.28	71.6	17.46	17.46
		<i>0.252</i>	<i>0.313</i>				<i>2.649</i>	<i>2.819</i>	<i>0.687</i>	<i>0.687</i>
# P-40-102-063FF-ACE-BIS-07.938	102	6.4	7.938	Acetal	Set Screw	FF_GI_HW (Double Flange)	67.28	71.6	17.46	17.46
		<i>0.252</i>	<i>0.313</i>				<i>2.649</i>	<i>2.819</i>	<i>0.687</i>	<i>0.687</i>
# P-40-102-063FF-ACE-NIL-07.938	102	6.4	7.938	Acetal	No Locking Device	FF_NL_HW (Double Flange)	67.28	71.6	17.46	17.46
		<i>0.252</i>	<i>0.313</i>				<i>2.649</i>	<i>2.819</i>	<i>0.687</i>	<i>0.687</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 2.073mm Pitch - 40DP

Part Number	Teeth (No.)	Suit Belt Width mm	Bore (d) mm	Material	Locking Type	Type (See Diagram)	Pitch Diameter (PD) mm	Flange Diameter (FD) mm	Overall Length (OL) mm	Hub Diameter (HD) mm
		<i>inches</i>	<i>inches</i>				<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>
# P-40-102-063SF-ACE-BIS-07.938	102	6.4	7.938	Acetal	Set Screw	SF_GI_2HW (Single Flange)	67.28	71.6	17.46	17.46
		<i>0.252</i>	<i>0.313</i>				<i>2.649</i>	<i>2.819</i>	<i>0.687</i>	<i>0.687</i>
# P-40-108-047P-ALA-SET-07.938	108	4.8	7.938	Aluminium, Clear Anodised	Set Screw	P_G_H (Unflanged)	71.24		19.05	38.10
		<i>0.189</i>	<i>0.313</i>				<i>2.805</i>		<i>0.750</i>	<i>1.500</i>
# P-40-108-047P-ALA-SET-09.525	108	4.8	9.525	Aluminium, Clear Anodised	Set Screw	P_G_H (Unflanged)	71.24		19.05	38.10
		<i>0.189</i>	<i>0.375</i>				<i>2.805</i>		<i>0.750</i>	<i>1.500</i>
# P-40-108-079P-ALA-SET-07.938	108	7.9	7.938	Aluminium, Clear Anodised	Set Screw	P_G_H (Unflanged)	71.24		22.23	38.10
		<i>0.311</i>	<i>0.313</i>				<i>2.805</i>		<i>0.875</i>	<i>1.500</i>
# P-40-108-079P-ALA-SET-09.525	108	7.9	9.525	Aluminium, Clear Anodised	Set Screw	P_G_H (Unflanged)	71.24		22.23	38.10
		<i>0.311</i>	<i>0.375</i>				<i>2.805</i>		<i>0.875</i>	<i>1.500</i>
# P-40-110-060FF-ACE-BIS-06.000	110	6.0	6.000	Acetal	Set Screw, Brass Insert	FF_GI_HW (Double Flange)	72.56	77.0	17.50	17.50
		<i>0.236</i>	<i>0.236</i>				<i>2.857</i>	<i>3.031</i>	<i>0.689</i>	<i>0.689</i>
# P-40-110-060SF-ACE-BIS-06.000	110	6.0	6.000	Acetal	Set Screw, Brass Insert	SF_GI_2HW (Single Flange)	72.56	77.0	17.50	17.50
		<i>0.236</i>	<i>0.236</i>				<i>2.857</i>	<i>3.031</i>	<i>0.689</i>	<i>0.689</i>
# P-40-110-060SF-ACE-BIS-08.000	110	6.0	8.000	Acetal	Set Screw, Brass Insert	SF_GI_2HW (Single Flange)	72.56	77.0	17.50	17.50
		<i>0.236</i>	<i>0.315</i>				<i>2.857</i>	<i>3.031</i>	<i>0.689</i>	<i>0.689</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 2.073mm Pitch - 40DP

Part Number	Teeth (No.)	Suit Belt Width mm	Bore (d) mm	Material	Locking Type	Type (See Diagram)	Pitch Diameter (PD) mm	Flange Diameter (FD) mm	Overall Length (OL) mm	Hub Diameter (HD) mm
		<i>inches</i>	<i>inches</i>				<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>
# P-40-110-060SF-ACE-NIL-08.000	110	6.0	8.000	Acetal	No Locking Device	SF_NL_2HW (Single Flange)	72.56	77.0	17.50	17.50
		<i>0.236</i>	<i>0.315</i>				<i>2.857</i>	<i>3.031</i>	<i>0.689</i>	<i>0.689</i>
# P-40-110-060FF-ACE-NIL-08.000	110	6.0	8.000	Acetal	No Locking Device	FF_NL_HW (Double Flange)	72.56	77.0	17.50	17.50
		<i>0.236</i>	<i>0.315</i>				<i>2.857</i>	<i>3.031</i>	<i>0.689</i>	<i>0.689</i>
# P-40-110-060FF-ACE-BIS-08.000	110	6.0	8.000	Acetal	Set Screw, Brass Insert	FF_GI_HW (Double Flange)	72.56	77.0	17.50	17.50
		<i>0.236</i>	<i>0.315</i>				<i>2.857</i>	<i>3.031</i>	<i>0.689</i>	<i>0.689</i>
# P-40-110-063SF-ACE-BIS-06.350	110	6.4	6.350	Acetal	Set Screw	SF_GI_2HW (Single Flange)	72.56	77.0	17.46	17.46
		<i>0.252</i>	<i>0.250</i>				<i>2.857</i>	<i>3.031</i>	<i>0.687</i>	<i>0.687</i>
# P-40-110-063FF-ACE-BIS-06.350	110	6.4	6.350	Acetal	Set Screw	FF_GI_HW (Double Flange)	72.56	77.0	17.46	17.46
		<i>0.252</i>	<i>0.250</i>				<i>2.857</i>	<i>3.031</i>	<i>0.687</i>	<i>0.687</i>
# P-40-110-063FF-ACE-BIS-07.938	110	6.4	7.938	Acetal	Set Screw	FF_GI_HW (Double Flange)	72.56	77.0	17.46	17.46
		<i>0.252</i>	<i>0.313</i>				<i>2.857</i>	<i>3.031</i>	<i>0.687</i>	<i>0.687</i>
# P-40-110-063FF-ACE-NIL-07.938	110	6.4	7.938	Acetal	No Locking Device	FF_NL_HW (Double Flange)	72.56	77.0	17.46	17.46
		<i>0.252</i>	<i>0.313</i>				<i>2.857</i>	<i>3.031</i>	<i>0.687</i>	<i>0.687</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 2.073mm Pitch - 40DP

Part Number	Teeth (No.)	Suit Belt Width mm	Bore (d) mm	Material	Locking Type	Type (See Diagram)	Pitch Diameter (PD) mm	Flange Diameter (FD) mm	Overall Length (OL) mm	Hub Diameter (HD) mm
		<i>inches</i>	<i>inches</i>				<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>
# P-40-110-063SF-ACE-BIS-07.938	110	6.4	7.938	Acetal	Set Screw	SF_GI_2HW (Single Flange)	72.56	77.0	17.46	17.46
		<i>0.252</i>	<i>0.313</i>				<i>2.857</i>	<i>3.031</i>	<i>0.687</i>	<i>0.687</i>
# P-40-110-063SF-ACE-NIL-07.938	110	6.4	7.938	Acetal	No Locking Device	SF_NL_2HW (Single Flange)	72.56	77.0	17.46	17.46
		<i>0.252</i>	<i>0.313</i>				<i>2.857</i>	<i>3.031</i>	<i>0.687</i>	<i>0.687</i>
# P-40-110-079P-ALA-SET-09.525	110	7.9	9.525	Aluminium, Clear Anodised	Set Screw	P_G_H (Unflanged)	72.56		22.23	38.10
		<i>0.311</i>	<i>0.375</i>				<i>2.857</i>		<i>0.875</i>	<i>1.500</i>
# P-40-120-047P-ALA-SET-07.938	120	4.8	7.938	Aluminium, Clear Anodised	Set Screw	P_G_H (Unflanged)	79.15		19.05	38.10
		<i>0.189</i>	<i>0.313</i>				<i>3.116</i>		<i>0.750</i>	<i>1.500</i>
# P-40-120-047P-ALA-SET-09.525	120	4.8	9.525	Aluminium, Clear Anodised	Set Screw	P_G_H (Unflanged)	79.15		19.05	38.10
		<i>0.189</i>	<i>0.375</i>				<i>3.116</i>		<i>0.750</i>	<i>1.500</i>
# P-40-120-060SF-ACE-BIS-06.000	120	6.0	6.000	Acetal	Set Screw, Brass Insert	SF_GI_2HW (Single Flange)	79.15	86.0	17.50	17.50
		<i>0.236</i>	<i>0.236</i>				<i>3.116</i>	<i>3.386</i>	<i>0.689</i>	<i>0.689</i>
# P-40-120-060FF-ACE-BIS-06.000	120	6.0	6.000	Acetal	Set Screw, Brass Insert	FF_GI_HW (Double Flange)	79.15	86.0	17.50	17.50
		<i>0.236</i>	<i>0.236</i>				<i>3.116</i>	<i>3.386</i>	<i>0.689</i>	<i>0.689</i>
# P-40-120-060FF-ACE-BIS-08.000	120	6.0	8.000	Acetal	Set Screw, Brass Insert	FF_GI_HW (Double Flange)	79.15	86.0	17.50	17.50
		<i>0.236</i>	<i>0.315</i>				<i>3.116</i>	<i>3.386</i>	<i>0.689</i>	<i>0.689</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 2.073mm Pitch - 40DP

Part Number	Teeth (No.)	Suit Belt Width mm	Bore (d) mm	Material	Locking Type	Type (See Diagram)	Pitch Diameter (PD) mm	Flange Diameter (FD) mm	Overall Length (OL) mm	Hub Diameter (HD) mm
		<i>inches</i>	<i>inches</i>				<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>
# P-40-120-060FF-ACE-NIL-08.000	120	6.0	8.000	Acetal	No Locking Device	FF_NL_HW (Double Flange)	79.15	85.0	17.50	17.50
		<i>0.236</i>	<i>0.315</i>				<i>3.116</i>	<i>3.346</i>	<i>0.689</i>	<i>0.689</i>
# P-40-120-060SF-ACE-BIS-08.000	120	6.0	8.000	Acetal	Set Screw, Brass Insert	SF_GI_2HW (Single Flange)	79.15	86.0	17.50	17.50
		<i>0.236</i>	<i>0.315</i>				<i>3.116</i>	<i>3.386</i>	<i>0.689</i>	<i>0.689</i>
# P-40-120-060SF-ACE-NIL-08.000	120	6.0	8.000	Acetal	No Locking Device	SF_NL_2HW (Single Flange)	79.15	85.0	17.50	17.50
		<i>0.236</i>	<i>0.315</i>				<i>3.116</i>	<i>3.346</i>	<i>0.689</i>	<i>0.689</i>
# P-40-120-063SF-ACE-BIS-06.350	120	6.4	6.350	Acetal	Set Screw	SF_GI_2HW (Single Flange)	79.15	85.3	17.46	17.46
		<i>0.252</i>	<i>0.250</i>				<i>3.116</i>	<i>3.358</i>	<i>0.687</i>	<i>0.687</i>
# P-40-120-063FF-ACE-BIS-06.350	120	6.4	6.350	Acetal	Set Screw	FF_GI_HW (Double Flange)	79.15	85.3	17.46	17.46
		<i>0.252</i>	<i>0.250</i>				<i>3.116</i>	<i>3.358</i>	<i>0.687</i>	<i>0.687</i>
# P-40-120-063SF-ACE-NIL-07.938	120	6.4	7.938	Acetal	No Locking Device	SF_NL_2HW (Single Flange)	79.15	85.3	17.46	17.46
		<i>0.252</i>	<i>0.313</i>				<i>3.116</i>	<i>3.358</i>	<i>0.687</i>	<i>0.687</i>
# P-40-120-063SF-ACE-BIS-07.938	120	6.4	7.938	Acetal	Set Screw	SF_GI_2HW (Single Flange)	79.15	85.3	17.46	17.46
		<i>0.252</i>	<i>0.313</i>				<i>3.116</i>	<i>3.358</i>	<i>0.687</i>	<i>0.687</i>
# P-40-120-063FF-ACE-BIS-07.938	120	6.4	7.938	Acetal	Set Screw	FF_GI_HW (Double Flange)	79.15	85.3	17.46	17.46
		<i>0.252</i>	<i>0.313</i>				<i>3.116</i>	<i>3.358</i>	<i>0.687</i>	<i>0.687</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 2.073mm Pitch - 40DP

Part Number	Teeth (No.)	Suit Belt Width mm	Bore (d) mm	Material	Locking Type	Type (See Diagram)	Pitch Diameter (PD) mm	Flange Diameter (FD) mm	Overall Length (OL) mm	Hub Diameter (HD) mm
		<i>inches</i>	<i>inches</i>				<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>
# P-40-120-063FF-ACE-NIL-07.938	120	6.4	7.938	Acetal	No Locking Device	FF_NL_HW (Double Flange)	79.15	85.3	17.46	17.46
		<i>0.252</i>	<i>0.313</i>				<i>3.116</i>	<i>3.358</i>	<i>0.687</i>	<i>0.687</i>
# P-40-120-079P-ALA-SET-07.938	120	7.9	7.938	Aluminium, Clear Anodised	Set Screw	P_G_H (Unflanged)	79.15		22.23	38.10
		<i>0.311</i>	<i>0.313</i>				<i>3.116</i>		<i>0.875</i>	<i>1.500</i>
# P-40-120-079P-ALA-SET-09.525	120	7.9	9.525	Aluminium, Clear Anodised	Set Screw	P_G_H (Unflanged)	79.15		22.23	38.10
		<i>0.311</i>	<i>0.375</i>				<i>3.116</i>		<i>0.875</i>	<i>1.500</i>
# P-40-130-079P-ALA-SET-09.525	130	7.9	9.525	Aluminium, Clear Anodised	Set Screw	P_G_H (Unflanged)	85.75		22.23	41.28
		<i>0.311</i>	<i>0.375</i>				<i>3.376</i>		<i>0.875</i>	<i>1.625</i>
# P-40-140-079P-ALA-SET-09.525	140	7.9	9.525	Aluminium, Clear Anodised	Set Screw	P_G_H (Unflanged)	92.34		22.23	44.45
		<i>0.311</i>	<i>0.375</i>				<i>3.635</i>		<i>0.875</i>	<i>1.750</i>
P-40-150-079P-ALA-SET-09.525	150	7.9	9.525	Aluminium, Clear Anodised	Set Screw	P_G_H (Unflanged)	98.94		22.23	50.80
		<i>0.311</i>	<i>0.375</i>				<i>3.895</i>		<i>0.875</i>	<i>2.000</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to catalogues@minibearings.com.au
