




MBA

Pulleys - Timing - 2.500mm Pitch - T2.5 - STOCK



For manufacture of timing pulleys or applications requiring multiple belts from a single drive.

Pulleys - Timing - 2.500mm Pitch - T2.5 - STOCK

Part Number	Grooves No.	Min. Usable Length (L) mm	Pitch Diameter (PD) mm	Outside Diameter (OD) mm	Material	Shank Diameter (D1) mm	Shank Length (SI) mm
		<i>inches</i>	<i>inches</i>	<i>inches</i>		<i>inches</i>	<i>inches</i>
# P-T2.5-010X050-ALU	10	50.00 <i>1.969</i>	8.05 <i>0.317</i>	7.45 <i>0.293</i>	Aluminum Alloy	8.00 <i>0.315</i>	20.00 <i>0.787</i>
P-T2.5-012X050-ALU	12	50.00 <i>1.969</i>	9.60 <i>0.378</i>	9.00 <i>0.354</i>	Aluminum Alloy	9.50 <i>0.374</i>	20.00 <i>0.787</i>
# P-T2.5-013X050-ALU	13	50.00 <i>1.969</i>	10.40 <i>0.409</i>	9.80 <i>0.386</i>	Aluminum Alloy	11.10 <i>0.437</i>	20.00 <i>0.787</i>
# P-T2.5-014X050-ALU	14	50.00 <i>1.969</i>	11.20 <i>0.441</i>	10.60 <i>0.417</i>	Aluminum Alloy	11.10 <i>0.437</i>	20.00 <i>0.787</i>
# P-T2.5-015X050-ALU	15	50.00 <i>1.969</i>	12.00 <i>0.472</i>	11.40 <i>0.449</i>	Aluminum Alloy	12.70 <i>0.500</i>	20.00 <i>0.787</i>

Indicates item not stocked at time of printing - Please enquire for lead time
 E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
 MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 2.500mm Pitch - T2.5 - STOCK

Part Number	Grooves No.	Min. Usable Length (L) mm	Pitch Diameter (PD) mm	Outside Diameter (OD) mm	Material	Shank Diameter (D1) mm	Shank Length (Sl) mm
		<i>inches</i>	<i>inches</i>	<i>inches</i>		<i>inches</i>	<i>inches</i>
# P-T2.5-016X050-ALU	16	50.00 <i>1.969</i>	12.80 <i>0.504</i>	12.20 <i>0.480</i>	Aluminum Alloy	12.70 <i>0.500</i>	20.00 <i>0.787</i>
# P-T2.5-017X050-ALU	17	50.00 <i>1.969</i>	13.60 <i>0.535</i>	13.00 <i>0.512</i>	Aluminum Alloy	9.50 <i>0.374</i>	20.00 <i>0.787</i>
# P-T2.5-018X050-ALU	18	50.00 <i>1.969</i>	14.40 <i>0.567</i>	13.80 <i>0.543</i>	Aluminum Alloy	9.50 <i>0.374</i>	20.00 <i>0.787</i>
# P-T2.5-019X090-ALU	19	90.00 <i>3.543</i>	15.20 <i>0.598</i>	14.60 <i>0.575</i>	Aluminum Alloy	9.50 <i>0.374</i>	20.00 <i>0.787</i>
# P-T2.5-020X090-ALU	20	90.00 <i>3.543</i>	16.00 <i>0.630</i>	15.40 <i>0.606</i>	Aluminum Alloy	12.70 <i>0.500</i>	20.00 <i>0.787</i>
# P-T2.5-021X090-ALU	21	90.00 <i>3.543</i>	16.80 <i>0.661</i>	16.20 <i>0.638</i>	Aluminum Alloy	12.70 <i>0.500</i>	20.00 <i>0.787</i>
# P-T2.5-022X125-ALU	22	125.00 <i>4.921</i>	17.60 <i>0.693</i>	17.00 <i>0.669</i>	Aluminum Alloy	12.70 <i>0.500</i>	20.00 <i>0.787</i>
# P-T2.5-024X125-ALU	24	125.00 <i>4.921</i>	19.15 <i>0.754</i>	18.55 <i>0.730</i>	Aluminum Alloy	12.70 <i>0.500</i>	20.00 <i>0.787</i>
# P-T2.5-026X125-ALU	26	125.00 <i>4.921</i>	20.75 <i>0.817</i>	20.15 <i>0.793</i>	Aluminum Alloy	12.70 <i>0.500</i>	20.00 <i>0.787</i>
# P-T2.5-027X125-ALU	27	125.00 <i>4.921</i>	21.55 <i>0.848</i>	20.95 <i>0.825</i>	Aluminum Alloy	12.70 <i>0.500</i>	20.00 <i>0.787</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 2.500mm Pitch - T2.5 - STOCK

Part Number	Grooves No.	Min. Usable Length (L) mm	Pitch Diameter (PD) mm	Outside Diameter (OD) mm	Material	Shank Diameter (D1) mm	Shank Length (Sl) mm
		<i>inches</i>	<i>inches</i>	<i>inches</i>		<i>inches</i>	<i>inches</i>
# P-T2.5-028X125-ALU	28	125.00 <i>4.921</i>	22.35 <i>0.880</i>	21.75 <i>0.856</i>	Aluminum Alloy	12.70 <i>0.500</i>	20.00 <i>0.787</i>
# P-T2.5-029X125-ALU	29	125.00 <i>4.921</i>	23.15 <i>0.911</i>	22.55 <i>0.888</i>	Aluminum Alloy	12.70 <i>0.500</i>	20.00 <i>0.787</i>
# P-T2.5-030X125-ALU	30	125.00 <i>4.921</i>	23.95 <i>0.943</i>	23.35 <i>0.919</i>	Aluminum Alloy	12.70 <i>0.500</i>	20.00 <i>0.787</i>
# P-T2.5-032X125-ALU	32	125.00 <i>4.921</i>	25.55 <i>1.006</i>	24.95 <i>0.982</i>	Aluminum Alloy	12.70 <i>0.500</i>	20.00 <i>0.787</i>
# P-T2.5-034X125-ALU	34	125.00 <i>4.921</i>	27.15 <i>1.069</i>	26.55 <i>1.045</i>	Aluminum Alloy	12.70 <i>0.500</i>	20.00 <i>0.787</i>
# P-T2.5-035X132-ALU	35	132.00 <i>5.197</i>	27.95 <i>1.100</i>	27.35 <i>1.077</i>	Aluminum Alloy	12.70 <i>0.500</i>	20.00 <i>0.787</i>
# P-T2.5-036X132-ALU	36	132.00 <i>5.197</i>	28.75 <i>1.132</i>	28.15 <i>1.108</i>	Aluminum Alloy	12.70 <i>0.500</i>	20.00 <i>0.787</i>
# P-T2.5-038X132-ALU	38	132.00 <i>5.197</i>	30.30 <i>1.193</i>	29.70 <i>1.169</i>	Aluminum Alloy	12.70 <i>0.500</i>	20.00 <i>0.787</i>
# P-T2.5-040X132-ALU	40	132.00 <i>5.197</i>	31.90 <i>1.256</i>	31.30 <i>1.232</i>	Aluminum Alloy	12.70 <i>0.500</i>	20.00 <i>0.787</i>
# P-T2.5-042X132-ALU	42	132.00 <i>5.197</i>	33.50 <i>1.319</i>	32.90 <i>1.295</i>	Aluminum Alloy	12.70 <i>0.500</i>	20.00 <i>0.787</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 2.500mm Pitch - T2.5 - STOCK

Part Number	Grooves No.	Min. Usable Length (L) mm	Pitch Diameter (PD) mm	Outside Diameter (OD) mm	Material	Shank Diameter (D1) mm	Shank Length (Sl) mm
		<i>inches</i>	<i>inches</i>	<i>inches</i>		<i>inches</i>	<i>inches</i>
# P-T2.5-044X132-ALU	44	132.00 <i>5.197</i>	35.10 <i>1.382</i>	34.50 <i>1.358</i>	Aluminum Alloy	12.70 <i>0.500</i>	20.00 <i>0.787</i>
# P-T2.5-045X132-ALU	45	132.00 <i>5.197</i>	35.90 <i>1.413</i>	35.30 <i>1.390</i>	Aluminum Alloy	12.70 <i>0.500</i>	20.00 <i>0.787</i>
# P-T2.5-048X132-ALU	48	132.00 <i>5.197</i>	38.30 <i>1.508</i>	37.70 <i>1.484</i>	Aluminum Alloy	12.70 <i>0.500</i>	20.00 <i>0.787</i>
# P-T2.5-050X160-ALU	50	160.00 <i>6.299</i>	39.89 <i>1.570</i>	39.29 <i>1.547</i>	Aluminum Alloy	12.70 <i>0.500</i>	20.00 <i>0.787</i>
# P-T2.5-060X160-ALU	60	160.00 <i>6.299</i>	47.85 <i>1.884</i>	47.25 <i>1.860</i>	Aluminum Alloy	12.70 <i>0.500</i>	20.00 <i>0.787</i>
# P-T2.5-065X160-ALU	65	160.00 <i>6.299</i>	51.80 <i>2.039</i>	51.20 <i>2.016</i>	Aluminum Alloy	19.10 <i>0.752</i>	20.00 <i>0.787</i>
# P-T2.5-070X160-ALU	70	160.00 <i>6.299</i>	55.80 <i>2.197</i>	55.20 <i>2.173</i>	Aluminum Alloy	19.10 <i>0.752</i>	20.00 <i>0.787</i>
# P-T2.5-072X160-ALU	72	160.00 <i>6.299</i>	57.40 <i>2.260</i>	56.80 <i>2.236</i>	Aluminum Alloy	19.10 <i>0.752</i>	20.00 <i>0.787</i>
# P-T2.5-090X160-ALU	90	160.00 <i>6.299</i>	71.72 <i>2.824</i>	71.12 <i>2.800</i>	Aluminum Alloy	19.10 <i>0.752</i>	20.00 <i>0.787</i>
# P-T2.5-100X160-ALU	100	160.00 <i>6.299</i>	79.68 <i>3.137</i>	79.08 <i>3.113</i>	Aluminum Alloy	19.10 <i>0.752</i>	20.00 <i>0.787</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to catalogues@minibearings.com.au

