




MBA

Pulleys - Timing - 3.000mm Pitch - GT - STOCK



For manufacture of timing pulleys or applications requiring multiple belts from a single drive.

Pulleys - Timing - 3.000mm Pitch - GT - STOCK

Part Number	Grooves No.	Min. Usable Length (L) mm	Pitch Diameter (PD) mm	Outside Diameter (OD) mm	Material	Shank Diameter (D1) mm	Shank Length (SI) mm
		<i>inches</i>	<i>inches</i>	<i>inches</i>		<i>inches</i>	<i>inches</i>
# P-G3-009X075-ALU	9	75.00 <i>2.953</i>	8.60 <i>0.339</i>	7.83 <i>0.308</i>	Aluminum Alloy	4.70 <i>0.185</i>	25.00 <i>0.984</i>
# P-G3-010X075-ALU	10	75.00 <i>2.953</i>	9.50 <i>0.374</i>	8.79 <i>0.346</i>	Aluminum Alloy	4.70 <i>0.185</i>	25.00 <i>0.984</i>
# P-G3-011X075-ALU	11	75.00 <i>2.953</i>	10.50 <i>0.413</i>	9.74 <i>0.383</i>	Aluminum Alloy	8.30 <i>0.327</i>	25.00 <i>0.984</i>
# P-G3-012X100-ALU	12	100.00 <i>3.937</i>	11.50 <i>0.453</i>	10.70 <i>0.421</i>	Aluminum Alloy	8.30 <i>0.327</i>	22.00 <i>0.866</i>
# P-G3-013X100-ALU	13	100.00 <i>3.937</i>	12.40 <i>0.488</i>	11.65 <i>0.459</i>	Aluminum Alloy	7.90 <i>0.311</i>	22.00 <i>0.866</i>

Indicates item not stocked at time of printing - Please enquire for lead time
 E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
 MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 3.000mm Pitch - GT - STOCK

Part Number	Grooves No.	Min. Usable Length (L) mm	Pitch Diameter (PD) mm	Outside Diameter (OD) mm	Material	Shank Diameter (D1) mm	Shank Length (Sl) mm
		<i>inches</i>	<i>inches</i>	<i>inches</i>		<i>inches</i>	<i>inches</i>
# P-G3-014X100-ALU	14	100.00 <i>3.937</i>	13.40 <i>0.528</i>	12.61 <i>0.496</i>	Aluminum Alloy	7.90 <i>0.311</i>	22.00 <i>0.866</i>
# P-G3-015X100-ALU	15	100.00 <i>3.937</i>	14.30 <i>0.563</i>	13.56 <i>0.534</i>	Aluminum Alloy	9.50 <i>0.374</i>	22.00 <i>0.866</i>
# P-G3-016X125-ALU	16	125.00 <i>4.921</i>	15.30 <i>0.602</i>	14.52 <i>0.572</i>	Aluminum Alloy	9.50 <i>0.374</i>	19.00 <i>0.748</i>
# P-G3-017X125-ALU	17	125.00 <i>4.921</i>	16.20 <i>0.638</i>	15.47 <i>0.609</i>	Aluminum Alloy	12.70 <i>0.500</i>	19.00 <i>0.748</i>
# P-G3-018X125-ALU	18	125.00 <i>4.921</i>	17.20 <i>0.677</i>	16.43 <i>0.647</i>	Aluminum Alloy	12.70 <i>0.500</i>	19.00 <i>0.748</i>
# P-G3-019X125-ALU	19	125.00 <i>4.921</i>	18.10 <i>0.713</i>	17.38 <i>0.684</i>	Aluminum Alloy	12.70 <i>0.500</i>	19.00 <i>0.748</i>
# P-G3-020X150-ALU	20	150.00 <i>5.906</i>	19.10 <i>0.752</i>	18.34 <i>0.722</i>	Aluminum Alloy	12.70 <i>0.500</i>	19.00 <i>0.748</i>
# P-G3-021X150-ALU	21	150.00 <i>5.906</i>	20.10 <i>0.791</i>	19.29 <i>0.759</i>	Aluminum Alloy	12.70 <i>0.500</i>	19.00 <i>0.748</i>
# P-G3-022X150-ALU	22	150.00 <i>5.906</i>	21.00 <i>0.827</i>	20.25 <i>0.797</i>	Aluminum Alloy	12.70 <i>0.500</i>	19.00 <i>0.748</i>
# P-G3-023X150-ALU	23	150.00 <i>5.906</i>	22.00 <i>0.866</i>	21.20 <i>0.835</i>	Aluminum Alloy	12.70 <i>0.500</i>	19.00 <i>0.748</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 3.000mm Pitch - GT - STOCK

Part Number	Grooves No.	Min. Usable Length (L) mm	Pitch Diameter (PD) mm	Outside Diameter (OD) mm	Material	Shank Diameter (D1) mm	Shank Length (Sl) mm
		<i>inches</i>	<i>inches</i>	<i>inches</i>		<i>inches</i>	<i>inches</i>
# P-G3-024X150-ALU	24	150.00 <i>5.906</i>	22.90 <i>0.902</i>	22.16 <i>0.872</i>	Aluminum Alloy	12.70 <i>0.500</i>	19.00 <i>0.748</i>
# P-G3-025X150-ALU	25	150.00 <i>5.906</i>	23.90 <i>0.941</i>	23.11 <i>0.910</i>	Aluminum Alloy	12.70 <i>0.500</i>	19.00 <i>0.748</i>
# P-G3-026X150-ALU	26	150.00 <i>5.906</i>	24.80 <i>0.976</i>	24.07 <i>0.948</i>	Aluminum Alloy	12.70 <i>0.500</i>	19.00 <i>0.748</i>
# P-G3-027X150-ALU	27	150.00 <i>5.906</i>	25.80 <i>1.016</i>	25.02 <i>0.985</i>	Aluminum Alloy	12.70 <i>0.500</i>	19.00 <i>0.748</i>
# P-G3-028X150-ALU	28	150.00 <i>5.906</i>	26.70 <i>1.051</i>	25.98 <i>1.023</i>	Aluminum Alloy	12.70 <i>0.500</i>	19.00 <i>0.748</i>
# P-G3-029X150-ALU	29	150.00 <i>5.906</i>	27.70 <i>1.091</i>	26.93 <i>1.060</i>	Aluminum Alloy	12.70 <i>0.500</i>	19.00 <i>0.748</i>
# P-G3-030X175-ALU	30	175.00 <i>6.890</i>	28.60 <i>1.126</i>	27.89 <i>1.098</i>	Aluminum Alloy	12.70 <i>0.500</i>	19.00 <i>0.748</i>
# P-G3-031X175-ALU	31	175.00 <i>6.890</i>	29.60 <i>1.165</i>	28.84 <i>1.135</i>	Aluminum Alloy	12.70 <i>0.500</i>	19.00 <i>0.748</i>
# P-G3-032X175-ALU	32	175.00 <i>6.890</i>	30.60 <i>1.205</i>	29.80 <i>1.173</i>	Aluminum Alloy	12.70 <i>0.500</i>	19.00 <i>0.748</i>
# P-G3-033X175-ALU	33	175.00 <i>6.890</i>	31.50 <i>1.240</i>	30.75 <i>1.211</i>	Aluminum Alloy	12.70 <i>0.500</i>	19.00 <i>0.748</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 3.000mm Pitch - GT - STOCK

Part Number	Grooves No.	Min. Usable Length (L) mm	Pitch Diameter (PD) mm	Outside Diameter (OD) mm	Material	Shank Diameter (D1) mm	Shank Length (Sl) mm
		<i>inches</i>	<i>inches</i>	<i>inches</i>		<i>inches</i>	<i>inches</i>
# P-G3-034X175-ALU	34	175.00 <i>6.890</i>	32.50 <i>1.280</i>	31.71 <i>1.248</i>	Aluminum Alloy	12.70 <i>0.500</i>	19.00 <i>0.748</i>
# P-G3-035X175-ALU	35	175.00 <i>6.890</i>	33.40 <i>1.315</i>	32.66 <i>1.286</i>	Aluminum Alloy	12.70 <i>0.500</i>	19.00 <i>0.748</i>
# P-G3-036X200-ALU	36	200.00 <i>7.874</i>	34.40 <i>1.354</i>	33.62 <i>1.324</i>	Aluminum Alloy	12.70 <i>0.500</i>	19.00 <i>0.748</i>
# P-G3-037X200-ALU	37	200.00 <i>7.874</i>	35.30 <i>1.390</i>	34.57 <i>1.361</i>	Aluminum Alloy	12.70 <i>0.500</i>	19.00 <i>0.748</i>
# P-G3-038X200-ALU	38	200.00 <i>7.874</i>	36.30 <i>1.429</i>	35.53 <i>1.399</i>	Aluminum Alloy	12.70 <i>0.500</i>	19.00 <i>0.748</i>
# P-G3-039X200-ALU	39	200.00 <i>7.874</i>	37.20 <i>1.465</i>	36.48 <i>1.436</i>	Aluminum Alloy	12.70 <i>0.500</i>	19.00 <i>0.748</i>
# P-G3-040X200-ALU	40	200.00 <i>7.874</i>	38.20 <i>1.504</i>	37.44 <i>1.474</i>	Aluminum Alloy	12.70 <i>0.500</i>	19.00 <i>0.748</i>
# P-G3-042X200-ALU	42	200.00 <i>7.874</i>	40.10 <i>1.579</i>	39.35 <i>1.549</i>	Aluminum Alloy	12.70 <i>0.500</i>	19.00 <i>0.748</i>
# P-G3-044X200-ALU	44	200.00 <i>7.874</i>	42.00 <i>1.654</i>	41.25 <i>1.624</i>	Aluminum Alloy	12.70 <i>0.500</i>	19.00 <i>0.748</i>
# P-G3-045X200-ALU	45	200.00 <i>7.874</i>	43.00 <i>1.693</i>	42.21 <i>1.662</i>	Aluminum Alloy	12.70 <i>0.500</i>	19.00 <i>0.748</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 3.000mm Pitch - GT - STOCK

Part Number	Grooves No.	Min. Usable Length (L) mm	Pitch Diameter (PD) mm	Outside Diameter (OD) mm	Material	Shank Diameter (D1) mm	Shank Length (Sl) mm
		<i>inches</i>	<i>inches</i>	<i>inches</i>		<i>inches</i>	<i>inches</i>
# P-G3-048X200-ALU	48	200.00 <i>7.874</i>	45.80 <i>1.803</i>	45.07 <i>1.774</i>	Aluminum Alloy	12.70 <i>0.500</i>	19.00 <i>0.748</i>
# P-G3-050X200-ALU	50	200.00 <i>7.874</i>	47.70 <i>1.878</i>	46.98 <i>1.850</i>	Aluminum Alloy	12.70 <i>0.500</i>	19.00 <i>0.748</i>
# P-G3-052X200-ALU	52	200.00 <i>7.874</i>	49.70 <i>1.957</i>	48.89 <i>1.925</i>	Aluminum Alloy	19.00 <i>0.748</i>	19.00 <i>0.748</i>
# P-G3-054X200-ALU	54	200.00 <i>7.874</i>	51.60 <i>2.031</i>	50.80 <i>2.000</i>	Aluminum Alloy	19.00 <i>0.748</i>	19.00 <i>0.748</i>
# P-G3-056X200-ALU	56	200.00 <i>7.874</i>	53.50 <i>2.106</i>	52.71 <i>2.075</i>	Aluminum Alloy	19.00 <i>0.748</i>	19.00 <i>0.748</i>
# P-G3-060X200-ALU	60	200.00 <i>7.874</i>	57.30 <i>2.256</i>	56.53 <i>2.226</i>	Aluminum Alloy	19.00 <i>0.748</i>	19.00 <i>0.748</i>
# P-G3-062X200-ALU	62	200.00 <i>7.874</i>	59.20 <i>2.331</i>	58.44 <i>2.301</i>	Aluminum Alloy	19.00 <i>0.748</i>	19.00 <i>0.748</i>
# P-G3-064X200-ALU	64	200.00 <i>7.874</i>	61.10 <i>2.406</i>	60.35 <i>2.376</i>	Aluminum Alloy	19.00 <i>0.748</i>	19.00 <i>0.748</i>
# P-G3-066X200-ALU	66	200.00 <i>7.874</i>	63.00 <i>2.480</i>	62.26 <i>2.451</i>	Aluminum Alloy	19.00 <i>0.748</i>	19.00 <i>0.748</i>
# P-G3-068X200-ALU	68	200.00 <i>7.874</i>	64.90 <i>2.555</i>	64.17 <i>2.526</i>	Aluminum Alloy	19.00 <i>0.748</i>	19.00 <i>0.748</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 3.000mm Pitch - GT - STOCK

Part Number	Grooves No.	Min. Usable Length (L) mm	Pitch Diameter (PD) mm	Outside Diameter (OD) mm	Material	Shank Diameter (D1) mm	Shank Length (Sl) mm
		<i>inches</i>	<i>inches</i>	<i>inches</i>		<i>inches</i>	<i>inches</i>
# P-G3-070X200-ALU	70	200.00 <i>7.874</i>	66.80 <i>2.630</i>	66.08 <i>2.602</i>	Aluminum Alloy	19.00 <i>0.748</i>	19.00 <i>0.748</i>
# P-G3-072X200-ALU	72	200.00 <i>7.874</i>	66.80 <i>2.630</i>	67.99 <i>2.677</i>	Aluminum Alloy	19.00 <i>0.748</i>	19.00 <i>0.748</i>
# P-G3-075X200-ALU	75	200.00 <i>7.874</i>	71.60 <i>2.819</i>	70.86 <i>2.790</i>	Aluminum Alloy	19.00 <i>0.748</i>	19.00 <i>0.748</i>
# P-G3-080X200-ALU	80	200.00 <i>7.874</i>	76.40 <i>3.008</i>	75.63 <i>2.978</i>	Aluminum Alloy	19.00 <i>0.748</i>	19.00 <i>0.748</i>
# P-G3-090X200-ALU	90	200.00 <i>7.874</i>	85.90 <i>3.382</i>	85.18 <i>3.354</i>	Aluminum Alloy	19.00 <i>0.748</i>	19.00 <i>0.748</i>
# P-G3-100X200-ALU	100	200.00 <i>7.874</i>	95.50 <i>3.760</i>	94.73 <i>3.730</i>	Aluminum Alloy	25.40 <i>1.000</i>	19.00 <i>0.748</i>
# P-G3-110X200-ALU	110	200.00 <i>7.874</i>	105.00 <i>4.134</i>	104.28 <i>4.106</i>	Aluminum Alloy	25.40 <i>1.000</i>	19.00 <i>0.748</i>
# P-G3-120X200-ALU	120	200.00 <i>7.874</i>	114.60 <i>4.512</i>	113.83 <i>4.481</i>	Aluminum Alloy	25.40 <i>1.000</i>	19.00 <i>0.748</i>
# P-G3-130X200-ALU	130	200.00 <i>7.874</i>	124.10 <i>4.886</i>	123.38 <i>4.857</i>	Aluminum Alloy	25.40 <i>1.000</i>	19.00 <i>0.748</i>
# P-G3-140X200-ALU	140	200.00 <i>7.874</i>	133.70 <i>5.264</i>	132.93 <i>5.233</i>	Aluminum Alloy	25.40 <i>1.000</i>	19.00 <i>0.748</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 3.000mm Pitch - GT - STOCK

Part Number	Grooves No.	Min. Usable Length (L) mm	Pitch Diameter (PD) mm	Outside Diameter (OD) mm	Material	Shank Diameter (D1) mm	Shank Length (Sl) mm
		<i>inches</i>	<i>inches</i>	<i>inches</i>		<i>inches</i>	<i>inches</i>
# P-G3-150X200-ALU	150	200.00 <i>7.874</i>	143.20 <i>5.638</i>	142.48 <i>5.609</i>	Aluminum Alloy	25.40 <i>1.000</i>	19.00 <i>0.748</i>
# P-G3-160X200-ALU	160	200.00 <i>7.874</i>	452.80 <i>17.827</i>	152.03 <i>5.985</i>	Aluminum Alloy	25.40 <i>1.000</i>	19.00 <i>0.748</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to catalogues@minibearings.com.au

