




# MBA

Pulleys - Timing - 5.000mm  
Pitch - GT



## Pulleys - Timing - 5.000mm Pitch - GT

Part Number	Teeth (No.)	Suit Belt Width mm	Bore (d) mm	Material	Locking Type	Type (See Diagram)	Pitch Diameter (PD) mm	Flange Diameter (FD) mm	Overall Length (OL) mm	Hub Diameter (HD) mm
		<i>inches</i>	<i>inches</i>				<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>
# P-G5-012-090P-ALA-SET-06.00	12	9.0	6.000	Aluminium	Set Screw	P_G_H (Unflanged)	19.09	-	20.20	11.10
		<i>0.354</i>	<i>0.236</i>				<i>0.752</i>		<i>0.795</i>	<i>0.437</i>
# P-G5-012-090FF-ALA-SET-06.00	12	9.0	6.000	Aluminium	Set Screw	FF_G_H (Double Flange)	19.09	22.2	20.20	11.10
		<i>0.354</i>	<i>0.236</i>				<i>0.752</i>	<i>0.874</i>	<i>0.795</i>	<i>0.437</i>
# P-G5-012-090FF-ALU-SET-06.350	12	9.0	6.350	Aluminium	Set Screw	FF_G_H (Double Flange)	19.09	22.2	20.24	11.13
		<i>0.354</i>	<i>0.250</i>				<i>0.752</i>	<i>0.874</i>	<i>0.797</i>	<i>0.438</i>

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Pulleys - Timing - 5.000mm Pitch - GT

Part Number	Teeth (No.)	Suit Belt Width mm	Bore (d) mm	Material	Locking Type	Type (See Diagram)	Pitch Diameter (PD) mm	Flange Diameter (FD) mm	Overall Length (OL) mm	Hub Diameter (HD) mm
		<i>inches</i>	<i>inches</i>				<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>
# P-G5-012-090P-ALU-SET-06.350	12	9.0	6.350	Aluminium	Set Screw	P_G_H (Unflanged)	19.09		20.24	11.11
		<i>0.354</i>	<i>0.250</i>				<i>0.752</i>		<i>0.797</i>	<i>0.437</i>
# P-G5-012-150FF-ALA-SET-06.00	12	15.0	6.000	Aluminium	Set Screw	FF_G_H (Double Flange)	19.09	22.2	26.20	11.10
		<i>0.591</i>	<i>0.236</i>				<i>0.752</i>	<i>0.874</i>	<i>1.031</i>	<i>0.437</i>
# P-G5-012-150P-ALA-SET-06.00	12	15.0	6.000	Aluminium	Set Screw	P_G_H (Unflanged)	19.09	-	26.20	11.10
		<i>0.591</i>	<i>0.236</i>				<i>0.752</i>		<i>1.031</i>	<i>0.437</i>
P-G5-012-150FF-ALU-SET-06.350	12	15.0	6.350	Aluminium	Set Screw	FF_G_H (Double Flange)	19.09	22.2	26.19	11.11
		<i>0.591</i>	<i>0.250</i>				<i>0.752</i>	<i>0.874</i>	<i>1.031</i>	<i>0.437</i>
# P-G5-012-150P-ALU-SET-06.350	12	15.0	6.350	Aluminium	Set Screw	P_G_H (Unflanged)	19.09		26.19	11.11
		<i>0.591</i>	<i>0.250</i>				<i>0.752</i>		<i>1.031</i>	<i>0.437</i>
# P-G5-013-090P-ALA-SET-06.00	13	9.0	6.000	Aluminium	Set Screw	P_G_H (Unflanged)	20.68	-	20.20	15.90
		<i>0.354</i>	<i>0.236</i>				<i>0.814</i>		<i>0.795</i>	<i>0.626</i>
# P-G5-013-090FF-ALA-SET-06.00	13	9.0	6.000	Aluminium	Set Screw	FF_G_H (Double Flange)	20.68	23.8	20.20	15.90
		<i>0.354</i>	<i>0.236</i>				<i>0.814</i>	<i>0.937</i>	<i>0.795</i>	<i>0.626</i>
# P-G5-013-090P-ALU-SET-06.350	13	9.0	6.350	Aluminium	Set Screw	P_G_H (Unflanged)	20.68		20.24	15.88
		<i>0.354</i>	<i>0.250</i>				<i>0.814</i>		<i>0.797</i>	<i>0.625</i>

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Pulleys - Timing - 5.000mm Pitch - GT

Part Number	Teeth (No.)	Suit Belt Width mm	Bore (d) mm	Material	Locking Type	Type (See Diagram)	Pitch Diameter (PD) mm	Flange Diameter (FD) mm	Overall Length (OL) mm	Hub Diameter (HD) mm
		<i>inches</i>	<i>inches</i>				<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>
# P-G5-013-090FF-ALU-SET-06.350	13	9.0	6.350	Aluminium	Set Screw	FF_G_H (Double Flange)	20.68	23.8	20.24	15.88
		<i>0.354</i>	<i>0.250</i>				<i>0.814</i>	<i>0.937</i>	<i>0.797</i>	<i>0.625</i>
# P-G5-013-150P-ALA-SET-06.00	13	15.0	6.000	Aluminium	Set Screw	P_G_H (Unflanged)	20.68	-	26.20	15.90
		<i>0.591</i>	<i>0.236</i>				<i>0.814</i>		<i>1.031</i>	<i>0.626</i>
# P-G5-013-150FF-ALA-SET-06.00	13	15.0	6.000	Aluminium	Set Screw	FF_G_H (Double Flange)	20.68	23.8	26.20	15.90
		<i>0.591</i>	<i>0.236</i>				<i>0.814</i>	<i>0.937</i>	<i>1.031</i>	<i>0.626</i>
P-G5-013-150FF-ALU-SET-06.350	13	15.0	6.350	Aluminium	Set Screw	FF_G_H (Double Flange)	20.68	23.8	26.19	15.88
		<i>0.591</i>	<i>0.250</i>				<i>0.814</i>	<i>0.937</i>	<i>1.031</i>	<i>0.625</i>
# P-G5-013-150P-ALU-SET-06.350	13	15.0	6.350	Aluminium	Set Screw	P_G_H (Unflanged)	20.68	-	26.19	15.88
		<i>0.591</i>	<i>0.250</i>				<i>0.814</i>		<i>1.031</i>	<i>0.625</i>
# P-G5-014-090FF-ALA-SET-06.00	14	9.0	6.000	Aluminium	Set Screw	FF_G_H (Double Flange)	22.27	25.4	20.20	15.90
		<i>0.354</i>	<i>0.236</i>				<i>0.877</i>	<i>1.000</i>	<i>0.795</i>	<i>0.626</i>
# P-G5-014-090P-ALA-SET-06.00	14	9.0	6.000	Aluminium	Set Screw	P_G_H (Unflanged)	22.27	-	20.20	15.90
		<i>0.354</i>	<i>0.236</i>				<i>0.877</i>		<i>0.795</i>	<i>0.626</i>

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Pulleys - Timing - 5.000mm Pitch - GT

Part Number	Teeth (No.)	Suit Belt Width mm	Bore (d) mm	Material	Locking Type	Type (See Diagram)	Pitch Diameter (PD) mm	Flange Diameter (FD) mm	Overall Length (OL) mm	Hub Diameter (HD) mm
		<i>inches</i>	<i>inches</i>				<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>
# P-G5-014-090FF-ALU-SET-06.350	14	9.0	6.350	Aluminium	Set Screw	FF_G_H (Double Flange)	22.27	25.4	20.24	15.88
		<i>0.354</i>	<i>0.250</i>				<i>0.877</i>	<i>1.000</i>	<i>0.797</i>	<i>0.625</i>
# P-G5-014-090P-ALU-SET-06.350	14	9.0	6.350	Aluminium	Set Screw	P_G_H (Unflanged)	22.27		20.24	15.88
		<i>0.354</i>	<i>0.250</i>				<i>0.877</i>		<i>0.797</i>	<i>0.625</i>
# P-G5-014-150P-ALA-SET-06.00	14	15.0	6.000	Aluminium	Set Screw	P_G_H (Unflanged)	22.27	-	26.20	15.90
		<i>0.591</i>	<i>0.236</i>				<i>0.877</i>		<i>1.031</i>	<i>0.626</i>
# P-G5-014-150FF-ALA-SET-06.00	14	15.0	6.000	Aluminium	Set Screw	FF_G_H (Double Flange)	22.27	25.4	26.20	15.90
		<i>0.591</i>	<i>0.236</i>				<i>0.877</i>	<i>1.000</i>	<i>1.031</i>	<i>0.626</i>
# P-G5-014-150P-ALU-SET-06.350	14	15.0	6.350	Aluminium	Set Screw	P_G_H (Unflanged)	22.27		26.19	15.88
		<i>0.591</i>	<i>0.250</i>				<i>0.877</i>		<i>1.031</i>	<i>0.625</i>
# P-G5-014-150FF-ALU-SET-06.350	14	15.0	6.350	Aluminium	Set Screw	FF_G_H (Double Flange)	22.27	25.4	26.19	15.88
		<i>0.591</i>	<i>0.250</i>				<i>0.877</i>	<i>1.000</i>	<i>1.031</i>	<i>0.625</i>
# P-G5-015-090FF-ALA-SET-06.00	15	9.0	6.000	Aluminium	Set Screw	FF_G_H (Double Flange)	23.86	27.0	20.20	15.90
		<i>0.354</i>	<i>0.236</i>				<i>0.939</i>	<i>1.063</i>	<i>0.795</i>	<i>0.626</i>

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Pulleys - Timing - 5.000mm Pitch - GT

Part Number	Teeth (No.)	Suit Belt Width mm	Bore (d) mm	Material	Locking Type	Type (See Diagram)	Pitch Diameter (PD) mm	Flange Diameter (FD) mm	Overall Length (OL) mm	Hub Diameter (HD) mm
		<i>inches</i>	<i>inches</i>				<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>
# P-G5-015-090P-ALA-SET-06.00	15	9.0	6.000	Aluminium	Set Screw	P_G_H (Unflanged)	23.86	-	20.20	15.90
		<i>0.354</i>	<i>0.236</i>				<i>0.939</i>		<i>0.795</i>	<i>0.626</i>
# P-G5-015-090FF-ALU-SET-06.350	15	9.0	6.350	Aluminium	Set Screw	FF_G_H (Double Flange)	23.86	27.0	20.24	15.88
		<i>0.354</i>	<i>0.250</i>				<i>0.939</i>	<i>1.063</i>	<i>0.797</i>	<i>0.625</i>
# P-G5-015-090P-ALU-SET-06.350	15	9.0	6.350	Aluminium	Set Screw	P_G_H (Unflanged)	23.86	-	20.24	15.88
		<i>0.354</i>	<i>0.250</i>				<i>0.939</i>		<i>0.797</i>	<i>0.625</i>
# P-G5-015-150FF-ALA-SET-06.00	15	15.0	6.000	Aluminium	Set Screw	FF_G_H (Double Flange)	23.86	27.0	26.20	15.90
		<i>0.591</i>	<i>0.236</i>				<i>0.939</i>	<i>1.063</i>	<i>1.031</i>	<i>0.626</i>
# P-G5-015-150P-ALA-SET-06.00	15	15.0	6.000	Aluminium	Set Screw	P_G_H (Unflanged)	23.86	-	26.20	15.90
		<i>0.591</i>	<i>0.236</i>				<i>0.939</i>		<i>1.031</i>	<i>0.626</i>
# P-G5-015-150FF-ALU-SET-06.350	15	15.0	6.350	Aluminium	Set Screw	FF_G_H (Double Flange)	23.86	27.0	26.19	15.88
		<i>0.591</i>	<i>0.250</i>				<i>0.939</i>	<i>1.063</i>	<i>1.031</i>	<i>0.625</i>
# P-G5-015-150P-ALU-SET-06.350	15	15.0	6.350	Aluminium	Set Screw	P_G_H (Unflanged)	23.86	-	26.19	15.88
		<i>0.591</i>	<i>0.250</i>				<i>0.939</i>		<i>1.031</i>	<i>0.625</i>

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Pulleys - Timing - 5.000mm Pitch - GT

Part Number	Teeth (No.)	Suit Belt Width mm	Bore (d) mm	Material	Locking Type	Type (See Diagram)	Pitch Diameter (PD) mm	Flange Diameter (FD) mm	Overall Length (OL) mm	Hub Diameter (HD) mm
		<i>inches</i>	<i>inches</i>				<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>
P-G5-016-090FF-ALA-SET-06.00	16	9.0	6.000	Aluminium	Set Screw	FF_G_H (Double Flange)	25.45	27.8	20.20	15.90
		<i>0.354</i>	<i>0.236</i>				<i>1.002</i>	<i>1.094</i>	<i>0.795</i>	<i>0.626</i>
# P-G5-016-090P-ALA-SET-06.00	16	9.0	6.000	Aluminium	Set Screw	P_G_H (Unflanged)	25.45	-	20.20	15.90
		<i>0.354</i>	<i>0.236</i>				<i>1.002</i>		<i>0.795</i>	<i>0.626</i>
# P-G5-016-090P-ALU-SET-06.350	16	9.0	6.350	Aluminium	Set Screw	P_G_H (Unflanged)	25.45		20.24	15.88
		<i>0.354</i>	<i>0.250</i>				<i>1.002</i>		<i>0.797</i>	<i>0.625</i>
# P-G5-016-090FF-ALU-SET-06.350	16	9.0	6.350	Aluminium	Set Screw	FF_G_H (Double Flange)	25.45	27.8	20.24	15.88
		<i>0.354</i>	<i>0.250</i>				<i>1.002</i>	<i>1.094</i>	<i>0.797</i>	<i>0.625</i>
P-G5-016-150FF-ALA-SET-06.00	16	15.0	6.000	Aluminium	Set Screw	FF_G_H (Double Flange)	25.45	27.8	26.20	15.90
		<i>0.591</i>	<i>0.236</i>				<i>1.002</i>	<i>1.094</i>	<i>1.031</i>	<i>0.626</i>
# P-G5-016-150P-ALA-SET-06.00	16	15.0	6.000	Aluminium	Set Screw	P_G_H (Unflanged)	25.45	-	26.20	15.90
		<i>0.591</i>	<i>0.236</i>				<i>1.002</i>		<i>1.031</i>	<i>0.626</i>
# P-G5-016-150FF-ALU-SET-06.350	16	15.0	6.350	Aluminium	Set Screw	FF_G_H (Double Flange)	25.45	27.8	26.19	15.88
		<i>0.591</i>	<i>0.250</i>				<i>1.002</i>	<i>1.094</i>	<i>1.031</i>	<i>0.625</i>

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Pulleys - Timing - 5.000mm Pitch - GT

Part Number	Teeth (No.)	Suit Belt Width mm	Bore (d) mm	Material	Locking Type	Type (See Diagram)	Pitch Diameter (PD) mm	Flange Diameter (FD) mm	Overall Length (OL) mm	Hub Diameter (HD) mm
		<i>inches</i>	<i>inches</i>				<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>
# P-G5-016-150P-ALU-SET-06.350	16	15.0	6.350	Aluminium	Set Screw	P_G_H (Unflanged)	25.45		26.19	15.88
		<i>0.591</i>	<i>0.250</i>				<i>1.002</i>		<i>1.031</i>	<i>0.625</i>
# P-G5-017-090FF-ALA-SET-06.00	17	9.0	6.000	Aluminium	Set Screw	FF_G_H (Double Flange)	27.05	30.2	20.20	15.90
		<i>0.354</i>	<i>0.236</i>				<i>1.065</i>	<i>1.189</i>	<i>0.795</i>	<i>0.626</i>
# P-G5-017-090P-ALA-SET-06.00	17	9.0	6.000	Aluminium	Set Screw	P_G_H (Unflanged)	27.05	-	20.20	15.90
		<i>0.354</i>	<i>0.236</i>				<i>1.065</i>		<i>0.795</i>	<i>0.626</i>
# P-G5-017-090FF-ALU-SET-06.350	17	9.0	6.350	Aluminium	Set Screw	FF_G_H (Double Flange)	27.05	30.2	20.24	15.88
		<i>0.354</i>	<i>0.250</i>				<i>1.065</i>	<i>1.189</i>	<i>0.797</i>	<i>0.625</i>
# P-G5-017-090P-ALU-SET-06.350	17	9.0	6.350	Aluminium	Set Screw	P_G_H (Unflanged)	27.05		20.24	15.88
		<i>0.354</i>	<i>0.250</i>				<i>1.065</i>		<i>0.797</i>	<i>0.625</i>
# P-G5-017-150FF-ALA-SET-06.00	17	15.0	6.000	Aluminium	Set Screw	FF_G_H (Double Flange)	27.05	30.2	26.20	15.90
		<i>0.591</i>	<i>0.236</i>				<i>1.065</i>	<i>1.189</i>	<i>1.031</i>	<i>0.626</i>
# P-G5-017-150P-ALA-SET-06.00	17	15.0	6.000	Aluminium	Set Screw	P_G_H (Unflanged)	27.05	-	26.20	15.90
		<i>0.591</i>	<i>0.236</i>				<i>1.065</i>		<i>1.031</i>	<i>0.626</i>

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Pulleys - Timing - 5.000mm Pitch - GT

Part Number	Teeth (No.)	Suit Belt Width mm	Bore (d) mm	Material	Locking Type	Type (See Diagram)	Pitch Diameter (PD) mm	Flange Diameter (FD) mm	Overall Length (OL) mm	Hub Diameter (HD) mm
		<i>inches</i>	<i>inches</i>				<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>
# P-G5-017-150FF-ALU-SET-06.350	17	15.0	6.350	Aluminium	Set Screw	FF_G_H (Double Flange)	27.05	30.2	26.19	15.88
		<i>0.591</i>	<i>0.250</i>				<i>1.065</i>	<i>1.189</i>	<i>1.031</i>	<i>0.625</i>
# P-G5-017-150P-ALU-SET-06.350	17	15.0	6.350	Aluminium	Set Screw	P_G_H (Unflanged)	27.05	-	26.19	15.88
		<i>0.591</i>	<i>0.250</i>				<i>1.065</i>		<i>1.031</i>	<i>0.625</i>
# P-G5-018-090FF-ALA-SET-06.00	18	9.0	6.000	Aluminium	Set Screw	FF_G_H (Double Flange)	28.64	31.8	20.20	17.50
		<i>0.354</i>	<i>0.236</i>				<i>1.128</i>	<i>1.252</i>	<i>0.795</i>	<i>0.689</i>
# P-G5-018-090P-ALA-SET-06.00	18	9.0	6.000	Aluminium	Set Screw	P_G_H (Unflanged)	28.64	-	20.20	17.50
		<i>0.354</i>	<i>0.236</i>				<i>1.128</i>		<i>0.795</i>	<i>0.689</i>
# P-G5-018-090FF-ALU-SET-06.350	18	9.0	6.350	Aluminium	Set Screw	FF_G_H (Double Flange)	28.64	31.8	20.24	26.99
		<i>0.354</i>	<i>0.250</i>				<i>1.128</i>	<i>1.252</i>	<i>0.797</i>	<i>1.063</i>
# P-G5-018-090P-ALU-SET-06.350	18	9.0	6.350	Aluminium	Set Screw	P_G_H (Unflanged)	28.64	-	20.24	17.46
		<i>0.354</i>	<i>0.250</i>				<i>1.128</i>		<i>0.797</i>	<i>0.687</i>
# P-G5-018-150FF-ALA-SET-06.00	18	15.0	6.000	Aluminium	Set Screw	FF_G_H (Double Flange)	28.64	31.8	26.20	17.50
		<i>0.591</i>	<i>0.236</i>				<i>1.128</i>	<i>1.252</i>	<i>1.031</i>	<i>0.689</i>

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Pulleys - Timing - 5.000mm Pitch - GT

Part Number	Teeth (No.)	Suit Belt Width mm	Bore (d) mm	Material	Locking Type	Type (See Diagram)	Pitch Diameter (PD) mm	Flange Diameter (FD) mm	Overall Length (OL) mm	Hub Diameter (HD) mm
		<i>inches</i>	<i>inches</i>				<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>
# P-G5-018-150P-ALA-SET-06.00	18	15.0	6.000	Aluminium	Set Screw	P_G_H (Unflanged)	28.64	-	26.20	17.50
		<i>0.591</i>	<i>0.236</i>				<i>1.128</i>		<i>1.031</i>	<i>0.689</i>
# P-G5-018-150P-ALU-SET-06.350	18	15.0	6.350	Aluminium	Set Screw	P_G_H (Unflanged)	28.64		26.19	17.46
		<i>0.591</i>	<i>0.250</i>				<i>1.128</i>		<i>1.031</i>	<i>0.687</i>
# P-G5-018-150FF-ALU-SET-06.350	18	15.0	6.350	Aluminium	Set Screw	FF_G_H (Double Flange)	28.64	31.8	26.19	17.46
		<i>0.591</i>	<i>0.250</i>				<i>1.128</i>	<i>1.252</i>	<i>1.031</i>	<i>0.687</i>
# P-G5-019-090P-ALA-SET-06.00	19	9.0	6.000	Aluminium	Set Screw	P_G_H (Unflanged)	30.23	-	20.20	19.10
		<i>0.354</i>	<i>0.236</i>				<i>1.190</i>		<i>0.795</i>	<i>0.752</i>
# P-G5-019-090FF-ALA-SET-06.00	19	9.0	6.000	Aluminium	Set Screw	FF_G_H (Double Flange)	30.23	33.3	20.20	19.10
		<i>0.354</i>	<i>0.236</i>				<i>1.190</i>	<i>1.311</i>	<i>0.795</i>	<i>0.752</i>
# P-G5-019-090P-ALU-SET-06.350	19	9.0	6.350	Aluminium	Set Screw	P_G_H (Unflanged)	30.23		20.24	19.05
		<i>0.354</i>	<i>0.250</i>				<i>1.190</i>		<i>0.797</i>	<i>0.750</i>
P-G5-019-090FF-ALU-SET-06.350	19	9.0	6.350	Aluminium	Set Screw	FF_G_H (Double Flange)	30.23	33.3	20.24	19.05
		<i>0.354</i>	<i>0.250</i>				<i>1.190</i>	<i>1.311</i>	<i>0.797</i>	<i>0.750</i>

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Pulleys - Timing - 5.000mm Pitch - GT

Part Number	Teeth (No.)	Suit Belt Width mm	Bore (d) mm	Material	Locking Type	Type (See Diagram)	Pitch Diameter (PD) mm	Flange Diameter (FD) mm	Overall Length (OL) mm	Hub Diameter (HD) mm
		<i>inches</i>	<i>inches</i>				<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>
# P-G5-019-150FF-ALA-SET-06.00	19	15.0	6.000	Aluminium	Set Screw	FF_G_H (Double Flange)	30.23	33.3	26.20	19.10
		<i>0.591</i>	<i>0.236</i>				<i>1.190</i>	<i>1.311</i>	<i>1.031</i>	<i>0.752</i>
# P-G5-019-150P-ALA-SET-06.00	19	15.0	6.000	Aluminium	Set Screw	P_G_H (Unflanged)	30.23	-	26.20	19.10
		<i>0.591</i>	<i>0.236</i>				<i>1.190</i>		<i>1.031</i>	<i>0.752</i>
# P-G5-019-150FF-ALU-SET-06.350	19	15.0	6.350	Aluminium	Set Screw	FF_G_H (Double Flange)	30.23	33.3	26.19	19.05
		<i>0.591</i>	<i>0.250</i>				<i>1.190</i>	<i>1.311</i>	<i>1.031</i>	<i>0.750</i>
# P-G5-019-150P-ALU-SET-06.350	19	15.0	6.350	Aluminium	Set Screw	P_G_H (Unflanged)	30.23	-	26.19	19.05
		<i>0.591</i>	<i>0.250</i>				<i>1.190</i>		<i>1.031</i>	<i>0.750</i>
# P-G5-020-090P-ALA-SET-06.00	20	9.0	6.000	Aluminium	Set Screw	P_G_H (Unflanged)	31.82	-	20.20	23.80
		<i>0.354</i>	<i>0.236</i>				<i>1.253</i>		<i>0.795</i>	<i>0.937</i>
# P-G5-020-090FF-ALA-SET-06.00	20	9.0	6.000	Aluminium	Set Screw	FF_G_H (Double Flange)	31.82	34.9	20.20	20.60
		<i>0.354</i>	<i>0.236</i>				<i>1.253</i>	<i>1.374</i>	<i>0.795</i>	<i>0.811</i>
# P-G5-020-090P-ALU-SET-06.350	20	9.0	6.350	Aluminium	Set Screw	P_G_H (Unflanged)	31.82	-	20.24	20.64
		<i>0.354</i>	<i>0.250</i>				<i>1.253</i>		<i>0.797</i>	<i>0.813</i>

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Pulleys - Timing - 5.000mm Pitch - GT

Part Number	Teeth (No.)	Suit Belt Width mm	Bore (d) mm	Material	Locking Type	Type (See Diagram)	Pitch Diameter (PD) mm	Flange Diameter (FD) mm	Overall Length (OL) mm	Hub Diameter (HD) mm
		<i>inches</i>	<i>inches</i>				<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>
# P-G5-020-090FF-ALU-SET-06.350	20	9.0	6.350	Aluminium	Set Screw	FF_G_H (Double Flange)	31.82	34.9	20.24	20.64
		<i>0.354</i>	<i>0.250</i>				<i>1.253</i>	<i>1.374</i>	<i>0.797</i>	<i>0.813</i>
# P-G5-020-150FF-ALA-SET-06.00	20	15.0	6.000	Aluminium	Set Screw	FF_G_H (Double Flange)	31.82	34.9	26.20	20.60
		<i>0.591</i>	<i>0.236</i>				<i>1.253</i>	<i>1.374</i>	<i>1.031</i>	<i>0.811</i>
# P-G5-020-150P-ALA-SET-06.00	20	15.0	6.000	Aluminium	Set Screw	P_G_H (Unflanged)	31.82	-	26.20	20.60
		<i>0.591</i>	<i>0.236</i>				<i>1.253</i>		<i>1.031</i>	<i>0.811</i>
# P-G5-020-150FF-ALU-SET-06.350	20	15.0	6.350	Aluminium	Set Screw	FF_G_H (Double Flange)	31.82	34.9	26.19	20.64
		<i>0.591</i>	<i>0.250</i>				<i>1.253</i>	<i>1.374</i>	<i>1.031</i>	<i>0.813</i>
# P-G5-020-150P-ALU-SET-06.350	20	15.0	6.350	Aluminium	Set Screw	P_G_H (Unflanged)	31.82	-	26.19	20.64
		<i>0.591</i>	<i>0.250</i>				<i>1.253</i>		<i>1.031</i>	<i>0.813</i>
# P-G5-022-090FF-ALA-SET-06.00	22	9.0	6.000	Aluminium	Set Screw	FF_G_H (Double Flange)	35.00	38.1	20.20	23.80
		<i>0.354</i>	<i>0.236</i>				<i>1.378</i>	<i>1.500</i>	<i>0.795</i>	<i>0.937</i>
# P-G5-022-090P-ALA-SET-06.00	22	9.0	6.000	Aluminium	Set Screw	P_G_H (Unflanged)	35.00	-	20.20	28.60
		<i>0.354</i>	<i>0.236</i>				<i>1.378</i>		<i>0.795</i>	<i>1.126</i>

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Pulleys - Timing - 5.000mm Pitch - GT

Part Number	Teeth (No.)	Suit Belt Width mm	Bore (d) mm	Material	Locking Type	Type (See Diagram)	Pitch Diameter (PD) mm	Flange Diameter (FD) mm	Overall Length (OL) mm	Hub Diameter (HD) mm
		<i>inches</i>	<i>inches</i>				<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>
# P-G5-022-090FF-ALU-SET-06.350	22	9.0	6.350	Aluminium	Set Screw	FF_G_H (Double Flange)	35.00	38.1	20.24	23.81
		<i>0.354</i>	<i>0.250</i>				<i>1.378</i>	<i>1.500</i>	<i>0.797</i>	<i>0.937</i>
# P-G5-022-090P-ALU-SET-06.350	22	9.0	6.350	Aluminium	Set Screw	P_G_H (Unflanged)	35.00		20.24	23.81
		<i>0.354</i>	<i>0.250</i>				<i>1.378</i>		<i>0.797</i>	<i>0.937</i>
# P-G5-022-150P-ALA-SET-06.00	22	15.0	6.000	Aluminium	Set Screw	P_G_H (Unflanged)	35.00	-	26.20	23.80
		<i>0.591</i>	<i>0.236</i>				<i>1.378</i>		<i>1.031</i>	<i>0.937</i>
# P-G5-022-150FF-ALA-SET-06.00	22	15.0	6.000	Aluminium	Set Screw	FF_G_H (Double Flange)	35.00	38.1	26.20	23.80
		<i>0.591</i>	<i>0.236</i>				<i>1.378</i>	<i>1.500</i>	<i>1.031</i>	<i>0.937</i>
# P-G5-022-150FF-ALU-SET-06.350	22	15.0	6.350	Aluminium	Set Screw	FF_G_H (Double Flange)	35.00	38.1	26.19	23.81
		<i>0.591</i>	<i>0.250</i>				<i>1.378</i>	<i>1.500</i>	<i>1.031</i>	<i>0.937</i>
# P-G5-022-150P-ALU-SET-06.350	22	15.0	6.350	Aluminium	Set Screw	P_G_H (Unflanged)	35.00		26.19	23.81
		<i>0.591</i>	<i>0.250</i>				<i>1.378</i>		<i>1.031</i>	<i>0.937</i>
# P-G5-024-090FF-ALU-SET-09.525	24	9.0	9.525	Aluminium	Set Screw	FF_G_H (Double Flange)	38.18	41.3	23.42	28.58
		<i>0.354</i>	<i>0.375</i>				<i>1.503</i>	<i>1.626</i>	<i>0.922</i>	<i>1.125</i>

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Pulleys - Timing - 5.000mm Pitch - GT

Part Number	Teeth (No.)	Suit Belt Width mm	Bore (d) mm	Material	Locking Type	Type (See Diagram)	Pitch Diameter (PD) mm	Flange Diameter (FD) mm	Overall Length (OL) mm	Hub Diameter (HD) mm
		<i>inches</i>	<i>inches</i>				<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>
# P-G5-024-090P-ALU-SET-09.525	24	9.0	9.525	Aluminium	Set Screw	P_G_H (Unflanged)	38.18		23.42	28.58
		<i>0.354</i>	<i>0.375</i>				<i>1.503</i>		<i>0.922</i>	<i>1.125</i>
# P-G5-024-090FF-ALA-SET-10.00	24	9.0	10.000	Aluminium	Set Screw	FF_G_H (Double Flange)	38.18	41.3	23.40	28.60
		<i>0.354</i>	<i>0.394</i>				<i>1.503</i>	<i>1.626</i>	<i>0.921</i>	<i>1.126</i>
# P-G5-024-090P-ALA-SET-10.00	24	9.0	10.000	Aluminium	Set Screw	P_G_H (Unflanged)	38.18	-	23.40	28.60
		<i>0.354</i>	<i>0.394</i>				<i>1.503</i>		<i>0.921</i>	<i>1.126</i>
# P-G5-024-150FF-ALU-SET-09.525	24	15.0	9.525	Aluminium	Set Screw	FF_G_H (Double Flange)	38.18	41.3	29.37	28.58
		<i>0.591</i>	<i>0.375</i>				<i>1.503</i>	<i>1.626</i>	<i>1.156</i>	<i>1.125</i>
# P-G5-024-150P-ALU-SET-09.525	24	15.0	9.525	Aluminium	Set Screw	P_G_H (Unflanged)	38.18		29.37	28.58
		<i>0.591</i>	<i>0.375</i>				<i>1.503</i>		<i>1.156</i>	<i>1.125</i>
# P-G5-024-150FF-ALA-SET-10.00	24	15.0	10.000	Aluminium	Set Screw	FF_G_H (Double Flange)	38.18	41.3	29.40	28.60
		<i>0.591</i>	<i>0.394</i>				<i>1.503</i>	<i>1.626</i>	<i>1.157</i>	<i>1.126</i>
# P-G5-024-150P-ALA-SET-10.00	24	15.0	10.000	Aluminium	Set Screw	P_G_H (Unflanged)	38.18	-	29.40	28.60
		<i>0.591</i>	<i>0.394</i>				<i>1.503</i>		<i>1.157</i>	<i>1.126</i>

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Pulleys - Timing - 5.000mm Pitch - GT

Part Number	Teeth (No.)	Suit Belt Width mm	Bore (d) mm	Material	Locking Type	Type (See Diagram)	Pitch Diameter (PD) mm	Flange Diameter (FD) mm	Overall Length (OL) mm	Hub Diameter (HD) mm
		<i>inches</i>	<i>inches</i>				<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>
# P-G5-025-090FF-ALU-SET-09.525	25	9.0	9.525	Aluminium	Set Screw	FF_G_H (Double Flange)	39.77	42.9	23.42	28.58
		<i>0.354</i>	<i>0.375</i>				<i>1.566</i>	<i>1.689</i>	<i>0.922</i>	<i>1.125</i>
# P-G5-025-090P-ALU-SET-09.525	25	9.0	9.525	Aluminium	Set Screw	P_G_H (Unflanged)	39.77		23.42	28.58
		<i>0.354</i>	<i>0.375</i>				<i>1.566</i>		<i>0.922</i>	<i>1.125</i>
# P-G5-025-090FF-ALA-SET-10.00	25	9.0	10.000	Aluminium	Set Screw	FF_G_H (Double Flange)	39.77	42.9	23.40	28.60
		<i>0.354</i>	<i>0.394</i>				<i>1.566</i>	<i>1.689</i>	<i>0.921</i>	<i>1.126</i>
# P-G5-025-090P-ALA-SET-10.00	25	9.0	10.000	Aluminium	Set Screw	P_G_H (Unflanged)	39.77	-	23.40	28.60
		<i>0.354</i>	<i>0.394</i>				<i>1.566</i>		<i>0.921</i>	<i>1.126</i>
# P-G5-025-150FF-ALU-SET-09.525	25	15.0	9.525	Aluminium	Set Screw	FF_G_H (Double Flange)	39.77	42.9	29.37	28.58
		<i>0.591</i>	<i>0.375</i>				<i>1.566</i>	<i>1.689</i>	<i>1.156</i>	<i>1.125</i>
# P-G5-025-150P-ALU-SET-09.525	25	15.0	9.525	Aluminium	Set Screw	P_G_H (Unflanged)	39.77		29.37	28.58
		<i>0.591</i>	<i>0.375</i>				<i>1.566</i>		<i>1.156</i>	<i>1.125</i>
# P-G5-025-150FF-ALA-SET-10.00	25	15.0	10.000	Aluminium	Set Screw	FF_G_H (Double Flange)	39.77	42.9	29.40	28.60
		<i>0.591</i>	<i>0.394</i>				<i>1.566</i>	<i>1.689</i>	<i>1.157</i>	<i>1.126</i>

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Pulleys - Timing - 5.000mm Pitch - GT

Part Number	Teeth (No.)	Suit Belt Width mm	Bore (d) mm	Material	Locking Type	Type (See Diagram)	Pitch Diameter (PD) mm	Flange Diameter (FD) mm	Overall Length (OL) mm	Hub Diameter (HD) mm
		<i>inches</i>	<i>inches</i>				<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>
# P-G5-025-150P-ALA-SET-10.00	25	15.0	10.000	Aluminium	Set Screw	P_G_H (Unflanged)	39.77	-	29.40	28.60
		<i>0.591</i>	<i>0.394</i>				<i>1.566</i>		<i>1.157</i>	<i>1.126</i>
# P-G5-026-090FF-ALU-SET-09.525	26	9.0	9.525	Aluminium	Set Screw	FF_G_H (Double Flange)	41.36	44.5	23.42	28.58
		<i>0.354</i>	<i>0.375</i>				<i>1.628</i>	<i>1.752</i>	<i>0.922</i>	<i>1.125</i>
# P-G5-026-090P-ALU-SET-09.525	26	9.0	9.525	Aluminium	Set Screw	P_G_H (Unflanged)	41.36	-	23.42	28.58
		<i>0.354</i>	<i>0.375</i>				<i>1.628</i>		<i>0.922</i>	<i>1.125</i>
# P-G5-026-090FF-ALA-SET-10.00	26	9.0	10.000	Aluminium	Set Screw	FF_G_H (Double Flange)	41.36	44.5	23.40	28.60
		<i>0.354</i>	<i>0.394</i>				<i>1.628</i>	<i>1.752</i>	<i>0.921</i>	<i>1.126</i>
# P-G5-026-090P-ALA-SET-10.00	26	9.0	10.000	Aluminium	Set Screw	P_G_H (Unflanged)	41.36	-	23.40	38.10
		<i>0.354</i>	<i>0.394</i>				<i>1.628</i>		<i>0.921</i>	<i>1.500</i>
# P-G5-026-150FF-ALU-SET-09.525	26	15.0	9.525	Aluminium	Set Screw	FF_G_H (Double Flange)	41.36	44.5	29.37	28.58
		<i>0.591</i>	<i>0.375</i>				<i>1.628</i>	<i>1.752</i>	<i>1.156</i>	<i>1.125</i>
# P-G5-026-150P-ALU-SET-09.525	26	15.0	9.525	Aluminium	Set Screw	P_G_H (Unflanged)	41.36	-	29.37	28.58
		<i>0.591</i>	<i>0.375</i>				<i>1.628</i>		<i>1.156</i>	<i>1.125</i>

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Pulleys - Timing - 5.000mm Pitch - GT

Part Number	Teeth (No.)	Suit Belt Width mm	Bore (d) mm	Material	Locking Type	Type (See Diagram)	Pitch Diameter (PD) mm	Flange Diameter (FD) mm	Overall Length (OL) mm	Hub Diameter (HD) mm
		<i>inches</i>	<i>inches</i>				<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>
# P-G5-026-150FF-ALA-SET-10.00	26	15.0	10.000	Aluminium	Set Screw	FF_G_H (Double Flange)	41.36	44.5	29.40	28.60
		<i>0.591</i>	<i>0.394</i>				<i>1.628</i>	<i>1.752</i>	<i>1.157</i>	<i>1.126</i>
# P-G5-026-150P-ALA-SET-10.00	26	15.0	10.000	Aluminium	Set Screw	P_G_H (Unflanged)	41.36	-	29.40	28.60
		<i>0.591</i>	<i>0.394</i>				<i>1.628</i>		<i>1.157</i>	<i>1.126</i>
# P-G5-028-090FF-ALA-SET-12.00	28	9.0	12.000	Aluminium	Set Screw	FF_G_H (Double Flange)	44.55	47.6	26.60	38.10
		<i>0.354</i>	<i>0.472</i>				<i>1.754</i>	<i>1.874</i>	<i>1.047</i>	<i>1.500</i>
# P-G5-028-090P-ALA-SET-12.00	28	9.0	12.000	Aluminium	Set Screw	P_G_H (Unflanged)	44.55	-	26.60	38.10
		<i>0.354</i>	<i>0.472</i>				<i>1.754</i>		<i>1.047</i>	<i>1.500</i>
# P-G5-028-090FF-ALU-SET-12.700	28	9.0	12.700	Aluminium	Set Screw	FF_G_H (Double Flange)	44.55	47.6	26.59	38.10
		<i>0.354</i>	<i>0.500</i>				<i>1.754</i>	<i>1.874</i>	<i>1.047</i>	<i>1.500</i>
# P-G5-028-090P-ALU-SET-12.700	28	9.0	12.700	Aluminium	Set Screw	P_G_H (Unflanged)	44.55	-	26.59	38.10
		<i>0.354</i>	<i>0.500</i>				<i>1.754</i>		<i>1.047</i>	<i>1.500</i>
# P-G5-028-150FF-ALA-SET-12.00	28	15.0	12.000	Aluminium	Set Screw	FF_G_H (Double Flange)	44.55	47.6	32.50	38.10
		<i>0.591</i>	<i>0.472</i>				<i>1.754</i>	<i>1.874</i>	<i>1.280</i>	<i>1.500</i>

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Pulleys - Timing - 5.000mm Pitch - GT

Part Number	Teeth (No.)	Suit Belt Width mm	Bore (d) mm	Material	Locking Type	Type (See Diagram)	Pitch Diameter (PD) mm	Flange Diameter (FD) mm	Overall Length (OL) mm	Hub Diameter (HD) mm
		<i>inches</i>	<i>inches</i>				<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>
# P-G5-028-150P-ALA-SET-12.00	28	15.0	12.000	Aluminium	Set Screw	P_G_H (Unflanged)	44.55	-	32.50	38.10
		<i>0.591</i>	<i>0.472</i>				<i>1.754</i>		<i>1.280</i>	<i>1.500</i>
# P-G5-028-150P-ALU-SET-12.700	28	15.0	12.700	Aluminium	Set Screw	P_G_H (Unflanged)	44.55		32.54	38.10
		<i>0.591</i>	<i>0.500</i>				<i>1.754</i>		<i>1.281</i>	<i>1.500</i>
# P-G5-028-150FF-ALU-SET-12.700	28	15.0	12.700	Aluminium	Set Screw	FF_G_H (Double Flange)	44.55	47.6	32.54	38.10
		<i>0.591</i>	<i>0.500</i>				<i>1.754</i>	<i>1.874</i>	<i>1.281</i>	<i>1.500</i>
# P-G5-030-090P-ALA-SET-12.00	30	9.0	12.000	Aluminium	Set Screw	P_G_H (Unflanged)	47.73	-	26.60	38.10
		<i>0.354</i>	<i>0.472</i>				<i>1.879</i>		<i>1.047</i>	<i>1.500</i>
# P-G5-030-090FF-ALA-SET-12.00	30	9.0	12.000	Aluminium	Set Screw	FF_G_H (Double Flange)	47.73	50.8	26.60	38.10
		<i>0.354</i>	<i>0.472</i>				<i>1.879</i>	<i>2.000</i>	<i>1.047</i>	<i>1.500</i>
# P-G5-030-090P-ALU-SET-12.700	30	9.0	12.700	Aluminium	Set Screw	P_G_H (Unflanged)	47.73		26.59	38.10
		<i>0.354</i>	<i>0.500</i>				<i>1.879</i>		<i>1.047</i>	<i>1.500</i>
# P-G5-030-090FF-ALU-SET-12.700	30	9.0	12.700	Aluminium	Set Screw	FF_G_H (Double Flange)	47.73	50.8	26.59	38.10
		<i>0.354</i>	<i>0.500</i>				<i>1.879</i>	<i>2.000</i>	<i>1.047</i>	<i>1.500</i>

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Pulleys - Timing - 5.000mm Pitch - GT

Part Number	Teeth (No.)	Suit Belt Width mm	Bore (d) mm	Material	Locking Type	Type (See Diagram)	Pitch Diameter (PD) mm	Flange Diameter (FD) mm	Overall Length (OL) mm	Hub Diameter (HD) mm
		<i>inches</i>	<i>inches</i>				<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>
# P-G5-030-150FF-ALA-SET-12.00	30	15.0	12.000	Aluminium	Set Screw	FF_G_H (Double Flange)	47.73	50.8	32.50	38.10
		<i>0.591</i>	<i>0.472</i>				<i>1.879</i>	<i>2.000</i>	<i>1.280</i>	<i>1.500</i>
# P-G5-030-150P-ALA-SET-12.00	30	15.0	12.000	Aluminium	Set Screw	P_G_H (Unflanged)	47.73	-	32.50	38.10
		<i>0.591</i>	<i>0.472</i>				<i>1.879</i>		<i>1.280</i>	<i>1.500</i>
# P-G5-030-150FF-ALU-SET-12.700	30	15.0	12.700	Aluminium	Set Screw	FF_G_H (Double Flange)	47.73	50.8	32.54	38.10
		<i>0.591</i>	<i>0.500</i>				<i>1.879</i>	<i>2.000</i>	<i>1.281</i>	<i>1.500</i>
# P-G5-030-150P-ALU-SET-12.700	30	15.0	12.700	Aluminium	Set Screw	P_G_H (Unflanged)	47.73	-	32.54	38.10
		<i>0.591</i>	<i>0.500</i>				<i>1.879</i>		<i>1.281</i>	<i>1.500</i>
# P-G5-032-090FF-ALA-SET-12.00	32	9.0	12.000	Aluminium	Set Screw	FF_G_H (Double Flange)	50.91	54.0	26.60	38.10
		<i>0.354</i>	<i>0.472</i>				<i>2.004</i>	<i>2.126</i>	<i>1.047</i>	<i>1.500</i>
# P-G5-032-090P-ALA-SET-12.00	32	9.0	12.000	Aluminium	Set Screw	P_G_H (Unflanged)	50.91	-	26.60	38.10
		<i>0.354</i>	<i>0.472</i>				<i>2.004</i>		<i>1.047</i>	<i>1.500</i>
# P-G5-032-090P-ALU-SET-12.700	32	9.0	12.700	Aluminium	Set Screw	P_G_H (Unflanged)	50.91	-	26.59	38.10
		<i>0.354</i>	<i>0.500</i>				<i>2.004</i>		<i>1.047</i>	<i>1.500</i>

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Pulleys - Timing - 5.000mm Pitch - GT

Part Number	Teeth (No.)	Suit Belt Width mm	Bore (d) mm	Material	Locking Type	Type (See Diagram)	Pitch Diameter (PD) mm	Flange Diameter (FD) mm	Overall Length (OL) mm	Hub Diameter (HD) mm
		<i>inches</i>	<i>inches</i>				<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>
# P-G5-032-090FF-ALU-SET-12.700	32	9.0	12.700	Aluminium	Set Screw	FF_G_H (Double Flange)	50.91	54.0	26.59	38.10
		<i>0.354</i>	<i>0.500</i>				<i>2.004</i>	<i>2.126</i>	<i>1.047</i>	<i>1.500</i>
# P-G5-032-150P-ALA-SET-12.00	32	15.0	12.000	Aluminium	Set Screw	P_G_H (Unflanged)	50.91	-	32.50	38.10
		<i>0.591</i>	<i>0.472</i>				<i>2.004</i>		<i>1.280</i>	<i>1.500</i>
# P-G5-032-150FF-ALA-SET-12.00	32	15.0	12.000	Aluminium	Set Screw	FF_G_H (Double Flange)	50.91	54.0	32.50	38.10
		<i>0.591</i>	<i>0.472</i>				<i>2.004</i>	<i>2.126</i>	<i>1.280</i>	<i>1.500</i>
# P-G5-032-150P-ALU-SET-12.700	32	15.0	12.700	Aluminium	Set Screw	P_G_H (Unflanged)	50.91	-	32.54	38.10
		<i>0.591</i>	<i>0.500</i>				<i>2.004</i>		<i>1.281</i>	<i>1.500</i>
# P-G5-032-150FF-ALU-SET-12.700	32	15.0	12.700	Aluminium	Set Screw	FF_G_H (Double Flange)	50.91	54.0	32.54	38.10
		<i>0.591</i>	<i>0.500</i>				<i>2.004</i>	<i>2.126</i>	<i>1.281</i>	<i>1.500</i>
# P-G5-034-090FF-ALA-SET-12.00	34	9.0	12.000	Aluminium	Set Screw	FF_G_H (Double Flange)	54.09	57.2	26.60	38.10
		<i>0.354</i>	<i>0.472</i>				<i>2.130</i>	<i>2.252</i>	<i>1.047</i>	<i>1.500</i>
# P-G5-034-090P-ALA-SET-12.00	34	9.0	12.000	Aluminium	Set Screw	P_G_H (Unflanged)	54.09	-	26.60	38.10
		<i>0.354</i>	<i>0.472</i>				<i>2.130</i>		<i>1.047</i>	<i>1.500</i>

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Pulleys - Timing - 5.000mm Pitch - GT

Part Number	Teeth (No.)	Suit Belt Width mm	Bore (d) mm	Material	Locking Type	Type (See Diagram)	Pitch Diameter (PD) mm	Flange Diameter (FD) mm	Overall Length (OL) mm	Hub Diameter (HD) mm
		<i>inches</i>	<i>inches</i>				<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>
# P-G5-034-090FF-ALU-SET-12.700	34	9.0	12.700	Aluminium	Set Screw	FF_G_H (Double Flange)	54.09	57.2	26.59	38.10
		<i>0.354</i>	<i>0.500</i>				<i>2.130</i>	<i>2.252</i>	<i>1.047</i>	<i>1.500</i>
# P-G5-034-090P-ALU-SET-12.700	34	9.0	12.700	Aluminium	Set Screw	P_G_H (Unflanged)	54.09		26.59	38.10
		<i>0.354</i>	<i>0.500</i>				<i>2.130</i>		<i>1.047</i>	<i>1.500</i>
# P-G5-034-150P-ALA-SET-12.00	34	15.0	12.000	Aluminium	Set Screw	P_G_H (Unflanged)	54.09	-	32.50	38.10
		<i>0.591</i>	<i>0.472</i>				<i>2.130</i>		<i>1.280</i>	<i>1.500</i>
# P-G5-034-150FF-ALA-SET-12.00	34	15.0	12.000	Aluminium	Set Screw	FF_G_H (Double Flange)	54.09	57.2	32.50	38.10
		<i>0.591</i>	<i>0.472</i>				<i>2.130</i>	<i>2.252</i>	<i>1.280</i>	<i>1.500</i>
# P-G5-034-150P-ALU-SET-12.700	34	15.0	12.700	Aluminium	Set Screw	P_G_H (Unflanged)	54.09		32.54	38.10
		<i>0.591</i>	<i>0.500</i>				<i>2.130</i>		<i>1.281</i>	<i>1.500</i>
# P-G5-034-150FF-ALU-SET-12.700	34	15.0	12.700	Aluminium	Set Screw	FF_G_H (Double Flange)	54.09	57.2	32.54	38.10
		<i>0.591</i>	<i>0.500</i>				<i>2.130</i>	<i>2.252</i>	<i>1.281</i>	<i>1.500</i>
P-G5-036-090P-ALA-SET-12.00	36	9.0	12.000	Aluminium	Set Screw	P_G_H (Unflanged)	57.27	-	26.60	38.10
		<i>0.354</i>	<i>0.472</i>				<i>2.255</i>		<i>1.047</i>	<i>1.500</i>
# P-G5-036-090P-ALU-SET-12.700	36	9.0	12.700	Aluminium	Set Screw	P_G_H (Unflanged)	57.27		26.59	38.10
		<i>0.354</i>	<i>0.500</i>				<i>2.255</i>		<i>1.047</i>	<i>1.500</i>

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Pulleys - Timing - 5.000mm Pitch - GT

Part Number	Teeth (No.)	Suit Belt Width mm	Bore (d) mm	Material	Locking Type	Type (See Diagram)	Pitch Diameter (PD) mm	Flange Diameter (FD) mm	Overall Length (OL) mm	Hub Diameter (HD) mm
		<i>inches</i>	<i>inches</i>				<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>
# P-G5-036-150P-ALA-SET-12.00	36	15.0	12.000	Aluminium	Set Screw	P_G_H (Unflanged)	57.27	-	32.50	38.10
		<i>0.591</i>	<i>0.472</i>				<i>2.255</i>		<i>1.280</i>	<i>1.500</i>
# P-G5-036-150P-ALU-SET-12.700	36	15.0	12.700	Aluminium	Set Screw	P_G_H (Unflanged)	57.27		32.54	38.10
		<i>0.591</i>	<i>0.500</i>				<i>2.255</i>		<i>1.281</i>	<i>1.500</i>
# P-G5-038-090P-ALA-SET-12.00	38	9.0	12.000	Aluminium	Set Screw	P_G_H (Unflanged)	60.45	-	26.60	38.10
		<i>0.354</i>	<i>0.472</i>				<i>2.380</i>		<i>1.047</i>	<i>1.500</i>
# P-G5-038-090P-ALU-SET-12.700	38	9.0	12.700	Aluminium	Set Screw	P_G_H (Unflanged)	60.45		26.59	38.10
		<i>0.354</i>	<i>0.500</i>				<i>2.380</i>		<i>1.047</i>	<i>1.500</i>
# P-G5-038-150P-ALA-SET-12.00	38	15.0	12.000	Aluminium	Set Screw	P_G_H (Unflanged)	60.45	-	32.50	38.10
		<i>0.591</i>	<i>0.472</i>				<i>2.380</i>		<i>1.280</i>	<i>1.500</i>
# P-G5-038-150P-ALU-SET-12.700	38	15.0	12.700	Aluminium	Set Screw	P_G_H (Unflanged)	60.45		32.54	38.10
		<i>0.591</i>	<i>0.500</i>				<i>2.380</i>		<i>1.281</i>	<i>1.500</i>
# P-G5-040-090P-ALA-SET-12.00	40	9.0	12.000	Aluminium	Set Screw	P_G_H (Unflanged)	63.64	-	26.60	38.10
		<i>0.354</i>	<i>0.472</i>				<i>2.506</i>		<i>1.047</i>	<i>1.500</i>
# P-G5-040-090P-ALU-SET-12.700	40	9.0	12.700	Aluminium	Set Screw	P_G_H (Unflanged)	63.64		26.59	38.10
		<i>0.354</i>	<i>0.500</i>				<i>2.506</i>		<i>1.047</i>	<i>1.500</i>

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Pulleys - Timing - 5.000mm Pitch - GT

Part Number	Teeth (No.)	Suit Belt Width mm	Bore (d) mm	Material	Locking Type	Type (See Diagram)	Pitch Diameter (PD) mm	Flange Diameter (FD) mm	Overall Length (OL) mm	Hub Diameter (HD) mm
		<i>inches</i>	<i>inches</i>				<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>
# P-G5-040-150P-ALA-SET-12.00	40	15.0	12.000	Aluminium	Set Screw	P_G_H (Unflanged)	63.64	-	32.50	38.10
		<i>0.591</i>	<i>0.472</i>				<i>2.506</i>		<i>1.280</i>	<i>1.500</i>
# P-G5-040-150P-ALU-SET-12.700	40	15.0	12.700	Aluminium	Set Screw	P_G_H (Unflanged)	63.64		32.54	38.10
		<i>0.591</i>	<i>0.500</i>				<i>2.506</i>		<i>1.281</i>	<i>1.500</i>
# P-G5-044-090P-ALA-SET-12.00	44	9.0	12.000	Aluminium	Set Screw	P_G_H (Unflanged)	70.00	-	26.60	38.10
		<i>0.354</i>	<i>0.472</i>				<i>2.756</i>		<i>1.047</i>	<i>1.500</i>
# P-G5-044-090P-ALU-SET-12.700	44	9.0	12.700	Aluminium	Set Screw	P_G_H (Unflanged)	70.00		26.59	38.10
		<i>0.354</i>	<i>0.500</i>				<i>2.756</i>		<i>1.047</i>	<i>1.500</i>
# P-G5-044-150P-ALA-SET-12.00	44	15.0	12.000	Aluminium	Set Screw	P_G_H (Unflanged)	70.00	-	32.50	38.10
		<i>0.591</i>	<i>0.472</i>				<i>2.756</i>		<i>1.280</i>	<i>1.500</i>
# P-G5-044-150P-ALU-SET-12.700	44	15.0	12.700	Aluminium	Set Screw	P_G_H (Unflanged)	70.00		32.54	38.10
		<i>0.591</i>	<i>0.500</i>				<i>2.756</i>		<i>1.281</i>	<i>1.500</i>
# P-G5-048-090P-ALA-SET-12.00	48	9.0	12.000	Aluminium	Set Screw	P_G_H (Unflanged)	76.36	-	26.60	38.10
		<i>0.354</i>	<i>0.472</i>				<i>3.006</i>		<i>1.047</i>	<i>1.500</i>
# P-G5-048-090P-ALU-SET-12.700	48	9.0	12.700	Aluminium	Set Screw	P_G_H (Unflanged)	76.36		26.59	38.10
		<i>0.354</i>	<i>0.500</i>				<i>3.006</i>		<i>1.047</i>	<i>1.500</i>

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Pulleys - Timing - 5.000mm Pitch - GT

Part Number	Teeth (No.)	Suit Belt Width mm	Bore (d) mm	Material	Locking Type	Type (See Diagram)	Pitch Diameter (PD) mm	Flange Diameter (FD) mm	Overall Length (OL) mm	Hub Diameter (HD) mm
		<i>inches</i>	<i>inches</i>				<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>
# P-G5-048-150P-ALA-SET-12.00	48	15.0	12.000	Aluminium	Set Screw	P_G_H (Unflanged)	76.36	-	32.50	38.10
		<i>0.591</i>	<i>0.472</i>				<i>3.006</i>		<i>1.280</i>	<i>1.500</i>
# P-G5-048-150P-ALU-SET-12.700	48	15.0	12.700	Aluminium	Set Screw	P_G_H (Unflanged)	76.36		32.54	38.10
		<i>0.591</i>	<i>0.500</i>				<i>3.006</i>		<i>1.281</i>	<i>1.500</i>
# P-G5-050-090P-ALA-SET-12.00	50	9.0	12.000	Aluminium	Set Screw	P_G_H (Unflanged)	79.55	-	26.60	38.10
		<i>0.354</i>	<i>0.472</i>				<i>3.132</i>		<i>1.047</i>	<i>1.500</i>
# P-G5-050-090P-ALU-SET-12.700	50	9.0	12.700	Aluminium	Set Screw	P_G_H (Unflanged)	79.55		26.59	38.10
		<i>0.354</i>	<i>0.500</i>				<i>3.132</i>		<i>1.047</i>	<i>1.500</i>
# P-G5-050-150P-ALA-SET-12.00	50	15.0	12.000	Aluminium	Set Screw	P_G_H (Unflanged)	79.55	-	32.50	38.10
		<i>0.591</i>	<i>0.472</i>				<i>3.132</i>		<i>1.280</i>	<i>1.500</i>
# P-G5-050-150P-ALU-SET-12.700	50	15.0	12.700	Aluminium	Set Screw	P_G_H (Unflanged)	79.55		32.54	38.10
		<i>0.591</i>	<i>0.500</i>				<i>3.132</i>		<i>1.281</i>	<i>1.500</i>
# P-G5-056-090P-ALA-SET-12.00	56	9.0	12.000	Aluminium	Set Screw	P_G_H (Unflanged)	89.09	-	26.60	38.10
		<i>0.354</i>	<i>0.472</i>				<i>3.507</i>		<i>1.047</i>	<i>1.500</i>
# P-G5-056-090P-ALU-SET-12.700	56	9.0	12.700	Aluminium	Set Screw	P_G_H (Unflanged)	89.09		26.59	38.10
		<i>0.354</i>	<i>0.500</i>				<i>3.507</i>		<i>1.047</i>	<i>1.500</i>

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Pulleys - Timing - 5.000mm Pitch - GT

Part Number	Teeth (No.)	Suit Belt Width mm	Bore (d) mm	Material	Locking Type	Type (See Diagram)	Pitch Diameter (PD) mm	Flange Diameter (FD) mm	Overall Length (OL) mm	Hub Diameter (HD) mm
		<i>inches</i>	<i>inches</i>				<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>
# P-G5-056-150P-ALA-SET-12.00	56	15.0	12.000	Aluminium	Set Screw	P_G_H (Unflanged)	89.09	-	32.50	38.10
		<i>0.591</i>	<i>0.472</i>				<i>3.507</i>		<i>1.280</i>	<i>1.500</i>
# P-G5-056-150P-ALU-SET-12.700	56	15.0	12.700	Aluminium	Set Screw	P_G_H (Unflanged)	89.09		32.54	38.10
		<i>0.591</i>	<i>0.500</i>				<i>3.507</i>		<i>1.281</i>	<i>1.500</i>
# P-G5-060-090P-ALA-SET-12.00	60	9.0	12.000	Aluminium	Set Screw	P_G_H (Unflanged)	95.45	-	26.60	38.10
		<i>0.354</i>	<i>0.472</i>				<i>3.758</i>		<i>1.047</i>	<i>1.500</i>
# P-G5-060-090P-ALU-SET-12.700	60	9.0	12.700	Aluminium	Set Screw	P_G_H (Unflanged)	95.45		26.59	38.10
		<i>0.354</i>	<i>0.500</i>				<i>3.758</i>		<i>1.047</i>	<i>1.500</i>
# P-G5-060-150P-ALA-SET-12.00	60	15.0	12.000	Aluminium	Set Screw	P_G_H (Unflanged)	95.45	-	32.50	38.10
		<i>0.591</i>	<i>0.472</i>				<i>3.758</i>		<i>1.280</i>	<i>1.500</i>
# P-G5-060-150P-ALU-SET-12.700	60	15.0	12.700	Aluminium	Set Screw	P_G_H (Unflanged)	95.45		32.54	38.10
		<i>0.591</i>	<i>0.500</i>				<i>3.758</i>		<i>1.281</i>	<i>1.500</i>
# P-G5-062-090P-ALA-SET-12.00	62	9.0	12.000	Aluminium	Set Screw	P_G_H (Unflanged)	98.64	-	26.60	38.10
		<i>0.354</i>	<i>0.472</i>				<i>3.883</i>		<i>1.047</i>	<i>1.500</i>
# P-G5-062-090P-ALU-SET-12.700	62	9.0	12.700	Aluminium	Set Screw	P_G_H (Unflanged)	98.64		26.59	38.10
		<i>0.354</i>	<i>0.500</i>				<i>3.883</i>		<i>1.047</i>	<i>1.500</i>

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Pulleys - Timing - 5.000mm Pitch - GT

Part Number	Teeth (No.)	Suit Belt Width mm	Bore (d) mm	Material	Locking Type	Type (See Diagram)	Pitch Diameter (PD) mm	Flange Diameter (FD) mm	Overall Length (OL) mm	Hub Diameter (HD) mm
		<i>inches</i>	<i>inches</i>				<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>
# P-G5-062-150P-ALA-SET-12.00	62	15.0	12.000	Aluminium	Set Screw	P_G_H (Unflanged)	98.64	-	32.50	38.10
		<i>0.591</i>	<i>0.472</i>				<i>3.883</i>		<i>1.280</i>	<i>1.500</i>
# P-G5-062-150P-ALU-SET-12.700	62	15.0	12.700	Aluminium	Set Screw	P_G_H (Unflanged)	98.64		32.54	38.10
		<i>0.591</i>	<i>0.500</i>				<i>3.883</i>		<i>1.281</i>	<i>1.500</i>
# P-G5-070-090P-ALA-SET-12.00	70	9.0	12.000	Aluminium	Set Screw	P_G_H (Unflanged)	111.36	-	26.60	38.10
		<i>0.354</i>	<i>0.472</i>				<i>4.384</i>		<i>1.047</i>	<i>1.500</i>
# P-G5-070-090P-ALU-SET-12.700	70	9.0	12.700	Aluminium	Set Screw	P_G_H (Unflanged)	111.36		26.59	38.10
		<i>0.354</i>	<i>0.500</i>				<i>4.384</i>		<i>1.047</i>	<i>1.500</i>
# P-G5-070-150P-ALA-SET-12.00	70	15.0	12.000	Aluminium	Set Screw	P_G_H (Unflanged)	111.36	-	32.50	38.10
		<i>0.591</i>	<i>0.472</i>				<i>4.384</i>		<i>1.280</i>	<i>1.500</i>
# P-G5-070-150P-ALU-SET-12.700	70	15.0	12.700	Aluminium	Set Screw	P_G_H (Unflanged)	111.36		32.54	38.10
		<i>0.591</i>	<i>0.500</i>				<i>4.384</i>		<i>1.281</i>	<i>1.500</i>
# P-G5-072-090P-ALA-SET-12.00	72	9.0	12.000	Aluminium	Set Screw	P_G_H (Unflanged)	114.55	-	26.60	38.10
		<i>0.354</i>	<i>0.472</i>				<i>4.510</i>		<i>1.047</i>	<i>1.500</i>
# P-G5-072-090P-ALU-SET-12.700	72	9.0	12.700	Aluminium	Set Screw	P_G_H (Unflanged)	114.55		26.59	38.10
		<i>0.354</i>	<i>0.500</i>				<i>4.510</i>		<i>1.047</i>	<i>1.500</i>

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Pulleys - Timing - 5.000mm Pitch - GT

Part Number	Teeth (No.)	Suit Belt Width mm	Bore (d) mm	Material	Locking Type	Type (See Diagram)	Pitch Diameter (PD) mm	Flange Diameter (FD) mm	Overall Length (OL) mm	Hub Diameter (HD) mm
		<i>inches</i>	<i>inches</i>				<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>
P-G5-072-150P-ALA-SET-12.00	72	15.0	12.000	Aluminium	Set Screw	P_G_H (Unflanged)	114.55	-	32.50	38.10
		<i>0.591</i>	<i>0.472</i>				<i>4.510</i>		<i>1.280</i>	<i>1.500</i>
# P-G5-072-150P-ALU-SET-12.700	72	15.0	12.700	Aluminium	Set Screw	P_G_H (Unflanged)	114.55		32.54	38.10
		<i>0.591</i>	<i>0.500</i>				<i>4.510</i>		<i>1.281</i>	<i>1.500</i>

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to [catalogues@minibearings.com.au](mailto:catalogues@minibearings.com.au)

