




# MBA

## Pulleys - Timing - 5.000mm Pitch - HTD - STOCK



For manufacture of timing pulleys or applications requiring multiple belts from a single drive.

### Pulleys - Timing - 5.000mm Pitch - HTD - STOCK

Part Number	Grooves No.	Min. Usable Length (L) mm	Pitch Diameter (PD) mm	Outside Diameter (OD) mm	Material	Shank Diameter (D1) mm	Shank Length (SI) mm
		<i>inches</i>	<i>inches</i>	<i>inches</i>		<i>inches</i>	<i>inches</i>
# P-H5-012X150-CS	12	150.00 <i>5.906</i>	19.10 <i>0.752</i>	17.96 <i>0.707</i>	Carbon Steel	12.70 <i>0.500</i>	22.00 <i>0.866</i>
P-H5-012X150-ALU	12	150.00 <i>5.906</i>	19.10 <i>0.752</i>	17.96 <i>0.707</i>	Aluminum Alloy	12.70 <i>0.500</i>	22.00 <i>0.866</i>
# P-H5-013X150-ALU	13	150.00 <i>5.906</i>	20.70 <i>0.815</i>	19.55 <i>0.770</i>	Aluminum Alloy	12.70 <i>0.500</i>	22.00 <i>0.866</i>
# P-H5-013X150-CS	13	150.00 <i>5.906</i>	20.70 <i>0.815</i>	19.55 <i>0.770</i>	Carbon Steel	12.70 <i>0.500</i>	22.00 <i>0.866</i>
# P-H5-014X175-ALU	14	175.00 <i>6.890</i>	22.30 <i>0.878</i>	21.14 <i>0.832</i>	Aluminum Alloy	12.70 <i>0.500</i>	19.00 <i>0.748</i>

# Indicates item not stocked at time of printing - Please enquire for lead time  
 E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd  
 MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Pulleys - Timing - 5.000mm Pitch - HTD - STOCK

Part Number	Grooves No.	Min. Usable Length (L) mm	Pitch Diameter (PD) mm	Outside Diameter (OD) mm	Material	Shank Diameter (D1) mm	Shank Length (Sl) mm
		<i>inches</i>	<i>inches</i>	<i>inches</i>		<i>inches</i>	<i>inches</i>
# P-H5-014X175-CS	14	175.00 <i>6.890</i>	22.30 <i>0.878</i>	21.14 <i>0.832</i>	Carbon Steel	12.70 <i>0.500</i>	19.00 <i>0.748</i>
# P-H5-015X175-ALU	15	175.00 <i>6.890</i>	23.90 <i>0.941</i>	22.73 <i>0.895</i>	Aluminum Alloy	12.70 <i>0.500</i>	19.00 <i>0.748</i>
# P-H5-015X175-CS	15	175.00 <i>6.890</i>	23.90 <i>0.941</i>	22.73 <i>0.895</i>	Carbon Steel	12.70 <i>0.500</i>	19.00 <i>0.748</i>
# P-H5-016X175-ALU	16	175.00 <i>6.890</i>	25.50 <i>1.004</i>	24.32 <i>0.957</i>	Aluminum Alloy	12.70 <i>0.500</i>	19.00 <i>0.748</i>
# P-H5-016X175-CS	16	175.00 <i>6.890</i>	25.50 <i>1.004</i>	24.32 <i>0.957</i>	Carbon Steel	12.70 <i>0.500</i>	19.00 <i>0.748</i>
# P-H5-017X175-ALU	17	175.00 <i>6.890</i>	27.10 <i>1.067</i>	25.91 <i>1.020</i>	Aluminum Alloy	12.70 <i>0.500</i>	19.00 <i>0.748</i>
# P-H5-017X175-CS	17	175.00 <i>6.890</i>	27.10 <i>1.067</i>	25.91 <i>1.020</i>	Carbon Steel	12.70 <i>0.500</i>	19.00 <i>0.748</i>
# P-H5-018X200-CS	18	200.00 <i>7.874</i>	28.60 <i>1.126</i>	27.50 <i>1.083</i>	Carbon Steel	12.70 <i>0.500</i>	19.00 <i>0.748</i>
# P-H5-018X200-ALU	18	200.00 <i>7.874</i>	28.60 <i>1.126</i>	27.50 <i>1.083</i>	Aluminum Alloy	12.70 <i>0.500</i>	19.00 <i>0.748</i>
# P-H5-019X200-ALU	19	200.00 <i>7.874</i>	30.20 <i>1.189</i>	29.10 <i>1.146</i>	Aluminum Alloy	12.70 <i>0.500</i>	19.00 <i>0.748</i>

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Pulleys - Timing - 5.000mm Pitch - HTD - STOCK

Part Number	Grooves No.	Min. Usable Length (L) mm	Pitch Diameter (PD) mm	Outside Diameter (OD) mm	Material	Shank Diameter (D1) mm	Shank Length (Sl) mm
		<i>inches</i>	<i>inches</i>	<i>inches</i>		<i>inches</i>	<i>inches</i>
# P-H5-019X200-CS	19	200.00 <i>7.874</i>	30.20 <i>1.189</i>	29.10 <i>1.146</i>	Carbon Steel	12.70 <i>0.500</i>	19.00 <i>0.748</i>
# P-H5-020X200-ALU	20	200.00 <i>7.874</i>	31.80 <i>1.252</i>	30.69 <i>1.208</i>	Aluminum Alloy	12.70 <i>0.500</i>	19.00 <i>0.748</i>
# P-H5-020X200-CS	20	200.00 <i>7.874</i>	31.80 <i>1.252</i>	30.69 <i>1.208</i>	Carbon Steel	12.70 <i>0.500</i>	19.00 <i>0.748</i>
# P-H5-021X200-ALU	21	200.00 <i>7.874</i>	33.40 <i>1.315</i>	32.28 <i>1.271</i>	Aluminum Alloy	12.70 <i>0.500</i>	19.00 <i>0.748</i>
# P-H5-021X200-CS	21	200.00 <i>7.874</i>	33.40 <i>1.315</i>	32.28 <i>1.271</i>	Carbon Steel	12.70 <i>0.500</i>	19.00 <i>0.748</i>
# P-H5-022X200-CS	22	200.00 <i>7.874</i>	35.00 <i>1.378</i>	33.87 <i>1.333</i>	Carbon Steel	12.70 <i>0.500</i>	19.00 <i>0.748</i>
# P-H5-022X200-ALU	22	200.00 <i>7.874</i>	35.00 <i>1.378</i>	33.87 <i>1.333</i>	Aluminum Alloy	12.70 <i>0.500</i>	19.00 <i>0.748</i>
# P-H5-023X200-CS	23	200.00 <i>7.874</i>	36.60 <i>1.441</i>	35.46 <i>1.396</i>	Carbon Steel	12.70 <i>0.500</i>	19.00 <i>0.748</i>
# P-H5-023X200-ALU	23	200.00 <i>7.874</i>	36.60 <i>1.441</i>	35.46 <i>1.396</i>	Aluminum Alloy	12.70 <i>0.500</i>	19.00 <i>0.748</i>
# P-H5-024X200-ALU	24	200.00 <i>7.874</i>	38.20 <i>1.504</i>	37.05 <i>1.459</i>	Aluminum Alloy	12.70 <i>0.500</i>	19.00 <i>0.748</i>

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Pulleys - Timing - 5.000mm Pitch - HTD - STOCK

Part Number	Grooves No.	Min. Usable Length (L) mm	Pitch Diameter (PD) mm	Outside Diameter (OD) mm	Material	Shank Diameter (D1) mm	Shank Length (Sl) mm
		<i>inches</i>	<i>inches</i>	<i>inches</i>		<i>inches</i>	<i>inches</i>
# P-H5-024X200-CS	24	200.00 <i>7.874</i>	38.20 <i>1.504</i>	37.05 <i>1.459</i>	Carbon Steel	12.70 <i>0.500</i>	19.00 <i>0.748</i>
# P-H5-025X200-ALU	25	200.00 <i>7.874</i>	39.80 <i>1.567</i>	38.65 <i>1.522</i>	Aluminum Alloy	12.70 <i>0.500</i>	19.00 <i>0.748</i>
# P-H5-025X200-CS	25	200.00 <i>7.874</i>	39.80 <i>1.567</i>	38.65 <i>1.522</i>	Carbon Steel	12.70 <i>0.500</i>	19.00 <i>0.748</i>
# P-H5-026X200-ALU	26	200.00 <i>7.874</i>	41.40 <i>1.630</i>	40.24 <i>1.584</i>	Aluminum Alloy	12.70 <i>0.500</i>	19.00 <i>0.748</i>
# P-H5-026X200-CS	26	200.00 <i>7.874</i>	41.40 <i>1.630</i>	40.24 <i>1.584</i>	Carbon Steel	12.70 <i>0.500</i>	19.00 <i>0.748</i>
# P-H5-027X200-ALU	27	200.00 <i>7.874</i>	43.00 <i>1.693</i>	41.83 <i>1.647</i>	Aluminum Alloy	12.70 <i>0.500</i>	19.00 <i>0.748</i>
# P-H5-027X200-CS	27	200.00 <i>7.874</i>	43.00 <i>1.693</i>	41.83 <i>1.647</i>	Carbon Steel	12.70 <i>0.500</i>	19.00 <i>0.748</i>
# P-H5-028X200-ALU	28	200.00 <i>7.874</i>	44.60 <i>1.756</i>	43.42 <i>1.709</i>	Aluminum Alloy	12.70 <i>0.500</i>	19.00 <i>0.748</i>
# P-H5-028X200-CS	28	200.00 <i>7.874</i>	44.60 <i>1.756</i>	43.42 <i>1.709</i>	Carbon Steel	12.70 <i>0.500</i>	19.00 <i>0.748</i>
# P-H5-029X200-CS	29	200.00 <i>7.874</i>	46.20 <i>1.819</i>	45.01 <i>1.772</i>	Carbon Steel	12.70 <i>0.500</i>	19.00 <i>0.748</i>

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Pulleys - Timing - 5.000mm Pitch - HTD - STOCK

Part Number	Grooves No.	Min. Usable Length (L) mm	Pitch Diameter (PD) mm	Outside Diameter (OD) mm	Material	Shank Diameter (D1) mm	Shank Length (Sl) mm
		<i>inches</i>	<i>inches</i>	<i>inches</i>		<i>inches</i>	<i>inches</i>
# P-H5-029X200-ALU	29	200.00 <i>7.874</i>	46.20 <i>1.819</i>	45.01 <i>1.772</i>	Aluminum Alloy	12.70 <i>0.500</i>	19.00 <i>0.748</i>
# P-H5-030X200-ALU	30	200.00 <i>7.874</i>	47.70 <i>1.878</i>	46.60 <i>1.835</i>	Aluminum Alloy	12.70 <i>0.500</i>	19.00 <i>0.748</i>
# P-H5-030X200-CS	30	200.00 <i>7.874</i>	47.70 <i>1.878</i>	46.60 <i>1.835</i>	Carbon Steel	12.70 <i>0.500</i>	19.00 <i>0.748</i>
# P-H5-031X200-ALU	31	200.00 <i>7.874</i>	49.30 <i>1.941</i>	48.20 <i>1.898</i>	Aluminum Alloy	19.00 <i>0.748</i>	19.00 <i>0.748</i>
# P-H5-031X200-CS	31	200.00 <i>7.874</i>	49.30 <i>1.941</i>	48.20 <i>1.898</i>	Carbon Steel	19.00 <i>0.748</i>	19.00 <i>0.748</i>
# P-H5-032X200-ALU	32	200.00 <i>7.874</i>	50.90 <i>2.004</i>	49.79 <i>1.960</i>	Aluminum Alloy	19.00 <i>0.748</i>	19.00 <i>0.748</i>
# P-H5-032X200-CS	32	200.00 <i>7.874</i>	50.90 <i>2.004</i>	49.79 <i>1.960</i>	Carbon Steel	19.00 <i>0.748</i>	19.00 <i>0.748</i>
# P-H5-033X200-ALU	33	200.00 <i>7.874</i>	52.50 <i>2.067</i>	51.38 <i>2.023</i>	Aluminum Alloy	19.00 <i>0.748</i>	19.00 <i>0.748</i>
# P-H5-033X200-CS	33	200.00 <i>7.874</i>	52.50 <i>2.067</i>	51.38 <i>2.023</i>	Carbon Steel	19.00 <i>0.748</i>	19.00 <i>0.748</i>
# P-H5-034X200-CS	34	200.00 <i>7.874</i>	54.10 <i>2.130</i>	52.97 <i>2.085</i>	Carbon Steel	19.00 <i>0.748</i>	19.00 <i>0.748</i>

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Pulleys - Timing - 5.000mm Pitch - HTD - STOCK

Part Number	Grooves No.	Min. Usable Length (L) mm	Pitch Diameter (PD) mm	Outside Diameter (OD) mm	Material	Shank Diameter (D1) mm	Shank Length (Sl) mm
		<i>inches</i>	<i>inches</i>	<i>inches</i>		<i>inches</i>	<i>inches</i>
# P-H5-034X200-ALU	34	200.00 <i>7.874</i>	54.10 <i>2.130</i>	52.97 <i>2.085</i>	Aluminum Alloy	19.00 <i>0.748</i>	19.00 <i>0.748</i>
# P-H5-035X200-ALU	35	200.00 <i>7.874</i>	55.70 <i>2.193</i>	54.56 <i>2.148</i>	Aluminum Alloy	19.00 <i>0.748</i>	19.00 <i>0.748</i>
# P-H5-035X200-CS	35	200.00 <i>7.874</i>	55.70 <i>2.193</i>	54.56 <i>2.148</i>	Carbon Steel	19.00 <i>0.748</i>	19.00 <i>0.748</i>
# P-H5-036X200-ALU	36	200.00 <i>7.874</i>	57.30 <i>2.256</i>	56.15 <i>2.211</i>	Aluminum Alloy	19.00 <i>0.748</i>	19.00 <i>0.748</i>
# P-H5-036X200-CS	36	200.00 <i>7.874</i>	57.30 <i>2.256</i>	56.15 <i>2.211</i>	Carbon Steel	19.00 <i>0.748</i>	19.00 <i>0.748</i>
# P-H5-038X200-ALU	38	200.00 <i>7.874</i>	60.50 <i>2.382</i>	59.34 <i>2.336</i>	Aluminum Alloy	19.00 <i>0.748</i>	19.00 <i>0.748</i>
# P-H5-038X200-CS	38	200.00 <i>7.874</i>	60.50 <i>2.382</i>	59.34 <i>2.336</i>	Carbon Steel	19.00 <i>0.748</i>	19.00 <i>0.748</i>
# P-H5-040X200-ALU	40	200.00 <i>7.874</i>	63.70 <i>2.508</i>	62.52 <i>2.461</i>	Aluminum Alloy	19.00 <i>0.748</i>	19.00 <i>0.748</i>
# P-H5-040X200-CS	40	200.00 <i>7.874</i>	63.70 <i>2.508</i>	62.52 <i>2.461</i>	Carbon Steel	19.00 <i>0.748</i>	19.00 <i>0.748</i>
# P-H5-042X200-ALU	42	200.00 <i>7.874</i>	66.80 <i>2.630</i>	65.70 <i>2.587</i>	Aluminum Alloy	19.00 <i>0.748</i>	19.00 <i>0.748</i>

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Pulleys - Timing - 5.000mm Pitch - HTD - STOCK

Part Number	Grooves No.	Min. Usable Length (L) mm	Pitch Diameter (PD) mm	Outside Diameter (OD) mm	Material	Shank Diameter (D1) mm	Shank Length (Sl) mm
		<i>inches</i>	<i>inches</i>	<i>inches</i>		<i>inches</i>	<i>inches</i>
# P-H5-042X200-CS	42	200.00 <i>7.874</i>	66.80 <i>2.630</i>	65.70 <i>2.587</i>	Carbon Steel	19.00 <i>0.748</i>	19.00 <i>0.748</i>
# P-H5-044X200-CS	44	200.00 <i>7.874</i>	70.00 <i>2.756</i>	68.89 <i>2.712</i>	Carbon Steel	19.00 <i>0.748</i>	19.00 <i>0.748</i>
# P-H5-044X200-ALU	44	200.00 <i>7.874</i>	70.00 <i>2.756</i>	68.89 <i>2.712</i>	Aluminum Alloy	19.00 <i>0.748</i>	19.00 <i>0.748</i>
# P-H5-045X200-ALU	45	200.00 <i>7.874</i>	71.60 <i>2.819</i>	70.48 <i>2.775</i>	Aluminum Alloy	19.00 <i>0.748</i>	19.00 <i>0.748</i>
# P-H5-045X200-CS	45	200.00 <i>7.874</i>	71.60 <i>2.819</i>	70.48 <i>2.775</i>	Carbon Steel	19.00 <i>0.748</i>	19.00 <i>0.748</i>
# P-H5-046X200-ALU	46	200.00 <i>7.874</i>	73.20 <i>2.882</i>	72.07 <i>2.837</i>	Aluminum Alloy	19.00 <i>0.748</i>	19.00 <i>0.748</i>
# P-H5-046X200-CS	46	200.00 <i>7.874</i>	73.20 <i>2.882</i>	72.07 <i>2.837</i>	Carbon Steel	19.00 <i>0.748</i>	19.00 <i>0.748</i>
# P-H5-048X200-ALU	48	200.00 <i>7.874</i>	76.40 <i>3.008</i>	75.25 <i>2.963</i>	Aluminum Alloy	19.00 <i>0.748</i>	19.00 <i>0.748</i>
# P-H5-048X200-CS	48	200.00 <i>7.874</i>	76.40 <i>3.008</i>	75.25 <i>2.963</i>	Carbon Steel	19.00 <i>0.748</i>	19.00 <i>0.748</i>
# P-H5-050X200-CS	50	200.00 <i>7.874</i>	79.60 <i>3.134</i>	78.43 <i>3.088</i>	Carbon Steel	19.00 <i>0.748</i>	19.00 <i>0.748</i>

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Pulleys - Timing - 5.000mm Pitch - HTD - STOCK

Part Number	Grooves No.	Min. Usable Length (L) mm	Pitch Diameter (PD) mm	Outside Diameter (OD) mm	Material	Shank Diameter (D1) mm	Shank Length (Sl) mm
		<i>inches</i>	<i>inches</i>	<i>inches</i>		<i>inches</i>	<i>inches</i>
# P-H5-050X200-ALU	50	200.00 <i>7.874</i>	79.60 <i>3.134</i>	78.43 <i>3.088</i>	Aluminum Alloy	19.00 <i>0.748</i>	19.00 <i>0.748</i>
# P-H5-054X200-CS	54	200.00 <i>7.874</i>	85.90 <i>3.382</i>	84.80 <i>3.339</i>	Carbon Steel	19.00 <i>0.748</i>	19.00 <i>0.748</i>
# P-H5-054X200-ALU	54	200.00 <i>7.874</i>	85.90 <i>3.382</i>	84.80 <i>3.339</i>	Aluminum Alloy	19.00 <i>0.748</i>	19.00 <i>0.748</i>
# P-H5-056X200-ALU	56	200.00 <i>7.874</i>	89.10 <i>3.508</i>	87.98 <i>3.464</i>	Aluminum Alloy	19.00 <i>0.748</i>	19.00 <i>0.748</i>
# P-H5-056X200-CS	56	200.00 <i>7.874</i>	89.10 <i>3.508</i>	87.98 <i>3.464</i>	Carbon Steel	19.00 <i>0.748</i>	19.00 <i>0.748</i>
# P-H5-060X200-ALU	60	200.00 <i>7.874</i>	95.50 <i>3.760</i>	94.35 <i>3.715</i>	Aluminum Alloy	19.00 <i>0.748</i>	19.00 <i>0.748</i>
# P-H5-060X200-CS	60	200.00 <i>7.874</i>	95.50 <i>3.760</i>	94.35 <i>3.715</i>	Carbon Steel	19.00 <i>0.748</i>	19.00 <i>0.748</i>
# P-H5-062X200-ALU	62	200.00 <i>7.874</i>	98.70 <i>3.886</i>	97.53 <i>3.840</i>	Aluminum Alloy	19.00 <i>0.748</i>	19.00 <i>0.748</i>
# P-H5-062X200-CS	62	200.00 <i>7.874</i>	98.70 <i>3.886</i>	97.53 <i>3.840</i>	Carbon Steel	19.00 <i>0.748</i>	19.00 <i>0.748</i>
# P-H5-065X200-ALU	65	200.00 <i>7.874</i>	103.50 <i>4.075</i>	102.31 <i>4.028</i>	Aluminum Alloy	25.00 <i>0.984</i>	25.00 <i>0.984</i>

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Pulleys - Timing - 5.000mm Pitch - HTD - STOCK

Part Number	Grooves No.	Min. Usable Length (L) mm	Pitch Diameter (PD) mm	Outside Diameter (OD) mm	Material	Shank Diameter (D1) mm	Shank Length (Sl) mm
		<i>inches</i>	<i>inches</i>	<i>inches</i>		<i>inches</i>	<i>inches</i>
# P-H5-065X200-CS	65	200.00 <i>7.874</i>	103.50 <i>4.075</i>	102.31 <i>4.028</i>	Carbon Steel	25.00 <i>0.984</i>	25.00 <i>0.984</i>
# P-H5-072X200-ALU	72	200.00 <i>7.874</i>	114.60 <i>4.512</i>	113.45 <i>4.467</i>	Aluminum Alloy	25.00 <i>0.984</i>	25.00 <i>0.984</i>
# P-H5-072X200-CS	72	200.00 <i>7.874</i>	114.60 <i>4.512</i>	113.45 <i>4.467</i>	Carbon Steel	25.00 <i>0.984</i>	25.00 <i>0.984</i>
# P-H5-080X200-CS	80	200.00 <i>7.874</i>	127.30 <i>5.012</i>	126.18 <i>4.968</i>	Carbon Steel	25.00 <i>0.984</i>	25.00 <i>0.984</i>
# P-H5-080X200-ALU	80	200.00 <i>7.874</i>	127.30 <i>5.012</i>	126.18 <i>4.968</i>	Aluminum Alloy	25.00 <i>0.984</i>	25.00 <i>0.984</i>
# P-H5-090X200-ALU	90	200.00 <i>7.874</i>	143.20 <i>5.638</i>	142.10 <i>5.594</i>	Aluminum Alloy	25.00 <i>0.984</i>	25.00 <i>0.984</i>
# P-H5-090X200-CS	90	200.00 <i>7.874</i>	143.20 <i>5.638</i>	142.10 <i>5.594</i>	Carbon Steel	25.00 <i>0.984</i>	25.00 <i>0.984</i>
# P-H5-100X200-ALU	100	200.00 <i>7.874</i>	159.20 <i>6.268</i>	158.01 <i>6.221</i>	Aluminum Alloy	25.00 <i>0.984</i>	25.00 <i>0.984</i>
# P-H5-100X200-CS	100	200.00 <i>7.874</i>	159.20 <i>6.268</i>	158.01 <i>6.221</i>	Carbon Steel	25.00 <i>0.984</i>	25.00 <i>0.984</i>
# P-H5-112X150-ALU	112	150.00 <i>5.906</i>	178.30 <i>7.020</i>	177.11 <i>6.973</i>	Aluminum Alloy	25.00 <i>0.984</i>	25.00 <i>0.984</i>

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Pulleys - Timing - 5.000mm Pitch - HTD - STOCK

Part Number	Grooves No.	Min. Usable Length (L) mm	Pitch Diameter (PD) mm	Outside Diameter (OD) mm	Material	Shank Diameter (D1) mm	Shank Length (Sl) mm
		<i>inches</i>	<i>inches</i>	<i>inches</i>		<i>inches</i>	<i>inches</i>
# P-H5-112X150-CS	112	150.00 <i>5.906</i>	178.30 <i>7.020</i>	177.11 <i>6.973</i>	Carbon Steel	25.00 <i>0.984</i>	25.00 <i>0.984</i>
# P-H5-126X150-CS	126	150.00 <i>5.906</i>	200.50 <i>7.894</i>	199.39 <i>7.850</i>	Carbon Steel	25.00 <i>0.984</i>	25.00 <i>0.984</i>
# P-H5-126X150-ALU	126	150.00 <i>5.906</i>	200.50 <i>7.894</i>	199.39 <i>7.850</i>	Aluminum Alloy	25.00 <i>0.984</i>	25.00 <i>0.984</i>

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to [catalogues@minibearings.com.au](mailto:catalogues@minibearings.com.au)
