




MBA

**Pulleys - Timing - 5.000mm
Pitch - T5 - STOCK**



For manufacture of timing pulleys or applications requiring multiple belts from a single drive.

Pulleys - Timing - 5.000mm Pitch - T5 - STOCK

Part Number	Grooves No.	Min. Usable Length (L) mm	Pitch Diameter (PD) mm	Outside Diameter (OD) mm	Material	Shank Diameter (D1) mm	Shank Length (SI) mm
		<i>inches</i>	<i>inches</i>	<i>inches</i>		<i>inches</i>	<i>inches</i>
# P-T5-010X125-ALU	10	125.00 <i>4.921</i>	15.05 <i>0.593</i>	15.05 <i>0.593</i>	Aluminum Alloy	12.70 <i>0.500</i>	20.00 <i>0.787</i>
# P-T5-011X125-ALU	11	125.00 <i>4.921</i>	16.65 <i>0.656</i>	16.65 <i>0.656</i>	Aluminum Alloy	12.70 <i>0.500</i>	20.00 <i>0.787</i>
# P-T5-012X125-ALU	12	125.00 <i>4.921</i>	18.25 <i>0.719</i>	18.25 <i>0.719</i>	Aluminum Alloy	12.70 <i>0.500</i>	20.00 <i>0.787</i>
# P-T5-013X125-ALU	13	125.00 <i>4.921</i>	19.85 <i>0.781</i>	19.85 <i>0.781</i>	Aluminum Alloy	12.70 <i>0.500</i>	20.00 <i>0.787</i>
# P-T5-014X132-ALU	14	132.00 <i>5.197</i>	21.45 <i>0.844</i>	21.45 <i>0.844</i>	Aluminum Alloy	12.70 <i>0.500</i>	20.00 <i>0.787</i>

Indicates item not stocked at time of printing - Please enquire for lead time
E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 5.000mm Pitch - T5 - STOCK

Part Number	Grooves No.	Min. Usable Length (L) mm	Pitch Diameter (PD) mm	Outside Diameter (OD) mm	Material	Shank Diameter (D1) mm	Shank Length (Sl) mm
		<i>inches</i>	<i>inches</i>	<i>inches</i>		<i>inches</i>	<i>inches</i>
# P-T5-015X132-ALU	15	132.00 <i>5.197</i>	23.05 <i>0.907</i>	23.05 <i>0.907</i>	Aluminum Alloy	12.70 <i>0.500</i>	20.00 <i>0.787</i>
# P-T5-016X140-ALU	16	140.00 <i>5.512</i>	24.60 <i>0.969</i>	24.60 <i>0.969</i>	Aluminum Alloy	12.70 <i>0.500</i>	20.00 <i>0.787</i>
# P-T5-017X140-ALU	17	140.00 <i>5.512</i>	26.20 <i>1.031</i>	26.20 <i>1.031</i>	Aluminum Alloy	12.70 <i>0.500</i>	20.00 <i>0.787</i>
# P-T5-018X140-ALU	18	140.00 <i>5.512</i>	27.80 <i>1.094</i>	27.80 <i>1.094</i>	Aluminum Alloy	12.70 <i>0.500</i>	20.00 <i>0.787</i>
# P-T5-019X140-ALU	19	140.00 <i>5.512</i>	29.40 <i>1.157</i>	29.40 <i>1.157</i>	Aluminum Alloy	12.70 <i>0.500</i>	20.00 <i>0.787</i>
# P-T5-020X160-ALU	20	160.00 <i>6.299</i>	31.00 <i>1.220</i>	31.00 <i>1.220</i>	Aluminum Alloy	12.70 <i>0.500</i>	20.00 <i>0.787</i>
# P-T5-021X160-ALU	21	160.00 <i>6.299</i>	32.70 <i>1.287</i>	32.70 <i>1.287</i>	Aluminum Alloy	12.70 <i>0.500</i>	20.00 <i>0.787</i>
# P-T5-022X160-ALU	22	160.00 <i>6.299</i>	34.25 <i>1.348</i>	34.25 <i>1.348</i>	Aluminum Alloy	12.70 <i>0.500</i>	20.00 <i>0.787</i>
# P-T5-023X160-ALU	23	160.00 <i>6.299</i>	35.85 <i>1.411</i>	35.85 <i>1.411</i>	Aluminum Alloy	12.70 <i>0.500</i>	20.00 <i>0.787</i>
# P-T5-024X160-ALU	24	160.00 <i>6.299</i>	37.40 <i>1.472</i>	37.40 <i>1.472</i>	Aluminum Alloy	12.70 <i>0.500</i>	20.00 <i>0.787</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 5.000mm Pitch - T5 - STOCK

Part Number	Grooves No.	Min. Usable Length (L) mm	Pitch Diameter (PD) mm	Outside Diameter (OD) mm	Material	Shank Diameter (D1) mm	Shank Length (Sl) mm
		<i>inches</i>	<i>inches</i>	<i>inches</i>		<i>inches</i>	<i>inches</i>
# P-T5-025X160-ALU	25	160.00 <i>6.299</i>	39.00 <i>1.535</i>	39.00 <i>1.535</i>	Aluminum Alloy	12.70 <i>0.500</i>	20.00 <i>0.787</i>
# P-T5-026X160-ALU	26	160.00 <i>6.299</i>	40.60 <i>1.598</i>	40.60 <i>1.598</i>	Aluminum Alloy	12.70 <i>0.500</i>	20.00 <i>0.787</i>
# P-T5-027X160-ALU	27	160.00 <i>6.299</i>	42.20 <i>1.661</i>	42.20 <i>1.661</i>	Aluminum Alloy	12.70 <i>0.500</i>	20.00 <i>0.787</i>
# P-T5-028X160-ALU	28	160.00 <i>6.299</i>	43.75 <i>1.722</i>	43.75 <i>1.722</i>	Aluminum Alloy	12.70 <i>0.500</i>	20.00 <i>0.787</i>
# P-T5-029X160-ALU	29	160.00 <i>6.299</i>	45.35 <i>1.785</i>	45.35 <i>1.785</i>	Aluminum Alloy	12.70 <i>0.500</i>	20.00 <i>0.787</i>
# P-T5-030X160-ALU	30	160.00 <i>6.299</i>	46.95 <i>1.848</i>	46.95 <i>1.848</i>	Aluminum Alloy	19.10 <i>0.752</i>	20.00 <i>0.787</i>
# P-T5-032X160-ALU	32	160.00 <i>6.299</i>	50.10 <i>1.972</i>	50.10 <i>1.972</i>	Aluminum Alloy	19.10 <i>0.752</i>	20.00 <i>0.787</i>
# P-T5-034X160-ALU	34	160.00 <i>6.299</i>	53.25 <i>2.096</i>	53.25 <i>2.096</i>	Aluminum Alloy	19.10 <i>0.752</i>	20.00 <i>0.787</i>
# P-T5-035X160-ALU	35	160.00 <i>6.299</i>	54.85 <i>2.159</i>	54.85 <i>2.159</i>	Aluminum Alloy	19.10 <i>0.752</i>	20.00 <i>0.787</i>
# P-T5-036X160-ALU	36	160.00 <i>6.299</i>	56.45 <i>2.222</i>	56.45 <i>2.222</i>	Aluminum Alloy	19.10 <i>0.752</i>	20.00 <i>0.787</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 5.000mm Pitch - T5 - STOCK

Part Number	Grooves No.	Min. Usable Length (L) mm	Pitch Diameter (PD) mm	Outside Diameter (OD) mm	Material	Shank Diameter (D1) mm	Shank Length (Sl) mm
		<i>inches</i>	<i>inches</i>	<i>inches</i>		<i>inches</i>	<i>inches</i>
# P-T5-037X160-ALU	37	160.00 <i>6.299</i>	58.06 <i>2.286</i>	58.06 <i>2.286</i>	Aluminum Alloy	19.10 <i>0.752</i>	20.00 <i>0.787</i>
# P-T5-038X160-ALU	38	160.00 <i>6.299</i>	59.65 <i>2.348</i>	59.65 <i>2.348</i>	Aluminum Alloy	19.10 <i>0.752</i>	20.00 <i>0.787</i>
# P-T5-040X160-ALU	40	160.00 <i>6.299</i>	62.85 <i>2.474</i>	62.85 <i>2.474</i>	Aluminum Alloy	19.10 <i>0.752</i>	20.00 <i>0.787</i>
# P-T5-042X160-ALU	42	160.00 <i>6.299</i>	66.00 <i>2.598</i>	66.00 <i>2.598</i>	Aluminum Alloy	19.10 <i>0.752</i>	20.00 <i>0.787</i>
# P-T5-044X160-ALU	44	160.00 <i>6.299</i>	69.20 <i>2.724</i>	69.20 <i>2.724</i>	Aluminum Alloy	19.10 <i>0.752</i>	20.00 <i>0.787</i>
# P-T5-045X160-ALU	45	160.00 <i>6.299</i>	70.80 <i>2.787</i>	70.80 <i>2.787</i>	Aluminum Alloy	19.10 <i>0.752</i>	20.00 <i>0.787</i>
# P-T5-046X160-ALU	46	160.00 <i>6.299</i>	72.40 <i>2.850</i>	72.40 <i>2.850</i>	Aluminum Alloy	19.10 <i>0.752</i>	20.00 <i>0.787</i>
# P-T5-048X160-ALU	48	160.00 <i>6.299</i>	75.55 <i>2.974</i>	75.55 <i>2.974</i>	Aluminum Alloy	19.10 <i>0.752</i>	20.00 <i>0.787</i>
# P-T5-050X160-ALU	50	160.00 <i>6.299</i>	78.75 <i>3.100</i>	78.75 <i>3.100</i>	Aluminum Alloy	25.40 <i>1.000</i>	25.00 <i>0.984</i>
# P-T5-060X160-ALU	60	160.00 <i>6.299</i>	94.65 <i>3.726</i>	94.65 <i>3.726</i>	Aluminum Alloy	25.40 <i>1.000</i>	25.00 <i>0.984</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 5.000mm Pitch - T5 - STOCK

Part Number	Grooves No.	Min. Usable Length (L) mm	Pitch Diameter (PD) mm	Outside Diameter (OD) mm	Material	Shank Diameter (D1) mm	Shank Length (Sl) mm
		<i>inches</i>	<i>inches</i>	<i>inches</i>		<i>inches</i>	<i>inches</i>
# P-T5-072X160-ALU	72	160.00 <i>6.299</i>	113.75 <i>4.478</i>	113.75 <i>4.478</i>	Aluminum Alloy	25.40 <i>1.000</i>	25.00 <i>0.984</i>
# P-T5-080X160-ALU	80	160.00 <i>6.299</i>	126.48 <i>4.980</i>	126.48 <i>4.980</i>	Aluminum Alloy	25.40 <i>1.000</i>	25.00 <i>0.984</i>
# P-T5-090X160-ALU	90	160.00 <i>6.299</i>	142.40 <i>5.606</i>	142.40 <i>5.606</i>	Aluminum Alloy	25.40 <i>1.000</i>	25.00 <i>0.984</i>
# P-T5-100X160-ALU	100	160.00 <i>6.299</i>	158.31 <i>6.233</i>	158.31 <i>6.233</i>	Aluminum Alloy	25.40 <i>1.000</i>	25.00 <i>0.984</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to catalogues@minibearings.com.au

