




MBA

Pulleys - Timing - 5.000mm Pitch - T5

Timing Pulleys to suit T Series 5.000mm Pitch Timing Belts.

Various materials as shown.



Pulleys - Timing - 5.000mm Pitch - T5

Part Number	Teeth (No.)	Suit Belt Width mm	Bore (d) mm	Material	Locking Type	Type (See Diagram)	Pitch Diameter (PD) mm	Flange Diameter (FD) mm	Overall Length (OL) mm	Hub Diameter (HD) mm
		<i>inches</i>	<i>inches</i>				<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>
P-T5-010-100FF-ALU-SET-04.000	10	10.0	4.000	Aluminium	Set Screw	FF_G_H (Double Flange)	15.91	20.0	21.00	8.00
		<i>0.394</i>	<i>0.157</i>				<i>0.626</i>	<i>0.787</i>	<i>0.827</i>	<i>0.315</i>
# P-T5-012-100FF-ALU-SET-04.000	12	10.0	4.000	Aluminium	Set Screw	FF_G_H (Double Flange)	19.09	23.0	21.00	11.00
		<i>0.394</i>	<i>0.157</i>				<i>0.752</i>	<i>0.906</i>	<i>0.827</i>	<i>0.433</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 5.000mm Pitch - T5

Part Number	Teeth (No.)	Suit Belt Width mm	Bore (d) mm	Material	Locking Type	Type (See Diagram)	Pitch Diameter (PD) mm	Flange Diameter (FD) mm	Overall Length (OL) mm	Hub Diameter (HD) mm
		<i>inches</i>	<i>inches</i>				<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>
# P-T5-012-100FF-ACE-NIL-05.000	12	10.0	5.000	Acetal - Black	No Locking Device	FF_NL_H (Double Flange)	19.09	20.7	22.00	15.00
		<i>0.394</i>	<i>0.197</i>				<i>0.752</i>	<i>0.815</i>	<i>0.866</i>	<i>0.591</i>
# P-T5-012-100SF-ACE-NIL-05.000	12	10.0	5.000	Acetal - Black	No Locking Device	SF_NL_2H (Single Flange)	19.09	20.7	22.00	15.00
		<i>0.394</i>	<i>0.197</i>				<i>0.752</i>	<i>0.815</i>	<i>0.866</i>	<i>0.591</i>
# P-T5-013-100FF-ACE-NIL-05.000	13	10.0	5.000	Acetal - Black	No Locking Device	FF_NL_H (Double Flange)	20.68	22.3	22.00	15.00
		<i>0.394</i>	<i>0.197</i>				<i>0.814</i>	<i>0.878</i>	<i>0.866</i>	<i>0.591</i>
# P-T5-013-100SF-ACE-NIL-05.000	13	10.0	5.000	Acetal - Black	No Locking Device	SF_NL_2H (Single Flange)	20.68	22.3	22.00	15.00
		<i>0.394</i>	<i>0.197</i>				<i>0.814</i>	<i>0.878</i>	<i>0.866</i>	<i>0.591</i>
# P-T5-014-100FF-ALU-SET-04.000	14	10.0	4.000	Aluminium	Set Screw	FF_G_H (Double Flange)	22.27	25.5	21.00	14.00
		<i>0.394</i>	<i>0.157</i>				<i>0.877</i>	<i>1.004</i>	<i>0.827</i>	<i>0.551</i>
# P-T5-014-100FF-ACE-NIL-05.000	14	10.0	5.000	Acetal - Black	No Locking Device	FF_NL_H (Double Flange)	22.27	23.9	22.00	15.00
		<i>0.394</i>	<i>0.197</i>				<i>0.877</i>	<i>0.941</i>	<i>0.866</i>	<i>0.591</i>
# P-T5-014-100SF-ACE-NIL-05.000	14	10.0	5.000	Acetal - Black	No Locking Device	SF_NL_2H (Single Flange)	22.27	23.9	22.00	15.00
		<i>0.394</i>	<i>0.197</i>				<i>0.877</i>	<i>0.941</i>	<i>0.866</i>	<i>0.591</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 5.000mm Pitch - T5

Part Number	Teeth (No.)	Suit Belt Width mm	Bore (d) mm	Material	Locking Type	Type (See Diagram)	Pitch Diameter (PD) mm	Flange Diameter (FD) mm	Overall Length (OL) mm	Hub Diameter (HD) mm
		<i>inches</i>	<i>inches</i>				<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>
# P-T5-015-100FF-ACE-NIL-06.000	15	10.0	6.000	Acetal - Black	No Locking Device	FF_NL_HW (Double Flange)	23.86	25.5	22.00	16.00
		<i>0.394</i>	<i>0.236</i>				<i>0.939</i>	<i>1.004</i>	<i>0.866</i>	<i>0.630</i>
P-T5-015-100FF-ALU-SET-06.000	15	10.0	6.000	Aluminium	Set Screws (2)	FF_G_H (Double Flange)	23.86	26.0	21.00	16.00
		<i>0.394</i>	<i>0.236</i>				<i>0.939</i>	<i>1.024</i>	<i>0.827</i>	<i>0.630</i>
# P-T5-015-100SF-ACE-NIL-06.000	15	10.0	6.000	Acetal - Black	No Locking Device	SF_NL_2HW (Single Flange)	23.86	25.5	22.00	16.00
		<i>0.394</i>	<i>0.236</i>				<i>0.939</i>	<i>1.004</i>	<i>0.866</i>	<i>0.630</i>
# P-T5-016-100SF-ACE-NIL-06.000	16	10.0	6.000	Acetal - Black	No Locking Device	SF_NL_2HW (Single Flange)	25.45	27.0	22.00	16.00
		<i>0.394</i>	<i>0.236</i>				<i>1.002</i>	<i>1.063</i>	<i>0.866</i>	<i>0.630</i>
# P-T5-016-100FF-ACE-NIL-06.000	16	10.0	6.000	Acetal - Black	No Locking Device	FF_NL_HW (Double Flange)	25.45	27.0	22.00	16.00
		<i>0.394</i>	<i>0.236</i>				<i>1.002</i>	<i>1.063</i>	<i>0.866</i>	<i>0.630</i>
P-T5-016-100FF-ALU-SET-06.000	16	10.0	6.000	Aluminium	Set Screws (2)	FF_G_H (Double Flange)	25.45	32.0	21.00	18.00
		<i>0.394</i>	<i>0.236</i>				<i>1.002</i>	<i>1.260</i>	<i>0.827</i>	<i>0.709</i>
# P-T5-017-100FF-ACE-NIL-06.000	17	10.0	6.000	Acetal - Black	No Locking Device	FF_NL_HW (Double Flange)	27.05	28.6	22.00	16.00
		<i>0.394</i>	<i>0.236</i>				<i>1.065</i>	<i>1.126</i>	<i>0.866</i>	<i>0.630</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 5.000mm Pitch - T5

Part Number	Teeth (No.)	Suit Belt Width mm	Bore (d) mm	Material	Locking Type	Type (See Diagram)	Pitch Diameter (PD) mm	Flange Diameter (FD) mm	Overall Length (OL) mm	Hub Diameter (HD) mm
		<i>inches</i>	<i>inches</i>				<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>
# P-T5-017-100SF-ACE-NIL-06.000	17	10.0	6.000	Acetal - Black	No Locking Device	SF_NL_2HW (Single Flange)	27.05	28.6	22.00	16.00
		<i>0.394</i>	<i>0.236</i>				<i>1.065</i>	<i>1.126</i>	<i>0.866</i>	<i>0.630</i>
P-T5-018-100FF-ACE-NIL-06.000	18	10.0	6.000	Acetal - Black	No Locking Device	FF_NL_HW (Double Flange)	28.64	30.2	22.00	16.00
		<i>0.394</i>	<i>0.236</i>				<i>1.128</i>	<i>1.189</i>	<i>0.866</i>	<i>0.630</i>
P-T5-018-100FF-ALU-SET-06.000	18	10.0	6.000	Aluminium	Set Screws (2)	FF_G_H (Double Flange)	28.64	32.0	21.00	20.00
		<i>0.394</i>	<i>0.236</i>				<i>1.128</i>	<i>1.260</i>	<i>0.827</i>	<i>0.787</i>
# P-T5-018-100SF-ACE-NIL-06.000	18	10.0	6.000	Acetal - Black	No Locking Device	SF_NL_2HW (Single Flange)	28.64	30.2	22.00	16.00
		<i>0.394</i>	<i>0.236</i>				<i>1.128</i>	<i>1.189</i>	<i>0.866</i>	<i>0.630</i>
# P-T5-019-100FF-ALU-SET-06.000	19	10.0	6.000	Aluminium	Set Screws (2)	FF_G_H (Double Flange)	30.23	36.0	21.00	22.00
		<i>0.394</i>	<i>0.236</i>				<i>1.190</i>	<i>1.417</i>	<i>0.827</i>	<i>0.866</i>
# P-T5-019-100FF-ACE-NIL-08.000	19	10.0	8.000	Acetal - Black	No Locking Device	FF_NL_HW (Double Flange)	30.23	31.8	22.00	16.00
		<i>0.394</i>	<i>0.315</i>				<i>1.190</i>	<i>1.252</i>	<i>0.866</i>	<i>0.630</i>
# P-T5-019-100SF-ACE-NIL-08.000	19	10.0	8.000	Acetal - Black	No Locking Device	SF_NL_2HW (Single Flange)	30.23	31.8	22.00	16.00
		<i>0.394</i>	<i>0.315</i>				<i>1.190</i>	<i>1.252</i>	<i>0.866</i>	<i>0.630</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 5.000mm Pitch - T5

Part Number	Teeth (No.)	Suit Belt Width mm	Bore (d) mm	Material	Locking Type	Type (See Diagram)	Pitch Diameter (PD) mm	Flange Diameter (FD) mm	Overall Length (OL) mm	Hub Diameter (HD) mm
		<i>inches</i>	<i>inches</i>				<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>
# P-T5-020-100FF-ALU-SET-06.000	20	10.0	6.000	Aluminium	Set Screws (2)	FF_G_H (Double Flange)	31.82	36.0	21.00	23.00
		<i>0.394</i>	<i>0.236</i>				<i>1.253</i>	<i>1.417</i>	<i>0.827</i>	<i>0.906</i>
# P-T5-020-100FF-ACE-NIL-08.000	20	10.0	8.000	Acetal - Black	No Locking Device	FF_NL_HW (Double Flange)	31.82	33.4	22.00	18.00
		<i>0.394</i>	<i>0.315</i>				<i>1.253</i>	<i>1.315</i>	<i>0.866</i>	<i>0.709</i>
# P-T5-020-100SF-ACE-NIL-08.000	20	10.0	8.000	Acetal - Black	No Locking Device	SF_NL_2HW (Single Flange)	31.82	33.4	22.00	18.00
		<i>0.394</i>	<i>0.315</i>				<i>1.253</i>	<i>1.315</i>	<i>0.866</i>	<i>0.709</i>
P-T5-022-100FF-ALU-SET-06.000	22	10.0	6.000	Aluminium	Set Screws (2)	FF_G_H (Double Flange)	35.00	38.0	21.00	24.00
		<i>0.394</i>	<i>0.236</i>				<i>1.378</i>	<i>1.496</i>	<i>0.827</i>	<i>0.945</i>
# P-T5-022-100FF-ACE-NIL-08.000	22	10.0	8.000	Acetal - Black	No Locking Device	FF_NL_HW (Double Flange)	35.00	36.6	22.00	18.00
		<i>0.394</i>	<i>0.315</i>				<i>1.378</i>	<i>1.441</i>	<i>0.866</i>	<i>0.709</i>
# P-T5-022-100SF-ACE-NIL-08.000	22	10.0	8.000	Acetal - Black	No Locking Device	SF_NL_2HW (Single Flange)	35.00	36.6	22.00	18.00
		<i>0.394</i>	<i>0.315</i>				<i>1.378</i>	<i>1.441</i>	<i>0.866</i>	<i>0.709</i>
# P-T5-024-100FF-ALU-SET-06.000	24	10.0	6.000	Aluminium	Set Screws (2)	FF_G_H (Double Flange)	38.18	42.5	21.00	26.00
		<i>0.394</i>	<i>0.236</i>				<i>1.503</i>	<i>1.673</i>	<i>0.827</i>	<i>1.024</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 5.000mm Pitch - T5

Part Number	Teeth (No.)	Suit Belt Width mm	Bore (d) mm	Material	Locking Type	Type (See Diagram)	Pitch Diameter (PD) mm	Flange Diameter (FD) mm	Overall Length (OL) mm	Hub Diameter (HD) mm
		<i>inches</i>	<i>inches</i>				<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>
P-T5-025-100FF-ALU-SET-06.000	25	10.0	6.000	Aluminium	Set Screws (2)	FF_G_H (Double Flange)	39.77	44.5	21.00	26.00
		<i>0.394</i>	<i>0.236</i>				<i>1.566</i>	<i>1.752</i>	<i>0.827</i>	<i>1.024</i>
# P-T5-025-100SF-ACE-NIL-08.000	25	10.0	8.000	Acetal - Black	No Locking Device	SF_NL_2HW (Single Flange)	39.77	41.4	22.00	18.00
		<i>0.394</i>	<i>0.315</i>				<i>1.566</i>	<i>1.630</i>	<i>0.866</i>	<i>0.709</i>
# P-T5-025-100FF-ACE-NIL-08.000	25	10.0	8.000	Acetal - Black	No Locking Device	FF_NL_HW (Double Flange)	39.77	41.4	22.00	18.00
		<i>0.394</i>	<i>0.315</i>				<i>1.566</i>	<i>1.630</i>	<i>0.866</i>	<i>0.709</i>
# P-T5-026-100FF-ALU-SET-06.000	26	10.0	6.000	Aluminium	Set Screws (2)	FF_G_H (Double Flange)	41.36	44.5	21.00	26.00
		<i>0.394</i>	<i>0.236</i>				<i>1.628</i>	<i>1.752</i>	<i>0.827</i>	<i>1.024</i>
# P-T5-027-100FF-ALU-NIL-08.000	27	10.0	8.000	Aluminium	No Locking - Hubless	FF_NL_H (Double Flange)	42.95	47.5	21.00	30.00
		<i>0.394</i>	<i>0.315</i>				<i>1.691</i>	<i>1.870</i>	<i>0.827</i>	<i>1.181</i>
P-T5-028-100FF-ALU-NIL-08.000	28	10.0	8.000	Aluminium	No Locking - Hubless	FF_NL_H (Double Flange)	44.55	47.5	21.00	32.00
		<i>0.394</i>	<i>0.315</i>				<i>1.754</i>	<i>1.870</i>	<i>0.827</i>	<i>1.260</i>
# P-T5-028-100FF-ACE-NIL-10.000	28	10.0	10.000	Acetal - Black	No Locking Device	FF_NL_HW (Double Flange)	44.55	46.2	22.00	18.00
		<i>0.394</i>	<i>0.394</i>				<i>1.754</i>	<i>1.819</i>	<i>0.866</i>	<i>0.709</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 5.000mm Pitch - T5

Part Number	Teeth (No.)	Suit Belt Width mm	Bore (d) mm	Material	Locking Type	Type (See Diagram)	Pitch Diameter (PD) mm	Flange Diameter (FD) mm	Overall Length (OL) mm	Hub Diameter (HD) mm
		<i>inches</i>	<i>inches</i>				<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>
# P-T5-028-100SF-ACE-NIL-10.000	28	10.0	10.000	Acetal - Black	No Locking Device	SF_NL_2HW (Single Flange)	44.55	46.2	22.00	18.00
		<i>0.394</i>	<i>0.394</i>				<i>1.754</i>	<i>1.819</i>	<i>0.866</i>	<i>0.709</i>
# P-T5-030-100FF-ALU-NIL-08.000	30	10.0	8.000	Aluminium	No Locking - Hubless	FF_NL_H (Double Flange)	47.73	51.0	21.00	34.00
		<i>0.394</i>	<i>0.315</i>				<i>1.879</i>	<i>2.008</i>	<i>0.827</i>	<i>1.339</i>
P-T5-032-100FF-ALU-NIL-08.000	32	10.0	8.000	Aluminium	No Locking - Hubless	FF_NL_H (Double Flange)	50.91	54.0	21.00	35.00
		<i>0.394</i>	<i>0.315</i>				<i>2.004</i>	<i>2.126</i>	<i>0.827</i>	<i>1.378</i>
# P-T5-032-100FF-ACE-NIL-10.000	32	10.0	10.000	Acetal - Black	No Locking Device	FF_NL_HW (Double Flange)	50.91	52.5	22.00	18.00
		<i>0.394</i>	<i>0.394</i>				<i>2.004</i>	<i>2.067</i>	<i>0.866</i>	<i>0.709</i>
# P-T5-032-100SF-ACE-NIL-10.000	32	10.0	10.000	Acetal - Black	No Locking Device	SF_NL_2HW (Single Flange)	50.91	52.5	22.00	18.00
		<i>0.394</i>	<i>0.394</i>				<i>2.004</i>	<i>2.067</i>	<i>0.866</i>	<i>0.709</i>
P-T5-036-100FF-ALU-NIL-08.000	36	10.0	8.000	Aluminium	None	FF_NL_H (Double Flange)	57.27	63.5	21.00	38.00
		<i>0.394</i>	<i>0.315</i>				<i>2.255</i>	<i>2.500</i>	<i>0.827</i>	<i>1.496</i>
# P-T5-036-100SF-ACE-NIL-10.000	36	10.0	10.000	Acetal - Black	No Locking Device	SF_NL_2HW (Single Flange)	57.27	58.9	22.00	18.00
		<i>0.394</i>	<i>0.394</i>				<i>2.255</i>	<i>2.319</i>	<i>0.866</i>	<i>0.709</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 5.000mm Pitch - T5

Part Number	Teeth (No.)	Suit Belt Width mm	Bore (d) mm	Material	Locking Type	Type (See Diagram)	Pitch Diameter (PD) mm	Flange Diameter (FD) mm	Overall Length (OL) mm	Hub Diameter (HD) mm
		<i>inches</i>	<i>inches</i>				<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>
P-T5-036-100FF-ACE-NIL-10.000	36	10.0	10.000	Acetal - Black	No Locking Device	FF_NL_HW (Double Flange)	57.27	58.9	22.00	18.00
		<i>0.394</i>	<i>0.394</i>				<i>2.255</i>	<i>2.319</i>	<i>0.866</i>	<i>0.709</i>
# P-T5-040-100FF-ALU-NIL-08.000	40	10.0	8.000	Aluminium	None	FF_NL_H (Double Flange)	63.64	66.5	21.00	40.00
		<i>0.394</i>	<i>0.315</i>				<i>2.506</i>	<i>2.618</i>	<i>0.827</i>	<i>1.575</i>
# P-T5-040-100SF-ACE-NIL-10.000	40	10.0	10.000	Acetal - Black	No Locking Device	SF_NL_2HW (Single Flange)	63.64	65.3	22.00	18.00
		<i>0.394</i>	<i>0.394</i>				<i>2.506</i>	<i>2.571</i>	<i>0.866</i>	<i>0.709</i>
# P-T5-040-100FF-ACE-NIL-10.000	40	10.0	10.000	Acetal - Black	No Locking Device	FF_NL_HW (Double Flange)	63.64	65.3	22.00	18.00
		<i>0.394</i>	<i>0.394</i>				<i>2.506</i>	<i>2.571</i>	<i>0.866</i>	<i>0.709</i>
# P-T5-042-100FF-ALU-NIL-08.000	42	10.0	8.000	Aluminium	None	FF_NL_H (Double Flange)	66.82	70.0	21.00	40.00
		<i>0.394</i>	<i>0.315</i>				<i>2.631</i>	<i>2.756</i>	<i>0.827</i>	<i>1.575</i>
# P-T5-044-100P-ALU-NIL-08.000	44	10.0	8.000	Aluminium	No Locking Device	P_NL_H (Unflanged)	70.00		21.00	45.00
		<i>0.394</i>	<i>0.315</i>				<i>2.756</i>		<i>0.827</i>	<i>1.772</i>
# P-T5-048-100P-ALU-NIL-08.000	48	10.0	8.000	Aluminium	No Locking Device	P_NL_H (Unflanged)	76.36		21.00	50.00
		<i>0.394</i>	<i>0.315</i>				<i>3.006</i>		<i>0.827</i>	<i>1.969</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 5.000mm Pitch - T5

Part Number	Teeth (No.)	Suit Belt Width mm	Bore (d) mm	Material	Locking Type	Type (See Diagram)	Pitch Diameter (PD) mm	Flange Diameter (FD) mm	Overall Length (OL) mm	Hub Diameter (HD) mm
		<i>inches</i>	<i>inches</i>				<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>
# P-T5-048-100FF-ACE-NIL-10.000	48	10.0	10.000	Acetal - Black	No Locking Device	FF_NL_HW (Double Flange)	76.36	78.0	22.00	18.00
		<i>0.394</i>	<i>0.394</i>				<i>3.006</i>	<i>3.071</i>	<i>0.866</i>	<i>0.709</i>
# P-T5-048-100SF-ACE-NIL-10.000	48	10.0	10.000	Acetal - Black	No Locking Device	SF_NL_2HW (Single Flange)	76.36	78.0	22.00	18.00
		<i>0.394</i>	<i>0.394</i>				<i>3.006</i>	<i>3.071</i>	<i>0.866</i>	<i>0.709</i>
# P-T5-060-100P-ALU-NIL-08.000	60	10.0	8.000	Aluminium	No Locking Device	P_NL_H (Unflanged)	95.45		21.00	65.00
		<i>0.394</i>	<i>0.315</i>				<i>3.758</i>		<i>0.827</i>	<i>2.559</i>
# P-T5-060-100FF-ACE-NIL-10.000	60	10.0	10.000	Acetal - Black	No Locking Device	FF_NL_HW (Double Flange)	95.45	97.1	22.00	18.00
		<i>0.394</i>	<i>0.394</i>				<i>3.758</i>	<i>3.823</i>	<i>0.866</i>	<i>0.709</i>
# P-T5-060-100SF-ACE-NIL-10.000	60	10.0	10.000	Acetal - Black	No Locking Device	SF_NL_2HW (Single Flange)	95.45	97.1	22.00	18.00
		<i>0.394</i>	<i>0.394</i>				<i>3.758</i>	<i>3.823</i>	<i>0.866</i>	<i>0.709</i>
# P-T5-072-100FF-ACE-NIL-10.000	72	10.0	10.000	Acetal - Black	No Locking Device	FF_NL_HW (Double Flange)	114.55	116.2	22.00	18.00
		<i>0.394</i>	<i>0.394</i>				<i>4.510</i>	<i>4.575</i>	<i>0.866</i>	<i>0.709</i>
# P-T5-072-100SF-ACE-NIL-10.000	72	10.0	10.000	Acetal - Black	No Locking Device	SF_NL_2HW (Single Flange)	114.55	116.2	22.00	18.00
		<i>0.394</i>	<i>0.394</i>				<i>4.510</i>	<i>4.575</i>	<i>0.866</i>	<i>0.709</i>
# P-T5-084-100SF-ACE-NIL-10.000	84	10.0	10.000	Acetal - Black	No Locking Device	SF_NL_2HW (Single Flange)	133.64	135.3	22.00	18.00
		<i>0.394</i>	<i>0.394</i>				<i>5.261</i>	<i>5.327</i>	<i>0.866</i>	<i>0.709</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 5.000mm Pitch - T5

Part Number	Teeth (No.)	Suit Belt Width mm	Bore (d) mm	Material	Locking Type	Type (See Diagram)	Pitch Diameter (PD) mm	Flange Diameter (FD) mm	Overall Length (OL) mm	Hub Diameter (HD) mm
		<i>inches</i>	<i>inches</i>				<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>
# P-T5-084-100FF-ACE-NIL-10.000	84	10.0	10.000	Acetal - Black	No Locking Device	FF_NL_HW (Double Flange)	133.64	135.3	22.00	18.00
		<i>0.394</i>	<i>0.394</i>				<i>5.261</i>	<i>5.327</i>	<i>0.866</i>	<i>0.709</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to catalogues@minibearings.com.au
