




MBA

Pulleys - Timing - 9.525mm Pitch - L - STOCK



For manufacture of timing pulleys or applications requiring multiple belts from a single drive.

Pulleys - Timing - 9.525mm Pitch - L - STOCK

Part Number	Grooves No.	Min. Usable Length (L) mm	Pitch Diameter (PD) mm	Outside Diameter (OD) mm	Material	Shank Diameter (D1) mm	Shank Length (SI) mm
		<i>inches</i>	<i>inches</i>	<i>inches</i>		<i>inches</i>	<i>inches</i>
# P-L9-010X200-CS	10	200.00 <i>7.874</i>	30.30 <i>1.193</i>	29.56 <i>1.164</i>	Carbon Steel	19.00 <i>0.748</i>	28.60 <i>1.126</i>
# P-L9-010X200-ALU	10	200.00 <i>7.874</i>	30.30 <i>1.193</i>	29.56 <i>1.164</i>	Aluminum Alloy	19.00 <i>0.748</i>	28.60 <i>1.126</i>
# P-L9-010X203-ALU	10	203.20 <i>8.000</i>	30.33 <i>1.194</i>	29.57 <i>1.164</i>	Aluminum Alloy	19.05 <i>0.750</i>	28.70 <i>1.130</i>
# P-L9-010X203-CS	10	203.20 <i>8.000</i>	30.33 <i>1.194</i>	29.57 <i>1.164</i>	Carbon Steel	19.05 <i>0.750</i>	28.70 <i>1.130</i>
# P-L9-011X200-ALU	11	200.00 <i>7.874</i>	33.40 <i>1.315</i>	32.59 <i>1.283</i>	Aluminum Alloy	19.00 <i>0.748</i>	28.60 <i>1.126</i>

Indicates item not stocked at time of printing - Please enquire for lead time
 E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
 MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 9.525mm Pitch - L - STOCK

Part Number	Grooves No.	Min. Usable Length (L) mm	Pitch Diameter (PD) mm	Outside Diameter (OD) mm	Material	Shank Diameter (D1) mm	Shank Length (Sl) mm
		<i>inches</i>	<i>inches</i>	<i>inches</i>		<i>inches</i>	<i>inches</i>
# P-L9-011X200-CS	11	200.00 <i>7.874</i>	33.40 <i>1.315</i>	32.59 <i>1.283</i>	Carbon Steel	19.00 <i>0.748</i>	28.60 <i>1.126</i>
# P-L9-011X203-ALU	11	203.20 <i>8.000</i>	33.35 <i>1.313</i>	32.59 <i>1.283</i>	Aluminum Alloy	19.05 <i>0.750</i>	28.70 <i>1.130</i>
# P-L9-011X203-CS	11	203.20 <i>8.000</i>	33.35 <i>1.313</i>	32.59 <i>1.283</i>	Carbon Steel	19.05 <i>0.750</i>	28.70 <i>1.130</i>
# P-L9-012X200-ALU	12	200.00 <i>7.874</i>	36.40 <i>1.433</i>	35.62 <i>1.402</i>	Aluminum Alloy	25.00 <i>0.984</i>	28.60 <i>1.126</i>
# P-L9-012X200-CS	12	200.00 <i>7.874</i>	36.40 <i>1.433</i>	35.62 <i>1.402</i>	Carbon Steel	25.00 <i>0.984</i>	28.60 <i>1.126</i>
# P-L9-012X203-CS	12	203.20 <i>8.000</i>	36.37 <i>1.432</i>	35.61 <i>1.402</i>	Carbon Steel	25.40 <i>1.000</i>	28.70 <i>1.130</i>
# P-L9-012X203-ALU	12	203.20 <i>8.000</i>	36.37 <i>1.432</i>	35.61 <i>1.402</i>	Aluminum Alloy	25.40 <i>1.000</i>	28.70 <i>1.130</i>
# P-L9-012X300-ALU	12	300.00 <i>11.811</i>	36.40 <i>1.433</i>	35.62 <i>1.402</i>	Aluminum Alloy	25.00 <i>0.984</i>	28.60 <i>1.126</i>
# P-L9-012X300-CS	12	300.00 <i>11.811</i>	36.40 <i>1.433</i>	35.62 <i>1.402</i>	Carbon Steel	25.00 <i>0.984</i>	28.60 <i>1.126</i>
# P-L9-012X305-ALU	12	304.80 <i>12.000</i>	36.37 <i>1.432</i>	35.61 <i>1.402</i>	Aluminum Alloy	25.40 <i>1.000</i>	28.70 <i>1.130</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 9.525mm Pitch - L - STOCK

Part Number	Grooves No.	Min. Usable Length (L) mm	Pitch Diameter (PD) mm	Outside Diameter (OD) mm	Material	Shank Diameter (D1) mm	Shank Length (Sl) mm
		<i>inches</i>	<i>inches</i>	<i>inches</i>		<i>inches</i>	<i>inches</i>
# P-L9-012X305-CS	12	304.80 <i>12.000</i>	36.37 <i>1.432</i>	35.61 <i>1.402</i>	Carbon Steel	25.40 <i>1.000</i>	28.70 <i>1.130</i>
# P-L9-013X200-CS	13	200.00 <i>7.874</i>	39.40 <i>1.551</i>	38.65 <i>1.522</i>	Carbon Steel	25.00 <i>0.984</i>	28.60 <i>1.126</i>
# P-L9-013X200-ALU	13	200.00 <i>7.874</i>	39.40 <i>1.551</i>	38.65 <i>1.522</i>	Aluminum Alloy	25.00 <i>0.984</i>	28.60 <i>1.126</i>
# P-L9-013X203-CS	13	203.20 <i>8.000</i>	39.42 <i>1.552</i>	38.66 <i>1.522</i>	Carbon Steel	25.40 <i>1.000</i>	28.70 <i>1.130</i>
# P-L9-013X203-ALU	13	203.20 <i>8.000</i>	39.42 <i>1.552</i>	38.66 <i>1.522</i>	Aluminum Alloy	25.40 <i>1.000</i>	28.70 <i>1.130</i>
# P-L9-014X200-ALU	14	200.00 <i>7.874</i>	42.40 <i>1.669</i>	41.68 <i>1.641</i>	Aluminum Alloy	25.00 <i>0.984</i>	28.60 <i>1.126</i>
# P-L9-014X200-CS	14	200.00 <i>7.874</i>	42.40 <i>1.669</i>	41.68 <i>1.641</i>	Carbon Steel	25.00 <i>0.984</i>	28.60 <i>1.126</i>
# P-L9-014X203-ALU	14	203.20 <i>8.000</i>	42.44 <i>1.671</i>	41.68 <i>1.641</i>	Aluminum Alloy	25.40 <i>1.000</i>	28.70 <i>1.130</i>
# P-L9-014X203-CS	14	203.20 <i>8.000</i>	42.44 <i>1.671</i>	41.68 <i>1.641</i>	Carbon Steel	25.40 <i>1.000</i>	28.70 <i>1.130</i>
# P-L9-014X300-ALU	14	300.00 <i>11.811</i>	42.40 <i>1.669</i>	41.68 <i>1.641</i>	Aluminum Alloy	25.00 <i>0.984</i>	28.60 <i>1.126</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 9.525mm Pitch - L - STOCK

Part Number	Grooves No.	Min. Usable Length (L) mm	Pitch Diameter (PD) mm	Outside Diameter (OD) mm	Material	Shank Diameter (D1) mm	Shank Length (Sl) mm
		<i>inches</i>	<i>inches</i>	<i>inches</i>		<i>inches</i>	<i>inches</i>
# P-L9-014X300-CS	14	300.00 <i>11.811</i>	42.40 <i>1.669</i>	41.68 <i>1.641</i>	Carbon Steel	25.00 <i>0.984</i>	28.60 <i>1.126</i>
# P-L9-014X305-ALU	14	304.80 <i>12.000</i>	42.44 <i>1.671</i>	41.68 <i>1.641</i>	Aluminum Alloy	25.40 <i>1.000</i>	28.70 <i>1.130</i>
# P-L9-014X305-CS	14	304.80 <i>12.000</i>	42.44 <i>1.671</i>	41.68 <i>1.641</i>	Carbon Steel	25.40 <i>1.000</i>	28.70 <i>1.130</i>
# P-L9-015X200-CS	15	200.00 <i>7.874</i>	45.50 <i>1.791</i>	44.72 <i>1.761</i>	Carbon Steel	25.00 <i>0.984</i>	19.00 <i>0.748</i>
# P-L9-015X200-ALU	15	200.00 <i>7.874</i>	45.50 <i>1.791</i>	44.72 <i>1.761</i>	Aluminum Alloy	25.00 <i>0.984</i>	19.00 <i>0.748</i>
# P-L9-015X203-ALU	15	203.20 <i>8.000</i>	45.47 <i>1.790</i>	44.70 <i>1.760</i>	Aluminum Alloy	25.40 <i>1.000</i>	19.05 <i>0.750</i>
# P-L9-015X203-CS	15	203.20 <i>8.000</i>	45.47 <i>1.790</i>	44.70 <i>1.760</i>	Carbon Steel	25.40 <i>1.000</i>	19.05 <i>0.750</i>
# P-L9-015X300-ALU	15	300.00 <i>11.811</i>	45.50 <i>1.791</i>	44.72 <i>1.761</i>	Aluminum Alloy	25.00 <i>0.984</i>	19.00 <i>0.748</i>
# P-L9-015X300-CS	15	300.00 <i>11.811</i>	45.50 <i>1.791</i>	44.72 <i>1.761</i>	Carbon Steel	25.00 <i>0.984</i>	19.00 <i>0.748</i>
# P-L9-015X305-CS	15	304.80 <i>12.000</i>	45.47 <i>1.790</i>	44.70 <i>1.760</i>	Carbon Steel	25.40 <i>1.000</i>	19.05 <i>0.750</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 9.525mm Pitch - L - STOCK

Part Number	Grooves No.	Min. Usable Length (L) mm	Pitch Diameter (PD) mm	Outside Diameter (OD) mm	Material	Shank Diameter (D1) mm	Shank Length (Sl) mm
		<i>inches</i>	<i>inches</i>	<i>inches</i>		<i>inches</i>	<i>inches</i>
# P-L9-015X305-ALU	15	304.80 <i>12.000</i>	45.47 <i>1.790</i>	44.70 <i>1.760</i>	Aluminum Alloy	25.40 <i>1.000</i>	19.05 <i>0.750</i>
# P-L9-016X200-CS	16	200.00 <i>7.874</i>	48.50 <i>1.909</i>	47.75 <i>1.880</i>	Carbon Steel	25.00 <i>0.984</i>	19.00 <i>0.748</i>
# P-L9-016X200-ALU	16	200.00 <i>7.874</i>	48.50 <i>1.909</i>	47.75 <i>1.880</i>	Aluminum Alloy	25.00 <i>0.984</i>	19.00 <i>0.748</i>
# P-L9-016X203-ALU	16	203.20 <i>8.000</i>	48.51 <i>1.910</i>	47.75 <i>1.880</i>	Aluminum Alloy	25.40 <i>1.000</i>	19.05 <i>0.750</i>
# P-L9-016X203-CS	16	203.20 <i>8.000</i>	48.51 <i>1.910</i>	47.75 <i>1.880</i>	Carbon Steel	25.40 <i>1.000</i>	19.05 <i>0.750</i>
# P-L9-016X300-ALU	16	300.00 <i>11.811</i>	48.50 <i>1.909</i>	47.75 <i>1.880</i>	Aluminum Alloy	25.00 <i>0.984</i>	19.00 <i>0.748</i>
# P-L9-016X300-CS	16	300.00 <i>11.811</i>	48.50 <i>1.909</i>	47.75 <i>1.880</i>	Carbon Steel	25.00 <i>0.984</i>	19.00 <i>0.748</i>
# P-L9-016X305-ALU	16	304.80 <i>12.000</i>	48.51 <i>1.910</i>	47.75 <i>1.880</i>	Aluminum Alloy	25.40 <i>1.000</i>	19.05 <i>0.750</i>
# P-L9-016X305-CS	16	304.80 <i>12.000</i>	48.51 <i>1.910</i>	47.75 <i>1.880</i>	Carbon Steel	25.40 <i>1.000</i>	19.05 <i>0.750</i>
# P-L9-017X200-ALU	17	200.00 <i>7.874</i>	51.50 <i>2.028</i>	50.78 <i>1.999</i>	Aluminum Alloy	25.00 <i>0.984</i>	19.00 <i>0.748</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 9.525mm Pitch - L - STOCK

Part Number	Grooves No.	Min. Usable Length (L) mm	Pitch Diameter (PD) mm	Outside Diameter (OD) mm	Material	Shank Diameter (D1) mm	Shank Length (Sl) mm
		<i>inches</i>	<i>inches</i>	<i>inches</i>		<i>inches</i>	<i>inches</i>
# P-L9-017X200-CS	17	200.00 <i>7.874</i>	51.50 <i>2.028</i>	50.78 <i>1.999</i>	Carbon Steel	25.00 <i>0.984</i>	19.00 <i>0.748</i>
# P-L9-017X203-CS	17	203.20 <i>8.000</i>	51.54 <i>2.029</i>	50.78 <i>1.999</i>	Carbon Steel	25.40 <i>1.000</i>	19.05 <i>0.750</i>
# P-L9-017X203-ALU	17	203.20 <i>8.000</i>	51.54 <i>2.029</i>	50.78 <i>1.999</i>	Aluminum Alloy	25.40 <i>1.000</i>	19.05 <i>0.750</i>
# P-L9-018X200-ALU	18	200.00 <i>7.874</i>	54.60 <i>2.150</i>	53.81 <i>2.119</i>	Aluminum Alloy	25.00 <i>0.984</i>	19.00 <i>0.748</i>
# P-L9-018X200-CS	18	200.00 <i>7.874</i>	54.60 <i>2.150</i>	53.81 <i>2.119</i>	Carbon Steel	25.00 <i>0.984</i>	19.00 <i>0.748</i>
# P-L9-018X203-ALU	18	203.20 <i>8.000</i>	54.59 <i>2.149</i>	53.82 <i>2.119</i>	Aluminum Alloy	25.40 <i>1.000</i>	19.05 <i>0.750</i>
# P-L9-018X203-CS	18	203.20 <i>8.000</i>	54.59 <i>2.149</i>	53.82 <i>2.119</i>	Carbon Steel	25.40 <i>1.000</i>	19.05 <i>0.750</i>
# P-L9-018X300-CS	18	300.00 <i>11.811</i>	54.60 <i>2.150</i>	53.81 <i>2.119</i>	Carbon Steel	25.00 <i>0.984</i>	19.00 <i>0.748</i>
# P-L9-018X300-ALU	18	300.00 <i>11.811</i>	54.60 <i>2.150</i>	53.81 <i>2.119</i>	Aluminum Alloy	25.00 <i>0.984</i>	19.00 <i>0.748</i>
# P-L9-018X305-CS	18	304.80 <i>12.000</i>	54.59 <i>2.149</i>	53.82 <i>2.119</i>	Carbon Steel	25.40 <i>1.000</i>	19.05 <i>0.750</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 9.525mm Pitch - L - STOCK

Part Number	Grooves No.	Min. Usable Length (L) mm	Pitch Diameter (PD) mm	Outside Diameter (OD) mm	Material	Shank Diameter (D1) mm	Shank Length (Sl) mm
		<i>inches</i>	<i>inches</i>	<i>inches</i>		<i>inches</i>	<i>inches</i>
# P-L9-018X305-ALU	18	304.80 <i>12.000</i>	54.59 <i>2.149</i>	53.82 <i>2.119</i>	Aluminum Alloy	25.40 <i>1.000</i>	19.05 <i>0.750</i>
# P-L9-019X200-ALU	19	200.00 <i>7.874</i>	57.60 <i>2.268</i>	56.84 <i>2.238</i>	Aluminum Alloy	25.00 <i>0.984</i>	19.00 <i>0.748</i>
# P-L9-019X200-CS	19	200.00 <i>7.874</i>	57.60 <i>2.268</i>	56.84 <i>2.238</i>	Carbon Steel	25.00 <i>0.984</i>	19.00 <i>0.748</i>
# P-L9-019X203-ALU	19	203.20 <i>8.000</i>	57.61 <i>2.268</i>	56.85 <i>2.238</i>	Aluminum Alloy	25.40 <i>1.000</i>	19.05 <i>0.750</i>
# P-L9-019X203-CS	19	203.20 <i>8.000</i>	57.61 <i>2.268</i>	56.85 <i>2.238</i>	Carbon Steel	25.40 <i>1.000</i>	19.05 <i>0.750</i>
# P-L9-020X200-ALU	20	200.00 <i>7.874</i>	60.60 <i>2.386</i>	59.88 <i>2.357</i>	Aluminum Alloy	25.00 <i>0.984</i>	19.00 <i>0.748</i>
# P-L9-020X200-CS	20	200.00 <i>7.874</i>	60.60 <i>2.386</i>	59.88 <i>2.357</i>	Carbon Steel	25.00 <i>0.984</i>	19.00 <i>0.748</i>
# P-L9-020X203-ALU	20	203.20 <i>8.000</i>	60.63 <i>2.387</i>	59.87 <i>2.357</i>	Aluminum Alloy	25.40 <i>1.000</i>	19.05 <i>0.750</i>
# P-L9-020X203-CS	20	203.20 <i>8.000</i>	60.63 <i>2.387</i>	59.87 <i>2.357</i>	Carbon Steel	25.40 <i>1.000</i>	19.05 <i>0.750</i>
# P-L9-020X300-CS	20	300.00 <i>11.811</i>	60.60 <i>2.386</i>	59.88 <i>2.357</i>	Carbon Steel	25.00 <i>0.984</i>	19.00 <i>0.748</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 9.525mm Pitch - L - STOCK

Part Number	Grooves No.	Min. Usable Length (L) mm	Pitch Diameter (PD) mm	Outside Diameter (OD) mm	Material	Shank Diameter (D1) mm	Shank Length (Sl) mm
		<i>inches</i>	<i>inches</i>	<i>inches</i>		<i>inches</i>	<i>inches</i>
# P-L9-020X300-ALU	20	300.00 <i>11.811</i>	60.60 <i>2.386</i>	59.88 <i>2.357</i>	Aluminum Alloy	25.00 <i>0.984</i>	19.00 <i>0.748</i>
# P-L9-020X305-ALU	20	304.80 <i>12.000</i>	60.63 <i>2.387</i>	59.87 <i>2.357</i>	Aluminum Alloy	25.40 <i>1.000</i>	19.05 <i>0.750</i>
# P-L9-020X305-CS	20	304.80 <i>12.000</i>	60.63 <i>2.387</i>	59.87 <i>2.357</i>	Carbon Steel	25.40 <i>1.000</i>	19.05 <i>0.750</i>
# P-L9-021X200-ALU	21	200.00 <i>7.874</i>	63.70 <i>2.508</i>	62.91 <i>2.477</i>	Aluminum Alloy	25.00 <i>0.984</i>	19.00 <i>0.748</i>
# P-L9-021X200-CS	21	200.00 <i>7.874</i>	63.70 <i>2.508</i>	62.91 <i>2.477</i>	Carbon Steel	25.00 <i>0.984</i>	19.00 <i>0.748</i>
# P-L9-021X203-ALU	21	203.20 <i>8.000</i>	63.68 <i>2.507</i>	62.92 <i>2.477</i>	Aluminum Alloy	25.40 <i>1.000</i>	19.05 <i>0.750</i>
# P-L9-021X203-CS	21	203.20 <i>8.000</i>	63.68 <i>2.507</i>	62.92 <i>2.477</i>	Carbon Steel	25.40 <i>1.000</i>	19.05 <i>0.750</i>
# P-L9-021X300-CS	21	300.00 <i>11.811</i>	63.70 <i>2.508</i>	62.91 <i>2.477</i>	Carbon Steel	25.00 <i>0.984</i>	19.00 <i>0.748</i>
# P-L9-021X300-ALU	21	300.00 <i>11.811</i>	63.70 <i>2.508</i>	62.91 <i>2.477</i>	Aluminum Alloy	25.00 <i>0.984</i>	19.00 <i>0.748</i>
# P-L9-021X305-ALU	21	304.80 <i>12.000</i>	63.68 <i>2.507</i>	62.92 <i>2.477</i>	Aluminum Alloy	25.40 <i>1.000</i>	19.05 <i>0.750</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 9.525mm Pitch - L - STOCK

Part Number	Grooves No.	Min. Usable Length (L) mm	Pitch Diameter (PD) mm	Outside Diameter (OD) mm	Material	Shank Diameter (D1) mm	Shank Length (Sl) mm
		<i>inches</i>	<i>inches</i>	<i>inches</i>		<i>inches</i>	<i>inches</i>
# P-L9-021X305-CS	21	304.80 <i>12.000</i>	63.68 <i>2.507</i>	62.92 <i>2.477</i>	Carbon Steel	25.40 <i>1.000</i>	19.05 <i>0.750</i>
# P-L9-022X200-ALU	22	200.00 <i>7.874</i>	66.70 <i>2.626</i>	65.94 <i>2.596</i>	Aluminum Alloy	25.00 <i>0.984</i>	19.00 <i>0.748</i>
# P-L9-022X200-CS	22	200.00 <i>7.874</i>	66.70 <i>2.626</i>	65.94 <i>2.596</i>	Carbon Steel	25.00 <i>0.984</i>	19.00 <i>0.748</i>
# P-L9-022X203-ALU	22	203.20 <i>8.000</i>	66.70 <i>2.626</i>	65.94 <i>2.596</i>	Aluminum Alloy	25.40 <i>1.000</i>	19.05 <i>0.750</i>
# P-L9-022X203-CS	22	203.20 <i>8.000</i>	66.70 <i>2.626</i>	65.94 <i>2.596</i>	Carbon Steel	25.40 <i>1.000</i>	19.05 <i>0.750</i>
# P-L9-022X300-ALU	22	300.00 <i>11.811</i>	66.70 <i>2.626</i>	65.94 <i>2.596</i>	Aluminum Alloy	25.00 <i>0.984</i>	19.00 <i>0.748</i>
# P-L9-022X300-CS	22	300.00 <i>11.811</i>	66.70 <i>2.626</i>	65.94 <i>2.596</i>	Carbon Steel	25.00 <i>0.984</i>	19.00 <i>0.748</i>
# P-L9-022X305-CS	22	304.80 <i>12.000</i>	66.70 <i>2.626</i>	65.94 <i>2.596</i>	Carbon Steel	25.40 <i>1.000</i>	19.05 <i>0.750</i>
# P-L9-022X305-ALU	22	304.80 <i>12.000</i>	66.70 <i>2.626</i>	65.94 <i>2.596</i>	Aluminum Alloy	25.40 <i>1.000</i>	19.05 <i>0.750</i>
# P-L9-023X250-ALU	23	250.00 <i>9.843</i>	69.70 <i>2.744</i>	68.97 <i>2.715</i>	Aluminum Alloy	25.00 <i>0.984</i>	19.00 <i>0.748</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 9.525mm Pitch - L - STOCK

Part Number	Grooves No.	Min. Usable Length (L) mm	Pitch Diameter (PD) mm	Outside Diameter (OD) mm	Material	Shank Diameter (D1) mm	Shank Length (Sl) mm
		<i>inches</i>	<i>inches</i>	<i>inches</i>		<i>inches</i>	<i>inches</i>
# P-L9-023X254-ALU	23	254.00 <i>10.000</i>	69.72 <i>2.745</i>	68.96 <i>2.715</i>	Aluminum Alloy	25.40 <i>1.000</i>	19.05 <i>0.750</i>
# P-L9-024X200-ALU	24	200.00 <i>7.874</i>	72.80 <i>2.866</i>	72.00 <i>2.835</i>	Aluminum Alloy	25.00 <i>0.984</i>	19.00 <i>0.748</i>
# P-L9-024X200-CS	24	200.00 <i>7.874</i>	72.80 <i>2.866</i>	72.00 <i>2.835</i>	Carbon Steel	25.00 <i>0.984</i>	19.00 <i>0.748</i>
# P-L9-024X203-CS	24	203.20 <i>8.000</i>	72.77 <i>2.865</i>	72.01 <i>2.835</i>	Carbon Steel	25.40 <i>1.000</i>	19.05 <i>0.750</i>
# P-L9-024X203-ALU	24	203.20 <i>8.000</i>	72.77 <i>2.865</i>	72.01 <i>2.835</i>	Aluminum Alloy	25.40 <i>1.000</i>	19.05 <i>0.750</i>
# P-L9-024X300-CS	24	300.00 <i>11.811</i>	72.80 <i>2.866</i>	72.00 <i>2.835</i>	Carbon Steel	25.00 <i>0.984</i>	19.00 <i>0.748</i>
# P-L9-024X300-ALU	24	300.00 <i>11.811</i>	72.80 <i>2.866</i>	72.00 <i>2.835</i>	Aluminum Alloy	25.00 <i>0.984</i>	19.00 <i>0.748</i>
# P-L9-024X305-ALU	24	304.80 <i>12.000</i>	72.77 <i>2.865</i>	72.01 <i>2.835</i>	Aluminum Alloy	25.40 <i>1.000</i>	19.05 <i>0.750</i>
# P-L9-024X305-CS	24	304.80 <i>12.000</i>	72.77 <i>2.865</i>	72.01 <i>2.835</i>	Carbon Steel	25.40 <i>1.000</i>	19.05 <i>0.750</i>
# P-L9-026X200-ALU	26	200.00 <i>7.874</i>	78.80 <i>3.102</i>	78.07 <i>3.074</i>	Aluminum Alloy	25.00 <i>0.984</i>	19.00 <i>0.748</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 9.525mm Pitch - L - STOCK

Part Number	Grooves No.	Min. Usable Length (L) mm	Pitch Diameter (PD) mm	Outside Diameter (OD) mm	Material	Shank Diameter (D1) mm	Shank Length (Sl) mm
		<i>inches</i>	<i>inches</i>	<i>inches</i>		<i>inches</i>	<i>inches</i>
# P-L9-026X200-CS	26	200.00 <i>7.874</i>	78.80 <i>3.102</i>	78.07 <i>3.074</i>	Carbon Steel	25.00 <i>0.984</i>	19.00 <i>0.748</i>
# P-L9-026X203-ALU	26	203.20 <i>8.000</i>	78.84 <i>3.104</i>	78.08 <i>3.074</i>	Aluminum Alloy	25.40 <i>1.000</i>	19.05 <i>0.750</i>
# P-L9-026X203-CS	26	203.20 <i>8.000</i>	78.84 <i>3.104</i>	78.08 <i>3.074</i>	Carbon Steel	25.40 <i>1.000</i>	19.05 <i>0.750</i>
# P-L9-028X200-ALU	28	200.00 <i>7.874</i>	84.90 <i>3.343</i>	84.13 <i>3.312</i>	Aluminum Alloy	25.00 <i>0.984</i>	19.00 <i>0.748</i>
# P-L9-028X200-CS	28	200.00 <i>7.874</i>	84.90 <i>3.343</i>	84.13 <i>3.312</i>	Carbon Steel	25.00 <i>0.984</i>	19.00 <i>0.748</i>
# P-L9-028X203-CS	28	203.20 <i>8.000</i>	84.89 <i>3.342</i>	84.13 <i>3.312</i>	Carbon Steel	25.40 <i>1.000</i>	19.05 <i>0.750</i>
# P-L9-028X203-ALU	28	203.20 <i>8.000</i>	84.89 <i>3.342</i>	84.13 <i>3.312</i>	Aluminum Alloy	25.40 <i>1.000</i>	19.05 <i>0.750</i>
# P-L9-028X300-ALU	28	300.00 <i>11.811</i>	84.90 <i>3.343</i>	84.13 <i>3.312</i>	Aluminum Alloy	25.00 <i>0.984</i>	19.00 <i>0.748</i>
# P-L9-028X300-CS	28	300.00 <i>11.811</i>	84.90 <i>3.343</i>	84.13 <i>3.312</i>	Carbon Steel	25.00 <i>0.984</i>	19.00 <i>0.748</i>
# P-L9-028X305-ALU	28	304.80 <i>12.000</i>	84.89 <i>3.342</i>	84.13 <i>3.312</i>	Aluminum Alloy	25.40 <i>1.000</i>	19.05 <i>0.750</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 9.525mm Pitch - L - STOCK

Part Number	Grooves No.	Min. Usable Length (L) mm	Pitch Diameter (PD) mm	Outside Diameter (OD) mm	Material	Shank Diameter (D1) mm	Shank Length (Sl) mm
		<i>inches</i>	<i>inches</i>	<i>inches</i>		<i>inches</i>	<i>inches</i>
# P-L9-028X305-CS	28	304.80 <i>12.000</i>	84.89 <i>3.342</i>	84.13 <i>3.312</i>	Carbon Steel	25.40 <i>1.000</i>	19.05 <i>0.750</i>
# P-L9-029X250-ALU	29	250.00 <i>9.843</i>	87.90 <i>3.461</i>	87.16 <i>3.431</i>	Aluminum Alloy	25.00 <i>0.984</i>	19.00 <i>0.748</i>
# P-L9-029X254-ALU	29	254.00 <i>10.000</i>	87.94 <i>3.462</i>	87.17 <i>3.432</i>	Aluminum Alloy	25.40 <i>1.000</i>	19.05 <i>0.750</i>
# P-L9-030X200-CS	30	200.00 <i>7.874</i>	91.00 <i>3.583</i>	90.20 <i>3.551</i>	Carbon Steel	25.00 <i>0.984</i>	19.00 <i>0.748</i>
# P-L9-030X200-ALU	30	200.00 <i>7.874</i>	91.00 <i>3.583</i>	90.20 <i>3.551</i>	Aluminum Alloy	25.00 <i>0.984</i>	19.00 <i>0.748</i>
# P-L9-030X203-ALU	30	203.20 <i>8.000</i>	90.96 <i>3.581</i>	90.20 <i>3.551</i>	Aluminum Alloy	25.40 <i>1.000</i>	19.05 <i>0.750</i>
# P-L9-030X203-CS	30	203.20 <i>8.000</i>	90.96 <i>3.581</i>	90.20 <i>3.551</i>	Carbon Steel	25.40 <i>1.000</i>	19.05 <i>0.750</i>
# P-L9-030X300-ALU	30	300.00 <i>11.811</i>	91.00 <i>3.583</i>	90.20 <i>3.551</i>	Aluminum Alloy	25.00 <i>0.984</i>	19.00 <i>0.748</i>
# P-L9-030X300-CS	30	300.00 <i>11.811</i>	91.00 <i>3.583</i>	90.20 <i>3.551</i>	Carbon Steel	25.00 <i>0.984</i>	19.00 <i>0.748</i>
# P-L9-030X305-ALU	30	304.80 <i>12.000</i>	90.96 <i>3.581</i>	90.20 <i>3.551</i>	Aluminum Alloy	25.40 <i>1.000</i>	19.05 <i>0.750</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 9.525mm Pitch - L - STOCK

Part Number	Grooves No.	Min. Usable Length (L) mm	Pitch Diameter (PD) mm	Outside Diameter (OD) mm	Material	Shank Diameter (D1) mm	Shank Length (Sl) mm
		<i>inches</i>	<i>inches</i>	<i>inches</i>		<i>inches</i>	<i>inches</i>
# P-L9-030X305-CS	30	304.80 <i>12.000</i>	90.96 <i>3.581</i>	90.20 <i>3.551</i>	Carbon Steel	25.40 <i>1.000</i>	19.05 <i>0.750</i>
# P-L9-032X200-ALU	32	200.00 <i>7.874</i>	97.00 <i>3.819</i>	96.26 <i>3.790</i>	Aluminum Alloy	25.00 <i>0.984</i>	19.00 <i>0.748</i>
# P-L9-032X200-CS	32	200.00 <i>7.874</i>	97.00 <i>3.819</i>	96.26 <i>3.790</i>	Carbon Steel	25.00 <i>0.984</i>	19.00 <i>0.748</i>
# P-L9-032X203-CS	32	203.20 <i>8.000</i>	97.03 <i>3.820</i>	96.27 <i>3.790</i>	Carbon Steel	25.40 <i>1.000</i>	19.05 <i>0.750</i>
# P-L9-032X203-ALU	32	203.20 <i>8.000</i>	97.03 <i>3.820</i>	96.27 <i>3.790</i>	Aluminum Alloy	25.40 <i>1.000</i>	19.05 <i>0.750</i>
# P-L9-032X300-ALU	32	300.00 <i>11.811</i>	97.00 <i>3.819</i>	96.26 <i>3.790</i>	Aluminum Alloy	25.00 <i>0.984</i>	19.00 <i>0.748</i>
# P-L9-032X300-CS	32	300.00 <i>11.811</i>	97.00 <i>3.819</i>	96.26 <i>3.790</i>	Carbon Steel	25.00 <i>0.984</i>	19.00 <i>0.748</i>
# P-L9-032X305-ALU	32	304.80 <i>12.000</i>	97.03 <i>3.820</i>	96.27 <i>3.790</i>	Aluminum Alloy	25.40 <i>1.000</i>	19.05 <i>0.750</i>
# P-L9-032X305-CS	32	304.80 <i>12.000</i>	97.03 <i>3.820</i>	96.27 <i>3.790</i>	Carbon Steel	25.40 <i>1.000</i>	19.05 <i>0.750</i>
# P-L9-034X250-ALU	34	250.00 <i>9.843</i>	103.10 <i>4.059</i>	102.32 <i>4.028</i>	Aluminum Alloy	25.00 <i>0.984</i>	25.40 <i>1.000</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 9.525mm Pitch - L - STOCK

Part Number	Grooves No.	Min. Usable Length (L) mm	Pitch Diameter (PD) mm	Outside Diameter (OD) mm	Material	Shank Diameter (D1) mm	Shank Length (Sl) mm
		<i>inches</i>	<i>inches</i>	<i>inches</i>		<i>inches</i>	<i>inches</i>
# P-L9-034X254-ALU	34	254.00 <i>10.000</i>	103.07 <i>4.058</i>	102.31 <i>4.028</i>	Aluminum Alloy	25.40 <i>1.000</i>	25.40 <i>1.000</i>
# P-L9-036X200-CS	36	200.00 <i>7.874</i>	109.10 <i>4.295</i>	108.39 <i>4.267</i>	Carbon Steel	25.00 <i>0.984</i>	25.40 <i>1.000</i>
# P-L9-036X200-ALU	36	200.00 <i>7.874</i>	109.10 <i>4.295</i>	108.39 <i>4.267</i>	Aluminum Alloy	25.00 <i>0.984</i>	25.40 <i>1.000</i>
# P-L9-036X203-ALU	36	203.20 <i>8.000</i>	109.14 <i>4.297</i>	108.38 <i>4.267</i>	Aluminum Alloy	25.40 <i>1.000</i>	25.40 <i>1.000</i>
# P-L9-036X203-CS	36	203.20 <i>8.000</i>	109.14 <i>4.297</i>	108.38 <i>4.267</i>	Carbon Steel	25.40 <i>1.000</i>	25.40 <i>1.000</i>
# P-L9-036X300-ALU	36	300.00 <i>11.811</i>	109.10 <i>4.295</i>	108.39 <i>4.267</i>	Aluminum Alloy	25.00 <i>0.984</i>	25.40 <i>1.000</i>
# P-L9-036X300-CS	36	300.00 <i>11.811</i>	109.10 <i>4.295</i>	108.39 <i>4.267</i>	Carbon Steel	25.00 <i>0.984</i>	25.40 <i>1.000</i>
# P-L9-036X305-ALU	36	304.80 <i>12.000</i>	109.14 <i>4.297</i>	108.38 <i>4.267</i>	Aluminum Alloy	25.40 <i>1.000</i>	25.40 <i>1.000</i>
# P-L9-036X305-CS	36	304.80 <i>12.000</i>	109.14 <i>4.297</i>	108.38 <i>4.267</i>	Carbon Steel	25.40 <i>1.000</i>	25.40 <i>1.000</i>
# P-L9-038X250-ALU	38	250.00 <i>9.843</i>	115.20 <i>4.535</i>	114.45 <i>4.506</i>	Aluminum Alloy	25.00 <i>0.984</i>	25.40 <i>1.000</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 9.525mm Pitch - L - STOCK

Part Number	Grooves No.	Min. Usable Length (L) mm	Pitch Diameter (PD) mm	Outside Diameter (OD) mm	Material	Shank Diameter (D1) mm	Shank Length (Sl) mm
		<i>inches</i>	<i>inches</i>	<i>inches</i>		<i>inches</i>	<i>inches</i>
# P-L9-038X254-ALU	38	254.00 <i>10.000</i>	115.21 <i>4.536</i>	114.45 <i>4.506</i>	Aluminum Alloy	25.40 <i>1.000</i>	25.40 <i>1.000</i>
# P-L9-040X250-ALU	40	250.00 <i>9.843</i>	121.30 <i>4.776</i>	120.51 <i>4.744</i>	Aluminum Alloy	25.00 <i>0.984</i>	25.40 <i>1.000</i>
# P-L9-040X254-ALU	40	254.00 <i>10.000</i>	121.29 <i>4.775</i>	120.52 <i>4.745</i>	Aluminum Alloy	25.40 <i>1.000</i>	25.40 <i>1.000</i>
# P-L9-042X250-ALU	42	250.00 <i>9.843</i>	127.30 <i>5.012</i>	126.58 <i>4.983</i>	Aluminum Alloy	25.00 <i>0.984</i>	25.40 <i>1.000</i>
# P-L9-042X254-ALU	42	254.00 <i>10.000</i>	127.33 <i>5.013</i>	126.57 <i>4.983</i>	Aluminum Alloy	25.40 <i>1.000</i>	25.40 <i>1.000</i>
# P-L9-044X250-ALU	44	250.00 <i>9.843</i>	133.40 <i>5.252</i>	132.64 <i>5.222</i>	Aluminum Alloy	25.00 <i>0.984</i>	25.40 <i>1.000</i>
# P-L9-044X254-ALU	44	254.00 <i>10.000</i>	133.40 <i>5.252</i>	132.64 <i>5.222</i>	Aluminum Alloy	25.40 <i>1.000</i>	25.40 <i>1.000</i>
# P-L9-048X250-ALU	48	250.00 <i>9.843</i>	145.50 <i>5.728</i>	144.77 <i>5.700</i>	Aluminum Alloy	25.00 <i>0.984</i>	25.40 <i>1.000</i>
# P-L9-048X254-ALU	48	254.00 <i>10.000</i>	145.54 <i>5.730</i>	144.78 <i>5.700</i>	Aluminum Alloy	25.40 <i>1.000</i>	25.40 <i>1.000</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to catalogues@minibearings.com.au

