




# MBA

## Pulleys - Timing - Idler



Complete with Needle Roller Bearing.

Can be used directly on shafts with a surface hardness of RC 58 or higher.

Can be run on hardened Inner Rings.

See also Drive Tighteners. 12.7mm Bore models can be run directly on the drive tighteners.

This catalogue to be read in conjunction with information at <http://www.minibearings.com.au//partslist/bearingsneedlerollerinnerrings/hollowshafts/all/1/3/>

<http://www.minibearings.com.au//categories/T/all/pics/>

<http://www.minibearings.com.au//partslist/tightenersdrive/drivetighteners/all/1/3/>

### Pulleys - Timing - Idler

Part Number	Suits Belt Type	Outside Diameter (OD) mm <i>inches</i>	Bore (B) mm <i>inches</i>	Overall Width (F) mm <i>inches</i>	Number of Teeth	Material
ID-PH3-28	HTD 3mm	25.98 <i>1.023</i>	6.35 <i>0.250</i>	12.70 <i>0.500</i>	28.00	Steel
# ID-PH5-22	HTD 5mm	33.88 <i>1.334</i>	12.70 <i>0.500</i>	19.05 <i>0.750</i>	22.00	Steel
# ID-PXL-22	XL (5.08mm)	35.08 <i>1.381</i>	12.70 <i>0.500</i>	19.05 <i>0.750</i>	22.00	Steel

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to [catalogues@minibearings.com.au](mailto:catalogues@minibearings.com.au)

