




MBA

Pulleys - Vee - M / 3L - 10.00 mm Top Width - Single Row



Pulleys - Vee - M / 3L - 10.00 mm Top Width - Single Row

Part Number	Suit Belt Top Width (W) mm	Pitch Diameter (PD) mm	Groove Depth (G) mm	Groove Top Width (T) mm	Overall Width (O) mm	Bore (d) mm	Material	Type	Hub Diameter (HD) mm
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>			<i>inches</i>
# PV-09.53x031.75-12.70-ST	9.53	31.75	Not Specified	Not Specified	12.700	12.700	Machined Steel	6	No Hub / Set Screw
	<i>0.375</i>	<i>1.250</i>			<i>0.500</i>	<i>0.500</i>			
# PV-09.53x037.08-12.70-CI	9.53	37.08	Not Specified	Not Specified	27.781	12.700	Cast Iron	1	39.700 / Set Screw
	<i>0.375</i>	<i>1.460</i>			<i>1.094</i>	<i>0.500</i>			
# PV-09.53x038.10-09.53-ST	9.53	38.10	Not Specified	Not Specified	12.700	9.525	Machined Steel	6	No Hub / Set Screw
	<i>0.375</i>	<i>1.500</i>			<i>0.500</i>	<i>0.375</i>			
# PV-09.53x038.10-12.70-ST	9.53	38.10	Not Specified	Not Specified	12.700	12.700	Machined Steel	6	No Hub / Set Screw
	<i>0.375</i>	<i>1.500</i>			<i>0.500</i>	<i>0.500</i>			

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Vee - M / 3L - 10.00 mm Top Width - Single Row

Part Number	Suit Belt Top Width (W) mm	Pitch Diameter (PD) mm	Groove Depth (G) mm	Groove Top Width (T) mm	Overall Width (O) mm	Bore (d) mm	Material	Type	Hub Diameter (HD) mm
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>			<i>inches</i>
# PV-09.53x039.62-12.70-CI	9.53 <i>0.375</i>	39.62 <i>1.560</i>	Not Specified	Not Specified	27.781 <i>1.094</i>	12.700 <i>0.500</i>	Cast Iron	1	39.700 / Set Screw
# PV-09.53x042.16-12.70-CI	9.53 <i>0.375</i>	42.16 <i>1.660</i>	Not Specified	Not Specified	27.781 <i>1.094</i>	12.700 <i>0.500</i>	Cast Iron	1	39.700 / Set Screw
# PV-09.53x044.45-12.70-ST	9.53 <i>0.375</i>	44.45 <i>1.750</i>	Not Specified	Not Specified	12.700 <i>0.500</i>	12.700 <i>0.500</i>	Machined Steel	6	No Hub / Set Screw
# PV-09.53x044.70-12.70-CI	9.53 <i>0.375</i>	44.70 <i>1.760</i>	Not Specified	Not Specified	27.781 <i>1.094</i>	12.700 <i>0.500</i>	Cast Iron	1	39.700 / Set Screw
# PV-09.53x049.78-12.70-CI	9.53 <i>0.375</i>	49.78 <i>1.960</i>	Not Specified	Not Specified	27.781 <i>1.094</i>	12.700 <i>0.500</i>	Cast Iron	2	39.700 / Set Screw
# PV-09.53x050.80-12.70-ST	9.53 <i>0.375</i>	50.80 <i>2.000</i>	Not Specified	Not Specified	12.700 <i>0.500</i>	12.700 <i>0.500</i>	Machined Steel	6	No Hub / Set Screw
# PV-09.53x054.86-12.70-CI	9.53 <i>0.375</i>	54.86 <i>2.160</i>	Not Specified	Not Specified	27.781 <i>1.094</i>	12.700 <i>0.500</i>	Cast Iron	2	39.700 / Set Screw
# PV-09.53x057.15-12.70-ST	9.53 <i>0.375</i>	57.15 <i>2.250</i>	Not Specified	Not Specified	12.700 <i>0.500</i>	12.700 <i>0.500</i>	Machined Steel	6	No Hub / Set Screw

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Vee - M / 3L - 10.00 mm Top Width - Single Row

Part Number	Suit Belt Top Width (W) mm	Pitch Diameter (PD) mm	Groove Depth (G) mm	Groove Top Width (T) mm	Overall Width (O) mm	Bore (d) mm	Material	Type	Hub Diameter (HD) mm
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>			<i>inches</i>
# PV-09.53x057.40-12.70-CI	9.53	57.40	Not Specified	Not Specified	27.781	12.700	Cast Iron	2	39.700 / Set Screw
	<i>0.375</i>	<i>2.260</i>			<i>1.094</i>	<i>0.500</i>			
# PV-09.53x062.48-12.70-CI	9.53	62.48	Not Specified	Not Specified	27.781	12.700	Cast Iron	2	39.700 / Set Screw
	<i>0.375</i>	<i>2.460</i>			<i>1.094</i>	<i>0.500</i>			
# PV-09.53x063.50-12.70-ST	9.53	63.50	Not Specified	Not Specified	12.700	12.700	Machined Steel	6	No Hub / Set Screw
	<i>0.375</i>	<i>2.500</i>			<i>0.500</i>	<i>0.500</i>			
# PV-09.53x067.56-12.70-CI	9.53	67.56	Not Specified	Not Specified	27.781	12.700	Cast Iron	2	39.700 / Set Screw
	<i>0.375</i>	<i>2.660</i>			<i>1.094</i>	<i>0.500</i>			
# PV-09.53x072.64-12.70-CI	9.53	72.64	Not Specified	Not Specified	27.781	12.700	Cast Iron	2	39.700 / Set Screw
	<i>0.375</i>	<i>2.860</i>			<i>1.094</i>	<i>0.500</i>			
# PV-09.53x076.20-12.70-CI	9.53	76.20	Not Specified	Not Specified	26.190	12.700	Cast Iron	2	38.100 / Set Screw
	<i>0.375</i>	<i>3.000</i>			<i>1.031</i>	<i>0.500</i>			
# PV-09.53x080.26-12.70-CI	9.53	80.26	Not Specified	Not Specified	30.956	12.700	Cast Iron	2	44.450 / Set Screw
	<i>0.375</i>	<i>3.160</i>			<i>1.219</i>	<i>0.500</i>			
# PV-09.53x085.34-12.70-CI	9.53	85.34	Not Specified	Not Specified	30.956	12.700	Cast Iron	2	44.450 / Set Screw
	<i>0.375</i>	<i>3.360</i>			<i>1.219</i>	<i>0.500</i>			

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Vee - M / 3L - 10.00 mm Top Width - Single Row

Part Number	Suit Belt Top Width (W) mm	Pitch Diameter (PD) mm	Groove Depth (G) mm	Groove Top Width (T) mm	Overall Width (O) mm	Bore (d) mm	Material	Type	Hub Diameter (HD) mm
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>			<i>inches</i>
# PV-09.53x088.90-12.70-CI	9.53 <i>0.375</i>	88.90 <i>3.500</i>	Not Specified	Not Specified	26.190 <i>1.031</i>	12.700 <i>0.500</i>	Cast Iron	2	38.100 / Set Screw
# PV-09.53x092.96-12.70-CI	9.53 <i>0.375</i>	92.96 <i>3.660</i>	Not Specified	Not Specified	30.956 <i>1.219</i>	12.700 <i>0.500</i>	Cast Iron	3	44.450 / Set Screw
# PV-09.53x098.04-12.70-CI	9.53 <i>0.375</i>	98.04 <i>3.860</i>	Not Specified	Not Specified	30.956 <i>1.219</i>	12.700 <i>0.500</i>	Cast Iron	3	44.450 / Set Screw
# PV-09.53x101.60-12.70-CI	9.53 <i>0.375</i>	101.60 <i>4.000</i>	Not Specified	Not Specified	26.190 <i>1.031</i>	12.700 <i>0.500</i>	Cast Iron	3	39.700 / Set Screw
# PV-09.53x105.66-12.70-CI	9.53 <i>0.375</i>	105.66 <i>4.160</i>	Not Specified	Not Specified	30.956 <i>1.219</i>	12.700 <i>0.500</i>	Cast Iron	3	44.450 / Set Screw
# PV-09.53x110.74-12.70-CI	9.53 <i>0.375</i>	110.74 <i>4.360</i>	Not Specified	Not Specified	30.956 <i>1.219</i>	12.700 <i>0.500</i>	Cast Iron	3	44.450 / Set Screw
# PV-09.53x114.30-12.70-CI	9.53 <i>0.375</i>	114.30 <i>4.500</i>	Not Specified	Not Specified	26.190 <i>1.031</i>	12.700 <i>0.500</i>	Cast Iron	3	44.450 / Set Screw
# PV-09.53x118.36-12.70-CI	9.53 <i>0.375</i>	118.36 <i>4.660</i>	Not Specified	Not Specified	30.956 <i>1.219</i>	12.700 <i>0.500</i>	Cast Iron	3	44.450 / Set Screw

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Vee - M / 3L - 10.00 mm Top Width - Single Row

Part Number	Suit Belt Top Width (W) mm	Pitch Diameter (PD) mm	Groove Depth (G) mm	Groove Top Width (T) mm	Overall Width (O) mm	Bore (d) mm	Material	Type	Hub Diameter (HD) mm
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>			<i>inches</i>
# PV-09.53x123.44-12.70-CI	9.53 <i>0.375</i>	123.44 <i>4.860</i>	Not Specified	Not Specified	30.956 <i>1.219</i>	12.700 <i>0.500</i>	Cast Iron	3	44.450 / Set Screw
# PV-09.53x127.00-12.70-CI	9.53 <i>0.375</i>	127.00 <i>5.000</i>	Not Specified	Not Specified	26.190 <i>1.031</i>	12.700 <i>0.500</i>	Cast Iron	3	44.450 / Set Screw
# PV-09.53x131.06-12.70-CI	9.53 <i>0.375</i>	131.06 <i>5.160</i>	Not Specified	Not Specified	30.956 <i>1.219</i>	12.700 <i>0.500</i>	Cast Iron	3	44.450 / Set Screw
# PV-09.53x136.14-12.70-CI	9.53 <i>0.375</i>	136.14 <i>5.360</i>	Not Specified	Not Specified	30.956 <i>1.219</i>	12.700 <i>0.500</i>	Cast Iron	3	44.450 / Set Screw
# PV-09.53x143.76-12.70-CI	9.53 <i>0.375</i>	143.76 <i>5.660</i>	Not Specified	Not Specified	38.894 <i>1.531</i>	12.700 <i>0.500</i>	Cast Iron	3	44.450 / Set Screw
# PV-09.53x152.40-12.70-CI	9.53 <i>0.375</i>	152.40 <i>6.000</i>	Not Specified	Not Specified	26.190 <i>1.031</i>	12.700 <i>0.500</i>	Cast Iron	3	44.450 / Set Screw
# PV-09.53x169.16-12.70-CI	9.53 <i>0.375</i>	169.16 <i>6.660</i>	Not Specified	Not Specified	38.894 <i>1.531</i>	12.700 <i>0.500</i>	Cast Iron	3	44.450 / Set Screw
# PV-09.53x177.80-12.70-CI	9.53 <i>0.375</i>	177.80 <i>7.000</i>	Not Specified	Not Specified	26.190 <i>1.031</i>	12.700 <i>0.500</i>	Cast Iron	3	44.450 / Set Screw

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Vee - M / 3L - 10.00 mm Top Width - Single Row

Part Number	Suit Belt Top Width (W) mm	Pitch Diameter (PD) mm	Groove Depth (G) mm	Groove Top Width (T) mm	Overall Width (O) mm	Bore (d) mm	Material	Type	Hub Diameter (HD) mm
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>			<i>inches</i>
# PV-09.53x194.56-12.70-CI	9.53	194.56	Not Specified	Not Specified	38.894	12.700	Cast Iron	3	44.450 / Set Screw
	<i>0.375</i>	<i>7.660</i>			<i>1.531</i>	<i>0.500</i>			
# PV-09.53x203.20-12.70-CI	9.53	203.20	Not Specified	Not Specified	26.990	12.700	Cast Iron	3	44.450 / Set Screw
	<i>0.375</i>	<i>8.000</i>			<i>1.063</i>	<i>0.500</i>			
# PV-09.53x219.96-12.70-CI	9.53	219.96	Not Specified	Not Specified	38.894	12.700	Cast Iron	3	44.450 / Set Screw
	<i>0.375</i>	<i>8.660</i>			<i>1.531</i>	<i>0.500</i>			
# PV-09.53x228.60-12.70-CI	9.53	228.60	Not Specified	Not Specified	26.990	12.700	Cast Iron	3	44.450 / Set Screw
	<i>0.375</i>	<i>9.000</i>			<i>1.063</i>	<i>0.500</i>			
# PV-09.53x245.36-12.70-CI	9.53	245.36	Not Specified	Not Specified	38.894	12.700	Cast Iron	3	44.450 / Set Screw
	<i>0.375</i>	<i>9.660</i>			<i>1.531</i>	<i>0.500</i>			
PV-10.00x031.75-12.70-AL	10.000	31.750	8.900	9.000 - 10.500	33.300	12.70	Aluminium	3	Tapered 29.000 - 33.000
	<i>0.394</i>	<i>1.250</i>	<i>0.350</i>		<i>1.311</i>	<i>0.500</i>			
PV-10.00x038.10-12.70-AL	10.000	38.100	9.900	9.000 - 10.500	28.900	12.70	Aluminium	3	Tapered 30.000 - 34.000
	<i>0.394</i>	<i>1.500</i>	<i>0.390</i>		<i>1.138</i>	<i>0.500</i>			
# PV-10.00x063.50-15.88-AL	10.000	63.500	9.900	9.000 - 10.500	32.000	15.88	Aluminium	3	Tapered 32.500 - 36.300
	<i>0.394</i>	<i>2.500</i>	<i>0.390</i>		<i>1.260</i>	<i>0.625</i>			

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Vee - M / 3L - 10.00 mm Top Width - Single Row

Part Number	Suit Belt Top Width (W) mm	Pitch Diameter (PD) mm	Groove Depth (G) mm	Groove Top Width (T) mm	Overall Width (O) mm	Bore (d) mm	Material	Type	Hub Diameter (HD) mm
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>			<i>inches</i>
PV-10.00x063.50-19.05-AL	10.000 <i>0.394</i>	63.500 <i>2.500</i>	9.900 <i>0.390</i>	9.000 - 10.500	32.000 <i>1.260</i>	19.05 <i>0.750</i>	Aluminium	3	Tapered 32.500 - 36.300
PV-10.00x063.50-25.40-AL	10.000 <i>0.394</i>	63.500 <i>2.500</i>	9.900 <i>0.390</i>	9.000 - 10.500	32.000 <i>1.260</i>	25.40 <i>1.000</i>	Aluminium	3	Tapered 32.500 - 36.300
PV-10.00x063.50-12.70-AL	10.000 <i>0.394</i>	63.500 <i>2.500</i>	9.900 <i>0.390</i>	9.000 - 10.500	32.000 <i>1.260</i>	12.70 <i>0.500</i>	Aluminium	3	Tapered 32.500 - 36.300
PV-10.00x076.20-12.70-AL	10.000 <i>0.394</i>	76.200 <i>3.000</i>	9.900 <i>0.390</i>	9.000 - 10.500	33.300 <i>1.311</i>	12.70 <i>0.500</i>	Aluminium	3	
PV-10.00x076.20-15.88-AL	10.000 <i>0.394</i>	76.200 <i>3.000</i>	9.900 <i>0.390</i>	9.000 - 10.500	33.300 <i>1.311</i>	15.88 <i>0.625</i>	Aluminium	3	
PV-10.00x076.20-19.05-AL	10.000 <i>0.394</i>	76.200 <i>3.000</i>	9.900 <i>0.390</i>	9.000 - 10.500	33.300 <i>1.311</i>	19.05 <i>0.750</i>	Aluminium	3	
PV-10.00x076.20-25.40-AL	10.000 <i>0.394</i>	76.200 <i>3.000</i>	9.900 <i>0.390</i>	9.000 - 10.500	33.300 <i>1.311</i>	25.40 <i>1.000</i>	Aluminium	3	
PV-10.00x101.60-12.70-AL	10.000 <i>0.394</i>	101.60 <i>4.000</i>	9.900 <i>0.390</i>	9.000 - 10.500	33.300 <i>1.311</i>	12.70 <i>0.500</i>	Aluminium	3	
PV-10.00x101.60-15.88-AL	10.000 <i>0.394</i>	101.60 <i>4.000</i>	9.900 <i>0.390</i>	9.000 - 10.500	33.300 <i>1.311</i>	15.88 <i>0.625</i>	Aluminium	3	

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Vee - M / 3L - 10.00 mm Top Width - Single Row

Part Number	Suit Belt Top Width (W) mm	Pitch Diameter (PD) mm	Groove Depth (G) mm	Groove Top Width (T) mm	Overall Width (O) mm	Bore (d) mm	Material	Type	Hub Diameter (HD) mm
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>			<i>inches</i>
PV-10.00x101.60-19.05-AL	10.000 <i>0.394</i>	101.60 <i>4.000</i>	9.900 <i>0.390</i>	9.000 - 10.500	33.300 <i>1.311</i>	19.05 <i>0.750</i>	Aluminium	3	
PV-10.00x101.60-25.40-AL	10.000 <i>0.394</i>	101.60 <i>4.000</i>	9.900 <i>0.390</i>	9.000 - 10.500	33.300 <i>1.311</i>	25.40 <i>1.000</i>	Aluminium	3	
PV-10.00x139.70-12.70-AL	10.000 <i>0.394</i>	139.70 <i>5.500</i>	9.900 <i>0.390</i>	9.000 - 10.500	32.300 <i>1.272</i>	12.70 <i>0.500</i>	Aluminium	3	Tapered 36.000 - 41.000
# PV-10.00x152.40-12.70-AL	10.000 <i>0.394</i>	152.40 <i>6.000</i>	10.400 <i>0.409</i>	9.000 - 10.500	33.200 <i>1.307</i>	12.70 <i>0.500</i>	Aluminium	3	Tapered 36.000 - 41.000

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to catalogues@minibearings.com.au
