




# MBA

## Reels - Spring Powered - Arbour Mounted



Mounting studs sold separately.

Used in counterbalances, door closers, cable retractors, hose retrievers, tool head returns, cabinets and furniture.

Mounting studs sold separately.

This catalogue to be read in conjunction with information at [http://www.minibearings.com.au/ogue/tech/reels/reels\\_spring\\_arbour.pdf](http://www.minibearings.com.au/ogue/tech/reels/reels_spring_arbour.pdf)

### Reels - Spring Powered - Arbour Mounted

Part Number	Cable Length mm	Diameter A mm	Diameter B mm	Cable Diameter mm	Cable pull rate lbs / grams	Square Mounting Hole (D) mm	Width (C) mm	Case Material	Spring Material
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>		<i>inches</i>	<i>inches</i>		
# RSP-1524-3976-ST-ARB	1524.0	73	86	Nylon Coated 7x7Galv. Steel to 2.38mm Diameter	See PDF file below (internet site)	7.94	25.4	Epoxy Powder Coated Steel	High Carbon Steel
	<i>60.000</i>	<i>2.874</i>	<i>3.386</i>			<i>0.313</i>	<i>1.000</i>		
# RSP-1524-3976-DL-ARB	1524.0	73	86	Nylon Coated 7x7Galv. Steel to 2.38mm Diameter	See PDF file below (internet site)	7.94	28.6	Delrin	High Carbon Steel
	<i>60.000</i>	<i>2.874</i>	<i>3.386</i>			<i>0.313</i>	<i>1.126</i>		

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Reels - Spring Powered - Arbour Mounted

Part Number	Cable Length mm	Diameter A mm	Diameter B mm	Cable Diameter mm	Cable pull rate lbs / grams	Square Mounting Hole (D) mm	Width (C) mm	Case Material	Spring Material
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>		<i>inches</i>	<i>inches</i>		
# RSP-1524-1912-ST-ARB	1524.0	73	86	Nylon Coated 7x7Galv. Steel to 2.38mm Diameter	See PDF file below (internet site)	7.94	25.4	Epoxy Powder Coated Steel	High Carbon Steel
	<i>60.000</i>	<i>2.874</i>	<i>3.386</i>			<i>0.313</i>	<i>1.000</i>		
# RSP-1524-1912-DL-ARB	1524.0	73	86	Nylon Coated 7x7Galv. Steel to 2.38mm Diameter	See PDF file below (internet site)	7.94	28.6	Delrin	High Carbon Steel
	<i>60.000</i>	<i>2.874</i>	<i>3.386</i>			<i>0.313</i>	<i>1.126</i>		
# RSP-1524-1851-ST-ARB	1524.0	73	86	Nylon Coated 7x7Galv. Steel to 2.38mm Diameter	See PDF file below (internet site)	7.94	25.4	Epoxy Powder Coated Steel	High Carbon Steel
	<i>60.000</i>	<i>2.874</i>	<i>3.386</i>			<i>0.313</i>	<i>1.000</i>		
# RSP-1524-1851-DL-ARB	1524.0	73	86	Nylon Coated 7x7Galv. Steel to 2.38mm Diameter	See PDF file below (internet site)	7.94	28.6	Delrin	High Carbon Steel
	<i>60.000</i>	<i>2.874</i>	<i>3.386</i>			<i>0.313</i>	<i>1.126</i>		
# RSP-2286-ST-ARB	2286.0	73	86	Nylon Coated 7x7Galv. Steel to 2.38mm Diameter	See PDF file below (internet site)	7.94	25.4	Epoxy Powder Coated Steel	High Carbon Steel
	<i>90.000</i>	<i>2.874</i>	<i>3.386</i>			<i>0.313</i>	<i>1.000</i>		
# RSP-2286-DL-ARB	2286.0	73	86	Nylon Coated 7x7Galv. Steel to 2.38mm Diameter	See PDF file below (internet site)	7.94	28.6	Delrin	High Carbon Steel
	<i>90.000</i>	<i>2.874</i>	<i>3.386</i>			<i>0.313</i>	<i>1.126</i>		

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Reels - Spring Powered - Arbour Mounted

Part Number	Cable Length mm	Diameter A mm	Diameter B mm	Cable Diameter mm	Cable pull rate lbs / grams	Square Mounting Hole (D) mm	Width (C) mm	Case Material	Spring Material
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>		<i>inches</i>	<i>inches</i>		
# RSP-2743-ST-ARB	2743.2	127	152	Nylon Coated 7x7Galv. Steel to 2.38mm Diameter	See PDF file below (internet site)	11.11	41.3	Epoxy Powder Coated Steel	High Carbon Steel
	<i>108.000</i>	<i>5.000</i>	<i>5.984</i>			<i>0.437</i>	<i>1.626</i>		
# RSP-3048-ST-ARB	3048.0	105	127	Nylon Coated 7x7Galv. Steel to 2.38mm Diameter	See PDF file below (internet site)	11.11	41.3	Epoxy Powder Coated Steel	High Carbon Steel
	<i>120.000</i>	<i>4.134</i>	<i>5.000</i>			<i>0.437</i>	<i>1.626</i>		
# RSP-3124-ST-ARB	3124.2	73	86	Nylon Coated 7x7Galv. Steel to 2.38mm Diameter	See PDF file below (internet site)	7.94	25.4	Epoxy Powder Coated Steel	High Carbon Steel
	<i>123.000</i>	<i>2.874</i>	<i>3.386</i>			<i>0.313</i>	<i>1.000</i>		
# RSP-3124-DL-ARB	3124.2	73	86	Nylon Coated 7x7Galv. Steel to 2.38mm Diameter	See PDF file below (internet site)	7.94	28.6	Delrin	High Carbon Steel
	<i>123.000</i>	<i>2.874</i>	<i>3.386</i>			<i>0.313</i>	<i>1.126</i>		

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to [catalogues@minibearings.com.au](mailto:catalogues@minibearings.com.au)

