




MBA

Rod Ends - Heavy Duty - Ball



With integral self aligning ball bearing.

With grease nipple.

Housing: Tempered forged steel. Bearing Race: Case hardened.

Thread: Rolled - Surface galvanised.

Inner Ring: Ball bearing steel. Hardened, ground.

Lubrication: Calcium Complex Soap Grease temperature range -20°C to +120°C.

Rod Ends - Heavy Duty - Ball

Part Number	Eye Size (d1) mm <i>inches</i>	Thread Size / Type (d3) mm <i>inches</i>	Housing OD (d6) mm <i>inches</i>	Centre Height (h) mm <i>inches</i>	Thread Length (L) mm <i>inches</i>	Top Width (b3) mm <i>inches</i>	Ball Width (b1) mm <i>inches</i>	Base Width (SW) mm <i>inches</i>	Base Length (d7) mm <i>inches</i>
# BRF-06/LH	6.00 <i>0.236</i>	M6 Female Left Hand	20.00 <i>0.787</i>	30.00 <i>1.181</i>	12.00 <i>0.472</i>	6.75 <i>0.266</i>	9.00 <i>0.354</i>	11.00 <i>0.433</i>	13.00 <i>0.512</i>
# BRM-06/LH	6.00 <i>0.236</i>	M6 Male Left Hand	20.00 <i>0.787</i>	36.00 <i>1.417</i>	22.00 <i>0.866</i>	6.75 <i>0.266</i>	9.00 <i>0.354</i>	-	-

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Rod Ends - Heavy Duty - Ball

Part Number	Eye Size (d1) mm <i>inches</i>	Thread Size / Type (d3) mm <i>inches</i>	Housing OD (d6) mm <i>inches</i>	Centre Height (h) mm <i>inches</i>	Thread Length (L) mm <i>inches</i>	Top Width (b3) mm <i>inches</i>	Ball Width (b1) mm <i>inches</i>	Base Width (SW) mm <i>inches</i>	Base Length (d7) mm <i>inches</i>
# BRM-06/RH	6.00 <i>0.236</i>	M6 Male Right Hand	20.00 <i>0.787</i>	36.00 <i>1.417</i>	22.00 <i>0.866</i>	6.75 <i>0.266</i>	9.00 <i>0.354</i>	-	-
# BRF-06/RH	6.00 <i>0.236</i>	M6 Female Right Hand	20.00 <i>0.787</i>	30.00 <i>1.181</i>	12.00 <i>0.472</i>	6.75 <i>0.266</i>	9.00 <i>0.354</i>	11.00 <i>0.433</i>	13.00 <i>0.512</i>
# BRM-08/RH	8.00 <i>0.315</i>	M8 Male Right Hand	24.00 <i>0.945</i>	42.00 <i>1.654</i>	25.00 <i>0.984</i>	9.00 <i>0.354</i>	12.00 <i>0.472</i>	-	-
# BRF-08/RH	8.00 <i>0.315</i>	M8 Female Right Hand	24.00 <i>0.945</i>	36.00 <i>1.417</i>	16.00 <i>0.630</i>	9.00 <i>0.354</i>	14.00 <i>0.551</i>	14.00 <i>0.551</i>	16.00 <i>0.630</i>
# BRF-08/LH	8.00 <i>0.315</i>	M8 Female Left Hand	24.00 <i>0.945</i>	36.00 <i>1.417</i>	16.00 <i>0.630</i>	9.00 <i>0.354</i>	12.00 <i>0.472</i>	14.00 <i>0.551</i>	16.00 <i>0.630</i>
# BRM-08/LH	8.00 <i>0.315</i>	M8 Male Left Hand	24.00 <i>0.945</i>	42.00 <i>1.654</i>	25.00 <i>0.984</i>	9.00 <i>0.354</i>	12.00 <i>0.472</i>	-	-
# BRF-10/LH	10.00 <i>0.394</i>	M10 Female Left Hand	28.00 <i>1.102</i>	43.00 <i>1.693</i>	20.00 <i>0.787</i>	10.50 <i>0.413</i>	14.00 <i>0.551</i>	17.00 <i>0.669</i>	19.00 <i>0.748</i>
# BRM-10/RH	10.00 <i>0.394</i>	M10 Male Right Hand	28.00 <i>1.102</i>	48.00 <i>1.890</i>	29.00 <i>1.142</i>	10.50 <i>0.413</i>	14.00 <i>0.551</i>	-	-

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Rod Ends - Heavy Duty - Ball

Part Number	Eye Size (d1) mm <i>inches</i>	Thread Size / Type (d3) mm <i>inches</i>	Housing OD (d6) mm <i>inches</i>	Centre Height (h) mm <i>inches</i>	Thread Length (L) mm <i>inches</i>	Top Width (b3) mm <i>inches</i>	Ball Width (b1) mm <i>inches</i>	Base Width (SW) mm <i>inches</i>	Base Length (d7) mm <i>inches</i>
# BRF-10/RH	10.00 <i>0.394</i>	M10 Female Right Hand <i>inches</i>	28.00 <i>1.102</i>	43.00 <i>1.693</i>	20.00 <i>0.787</i>	10.50 <i>0.413</i>	14.00 <i>0.551</i>	17.00 <i>0.669</i>	19.00 <i>0.748</i>
# BRM-10/LH	10.00 <i>0.394</i>	M10 Male Left Hand <i>inches</i>	28.00 <i>1.102</i>	48.00 <i>1.890</i>	29.00 <i>1.142</i>	10.50 <i>0.413</i>	14.00 <i>0.551</i>	-	-
# BRM-12/RH	12.00 <i>0.472</i>	M12 Male Right Hand <i>inches</i>	32.00 <i>1.260</i>	54.00 <i>2.126</i>	33.00 <i>1.299</i>	12.00 <i>0.472</i>	16.00 <i>0.630</i>	-	-
# BRF-12/RH	12.00 <i>0.472</i>	M12 Female Right Hand <i>inches</i>	32.00 <i>1.260</i>	50.00 <i>1.969</i>	22.00 <i>0.866</i>	12.00 <i>0.472</i>	16.00 <i>0.630</i>	19.00 <i>0.748</i>	22.00 <i>0.866</i>
# BRF-12/LH	12.00 <i>0.472</i>	M12 Female Left Hand <i>inches</i>	32.00 <i>1.260</i>	50.00 <i>1.969</i>	22.00 <i>0.866</i>	12.00 <i>0.472</i>	16.00 <i>0.630</i>	19.00 <i>0.748</i>	22.00 <i>0.866</i>
# BRM-12/LH	12.00 <i>0.472</i>	M12 Male Left Hand <i>inches</i>	32.00 <i>1.260</i>	54.00 <i>2.126</i>	33.00 <i>1.299</i>	12.00 <i>0.472</i>	16.00 <i>0.630</i>	-	-
# BRF-14/LH	14.00 <i>0.551</i>	M14 Female Left Hand <i>inches</i>	36.00 <i>1.417</i>	57.00 <i>2.244</i>	25.00 <i>0.984</i>	13.50 <i>0.531</i>	19.00 <i>0.748</i>	22.00 <i>0.866</i>	25.00 <i>0.984</i>
# BRF-14/RH	14.00 <i>0.551</i>	M14 Female Right Hand <i>inches</i>	36.00 <i>1.417</i>	57.00 <i>2.244</i>	25.00 <i>0.984</i>	13.50 <i>0.531</i>	19.00 <i>0.748</i>	22.00 <i>0.866</i>	25.00 <i>0.984</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Rod Ends - Heavy Duty - Ball

Part Number	Eye Size (d1) mm <i>inches</i>	Thread Size / Type (d3) mm <i>inches</i>	Housing OD (d6) mm <i>inches</i>	Centre Height (h) mm <i>inches</i>	Thread Length (L) mm <i>inches</i>	Top Width (b3) mm <i>inches</i>	Ball Width (b1) mm <i>inches</i>	Base Width (SW) mm <i>inches</i>	Base Length (d7) mm <i>inches</i>
# BRM-14/RH	14.00 <i>0.551</i>	M14 Male Right Hand	36.00 <i>1.417</i>	60.00 <i>2.362</i>	36.00 <i>1.417</i>	13.50 <i>0.531</i>	19.00 <i>0.748</i>	-	-
# BRM-14/LH	14.00 <i>0.551</i>	M14 Male Left Hand	36.00 <i>1.417</i>	60.00 <i>2.362</i>	36.00 <i>1.417</i>	13.50 <i>0.531</i>	19.00 <i>0.748</i>	-	-
# BRM-16/RH	16.00 <i>0.630</i>	M16 Male Right Hand	42.00 <i>1.654</i>	66.00 <i>2.598</i>	40.00 <i>1.575</i>	15.00 <i>0.591</i>	21.00 <i>0.827</i>	-	-
# BRM-16/LH	16.00 <i>0.630</i>	M16 Male Left Hand	42.00 <i>1.654</i>	66.00 <i>2.598</i>	40.00 <i>1.575</i>	15.00 <i>0.591</i>	21.00 <i>0.827</i>	-	-
# BRF-16/RH	16.00 <i>0.630</i>	M16 Female Right Hand	42.00 <i>1.654</i>	64.00 <i>2.520</i>	28.00 <i>1.102</i>	15.00 <i>0.591</i>	21.00 <i>0.827</i>	22.00 <i>0.866</i>	27.00 <i>1.063</i>
# BRF-16/LH	16.00 <i>0.630</i>	M16 Female Left Hand	42.00 <i>1.654</i>	64.00 <i>2.520</i>	28.00 <i>1.102</i>	15.00 <i>0.591</i>	21.00 <i>0.827</i>	22.00 <i>0.866</i>	27.00 <i>1.063</i>
# BRM-18/RH	18.00 <i>0.709</i>	M18 x 1.50 Male Right Hand	46.00 <i>1.811</i>	72.00 <i>2.835</i>	44.00 <i>1.732</i>	16.50 <i>0.650</i>	23.00 <i>0.906</i>	-	-
# BRM-18/LH	18.00 <i>0.709</i>	M18 x 1.50 Male Left Hand	46.00 <i>1.811</i>	72.00 <i>2.835</i>	44.00 <i>1.732</i>	16.50 <i>0.650</i>	23.00 <i>0.906</i>	-	-

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Rod Ends - Heavy Duty - Ball

Part Number	Eye Size (d1) mm <i>inches</i>	Thread Size / Type (d3) mm <i>inches</i>	Housing OD (d6) mm <i>inches</i>	Centre Height (h) mm <i>inches</i>	Thread Length (L) mm <i>inches</i>	Top Width (b3) mm <i>inches</i>	Ball Width (b1) mm <i>inches</i>	Base Width (SW) mm <i>inches</i>	Base Length (d7) mm <i>inches</i>
# BRF-18/RH	18.00 <i>0.709</i>	M18 x 1.50 Female Right Hand	46.00 <i>1.811</i>	71.00 <i>2.795</i>	32.00 <i>1.260</i>	16.50 <i>0.650</i>	23.00 <i>0.906</i>	24.00 <i>0.945</i>	31.00 <i>1.220</i>
# BRF-18/LH	18.00 <i>0.709</i>	M18 x 1.50 Female Left Hand	46.00 <i>1.811</i>	71.00 <i>2.795</i>	32.00 <i>1.260</i>	16.50 <i>0.650</i>	23.00 <i>0.906</i>	24.00 <i>0.945</i>	31.00 <i>1.220</i>
# BRF-20/RH	20.00 <i>0.787</i>	M20 x 1.50 Female Right Hand	50.00 <i>1.969</i>	77.00 <i>3.031</i>	33.00 <i>1.299</i>	18.00 <i>0.709</i>	25.00 <i>0.984</i>	26.00 <i>1.024</i>	34.00 <i>1.339</i>
# BRF-20/LH	20.00 <i>0.787</i>	M20 x 1.50 Female Left Hand	50.00 <i>1.969</i>	77.00 <i>3.031</i>	33.00 <i>1.299</i>	18.00 <i>0.709</i>	25.00 <i>0.984</i>	26.00 <i>1.024</i>	34.00 <i>1.339</i>
# BRM-20/RH	20.00 <i>0.787</i>	M20 x 1.50 Male Right Hand	50.00 <i>1.969</i>	78.00 <i>3.071</i>	47.00 <i>1.850</i>	18.00 <i>0.709</i>	25.00 <i>0.984</i>	-	-
# BRM-20/LH	20.00 <i>0.787</i>	M20 x 1.50 Male Left Hand	50.00 <i>1.969</i>	78.00 <i>3.071</i>	47.00 <i>1.850</i>	18.00 <i>0.709</i>	25.00 <i>0.984</i>	-	-
# BRF-22/LH	22.00 <i>0.866</i>	M22 x 1.50 Female Left Hand	54.00 <i>2.126</i>	84.00 <i>3.307</i>	37.00 <i>1.457</i>	20.00 <i>0.787</i>	28.00 <i>1.102</i>	26.00 <i>1.024</i>	38.00 <i>1.496</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Rod Ends - Heavy Duty - Ball

Part Number	Eye Size (d1) mm <i>inches</i>	Thread Size / Type (d3) mm <i>inches</i>	Housing OD (d6) mm <i>inches</i>	Centre Height (h) mm <i>inches</i>	Thread Length (L) mm <i>inches</i>	Top Width (b3) mm <i>inches</i>	Ball Width (b1) mm <i>inches</i>	Base Width (SW) mm <i>inches</i>	Base Length (d7) mm <i>inches</i>
# BRM-22/LH	22.00 <i>0.866</i>	M22 x 1.50 Male Left Hand <i>inches</i>	54.00 <i>2.126</i>	84.00 <i>3.307</i>	51.00 <i>2.008</i>	20.00 <i>0.787</i>	28.00 <i>1.102</i>	-	-
# BRF-22/RH	22.00 <i>0.866</i>	M22 x 1.50 Female Right Hand <i>inches</i>	54.00 <i>2.126</i>	84.00 <i>3.307</i>	37.00 <i>1.457</i>	20.00 <i>0.787</i>	28.00 <i>1.102</i>	26.00 <i>1.024</i>	38.00 <i>1.496</i>
# BRM-22/RH	22.00 <i>0.866</i>	M22 x 1.50 Male Right Hand <i>inches</i>	54.00 <i>2.126</i>	84.00 <i>3.307</i>	51.00 <i>2.008</i>	20.00 <i>0.787</i>	28.00 <i>1.102</i>	-	-
# BRF-25/LH	25.00 <i>0.984</i>	M24 x 2.00 Female Left Hand <i>inches</i>	64.00 <i>2.520</i>	94.00 <i>3.701</i>	42.00 <i>1.654</i>	22.00 <i>0.866</i>	31.00 <i>1.220</i>	32.00 <i>1.260</i>	35.00 <i>1.378</i>
# BRM-25/RH	25.00 <i>0.984</i>	M24 x 2.00 Male Right Hand <i>inches</i>	64.00 <i>2.520</i>	94.00 <i>3.701</i>	57.00 <i>2.244</i>	22.00 <i>0.866</i>	31.00 <i>1.220</i>	-	-
# BRM-25/LH	25.00 <i>0.984</i>	M24 x 2.00 Male Left Hand <i>inches</i>	64.00 <i>2.520</i>	94.00 <i>3.701</i>	57.00 <i>2.244</i>	22.00 <i>0.866</i>	31.00 <i>1.220</i>	-	-
# BRF-25/RH	25.00 <i>0.984</i>	M24 x 2.00 Female Right Hand <i>inches</i>	64.00 <i>2.520</i>	94.00 <i>3.701</i>	42.00 <i>1.654</i>	22.00 <i>0.866</i>	31.00 <i>1.220</i>	32.00 <i>1.260</i>	35.00 <i>1.378</i>
# BRM-30/RH	30.00 <i>1.181</i>	M30 x 2.00 Male Right Hand <i>inches</i>	70.00 <i>2.756</i>	110.00 <i>4.331</i>	66.00 <i>2.598</i>	25.00 <i>0.984</i>	37.00 <i>1.457</i>	-	-

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Rod Ends - Heavy Duty - Ball

Part Number	Eye Size (d1) mm	Thread Size / Type (d3) mm	Housing OD (d6) mm	Centre Height (h) mm	Thread Length (L) mm	Top Width (b3) mm	Ball Width (b1) mm	Base Width (SW) mm	Base Length (d7) mm
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>
# BRM-30/LH	30.00	M30 x 2.00 Male Left Hand	70.00	110.00	66.00	25.00	37.00	-	-
	<i>1.181</i>		<i>2.756</i>	<i>4.331</i>	<i>2.598</i>	<i>0.984</i>	<i>1.457</i>		
# BRF-30/LH	30.00	M30 x 2.00 Female Left Hand	70.00	110.00	51.00	25.00	37.00	35.00	50.00
	<i>1.181</i>		<i>2.756</i>	<i>4.331</i>	<i>2.008</i>	<i>0.984</i>	<i>1.457</i>	<i>1.378</i>	<i>1.969</i>
# BRF-30/RH	30.00	M30 x 2.00 Female Right Hand	70.00	110.00	51.00	25.00	37.00	35.00	50.00
	<i>1.181</i>		<i>2.756</i>	<i>4.331</i>	<i>2.008</i>	<i>0.984</i>	<i>1.457</i>	<i>1.378</i>	<i>1.969</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to catalogues@minibearings.com.au
